

GUIDANCE

Appendix R.6-1: Recommendations for nanomaterials applicable to the Guidance on QSARs and Grouping of Chemicals

Draft (Public) Version 1.0 January 2017



2

3

4

5

6

7

8 9

LEGAL NOTICE

This document aims to assist users in complying with their obligations under the REACH Regulation. However, users are reminded that the text of the REACH Regulation is the only authentic legal reference and that the information in this document does not constitute legal advice. Usage of the information remains under the sole responsibility of the user. The European Chemicals Agency does not accept any liability with regard to the use that may be made of the information contained in this document.

Guidance on information requirements and chemical safety assessment

Appendix R.6-1: Recommendations for nanomaterials applicable to the Guidance on QSARs and Grouping of Chemicals

Reference: XXXXXX

ISBN: XXXX

Publ.date: Month 201X

Language: EN

© European Chemicals Agency, 2016

If you have questions or comments in relation to this document please send them (indicating the document reference, issue date, chapter and/or page of the document to which your comment refers) using the Guidance feedback form. The feedback form can be accessed via the ECHA Guidance website or directly via the following link: https://comments.echa.europa.eu/comments cms/FeedbackGuidance.aspx

European Chemicals Agency

Mailing address: P.O. Box 400, FI-00121 Helsinki, Finland

Visiting address: Annankatu 18, Helsinki, Finland

DOCUMENT HISTORY

Version	Changes	Date
Version 1.0	First edition	Xxxx 2017

PREFACE

This appendix to Chapter R.6 of the guidance on IR&CSA has been developed in order to provide advice to registrants preparing their registration dossiers that cover nanoforms¹.

This document intends to provide an approach on how to justify the use of hazard data between nanoforms (and the non-nanoform(s)) and within groups of nanoforms of the same substance. It is presented as an Appendix to Chapter R.6 of the *Guidance on IR&CSA on QSARs and Grouping*² [1] because general concepts on grouping of chemicals are applicable to nanomaterials. Please note that no specific advice for QSARs with respect to nanomaterials is provided in this version of the guidance, as at present the state of the art does not allow to provide recommendations in this respect.

Moreover, the approach and general principles provided in this document together with the advice provided in the parent guidance, may also be useful when considering read-across between nanoforms of different substances.

This appendix intends to provide advice specific to nanomaterials and does not preclude the applicability of the general principles given in the parent guidance on the same matter.

Please note that this document does not provide endpoint specific guidance on meeting the information requirements set out in Annexes VI to XI to the REACH Regulation. Such information is provided in Chapters R.7a, R.7b and R.7c of Guidance on IR&CSA and its nanospecific Appendices on "recommendations for nanomaterials".

General information for meeting the information requirements such as collection and evaluation of available information, and adaptation of information requirements is available in Chapter R.2 to R.5 of Guidance on IR&CSA) and considered applicable for nanomaterials.

¹ Please see Appendix 4 to the Guidance on Registration [3]

² The *Guidance* on *QSARs* and *grouping* of chemicals (Chapter R.6 of the Guidance on IR&CSA) will be called "parent guidance" in the content of this appendix.

Table of Contents

1 2	Table of Contents
3	LEGAL NOTICE
4	DOCUMENT HISTORY3
5	PREFACE
6	1. INTRODUCTION 6
7	2. AIM 6
8 9	3. GROUPING APPROACH: A STEPWISE STRATEGY FOR GROUPING OF NANOFORMS FOR THE PURPOSE OF HAZARD AND FATE IDENTIFICATION
10 11 12 13 14 15 16 17 18	3.1 Stepwise strategy for grouping of nanoforms
20 21 22	APPENDIX 1. SUMMARY OF KEY PHYSICOCHEMICAL PARAMETERS RELEVANT FOR GROUPING AND READ-ACROSS OF NANOFORMS AND THEIR RELEVANCE FOR HUMAN HEALTH AND ENVIRONMENTAL ENDPOINTS
23	APPENDIX 2. EXAMPLE OF TEMPLATE FOR READ-ACROSS MATRIX 24
24	REFERENCES
25	
26 27	Table of Figures
28	Figure 1: Scheme for the step-wise approach (per endpoint)9
29 30 31	Figure 2: Key physicochemical parameters to be considered for grouping and read-across of nanoforms.
32 33	Table of Tables
34 35	Table 1. Relevance of selected environmental processes/parameters in different environmental compartments (not exclusive)
36 37	Table 2: Key physicochemical parameters to be considered for grouping and read-across of nanoforms and their relevance for human health and environmental endpoints
38	Table 3: Example of a read-across matrix template for nanoforms

1. Introduction

This guidance is directed to registrant(s) who have identified several nanoforms of the same substance³ and need either to determine to which forms (including non-nanoforms) the available hazard data will be applicable and/or to design a testing strategy to fulfil the information requirements for the substance. Additionally, the principles laid out in this document will also be useful for a potential registrant joining an existing registration that includes (nano)forms and who needs to determine whether the hazard data available could also be applicable for the nanomaterials he is putting on the market.

The principles and approach taken to justify use of hazard data between (nano)forms of the same substance are similar to those used for read-across and grouping between different substances. Thus, in this document the read-across terminology is used, even if it is acknowledged that currently the text of Annex XI of REACH addresses read-across between substances and not read-across between forms of the same substance. Nevertheless, the rationale of read-across may be extrapolated to forms of the same substance and the terminology used in Annex XI of REACH can therefore be also relevant in these cases. Explanation on general grouping and read-across principles and explanations of general terms such as "target"⁴ and "source"⁵ can be found in the parent guidance and in the OECD 2014 Guidance on Grouping of Chemicals [2].

2. Aim

In a REACH context a nanomaterial is a manufactured material that meets the requirements of the Commission Recommendation on the definition of nanomaterial^{6,7}.

Nanomaterials can be manufactured in different size distributions, shapes and by applying different surface treatments; the surface chemistry of the particles can be altered as well. Changes in these parameters may result in different nanoforms (see Appendix 4 to the *Guidance on Registration* [3]).

Nanoforms of the same substance will follow the same principles for registration as forms of any other substance. This means that different forms of the same substance will be registered together in the same registration.

Due to differences in physicochemical parameters e.g. surface chemistry, nanoforms of the same substance may potentially have different hazard profiles. Thus, the issue for the registrants is how to determine whether there are differences in the (eco)toxicological properties of the nanoforms (and the non-nanoform): i.e. when additional hazard data, for a specific endpoint, will need to be generated. This document aims to provide a systematic and pragmatic approach on how to assess whether there are differences in the (eco)toxicological properties and fate of the nanoforms (and the non-nanoform) that are covered by the

registration. The document also provides guidance on how to build a read-across justification and how to report it in the registration dossier ultimately submitted in fulfilment of registration obligations.

³ For definition of substance please see Article 3(1) of REACH

⁴ A target chemical is one with data gap(s), for which a property or hazard is being estimated from the source chemical(s). [2]

 $^{^{5}}$ Å chemical being used to make an estimate can be referred to as a source chemical

Please note that the EC Recommendation of definition of a nanomaterial is currently under revision, once it is updated, ECHA will consider it and update the references to it in the ECHA Guidance, if relevant.

1

18 19 20

21

22

23 24 25

36 37 38

39

40

41

42

43

44

45

35

54

The approach consists of a stepwise approach (section 3) where the nanoforms are grouped based on relevant physicochemical parameters (that may vary depending on the endpoint being considered). The correct application of the strategy will allow determination of:

- 1) whether there are available hazard data for the nanoforms covered by the registration and whether the data are applicable to the group(s) formed (for each specific endpoint)
- 2) what to consider in the testing strategy to ensure the applicability and relevance of available hazard data when data are not available for (a group) of nanoforms

The approach described in this document follows the principles outlined in the updated OECD 2014 Guidance on Grouping of Chemicals [2]. Moreover, in its appendix, the OECD guidance further elaborates the considerations regarding physicochemical parameters of nanomaterials.

Appendix 1: "Summary of key physicochemical parameters to be considered for grouping and read-across of nanoforms and their relevance for human health and environmental endpoints" outlines different physicochemical parameters and their potential influence on the hazard assessment depending on the endpoint being considered.

3. GROUPING APPROACH: A stepwise strategy for grouping of nanoforms for the purpose of hazard and fate identification

This chapter outlines a stepwise approach for the grouping of and read-across between nanoforms (and the non-nanoform(s)) of the same substance to ensure safe use. The general principles outlined in the parent guidance for grouping of chemicals [1] also apply to grouping of nanoforms. Thus, this document focuses on nanomaterial specific considerations and incorporates developments in science, which address specific considerations needed in the context of nanoforms. For further information please see [4] where these considerations are summarised. The approach developed by ECETOC [5] also provides useful information for the grouping of and read-across between nanoforms (and the non-nanoform(s)). Additional information can be found in other publications, see for instance [6], [7] and [8].

A large number of nanoforms may exist. As a consequence, there may be many different ways to group nanoforms depending on the endpoint(s) to be assessed and the information available. Therefore, the principles outlined below are intended to allow flexibility and thereby accommodate various grouping approaches.

This chapter outlines the general principles on how information on physicochemical properties, toxicokinetic and (eco)toxicological behaviour should be gathered and combined with expert judgement to provide a scientific rationale for the grouping of nanoforms, as well as guidance on how to document and justify each grouping approach. By seeking similarities in physicochemical properties, toxicokinetic behaviour and fate, and (eco)toxicological behaviour between different nanoforms, mainly using physicochemical parameters and/or in vitro screening methods, it may be possible to develop a robust scientific explanation, which supports the assumption of similar hazard properties within a defined group of nanoforms. Once the scientific basis for the grouping approach has been established and clearly justified, available hazard information (for the specific endpoint) can be read-across to all nanoforms within the defined group. In all cases, the hazard information should be robust enough for the purposes of hazard identification, classification and labelling (C&L) and/or risk assessment.

As for any chemical, grouping and read-across for nanoforms for the purpose of hazard identification are endpoint specific. A specific grouping approach must be justified endpoint by endpoint, but the same justification may be applicable to several endpoints. The decision on whether to develop the grouping strategy for one or several endpoints will depend on what

scientific explanation the grouping approach is based upon. Read-across can be used as an adaptation to fill a data gap for a specific endpoint. As for any chemical, it is not the conclusion of a study (e.g. potential to be mutagenic) that is read-across, it is the results of a study conducted according to a given test method⁸ or otherwise international recognised protocol (e.g. the results of a mammalian gene mutation test) that are read-across from the 'source' to each 'target' nanoform within the defined group (for further information please see the parent quidance).

3.1 Stepwise strategy for grouping of nanoforms

In order to use the test results obtained with a specific source material to predict the properties of the other (nano)forms (target) within a given group (i.e. read-across approach), it is necessary to demonstrate that the grouping of the nanoforms and the read-across between the source material and the target nanoforms is robust and justified⁹. To facilitate data collection and a systematic and transparent documentation of the grouping and read-across approach, it is recommended to follow a stepwise approach (seeFigure 1) for each endpoint intended to be covered by the approach. The stepwise approach essentially follows the steps outlined by the OECD guidance on grouping of chemicals [2]. There may be alternative means to obtain the information, thus the stepwise approach should be considered as a recommendation.

The proposed approach (except the identification of the nanoforms) is endpoint specific. However, in practice, several endpoints can be addressed at the same time as long as it is transparently explained which endpoints are covered and why the grouping/ read-across hypothesis is applicable to all of them.


The approach can also be used by registrants joining an existing registration and want to determine whether the data available can be applicable to their nanoforms.

General information for meeting the information requirements such as collection and evaluation of available information, and adaptation of information requirements is available in Chapter R.2 to R.5 of Guidance on IR&CSA).

⁸ Please note that not all test methods have been adapted to cover nanomaterials, for advice on testing for nanomaterials in a REACH context please see *Appendices on "recommendations for nanomaterials"* to Chapters R.7a, R.7b and R.7c of the Guidance on IR&CSA.

⁹ section R.6.2 of the parent guidance provides further general advice to assess the robustness of the grouping

Figure 1: Scheme for the step-wise approach¹⁰



3.2 Step 1: Identification and Characterisation of the nanoforms of the substance

As already mentioned in this guidance a substance may comprise different nanoforms due to variation in physicochemical parameters such as size, shape or surface treatments. Correct and unambiguous characterisation of the (nano)forms of a substance is a prerequisite to ensure a proper hazard assessment and thereby demonstration of safe use. Appropriate identification of form(s) of a substance includes, as a first step, consideration of the "substance identity" parameters as listed in Section 2 of Annex VI of the REACH Regulation. This includes the information on the composition of the substance, including impurities or additives. As for any substances, considerations of the crystalline structure are also relevant for nanoforms. Information on surface chemistry (and in particular relating to any surface treatment applied to the nanoform) must be taken into consideration for nanoforms of a substance (for further information see Appendix 4 to the *Guidance on Registration* [3]).

In addition to the parameters required to identify substances, when dealing with nanoforms, also additional physical (morphological) parameters should be considered: these are size, surface area and shape (in blue boxes in Figure 2). These properties can affect exposure, toxicokinetics, fate and/or (eco)toxicological behaviour and thus the possible risk posed by nanoforms. These constitute the basic information to be considered for grouping and read-across (based on current knowledge) to implement the "stepwise strategy for grouping of nanoforms" proposed above in Figure 1.

Figure 2 identifies parameters that can provide useful information to help grouping nanoforms. This includes properties that are not covered by the information requirements specified in REACH Annexes VI to X and properties for which there is a need to develop and validate suitable test methods. Given the lack of validated methods for all potentially relevant parameters, it is important that registrants include a discussion of the uncertainties in these methods and consecutive results in their grouping approach as part of the justification

-

¹⁰ All the steps are endpoint specific, except step 1, that does not belong strictly to the read-across and grouping approach, but that will be in most cases the starting point when using this approach in the context of REACH.

2

3

4

5

6

7

8

9

10

11

12

13

14

15


16


17

18

19

Figure 2: Key physicochemical parameters possibly relevant for grouping and read-across of nanoforms 11.





- Composition as reported in the dossier comprises chemical composition as described in ECHA Guidance for identification and naming of substances under REACH and CLP [9].
- ^{2.} Surface chemistry includes information on for instance chemical coating and surface treatment(s) applied to the particles.
- ^{3.} Surface area appears within the nanoform identification parameters as it can also be used to show compliance with the EC Definition [3](that is why it appears striped in the figure, as it is not always the case that it is used to determine whether the substance is a nanomaterial. Surface area includes porosity.
- 4 Solubility includes rate of dissolution and equilibrium solubility in relevant media.
- ^{5.} Hydrophobicity for nanoforms is dependent on e.g. van der Waals energy and surface charge.
- ^{6.} Dispersibility refers to the relative number or mass of particles in a suspending medium and therefore it is mediadependent. It relates to stability [8], aggregation and agglomeration in relevant media, and is dependent on e.g. van der Waals energy, Hamaker constant, zeta potential.
- Photoreactivity refers to activity that enables substances to participate or to initiate a reaction due to light. "Photo" indicates the energy source causing the activity. If the molecule itself becomes a radical it may easily react and be transformed. If oxygen radicals are induced (i.e. reactive oxygen species or ROS), they may easily react with other molecules, which in some cases may lead to severe effects (e.g. reaction with DNA leads to genotoxicity).
- 20 Size, shape and surface chemistry (e.g. functionalisation or coating(s) applied to the particles)
- 21 are also the minimum elements that must be considered (and reported in IUCLID) for
- 22 distinguishing between nanoforms. For further details on the criteria for defining nanoforms,
- 23 see the ECHA Guidance Appendix 4 "Recommendations for nanomaterials applicable to the
- 24 Guidance on Registration [3]".
- 25 Therefore, the chemical composition, the parameters size, shape and surface treatment
- 26 constitute the baseline for defining. These parameters may be taken into consideration for the
- 27 characterisation of nanoforms of a substance, when establishing their physicochemical identity
- and in arriving at an understanding of "what the nanoform is".

¹¹ Adapted from [8]

- 1 The information on chemical parameters (e.g. different impurities) and on physical parameters
- 2 ("What they are") may be also used for the grouping as well as the assessment of the
- 3 possibility for filling data gaps of nanoforms of the same substance.
- 4 The parameters related to the behaviour and reactivity of the nanoforms (respectively in
- 5 yellow and green boxes in Figure 2) need to be taken into account, but may not be relevant for
 - all the assessments (for that reason they are explained in the next step as they need to be
- 7 considered when developing the hypothesis). The influence of these parameters on the
- 8 behaviour of the nanoforms is explained in Section 3.3 and Appendix 1.

10

11

6

3.3 Step 2: Initial grouping of nanoforms – Develop a grouping and / or read-across hypothesis, identification of group boundaries and its

12 **members**

hypothesis.

The second step for developing a group of nanoforms for which read-across may be used, defines the purpose (endpoint(s)), and develops the hypothesis and the scientific basis for a robust justification. It is obvious that the starting point must include the parameters from step 1. However, when developing a grouping hypothesis for the purposes of fulfilling REACH information requirements, additional parameters (other than those discussed in step 1 and presented in blue boxes in Figure 2) that possibly influence the hazard properties of the nanoforms may need to be considered as well to substantiate the grouping/read-across

20 21 22

The following parameters related to the behaviour and reactivity of the nanoforms (respectively in yellow and green boxes in Figure 2) are the parameters that are often relevant to substantiate the hypothesis, and should therefore be considered when relevant:

2425

26

27

28

29

30

31

32

23

- Behaviour ("where they go")
 - Solubility (including dissolution rate)
 - Hydrophobicity
 - Zeta potential
 - Dispersibility
 - Dustiness
- Reactivity ("what they do")
 - Biological (re)activity (e.g. redox potential, radical formation)
 - Photoreactivity.

3334

35

36

It should be noted that differences in the physical parameters seen when characterising the nanoforms does not *per se* exclude the possibility to apply read-across. Indeed, similarities in the parameters related to the behaviour (e.g. solubility) or those relating to their reactivity may be more important to consider when building a read-across justification.

37 38

Appendix 1 provides further insight into each parameter described in Figure 2, focusing in particular on the potential influence of those parameters on hazard assessment.

39 40 41

42

43

44

45

46

47

48

The key physicochemical parameters for nanoform characterisation listed in Appendix 1 may provide useful information which can help grouping of nanoforms. However, some of the parameters listed above may not always be relevant for each assessment (this will depend on the substance and its different forms, on the endpoint, and the organism, or compartment considered). For example, dustiness may only apply to powders. Depending on the read-across hypothesis, it could be useful to consider additional parameters (not included in Appendix 1). This will depend on the specific nanomaterial type and on the endpoint considered, e.g. for inhalation toxicity for fibre-like materials, rigidity and hardness of the material may play an important role in hazard and safety assessment [10] and must therefore be considered as essential parameters for building and justifying a read-across strategy. If there is not sufficient

data may be needed in order to sufficiently demonstrate similarity across the group.

 There are different ways to group (nano)forms of the same substance. Different additional physicochemical parameters and/or screening methods may be needed to substantiate the grouping hypothesis and establish that the grouping has a predictive value with regard to the endpoint intended to be read-across. It is also important to consider the hazard information available on the non-nanoform(s) of the substance at an early stage of the grouping as this will

information on the additional physicochemical parameters for a robust conclusion, additional

provide insight into which additional parameters may be needed to establish a group of nanoforms with a predictive value for one or more endpoints.

It should be emphasised that there are several ways to scientifically justify a specific grouping which will be highly case dependent. The scientific justification may be broad in some cases and for instance refer to a common feature of all nanoforms in a group, e.g. all nanoforms in the group have had the same surface treatment. In other cases, the grouping justification may be more complex, e.g. based on a common surface treatment and one or more additional commonalities. There may be a need to investigate other parameters such as dissolution rate, surface charge, induction of oxidative stress, etc. The hypothesis and the read-across justification are in all cases endpoint specific, however, the same read-across hypothesis may apply to more than one endpoint. A robust grouping and read-across justification needs to be carefully defined and scientifically justified. The justification should include supporting information indicating that read-across is possible within the group, such that the hazard characterization will be valid for all members of the group.

Some examples¹² of grouping hypotheses follow, see examples 1 to 3:

¹² The examples are intended to illustrate the point that different grouping strategies may be applicable to different circumstances. The examples do not describe a complete set of conditions to consider when justifying a read-across. Please note that the considerations made for justification need to be substantiated (e.g. if one condition is that both the non-nanoform and the nanoform have similar solubility, this needs to be substantiated).

2 3 4 5

Example 1: hyphothesis based on solubility

Available information:

- The target nanoform(s) of the substance has a high dissolution rate and a similar high water solubility to the source non-nanoform of the substance; therefore it is assumed that the particle effect can be excluded in this specific case;
- The nanoform(s) are not surface treated;
- The systemic toxicity is driven by release of toxic ions.

Basis for hypothesis:

Due to the high dissolution rate and a similar water solubility, it is could be claimed that the source non-nanoform and the target nanoform(s) have similar toxicokinetic behaviour and the same toxicological effects based on the hypothesis of ion driven toxicity. Therefore, the systemic toxicity for the target nanoforms(s) of the substance can be predicted from the available studies conducted with the source non-nanoform of the substance.

Further information needed to support the hypothesis:

To support such a claim, additional information is needed which demonstrates similar toxicokinetic behaviour (i.e. independent of particle size) of both the source non-nanoform and target nanoform(s), e.g. absorption studies and/or dissolution rate studies in different physiological media.

Example 2: hypothesis based on high aspect ratio

Available information:

- The substance is insoluble in water and biological media;
- The shape of both the source and target nanoform(s) is fibre-like with a high aspect ratio;

Basis for hypothesis:

It is hypothesized that both nanoforms are biopersistent and that the fibre-like structure will cause similar adverse effects via inhalation.

Further information needed to support the hypothesis:

In this case, it may be justified to "read-across" the hazard associated with the source nanoform and no further information is needed if a similar aspects ratio can be demonstrated together with insolubility in water and biological media.

Example 3: impact of surface treatment on grouping

Available information:

- The non-nano form(s) of the substance have a moderate water solubility;
- The toxicity is driven by release of a toxic ions;
- The nanoform(s) are untreated or surface treated with a hydrophobic agent;
- The untreated nanoform shows similar water solubility to that of the nonnanoform;

Basis for hypothesis:

It is hypothesized that two different groups can be formed: (i) a group of non-treated nanoform(s) where the toxicity is assumed to be similar to the non-nanoform(s) of the substance; and (ii) a group of nanoform(s) surface treated with a hydrophobic agent.

Further information needed to support the hypothesis:

In this case, there may be different types of information needed to substantiate the two grouping hypothesises. For group (i) the considerations are very much similar to that of the Example 1, above (i.e. potential differences in toxicokinetics behaviour due to the particle size needs to be addressed). For group (ii) the hydrophobic nature of the surface treatment raises other questions: e.g. How stable is the coating? How does the surface treatment impact the toxicokinetics of the toxic ion? Does the surface treatment itself contribute to toxicity? Are there route specific considerations in terms of toxicokinetics and toxicodynamics? How is the environmental fate of the particles affected? etc....

In case the nanoforms are grouped with the intention to read-across within the group based solely on similarities in physicochemical properties (what they are), their reactivity (what they do) and their behaviour (where they go) (Figure 2), it is essential to carefully explore the boundaries of such a group. This should include a proper characterisation of the nanoforms in the group to ensure that a justification based only on physicochemical properties is not underestimating the potential hazard of any of the group members.

In all cases the grouping and read-across hypothesis should address the following:

- Why do the similarities/ differences between the nanoforms in physicochemical properties allow for predicting of a specific (eco)toxicological behaviour?
- A set of inclusion and/or exclusion rules that determine the ranges of applicability in terms of robust values within which reliable estimations can be made for group members for the given endpoint.

The justification should furthermore describe the information needed to support, or challenge, the hypothesis. It is important to note that building the hypothesis should be seen as an iterative process (see Figure 1).

In most cases, the inclusion/exclusion rules are stringent and the group of nanoforms is limited to the nanoforms that are part of the initially formed group of nanoforms. Addition of new members to an existing group of nanoforms will require a consideration of the established grouping justification. This may include an assessment of whether the new nanoform fits the existing grouping approach and, if this is not the case, reconsideration of the established approach. It should be highlighted that also non-nanoforms of the substance may be included in the grouping approach if they display similarities in the physicochemical properties that form

1

13

14 15

16

17 18 19

20 21

5 6 7

15

16 17

18

19

26

27

28

29

30

31

38

39

40

41

47 48

49 50 51 the basis of the grouping.

Examples of considerations to be made when identifying the basis for grouping and/or readacross between nanoforms of the same substance are the following:

- Is there a non-nanoform of the substance? Is the non-nanoform associated with a specific hazard?
- 2. How do the differences in size and/or surface treatment(s) influence the assessment?
- 3. How does would the assessment be affected by changes in water solubility and/or dissolution rate?
- 4. How do the variations of the composition and /or impurities /additives in the nanoforms impact the assessment?
- 5. How does the available information about aging of the nanoforms impact the assessment on (eco)toxicological and environmental fate? [11]
- 6. How do the physicochemical properties of a nanoform affect the behaviour in a specific (eco)toxicological test environment?

Differences/similarities in physicochemical parameters between different (nano) forms should be assessed in view of their behaviour in various environments. The physicochemical parameters described in Appendix 1 and Figure 2 are only examples. However, depending on the type of nanoform, there might be other physicochemical properties that could be useful for determining the behaviour of the substance. If such properties are used, they should be reported (including methods used to derive them) and well described in the read-across justification.

In some cases, physicochemical similarity (e.g. considering the parameters described in Figure 2) will not be sufficient to justify a group or read-across. In addition, considerations should be given to whether e.g. information on toxicokinetics is needed, obtained e.g. by the use of additional screening methods. Information on toxicokinetic behaviour is normally useful when constructing a read across justification. The specific toxicokinetic behaviour of a nanomaterial depends on several different physicochemical parameters of the nanoform e.g. composition, size, shape, agglomeration/aggregation state, surface properties (including surface charge) and dissolution. Qualitative comparisons of how different nanoforms may be expected to behave in the body may provide useful supporting arguments to justify read across. The scientific basis for these qualitative comparisons and the associated uncertainties must be clearly explained in the justification.

Information on the (main) route(s) of exposure (inhalation, dermal, oral) is a first step in understanding the toxicokinetic profile of a nanomaterial. For example, for inhalation, the potential for deposition in the lungs needs to be considered. The toxicokinetic profile of a nanomaterial provides information on the absorption and subsequent exposure of target organs/tissues over time. Toxicokinetics, in a traditional sense, encompasses absorption, distribution, metabolism, and excretion (ADME). For nanomaterials toxicokinetics may be further complicated by changes in the physicochemical properties of the material that may occur during these different ADME processes. The specific toxicokinetic profile of a nanomaterial may depend on several different physicochemical parameters of the nanoform, e.g. composition, size, shape, agglomeration/aggregation state, surface properties (including surface charge), hydrophobicity, or dissolution. The toxicokinetic profile in a (human) organism also depends on the temperature, pH and ionic strength of the biological fluid in which the nanomaterial is taken up (e.g. serum, saliva, blood). Hence, 'system-dependent properties' (i.e. dissolution rate in biological media, surface reactivity and dispersibility), biomolecules present and interactions at the nano-bio interface¹³ of cells at the target site may provide

¹³ The 'nano-bio' interface comprises the dynamic physicochemical interactions, kinetics and thermodynamic exchanges between nanomaterial surfaces and the surfaces of biological components (for example proteins, membranes, phospholipids, endocytic vesicles, organelles, DNA and biological fluids) [31] .

relevant information on the likelihood of distribution and potential for accumulation and excretion. Information from (available) *in vivo* studies including data on internal level of exposure and elimination over time provide further relevant information on the toxicokinetic behaviour.

Screening methods (*in vitro*) may offer a better understanding of similarities between the behaviour of different nanoforms in e.g. the transfer across a port of entry (skin, gastrointestinal tract, lung epithelium etc.), the deposition in the lung, tissue distribution, or clearance/persistence of the nanoforms. Such information can be obtained by a combination of certain physicochemical information (e.g. water solubility), through biophysical testing (e.g. dissolution rate and interaction with components of physiologically relevant media), *in silico* methods (e.g. multiple path particle dosimetry modelling for lung deposition), and *in vitro* testing (e.g. for skin permeability). It may also be necessary to obtain additional physicochemical parameters for selected nanoforms to be used as input for *in silico* prediction tools; e.g. information on the aggregation/ agglomeration state and aerodynamic diameter of a material in air is required for modelling to estimate lung deposition. Many of the methods have not yet been validated or are currently undergoing validation. The methods may be used at the registrant's discretion. However, the choice of methodology should be justified; this includes considerations on the constraint and limitations of the various methods used.

It is important to note that the behaviour of a specific nanoform in the environment is dependent on its surface chemistry and is susceptible to change throughout its life cycle because of e.g.:

- exposure to other particles and/or constituents (e.g. ageing process, (hetero)agglomeration, corona formation),
- interactions with environmental media (e.g. dissolution, corona formation, aggregation or disaggregation, chemical reactions, transformation), and
- degradation/transformation (e.g. loss/modification of the coating i.e. surface chemistry).

Therefore, apart from physicochemical parameters of the nanoform, the characteristics of the test environment/media should be taken into account. The role of following environmental parameters influencing the behaviour of the nanoform may be considered in the justification for the read-across: temperature, pH, ionic strength (in particular, of divalent ions) and conductivity, presence and type of natural organic matter, dispersants and proteins. The list of environmental parameters is not exhaustive and, when relevant, other parameters may need to be considered.

In the environment, processes that influence transport behaviour include adsorption and desorption processes to suspended matter, (hetero)aggregation and (hetero)agglomeration processes, sedimentation and re-suspension, dissolution, dispersion, (bio)degradation (e.g. of coatings/surface chemistry, oxidation, reduction, photodegradation), interaction with organic biomolecules at the nano-bio interface, interaction with contaminants, interaction with living organisms, and transfer via the food chain. Interactions at the nano-bio interface are clearly influenced by the type of biomolecules (proteins, exudates, etc.) that are excreted/secreted by the organism under consideration. These processes are also relevant for non-nanomaterials, but as the ecotoxicological and/or environmental fate of a nanoform depend both on its (surface)chemistry and particle characteristics the influence of these processes may be particularly important for nanoforms ([7], [12]). The relevance of specific processes in the read-across assessment is therefore always linked to both the surface chemistry of the nanoparticle and the characteristics of the receiving environment. Table 1 describes relevance of some selected environmental compartment specific processes/parameters (in line with [12]). Described processes/parameters are not exclusive and relevance in read across assessment is highly case specific. Further environmental endpoint specific considerations are described in the Appendices on "recommendations for nanomaterials" to Chapters R.7a, R.7b and R.7c of the Guidance on IR&CSA.

1 environmental compartments (not exclusive).

Parameter#	Air	Water	Sediment	Soil
Redox reactions	+	++	++	+
Dissolution/speciation	+	++	++	++
(hetero)aggregation/(hetero)agglomeration	+	++	++	++
Interactions with NOM	0	+	++	++
Nano-bio interface	0	+	+	+
Adsorption/desorption	+c	+	++	++
Sedimentation	0	++	++	0
Photochemical degradation ^a	++	+	0	0
(Bio)degradation ^b	0	#	#	#

- #: Highly dependent on chemical composition and surface chemistry of the nanomaterial.
- ++: High relevance
- +: Relevance

- o: Low relevance
- ^a: The parent guidance describes the challenges and limitations of the use of information on photochemical degradation in classification and chemical safety assessment.
- b: More information on transformation processes in *Appendix to Chapter R.7b of the Guidance on IR&CSA.*
- ^C: adsorption/desorption of other substances

Taking into account the above, any significant changes in the physicochemical parameters during the life cycle raises the questions on whether the source material(s) and target nanoforms behave similarly in the environment from the moment of emission to actual exposure to organism or environment, inside the organism, and in the test medium; justifying a careful assessment of the adequacy of grouping hypothesis and read across of (eco)toxicological properties between (nano)forms. Therefore, endpoint specific consideration should be made on the similarities or potential differences between source and target form behaviour in relation to the test organism and test environment.

3.4 Step 3: Gather the available data for each group member and evaluate the data for adequacy and reliability

For each nanoform that is a member of the group, all available information should be gathered and assessed for its relevance and applicability (See Chapters R.3 and R.4 of the Guidance on IR&CSA [13] and [14]) to further strengthen the hypothesis and justification. The data may be relating to physicochemical property(ies), environmental fate parameter(s) and (eco)toxicological (human health and environmental species) effect(s).

In particular, the relevance of gathered hazard data should be assessed in conjunction with a proper understanding of the characterisation of the test substance, test media and test conditions to enable a judgement on the usability of hazard data. For further information regarding adequacy, relevance and reliability see ECHA guidance and practical guides ([13], [14] and [15])

If there is an adequate and reliable study available within the group for the specific REACH information requirement then no additional information is needed provided that the grouping approach is robust. If however there is no adequate study available that would meet the specific REACH information requirement then additional generation of information would have to be conducted or proposed.

Test methods applied to fulfil the information requirements under REACH Annexes VII to X, cover testing in a wide variety of diverse test environments from *in vivo* to *in vitro* tests and to natural environmental samples. Nanoforms with the same substance identity may have different characteristics leading to diverse behaviour in these variable test environments as described in step 2 above. These aspects should be addressed and documented, including the

evaluation of available data concerning its applicability from one nanoform for another nanoform (or the non-nanoform), for different endpoints.

As described in step 2 above, any change in the physicochemical parameters described in Appendix 1 and Table 2 may potentially affect the activity, reactivity, fate, toxicokinetics and toxicity of a (nano) form in a significant way and could lead to a different behaviour. Therefore, in addition to the validity of the study itself, endpoint specific consideration of the similarities or potential differences between source and target form behaviour in relation to the test organism and test environment is necessary.

For reporting purposes, within the registration dossiers, gathered information e.g. studies, which are deemed relevant, should be reported as separate endpoint study records under the relevant endpoint. The assessment entity in IUCLID could be used to help with a transparent reporting, further guidance is available in the manual: "How to prepare registration and PPORD dossiers" [16].

3.5 Step 4: Construct a matrix of data availability

Once the available information has been gathered and evaluated, a matrix should be constructed (endpoints covered by the grouping *vs.* members) with the group members arranged in a suitable order. The cells of the matrix should indicate whether data are available or unavailable. If possible, the cells should also indicate available reliable key study results, how these are used within the group and clearly highlight where the data gaps are. An example of such a template for a data matrix can be found in Appendix 2.

3.6 Step 5: Assess the adequacy of the approach and fill data gaps

As a final step, all relevant information gathered (e.g. the toxicokinetic data, etc.) should be combined into an overall assessment. Read-across and grouping of nanoforms is only deemed possible if the available and relevant information on the toxicokinetics, fate and (eco)toxicology support the hypothesis and that there are no indications of an underestimation of hazard and justification is robust [7]. The uncertainty should be accounted for and is not only related to the individual pieces of information but also needs to be considered in the overall assessment.

A preliminary assessment of the group should be carried out to determine whether:

- The grouping hypothesis is supported, i.e. does the group in fact exhibit sufficient similarities in the physicochemical properties based on available data as postulated in step 2; and
- The group is sufficiently robust (i.e., contains sufficient, relevant and reliable information on the members) for the assessment purposes.

A preliminary assessment should be carried out for each endpoint, as the grouping approach rationale may lead to a situation where the scientific justification is only relevant for some endpoints and not for others.

If the group is sufficiently robust and the available data are adequate for the endpoint under consideration, then the assessment is finished. The assessment and the approach followed should be documented (step 7).

If the initial group is not sufficiently robust or justified, the following options should be considered:

- If the available data show that the group members do not have sufficiently similar properties, then the grouping hypothesis should be modified e.g. by subdivision; or
- If adequate data are not available, but the grouping is considered robust, then testing a representative member of the group to further substantiate the justification for each

information requirement would be necessary (go to step 6).

• If the proposed group cannot be adequately justified, the identified data gaps will have to be filled by either performing the test required for each nanoform having a data gap according to information requirements or by using the adaptions as outlined in Annex XI.

3.7 Step 6: Perform and/or propose testing to fulfil the data gap

If the preliminary assessment supports the read-across or grouping justification (i.e. similar physicochemical properties are observed for the group members), but the group does not have sufficient, relevant, and reliable information with regard to one or more endpoints, it may be necessary to perform or propose testing.

Additional testing may be needed if a new nanoform is put on the market and its properties do not allow allocating it within any existing group.

Consequently, in such case, the data gap cannot be covered by using a scientific justification in accordance with this approach for the grouping or read-across. In these cases, the data gaps should be filled by either performing the test in the conventional manner in accordance with Annexes VII-X or by the use of the adaption as laid out in Annex XI. Further guidance on how to use adaptions can be found in *Chapter R.5 of the Guidance on IR&CSA* [17].

When performing/proposing additional testing the following aspects should be considered:

- Are the tests adequate and appropriate for the information requirement(s) in question;
- The choice of test material must be representative for what is intended to be placed on the market and the reasoning explaining why this decision does not lead to underestimation of the hazards should be documented.
- If the test is in Annex IX or X of the REACH Regulation a testing proposal is required.

3.8 Step 7: Document the finalised grouping approach and refine the grouping rationale

The finalised grouping should be documented in IUCLID by the use of Assessment Entities or under each endpoint that the group is addressing. This must be done transparently by outlining the aspects in this guidance as well as how any uncertainty has been addressed (more information with respect to uncertainty considerations can be found in Section D.5.4 of Part D and Chapter R.19 of the Guidance on IR&CSA ([18] and [19])). Further details on how to report nanoforms and the use of the assessment entity can be found in the ECHA manual: How to prepare registration and PPORD dossiers [16].

1 Appendix 1.

- **Summary of key physicochemical parameters relevant for**
- **3 grouping and read-across of nanoforms and their relevance**
- 4 for human health and environmental endpoints

Efforts have been made worldwide to establish a set of physicochemical parameters that would allow adequate characterisation of a nanomaterial for (regulatory) safety (risk) assessment (See for instance, [20], [21], [22], [23], [24], [25]), and the topic is still under debate.

Table 2 of this Annex provides details on each of the key properties/parameters already presented in Figure 2. There is in fact a general agreement among the scientific fora that the parameters listed may be taken into consideration when dealing with safety assessment of nanomaterials. The relevance of these parameters on environmental and human health endpoints is also highlighted in the Table. A more extensive overview of the current understanding of the potential influence of these different physicochemical parameters on the toxicological properties of a nanoform can be found in technical scientific reports (e.g. [8], [26]).

ECHA guidance (Appendix R7-1 Recommendations for nanomaterials applicable to Chapter R7a Endpoint specific guidance [27]) provides advice on some of the parameters below, where there are specific information requirements in REACH. Additionally, the approach developed by ECETOC [5] includes as supplementary information a table that includes available analytical methods for parameters relevant for read-across and grouping of nanomaterials.

Moreover, it should be noted that when measurement of the parameters is not possible for technical reasons, qualitative considerations may be sufficient to justify the hypothesis.

For physicochemical characterisation of a nanoform, a distinction can be made between material properties (such as chemical composition, particle size, shape, and water solubility) and system-dependent properties defined by the surroundings in which the nanoform is placed (e.g. dissolution rate in biological media, surface reactivity and dispersibility). The current level of knowledge does not allow deducing possible correlations between intrinsic material properties and apical toxic effects. It is therefore important to consider both the intrinsic properties of a nanoform and the available knowledge with regard to system dependent properties, biophysical interactions and *in vitro* effects, as well as *in silico* data, to justify readacross [8].

Table 2: Key physicochemical parameters to be considered for grouping and readacross of nanoforms and their relevance for human health and environmental endpoints

Chemical parameters (What they are)

Chemical composition, including crystalline structure

Detailed information on chemical composition is fundamental for determining human health and environmental effects of nanoforms, as is the case for non-nanoforms. However, size, shape and surface characteristics of a nanoform may cause the nanoform to exhibit a different behaviour compared to the non-nanoform of a material with the same composition.

Crystalline structure may for some nanoforms influence other properties of the material (e.g. reactivity, zeta potential, Hamaker constant) in a way that affects human and environmental toxicity. Decreasing size of particles may introduce crystallographic changes in the material (contraction of the crystalline lattice or deformation). Based on the present understanding of nanoparticle behaviour, differences in the crystalline structure may be relevant for metals, metal-oxides or carbon based nanomaterials.

Impurities

As for non-nanoforms, impurities can substantially contribute to the human and environmental toxicity of nanoforms.

Surface chemistry (e.g. chemical coating, surface treatment)

The term surface chemistry indicates the chemical composition at the surface of the particles as a result of chemical coating and/or surface treatment of the particle. Surface chemistry influences dissolution behavior and agglomeration behavior of nanoforms. Considering hazard endpoints, the surface chemistry of a nanoform affects its reactivity and systemic absorption. Surface modification(s) may determine which biomolecules adhere to the nanoform, its distribution and cellular uptake, and its toxic effects. In the environment surface chemistry will influence sorption to environmental or biological media and the reactivity of a nanoform.

Physical parameters/ Particle characteristics (What they are)

Particle size / range

The size of the nanoform affects other physicochemical parameters, such as crystallinity, zeta potential and specific surface area, and may determine exposure, and whether the nanoparticle can be internalised into an organism. Once internalised, particle size may also affect the distribution within the body, and the toxicity at both the point of entry and distally. Size distribution is not a static parameter; it may also change during the course of (environmental) toxicity testing (as well as during the life cycle of the material) due to e.g. partial dissolution, interaction with test media or preferential absorption of smaller particles.

Shape

Particle shape may affect the internalisation of a nanoform (e.g. the ability of a nanoform to penetrate into a cell) and its (environmental) toxicity. In inhalation studies, particle shape may influence nanoform deposition within the lungs and may also influence its persistence in the lungs and probably in other sites. Particle shape may also influence other parameters, such as zeta potential. For advice on characterization for shape see also section 2.2.3.3 of Appendix R.7-1 to Chapter R.7a of the Guidance on IR&CSA.

Surface area, including porosity

The increase of relative surface area with decreasing particle size may increase the reactivity of a nanoform relative to its mass and/or volume. Furthermore, as a consequence of the increased surface to volume ratio, porosity may affect the crystalline structure.

Behaviour (Where they go)

Solubility: Rate of dissolution / Equilibrium solubility

The rate of dissolution depends on factors including, but not limited to the chemical composition, particle size, coating, surface treatment, stability, manufacturing process, and biological environment. The rate of dissolution gives information on how many ions/molecules are released from the particle over time. The ion(s)/ molecules released may also dictate the toxicity of the nanoforms, which will be an important aspect of the evaluation. 'Water solubility' is an intrinsic material property, but in most cases the system-dependent property 'dissolution rate in relevant biological media' will be more relevant as this fundamentally affects the bioavailability of substances in the (biological) environment. The relevance of the different media depends on the actual route of exposure and/or the environmental compartment under evaluation.

Hydrophobicity

Hydrophobicity for nanoforms is dependent on e.g. Van der Waals energy (as represented by the Hamaker constant) and surface charge. Analytical determination of the hydrophobicity of nanoforms is still under development, e.g. sessile drop contact angle, dye adsorption. While these parameters can influence agglomeration and sorption, as well as 'dispersibility in biological media' and dustiness, currently the exact relationships between them are not clear. Hydrophobicity is influenced by surface chemistry of the particles. Thus, knowledge on the surface chemistry can give qualitative information about the hydrophobicity of the nanoforms.

Zeta potential

Zeta potential can be used as a proxy for surface charge and may provide information in dispersion stability, degree agglomeration/de-agglomeration of particles in relevant media. Surface charge may influence systemic distribution and cellular uptake of a nanoform, and ultimately its toxicity.

Additionally there is evidence linking zeta potential to the inflammogenicity of nanoscale particles of metals and minerals. ([28], [29], [30]

Dispersibility

This parameter can influence the degree of environmental transport and (environmental) exposure. Furthermore, this parameter may influence the degree of internal exposure (particularly by the oral route; however particle dispersibility also affects nanomaterial mobility within the lung and hence its potential for systemic uptake). For further information, see Appendix R.7-1 to Chapter R.7a [27].

Dustiness

This parameter is mainly relevant for exposure via air (particularly by inhalation) and transport through air. In the environment this parameter is not relevant to aquatic/sediment exposures and only to a limited extent for soil exposures.

Reactivity (What they do)

Biological (re)activity (or surface reactivity)

The biological (re)activity or surface reactivity of a nanoform of a substance appears to generate reactive oxygen species (ROS) which induce inflammation, and thus may elicit cellular toxicity.

Photoreactivity

1

2

3

Photoreactivity may increase with decreasing particle size. In human toxicity testing, this parameter may be particularly relevant when considering dermal exposure, but it may also play a role in other exposure routes. In the environment this parameter may be particularly relevant when considering the air and aquatic compartment, but it may also play a role in other compartments. If oxygen radicals are induced (i.e. reactive oxygen species or ROS), they may easily react with other molecules, which in some cases may lead to severe effects (e.g. reaction with DNA leads to genotoxicity). This parameters is relevant for nanomaterials that are photoactive.

8

Appendix 2.

Example of template for read-across matrix

- 3 The table below shows an example of a read-across matrix template adapted for nanoforms.
- 4 The fields added for nanoforms are highlighted in grey. Please note that the list of "Additional
- 5 grouping parameters" is only indicative. It does not cover all the possible parameters that may
- 6 be considered when developing a read-across hypothesis, and not all the parameters that
- 7 appear under the heading will always be required (see Section 3.3,step 2).

Table 3: Example of a read-across matrix template for nanoforms

EC No. (CAS No.)			
CHEMICAL NAME	[(Nano)form 1]	[(Nano)form 2]	[(Nano)form 3]
Chemical composition			
Impurities			
Nanoform identification (what they are)			
Particle size			
Shape			
Surface chemistry			
Surface area			
Meets the EU nanomaterial definition (Y/N)			
ADDITIONAL GROUPING PARAMETERS			
Behaviour (where they go)			
Water solubility			
Dissolution rate			
Hydrophobicity			
Zeta potential			
Dustiness			
Reactivity			
Biological (re)activity			
Photoreactivity			
ENVIRONMENTAL FATE and PATHWAY			
Photodegradation			
Stability in Water			
Transport and Distribution			
Aerobic Biodegradation			
ENVIRONMENTAL TOXICITY			
Acute Toxicity to Fish			
Acute Toxicity to Aquatic Invertebrates			
Toxicity to Aquatic Plants			

MAMMALIAN TOXICITY		
Acute Oral		
Acute Inhalation		
Acute Dermal		
Repeated dose toxicity, oral		
Repeated dose toxicity, inhalation		
Genetic Toxicity in vitro		
. Gene mutation		
. Chromosomal aberration		
Genetic Toxicity in vivo		
Reproductive Toxicity		
- Fertility		
- Developmental toxicity		

References

2

- [1] ECHA, "Guidance on information requirements and chemical safety assessment Chapter R.6: QSARs and grouping of chemicals," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [2] OECD, "OECD Series on Testing and Assessment, No. 194. Guidance on grouping of chemicals, second edition ENV/JM/MONO(2014)4"," 2014. [Online]. Available: http://www.oecd.org/chemicalsafety/testing/seriesontestingandassessmentpublicationsb ynumber.htm.
- [3] ECHA, "[DRAFT] Appendix 4: Recommendations for nanomaterials applicable to the Guidance on Registration," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-reach.
- [4] ECHA, RIVM and JRC, "Usage of (eco)toxicological data for bridging data gaps between and grouping of nanoforms of the same substance," March 2016. [Online]. Available: http://echa.europa.eu/en/publications/technical-scientific-reports.
- [5] J. Arts, M. Hadi, M. Irfan, A. Keene, R. Kreiling, D. Lyon, M. Maier, K. Michel, T. Petry, U. Sauer, D. Warheit, K. Wiench, W. Wohlleben and R. Landsiedel, "A decision-making framework for the grouping and testing of nanomaterials (DF4nanoGrouping)," *Regulatory Toxicology and Pharmacology*, vol. 71, no. 2, Supplement, pp. S1-S27, 2015.
- [6] J. Arts, M. Hadi, A. Keene, R. Kreiling, D. Lyon, M. Maier, K. Michel, T. Petry, U. Sauer, D. Warheit, K. Wiench and R. Landsiedel, "A critical appraisal of existing concepts for the grouping of nanomaterials," *Regulatory Toxicology and Pharmacology*, vol. 70, no. 2, p. 492–506, 2014.
- [7] A. Oomen, E. Bleeker, P. Bos, F. van Broekhuizen, S. Gottardo, M. Groenewold, D. Hristozov, K. Hund-Rinke, M.-A. Irfan, M. A, P. WJGM, R. K, J. AS, S.-F. JJ, v. T. M, W. K, W. W and L. R, "Grouping and read-across approaches for risk assessment of nanomaterials," *Int. J. Environ. Res. Public Health*, vol. 12, pp. 13415-13434, 2015.
- [8] K. Sellers, N. Deleebeeck, M. Messiaen, M. Jackson, E. Bleeker, D. Sijm and F. van Broekhuizen, "Grouping Nanomaterials A strategy towards grouping and read-across. RIVM Report 2015-0061, National Institute for Public Health and the Environment (RIVM) & Arcadis, Bilthoven, the Netherlands," 2015. [Online]. Available: http://www.rivm.nl/bibliotheek/rapporten/2015-0061.html.
- [9] ECHA, "Guidance for identification and naming of substances under REACH and CLP," [Online]. Available: https://echa.europa.eu/guidance-documents/guidance-on-reach.
- [10] C. Tran, S. Hankin, B. Ross, R. Aitken, A. Jones, K. Donaldson, V. Stone and R. Tantra, "An outline scoping study to determine whether high aspect ratio nanoparticles (HARN) should raise the same concerns as do asbestos fibres. Report on Project CB0406, Institute of Occupational Medicine (IOM), Edinburgh, UK.," 2008. [Online]. Available: http://randd.defra.gov.uk/Document.aspx?Document=CB0406_7768_FRP.pdf.
- [11] D. Mitrano, S. Motellier, S. Clavaguera and B. Nowack, "Review of nanomaterial aging and transformations through the life cycle of nano-enhanced products," *Environment International*, vol. 77, p. 132–147, 2015.
- [12] N. Hartmann, L. Skjolding, S. Foss Hansen, A. Baun, J. Kjølholt and F. Gottschalck, "Environmental fate and behaviour of nanomaterials: New knowledge on important transformation processes. Environmental Project No. 1594.," The Danish Environmental Protection Agency, Copenhagen, 2014.
- [13] ECHA, "Guidance on information requirements and chemical safety assessment Chapter R.3: Information gathering," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [14] ECHA, "Guidance on information requirements and chemical safety assessment Chapter

- R.4: Evaluation of available information," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [15] ECHA, "Practical Guide 2: How to Report Weight of Evidence," [Online]. Available: https://echa.europa.eu/practical-guides.
- [16] ECHA, "How to prepare registration and PPORD dossiers," 2016. [Online]. Available: http://echa.europa.eu/documents/10162/22308542/manual_regis_and_ppord_en.pdf.
- [17] "Guidance on information requirements and chemical safety assessment Chapter R.5: Adaptation of information requirements," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [18] ECHA, "Guidance on Information requirements and chemical safety assessment. Part D: Framework for exposure assessment," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [19] ECHA, "Guidance on Information requirements and chemical safety assessment. Chapter R.19: Uncertainty analysis," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [20] SCENIHR, "Risk Assessment of Products of Nanotechnologies, Scientific Committee on Emerging and Newly Identified Health Risks. Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR)," 2009. [Online]. Available: http://ec.europa.eu/health/scientific_committees/emerging/opinions/scenihr_opinions_e n.htm.
- [21] "OECD Series on the Safety of Manufactured Nanomaterials, No. 25. Guidance manual for the testing of manufactured nanomaterials: OECD's sponsorship programme, first revision ENV/JM/MONO(2009)20/REV," 2010. [Online]. Available: http://www.oecd.org/chemicalsafety/nanosafety/publicationsintheseriesonthesafetyofma nufacturednanomaterials.htm.
- [22] V. Stone, B. Nowack, A. Baunc, N. van den Brink, F. von der Kammer, M. Dusinskaf, R. Handy, S. Hankin, M. Hassellöv, E. Joner and T. Fernandes, "Nanomaterials for environmental studies: Classification, reference material issues, and strategies for physico-chemical characterisation," Science of The Total Environment, vol. 408, no. 7, p. 1745–1754, 2010.
- [23] JRC, "REACH Implementation Project Substance Identification of Nanomaterials (RIP-oN 1) Advisory Report AA N°070307/2009/D1/534733 between DG ENV and JRC, Joint Research Centre (JRC), Institute for Health and Consumer Protection," 2011. [Online]. Available: http://ec.europa.eu/environment/chemicals/nanotech/reach-clp/ripon en.htm.
- [24] OECD, "OECD Series on the Safety of Manufactured Nanomaterials No. 36. Guidance on sample preparation and dosimetry for the safety testing of manufactured nanomaterials ENV/JM/MONO(2012)40"," 2012. [Online]. Available: http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=ENV/JM/MONO (2012)40&docLanguage=En.
- [25] OECD, "OECD Series on the Safety of Manufactured Nanomaterials, No. 41. Report of the OECD Expert Meeting on the Physical Chemical Properties of Manufactured Nanomaterials and Test Guidelines ENV/JM/MONO(2014)15," 2014. [Online]. Available: http://www.oecd.org/chemicalsafety/nanosafety/publicationsintheseriesonthesafetyofma nufacturednanomaterials.htm.
- [26] G. Oberdörster, A. Maynard, K. Donaldson, V. Castranova, J. Fitzpatrick, K. Ausman, J. Carter, B. Karn, W. Kreyling, D. Lai, S. Olin, N. Monteiro-Riviere, D. Warheit and H. Yang, "Principles for characterizing the potential human health effects from exposure to nanomaterials: Elements of a screening strategy," *Particle and Fibre Toxicology*, vol. 2, no. 8, 2005.

- [27] ECHA, "Appendix R7-1 Recommendations for nanomaterials applicable to Chapter R7a Endpoint specific guidance," [Online]. Available: http://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment.
- [28] W.-S. Cho, R. Duffin, F. Thielbeer, M. Bradley, I. L. Megson, W. MacNee, C. A. Poland, C. L. Tran and K. Donaldson, "Zeta potential and solubility to toxic ions as mechanisms of lung inflammation caused by metal/metal-oxide nanoparticles," *Toxicological Sciences*, 2012.
- [29] K. Donaldson, A. Schinwald, F. Murphy, W.-S. Cho, R. Duffin and L. P. C. Tran, "The Biologically Effective Dose in Inhalation Nanotoxicology," *Accounts of Chemical Research*, vol. 46, no. 3, pp. 723-732, 2013.
- [30] K. Donaldson and C. A. Poland, "Nanotoxicity: challenging the myth of nano-specific toxicity," *Current Opinion in Biotechnology*, vol. 24, no. 4, p. 724–734, 2013.
- [31] A. Nel, L. Madler, D. Velegol, T. Xia, E. Hoek, P. Somasundaran, F. Klaessig, V. Castranova and M. Thompson, "Understanding biophysicochemical interactions at the nano-bio interface," *Nature Materials*, vol. 8, pp. 543 557, 2009.
- [32] V. Stone, S. Pozzi-Mucelli, L. Tran, K. Aschberger, S. Sabella, U. Vogel, C. Poland, D. Balharry, T. Fernandes, S. Gottardo, S. Hankin, M. Hartl, N. Hartmann, D. Hristozov, K. Hund-Rinke, H. Johnston, A. Marcomini, O. Panzer, D. Roncato, A. Saber, H. Wallin and J. ScottFordsmand, "ITS-NANO--prioritising nanosafety research to develop a stakeholder driven intelligent testing strategy.," *Particle and Fibre Toxicology*, vol. 11, no. 9, 2014.

EUROPEAN CHEMICALS AGENCY ANNANKATU 18, P.O. BOX 400, FI-00121 HELSINKI, FINLAND ECHA.EUROPA.EU