

Summary of product characteristics for a biocidal product family

Family name: CHIMIGET_CYPER

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: FR-2023-0068

R4BP 3 asset reference number: FR-0025027-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - Meta SPC1_AE WH	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	6
6. Other information	7
7. Third information level: individual products in the meta SPC	7
1. Meta SPC administrative information - Meta SPC2_AE FC	9
2. Meta SPC composition	9
3. Hazard and precautionary statements of the meta SPC	10
4. Authorised use(s) of the meta SPC	11
5. General directions for use of the meta SPC	12
6. Other information	13
7. Third information level: individual products in the meta SPC	13
1. Meta SPC administrative information - Meta SPC3_OS	16
2. Meta SPC composition	17
3. Hazard and precautionary statements of the meta SPC	17
4. Authorised use(s) of the meta SPC	18
5. General directions for use of the meta SPC	20
6. Other information	21
7. Third information level: individual products in the meta SPC	21
1. Meta SPC administrative information - -	24
2. Meta SPC composition	24
3. Hazard and precautionary statements of the meta SPC	25

4. Authorised use(s) of the meta SPC	25
5. General directions for use of the meta SPC	26
6. Other information	27
7. Third information level: individual products in the meta SPC	27
1. Meta SPC administrative information - Meta SPC5_EC	29
2. Meta SPC composition	29
3. Hazard and precautionary statements of the meta SPC	29
4. Authorised use(s) of the meta SPC	30
5. General directions for use of the meta SPC	33
6. Other information	34
7. Third information level: individual products in the meta SPC	34
1. Meta SPC administrative information - Meta SPC6	36
2. Meta SPC composition	36
3. Hazard and precautionary statements of the meta SPC	37
4. Authorised use(s) of the meta SPC	37
5. General directions for use of the meta SPC	41
6. Other information	42
7. Third information level: individual products in the meta SPC	42
1. Meta SPC administrative information - Meta SPC7	44
2. Meta SPC composition	45
3. Hazard and precautionary statements of the meta SPC	45
4. Authorised use(s) of the meta SPC	45
5. General directions for use of the meta SPC	49
6. Other information	50
7. Third information level: individual products in the meta SPC	50

Part I.- First information level

1. Administrative information

1.1. Family name

CHIMIGET_CYPER

1.2. Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	CHIMIGET
Address	Lien-Dit Sibilot CD 6 13480 CABRIES France

Authorisation number

FR-2023-0068

R4BP 3 asset reference number

FR-0025027-0000

Date of the authorisation

06/12/2023

Expiry date of the authorisation

05/12/2033

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

BFC

Address of the manufacturer

11, rue de l'Huisne 61110 Rémalard-en-Perche France

Location of manufacturing sites

11, rue de l'Huisne 61110 Rémalard-en-Perche France

Name of the manufacturer	IGET CHIMIE
Address of the manufacturer	Lieu-dit Sibilot - CD6 13480 Cabriès France
Location of manufacturing sites	Lieu-dit Sibilot - CD6 13480 Cabriès France

1.5. Manufacturer(s) of the active substance(s)

Active substance	1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of the manufacturer	Tagros Chemicals India Private Limited
Address of the manufacturer	Jhaver Centre, Raja Annamalai Building IVth Floor, 72 Marshall Road, Egmore 6000 008 Chennai India
Location of manufacturing sites	A-4/1&2, Sipcot Industrial Complex, Pachayankuppam, Cuddalore 607 005 Tamilnadu India

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,22 - 10,87
Ethanol		Non-active substance	64-17-5		0 - 29,78

2.2. Type(s) of formulation

AE - Aerosol dispenser
AL - Any other liquid
SL - Soluble concentrate

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC1_AE WH

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54 - 0,54
Ethanol		Non-active substance	64-17-5		29,46 - 29,46

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AE - Aerosol dispenser

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Extremely flammable aerosol.
Pressurised container: May burst if heated
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Wash hands thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical .
Protect from sunlight. Do not expose at temperatures exceeding 50 °C/122 °F.
Avoid release to the environment.
Collect spillage.
Store in a well-ventilated place.
Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Wasps and hornets aerosol –non professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Vespula spp.
Common name: Common wasp
Development stage: Adults

Scientific name: Vespa crabro
Common name: European hornet
Development stage: Adults

Scientific name: Vespa velutina
Common name: Asian hornet
Development stage: Adults

Field(s) of use

Outdoor

-

Application method(s)

Method: Spraying
Detailed description:
Direct spraying on insects

Application rate(s) and frequencies

Application Rate: 17.5 g
Dilution (%): -
Number and timing of application:
17.5 g of product (1 second spraying)

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Aerosol metal can without internal varnish valve type FL

500 to 750 mL

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- The user should be aware that a delay of up to 1 hour may be encountered before death.
- Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures

- Wash hands after use.
- Do not spray towards people and non target animals.
- Do not use on bare soil.
- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated room.
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.
- Do not store at temperature > 40°C.
- Keep packaging away from sources of heat, sparks and open flame.
- Shelf-life: 24 months.
- Keep out of reach of children and non-target animals/pets.

6. Other information

- This biocidal product contains cypermethrin which is dangerous to bees.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	
AE WH	Market area: FR
PARASECT TORNADE C	Market area: FR
IG AEROJET C	Market area: FR
VESPA TURBO	Market area: FR
CIT VESPA TURBO	Market area: FR
L'ELFE INSECTICIDE GUÊPES FRELONS	Market area: FR

INSECTICIDE ANTI GUÊPES-FRELONS	Market area: FR
BLASTOR INSECTICIDE GUÊPES & FRELONS	Market area: FR
F-A97 INS	Market area: FR
ALGI-INSECT	Market area: FR
ANTI GUEPES/FRELONS CY	Market area: FR
CONTROL AEROSOL CY	Market area: FR
ACTO / MORTIS GUÊPES - FRELONS	Market area: FR
SUBITO GUEPES ET FRELONS CHOC	Market area: FR
SUBITO AEROSOL ANTI GUEPES ET FRELONS	Market area: FR
SUBITO ANTI-GUEPES ET FRELONS LONGUE PORTEE	Market area: FR
SUBITO ANTI-GUEPES ET FRELONS JET 6 METRES	Market area: FR
123 MOUSTIQUES AEROSOL ANTI-GUEPES ET FRELONS	Market area: FR
1015VGB	Market area: FR
INSECTICHOC DP CYP	Market area: FR
INSECTI-SHOT CYP	Market area: FR
KAP4HOME TORNADE	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0025027-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54
Ethanol		Non-active substance	64-17-5		29,46

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC2_AE FC

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54 - 0,87
Ethanol		Non-active substance	64-17-5		29,13 - 29,46

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AE - Aerosol dispenser

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Extremely flammable aerosol.
 Pressurised container: May burst if heated
 Causes serious eye irritation.
 Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read carefully and follow all instructions.
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
 Do not spray on an open flame or other ignition source.
 Do not pierce or burn, even after use.
 Wash hands thoroughly after handling.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical .
 Protect from sunlight. Do not expose at temperatures exceeding 50 °C/122 °F.
 Avoid release to the environment.
 Collect spillage.
 Store in a well-ventilated place.
 Dispose of to .

--

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Flying and crawling insects - direct spray – non professional users

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Crawling insects Development stage: Adults Scientific name: Common name: Flying insects Development stage: Adults
Field(s) of use	Outdoor -
Application method(s)	Method: Spraying Detailed description: Direct spraying on insects
Application rate(s) and frequencies	Application Rate: 2.5 g Dilution (%): - Number and timing of application: 2.5 g of product (1 second spraying).
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve VP 195 150 to 750 mL

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- The user should be aware that a delay of up to 1 hour may be encountered before death.
- Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Wash hands after use.
- Do not use on bare soil.
- Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated room.
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight .
- Do not store at temperature > 40°C.
- Keep packaging away from sources of heat, sparks and open flame.
- Shelf-life: 24 months.
- Keep out of reach of children and non-target animals/pets.

6. Other information

This biocidal product contains cypermethrin which is dangerous to bees.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	AE FC2	Market area: FR
	PARASECT AC5	Market area: FR

L'ELFE INSECTICIDE SPECIAL RAMPANTS +	Market area: FR
L'ELFE INSECTICIDE SPECIAL VOLANTS - RAMPANTS +	Market area: FR
L'ELFE INSECTICIDE SPECIAL VOLANTS +	Market area: FR
BLASTOR INSECTICIDE SPECIAL RAMPANTS +	Market area: FR
BLASTOR INSECTICIDE VOLANTS - RAMPANTS +	Market area: FR
BLASTOR INSECTICIDE SPECIAL VOLANTS +	Market area: FR
INSECTICIDE ANTI-RAMPANTS +	Market area: FR
INSECTICIDE ANTI-VOLANTS +	Market area: FR
F-A87 INS	Market area: FR
ACTO / MORTIS RAMPANTS	Market area: FR
ACTO / MORTIS ARAIGNÉES	Market area: FR
ACTO / MORTIS FOURMIS	Market area: FR
ACTO / MORTIS MOUCHES	Market area: FR
SUBITO ANTI INSECTES VOLANTS	Market area: FR
SUBITO ANTI INSECTES RAMPANTS	Market area: FR
1014E	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

KAP4HOME AC5	Market area: FR
FR-0025027-0002 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54
Ethanol		Non-active substance	64-17-5		29,46

Trade name(s)

AE FC3	Market area: FR
PARASECT AC8	Market area: FR
ACTO / MORTIS VOLANTS RAMPANTS	Market area: FR
SUBITO SPECIAL INSECTES RESISTANTS	Market area: FR
SUBITO AEROSOL SPECIAL INSECTES RESISTANTS	Market area: FR
SUBITO AEROSOL ANTI CAFARDS	Market area: FR
1014C	Market area: FR

INSECTIHOOC A CYP	Market area: FR
NETINSECT CYP	Market area: FR
RAYO-INSECTE PLUS	Market area: FR
KAP4HOME AC8	Market area: FR
FR-0025027-0003 1-2	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,87
Ethanol		Non-active substance	64-17-5		29,13

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC3_OS

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54 - 0,87
Ethanol		Non-active substance	64-17-5		19,13 - 19,46

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AE - Aerosol dispenser

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Extremely flammable aerosol.
Pressurised container: May burst if heated
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical .

Protect from sunlight. Do not expose at temperatures exceeding 50 °C/122 °F.

Avoid release to the environment.

Collect spillage.

Store in a well-ventilated place.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Flying and crawling insects – one-shot aerosol – non professional users

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	<p>One-shot aerosol insecticide against flying and crawling insects</p> <p>Use in cellars, basements, crawl spaces, garages, boxes, attics, barns, sheds or any other premises which are not wet-cleaned.</p>
Target organism(s) (including development stage)	<p>Scientific name: Common name: Crawling insects Development stage: Adults</p> <p>Scientific name: Common name: Flying insects Development stage: Adults</p>
Field(s) of use	<p>Indoor</p> <p>-</p>
Application method(s)	<p>Method: Fogging Detailed description: Fogging with a one-shot aerosol.</p>
Application rate(s) and frequencies	<p>Application Rate: 1 mL/m³ Dilution (%): - Number and timing of application: 1 mL /m³ (e.g. a can of 50 mL in a room up to 50 m³)</p>

	Exposure time: 4 hours.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve PV 50 to 750 mL

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- Apply only on infested area.
- Avoid continuous use of the product.
- Inform the registration holder if the treatment is ineffective.
- Ventilate after re-entering the room.

5.2. Risk mitigation measures

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Do not use in places where food or feed is stored, prepared or eaten.
- Wash hands after use.
- Leave the room directly after spraying process is triggered.
- Do not enter the room before a waiting time of 4h.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.
- The product must be applied at the claimed application rate of 1 ml/m³.
- The product is only for indoor use and to be strictly applied in non wet-cleaned premises (cellars, basements, crawl spaces, garages, boxes, attics, barns, sheds)
- Do not use where release to drains (sewer) and/or surface water cannot be prevented.
- Do not use where the biocidal product can be discharged to municipal sewage treatment plant.
- Dry clean (broom or vacuum cleaner) treated area and dispose of residues to hazardous solid waste in order to prevent releases to water.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated room.
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.
- Do not store at temperature > 40°C.
- Keep packaging away from sources of heat, sparks and open flame.
- Shelf-life: 24 months.
- Keep out of reach of children and non-target animals/pets.

6. Other information

-

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

OS1	Market area: FR
ANTISECT C5	Market area: FR
IG CYP OS5	Market area: FR
L'ELFE INSECTICIDE ONE-SHOT RAMPANTS & VOLANTS	Market area: FR
BLASTOR INSECTICIDE ONE-SHOT RAMPANTS & VOLANTS	Market area: FR
INSECTICIDE RAMPANTS ET VOLANTS ONE-SHOT	Market area: FR
F-A56 INS	Market area: FR
AEROSOL OS CY	Market area: FR

INSTANTANE OS CY	Market area: FR
ACTO / MORTIS VOLANTS - RAMPANTS	Market area: FR
SUBITO INSECTICIDE CHOC VOLANTS RAMPANTS	Market area: FR
SUBITO INSECTICIDE CHOC VOLANTS	Market area: FR
SUBITO INSECTICIDE CHOC RAMPANTS	Market area: FR
1014OSP	Market area: FR
KAP4HOME OS5	Market area: FR
FR-0025027-0004 1-3	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54
Ethanol		Non-active substance	64-17-5		19,46

Trade name(s)

OS2	Market area: FR

ANTISECT C8	Market area: FR
IG CYP OS8	Market area: FR
AEROSOL ONE SHOT CY	Market area: FR
INSTANTANE CHOC CY	Market area: FR
ACTO / MORTIS SPÉCIAL VOLANTS - RAMPANTS	Market area: FR
SUBITO INSECTICIDE FLASH VOLANTS	Market area: FR
SUBITO INSECTICIDE FLASH RAMPANTS	Market area: FR
SUBITO TOUT INSECTES CHOC	Market area: FR
1014OSP2	Market area: FR
INSECTICHOC ONE SHOT	Market area: FR
NETINSECT ONESHOT	Market area: FR
KAP4HOME OS8	Market area: FR
CYPER OS	Market area: FR
Authorisation number FR-0025027-0005 1-3 <small>(R4BP 3 asset reference number - National Authorisation)</small>	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,87
Ethanol		Non-active substance	64-17-5		19,13

1. Meta SPC administrative information

1.1. Meta SPC identifier

-

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54 - 0,87

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - -

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: -
Development stage:

Field(s) of use

Outdoor

-

Application method(s)

Method: -
Detailed description:

-

Application rate(s) and frequencies

Application Rate: -
Dilution (%): -
Number and timing of application:

-

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

-

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

-

--

5.2. Risk mitigation measures

-

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

5.4. Instructions for safe disposal of the product and its packaging

-

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

-

6. Other information

-

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

-	Market area: FR
---	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0025027-0006 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,54

Trade name(s)

-

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0025027-0007 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,87

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC5_EC

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	10,87 - 10,87

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May cause damage to organs (nervous system) through prolonged or repeated exposure -.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe spray.

Get medical if you feel unwell.

Avoid release to the environment.

Collect spillage.

Dispose of to .

4. Authorised use(s) of the meta SPC**4.1 Use description**

Use 1 - -

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name:
 Common name: -
 Development stage:

Field(s) of use

Outdoor

-

Application method(s)

Method: -
 Detailed description:
 -

Application rate(s) and frequencies

Application Rate: -
 Dilution (%): -
 Number and timing of application:
 -

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

-

4.1.1 Use-specific instructions for use

-

4.1.2 Use-specific risk mitigation measures

-

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Flying and crawling insects - surface spray under buildings – non professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised

Trigger spray insecticide against flying and crawling insects.

use

Target organism(s) (including development stage)

Scientific name:
Common name: Crawling insects
Development stage: Adults

Scientific name:
Common name: Flying insects
Development stage: Adults

Field(s) of use

Outdoor

Outdoor (under buildings).

Application method(s)

Method: Spraying
Detailed description:
Surface spraying.

Application rate(s) and frequencies

Application Rate: 20 mL of diluted product /m²
Dilution (%): 2% in water
Number and timing of application:
The product should be diluted to 2% in water before use according to the level of infestation.

20 mL of diluted product /m²

Residual effect up to 4 months.

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Fluorinated HDPE bottle/jerrycan, 0.25, 0.5 and 1L

4.2.1 Use-specific instructions for use

-

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Spray the product under buildings (i.e. crawlspaces).
- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- Inform the registration holder if the treatment is ineffective.
- The diluted product must be shaken before each use and during application.

5.2. Risk mitigation measures

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have container or label at hand.
- IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated room.
- Protect from sunlight.
- Protect from frost.
- Do not store at temperature > 40°C.
- Shelf-life: 24 months.
- Keep out of reach of children and non-target animals/pets.

6. Other information

- This biocidal product contains cypermethrin which is dangerous to bees.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	EC	Market area: FR
	PARASECT CYP10	Market area: FR
	IG SECTIHOOC CYP10	Market area: FR

INSECTICYP 10	Market area: FR
F-28 INS	Market area: FR
ACTO / MORTIS LIQUIDE CONCENTRÉ VOLANTS - RAMPANTS	Market area: FR
SUBITO INSECTICIDE CONCENTRE VOLANTS RAMPANTS	Market area: FR
SUBITO CONCENTRE ANTI-INSECTES	Market area: FR
1015C	Market area: FR
PIPEROCIDE CYP	Market area: FR
AQUASECT CYP	Market area: FR
KAP4HOME CYP10	Market area: FR
CYPER KILL	Market area: FR
Authorisation number (R4BP 3 asset reference number - National Authorisation) FR-0025027-0008 1-5	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	10,87

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC6

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,22 - 0,22
Ethanol		Non-active substance	64-17-5		29,78 - 29,78

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AE - Aerosol dispenser

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Extremely flammable aerosol.
Pressurised container: May burst if heated
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Wash hands thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical .
Protect from sunlight. Do not expose at temperatures exceeding 50 °C/122 °F.
Avoid release to the environment.
Collect spillage.
Store in a well-ventilated place.
Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Flying and crawling insects - direct spray – non professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name:
Common name: Crawling insects
Development stage: Adults

Scientific name:
Common name: Flying insects
Development stage: Adults

Field(s) of use

Outdoor

-

Application method(s)

Method: Spraying
Detailed description:
Direct spraying.

Application rate(s) and frequencies

Application Rate: 2.5 g
Dilution (%): -
Number and timing of application:
2.5 g of product (1 second spraying).

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Aerosol metal can without internal varnish valve VP 195

150 to 750 mL

4.1.1 Use-specific instructions for use

- The user should be aware that a delay of up to 1 hour may be encountered before death.

4.1.2 Use-specific risk mitigation measures

- Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Flying and crawling insects – target surface spray – non professional users

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Trigger spray insecticide against flying and crawling insects.
Target organism(s) (including development stage)	Scientific name: Common name: Crawling insects Development stage: Adults Scientific name: Common name: Flying insects Development stage: Adults
Field(s) of use	Outdoor -
Application method(s)	Method: Spraying Detailed description: Target surface spraying as spots application (flying insects) or in cracks and crevices (crawling insects).
Application rate(s) and frequencies	Application Rate: 17.5 g/m ² Dilution (%): - Number and timing of application:

	Application rate: 17.5 g product/m ² (7 seconds/m ²) or 1.4 seconds/m Residual effect up to 4 months.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve VP 195 150 to 750 mL

4.2.1 Use-specific instructions for use

- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- The product has to be applied only on restricted areas on surfaces not regularly cleaned and protected from the rain.

4.2.2 Use-specific risk mitigation measures

- Apply outdoor only on hard surface under a roof, on areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Wash hands after use.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.

 - Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated room.

 - Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.

 - Do not store at temperature > 40°C.

 - Keep packaging away from sources of heat, sparks and open flame.

 - Shelf-life: 24 months.

 - Keep out of reach of children and non-target animals/pets.

6. Other information

This biocidal product contains cypermethrin which is dangerous to bees.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

AE FC1	Market area: FR
PARASECT AC2	Market area: FR
L'ELFE INSECTICIDE SPECIAL RAMPANTS	Market area: FR
L'ELFE INSECTICIDE SPECIAL VOLANTS-RAMPANTS	Market area: FR
L'ELFE INSECTICIDE SPECIAL VOLANTS	Market area: FR
BLASTOR INSECTICIDE SPECIAL RAMPANTS	Market area: FR
BLASTOR INSECTICIDE VOLANTS-RAMPANTS	Market area: FR
BLASTOR INSECTICIDE SPECIAL VOLANTS	Market area: FR
INSECTICIDE ANTI-RAMPANTS	Market area: FR
INSECTICIDE ANTI-VOLANTS	Market area: FR
ACTO / MORTIS VOLANTS	Market area: FR
SUBITO AEROSOL ANTI VOLANTS RAMPANTS	Market area: FR
SUBITO AEROSOL FLASH ANTI VOLANTS	Market area: FR
SUBITO AEROSOL FLASH ANTI RAMPANTS	Market area: FR
123 MOUSTIQUES INSECTICIDES VOLANTS RAMPANTS	Market area: FR
1014D	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

RAYO-INSECTE VOLANTS-RAMPANTS	Market area: FR
KAP4HOME AC2	Market area: FR
FR-0025027-0009 1-6	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,22
Ethanol		Non-active substance	64-17-5		29,78

1. Meta SPC administrative information**1.1. Meta SPC identifier**

Meta SPC7

1.2. Suffix to the authorisation number

1-7

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,22 - 0,22

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Read carefully and follow all instructions.

Avoid release to the environment.

Collect spillage.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Flying and crawling insects – target surface spray – non professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised

Trigger spray insecticide against flying and crawling insects.

use

Target organism(s) (including development stage)

Scientific name:
Common name: Crawling insects
Development stage: Adults

Scientific name:
Common name: Flying insects
Development stage: Adults

Field(s) of use

Outdoor

-

Application method(s)

Method: Spraying
Detailed description:
Target surface spraying as spots application (flying insects) or in cracks and crevices (crawling insects).

Application rate(s) and frequencies

Application Rate: 20 mL/m²
Dilution (%): -
Number and timing of application:
20 mL/m² (equal to 4 mL/m)

Residual effect up to 4 months

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

HDPE trigger spray (reference: Versaplast EU), 0.5, 0.75 and 1 L.

4.1.1 Use-specific instructions for use

- The product has to be applied only on restricted areas on surfaces not regularly cleaned and protected from the rain.

4.1.2 Use-specific risk mitigation measures

- Apply outdoor only on hard surface under a roof, on areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Flying and crawling insects - surface spray under buildings – non professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Trigger spray insecticide against flying and crawling insects.

Target organism(s) (including development stage)

Scientific name:
Common name: Crawling insects
Development stage: Adults

Scientific name:
Common name: Flying insects
Development stage: Adults

Field(s) of use

Outdoor

Outdoor (under buildings).

Application method(s)

Method: Spraying
Detailed description:

-

Application rate(s) and frequencies

Application Rate: 20 mL/m²
Dilution (%): -

	<p>Number and timing of application: 20 mL of product /m²</p> <p>Residual effect up to 4 months.</p>
Category(ies) of users	<p>General public (non-professional)</p>
Pack sizes and packaging material	<p>HDPE trigger spray (reference: Versaplast EU), 0.5, 0.75 and 1 L.</p> <p>5 L HDPE jerrycan for refill.</p>

4.2.1 Use-specific instructions for use

- Spray the product under buildings (i.e. crawlspaces).

4.2.2 Use-specific risk mitigation measures

-

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Keep the container tightly closed in a dry and well-ventilated place.
- Protect from sunlight.
- Do not store at temperature > 40°C.
- Shelf-life: 12 months.
- Keep out of reach of children and non-target animals/pets.

6. Other information

This biocidal product contains cypermethrin which is dangerous to bees.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	
RTU1	Market area: FR
PARACHOC C2	Market area: FR
IG SECTISTOP CYP2	Market area: FR
L'ELFE INSECTICIDE	Market area: FR
BLASTOR INSECTICIDE	Market area: FR
INSECTICIDE	Market area: FR
ACTO / MORTIS VOLANTS LIQUIDE	Market area: FR
SUBITO INSECTICIDE PAL VOLANTS RAMPANTS	Market area: FR
SUBITO INSECTICIDE VOLANTS PRÊT À L'EMPLOI	Market area: FR
SUBITO INSECTICIDE RAMPANTS PRÊT À L'EMPLOI	Market area: FR
1015VGE	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

KAP4HOME CYP2	Market area: FR
FR-0025027-0010 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,22
