

# Summary of product characteristics for a biocidal product

**Product name:** SALVESAFE E20

**Product type(s):** PT03 - Veterinary hygiene (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

**Authorisation number:** EU-0020512-0000

**R4BP 3 asset reference number:** EU-0020512-0006

## Table Of Contents

|   |   |
|---|---|
| Administrative information  | 1 |
| 1.1. Trade names of the product   | 1 |
| 1.2. Authorisation holder   | 1 |
| 1.3. Manufacturer(s) of the biocidal products   | 1 |
| 1.4. Manufacturer(s) of the active substance(s)   | 3 |
| 2. Product composition and formulation  | 3 |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product  | 3 |
| 2.2. Type of formulation  | 3 |
| 3. Hazard and precautionary statements  | 3 |
| 4. Authorised use(s)  | 4 |
| 5. General directions for use   | 8 |
| 5.1. Instructions for use   | 8 |
| 5.2. Risk mitigation measures   | 8 |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 9 |
| 5.4. Instructions for safe disposal of the product and its packaging  | 9 |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage                                     | 9 |
| 6. Other information  | 9 |

## Administrative information

### 1.1. Trade names of the product

|               |
|---------------|
| SALVESAFE E20 |
|---------------|

### 1.2. Authorisation holder

**Name and address of the authorisation holder**

|         |  |
|---------|--|
| Name    | SALVECO S.A.S.   |
| Address | Avenue Pierre Mendès-France Z.A. Hellieule 4 F 88100 SAINT DIE DES VOSGES France |

**Authorisation number**

|                     |
|---------------------|
| EU-0020512-0000 1-2 |
|---------------------|

**R4BP 3 asset reference number**

|                 |
|-----------------|
| EU-0020512-0006 |
|-----------------|

**Date of the authorisation**

|            |
|------------|
| 28/08/2019 |
|------------|

**Expiry date of the authorisation**

|            |
|------------|
| 28/08/2029 |
|------------|

### 1.3. Manufacturer(s) of the biocidal products

**Name of the manufacturer**

|               |
|---------------|
| SALVECO S.A.S |
|---------------|

**Address of the manufacturer**

|   |
|---|
| Avenue Pierre Mendès-France, Z.I. Hellieule 4 F-88100 SAINT DIE DES VOSGES France |
|---|

**Location of manufacturing sites**

|   |
|---|
| Avenue Pierre Mendès-France, Z.I. Hellieule 4 F-88100 SAINT DIE DES VOSGES France |
|---|

|  |  |
|--|--|
| <b>Name of the manufacturer</b>        | MULTIFILL BV BULKONT VANGST                      |
| <b>Address of the manufacturer</b>     | CONSTRUCTIEWEG 25A 3641 SB MIJDRECHT Netherlands |
| <b>Location of manufacturing sites</b> | CONSTRUCTIEWEG 25A 3641 SB MIJDRECHT Netherlands |

|  |  |
|--|--|
| <b>Name of the manufacturer</b>        | Diversey Netherlands Production BV             |
| <b>Address of the manufacturer</b>     | Rembrandtlaan 414 7545 ZW Enschede Netherlands |
| <b>Location of manufacturing sites</b> | Rembrandtlaan 414 7545 ZW Enschede Netherlands |

|  |   |
|--|---|
| <b>Name of the manufacturer</b>        | Diversey UK Production Ltd  |
| <b>Address of the manufacturer</b>     | Cotes Park Industrial Estate, Somercotes DE55 4PA Alfreton United Kingdom |
| <b>Location of manufacturing sites</b> | Cotes Park Industrial Estate, Somercotes DE55 4PA Alfreton United Kingdom |

|  |   |
|--|---|
| <b>Name of the manufacturer</b>        | Diversey España Production S.L.U  |
| <b>Address of the manufacturer</b>     | Avenida Conde Duque 5, 7 y 9, Poligono Industrial La Postura 28343 Valdemoro (Madrid) Spain |
| <b>Location of manufacturing sites</b> | Avenida Conde Duque 5, 7 y 9, Poligono Industrial La Postura 28343 Valdemoro (Madrid) Spain |

|  |  |
|--|--|
| <b>Name of the manufacturer</b>        | Diversey Italy Production Srl                        |
| <b>Address of the manufacturer</b>     | Strada Statale 235 26010 Bagnolo Cremasco (CR) Italy |
| <b>Location of manufacturing sites</b> | Strada Statale 235 26010 Bagnolo Cremasco (CR) Italy |

|  |   |
|--|---|
| <b>Name of the manufacturer</b>        | Diversey Germany Production oHG                         |
| <b>Address of the manufacturer</b>     | Morschheimer Strasse 12 67292 Kirchheimbolanden Germany |
| <b>Location of manufacturing sites</b> | Morschheimer Strasse 12 67292 Kirchheimbolanden Germany |

#### 1.4. Manufacturer(s) of the active substance(s)

|  |  |
|--|--|
| <b>Active substance</b>                | 1421 - Lactic acid                             |
| <b>Name of the manufacturer</b>        | JUNGBUNGZLAUER S.A                             |
| <b>Address of the manufacturer</b>     | Z. I Portuaire BP 32 67390 Marckolsheim France |
| <b>Location of manufacturing sites</b> | Z. I Portuaire BP 32 67390 Marckolsheim France |

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name | IUPAC name | Function         | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|-------------|
| Lactic acid |            | Active Substance |            | 200-018-0 | 2,38        |

### 2.2. Type of formulation

|                       |
|-----------------------|
| AL - Any other liquid |
|-----------------------|

## 3. Hazard and precautionary statements

**Hazard statements**

Safety data sheet available on request.

**Precautionary statements****4. Authorised use(s)****4.1 Use description****Use 1 - Ready-to-use non-medical pre-milking and post-milking teat disinfection - spraying****Product type**

PT03 - Veterinary hygiene (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

**Field(s) of use**

Indoor

Outdoor

**Application method(s)**

Method: Spraying  
Detailed description:  
Manual and automated spraying

**Application rate(s) and frequencies**

Application Rate: Apply a maximum of 20 mL product per milking event to cover the treated surface.  
Dilution (%): Ready-to-use product  
Number and timing of application:  
Maximum 3 pre-milking and 3 post-milking applications per day

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Bottle, Plastic: HDPE 1L  
Jerrycan, Plastic: HDPE 5 - 60L  
Drum, Plastic: HDPE 220 L  
IBC, Plastic: HDPE 1000L

#### 4.1.1 Use-specific instructions for use

Before use, bring the product at least 20°C.  
Fill a manual or automate spraying device with ready to use product from the original packaging and close with spraying head.  
Pre-milking  
Apply the product by spray to the full length of each teat. Leave to act at least 1 min. Wipe the product with a single-use paper towel/cloth to avoid any contamination of milk.  
Post-milking  
The teat should be treated immediately after milking in such a way that the teats are fully covered with the product. Keep the animals standing or walking at least 5 minutes.

#### 4.1.2 Use-specific risk mitigation measures

Not applicable

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Section 5.4.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5.

#### 4.2 Use description

##### Use 2 - Ready-to-use non-medical pre-milking and post-milking teat disinfection - foaming

##### Product type

PT03 - Veterinary hygiene (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

|  |  |
|--|--|
| <b>Field(s) of use</b>                     | Indoor<br>Outdoor  |
| <b>Application method(s)</b>               | Method: Foam application<br>Detailed description:<br>Manual and automated foaming  |
| <b>Application rate(s) and frequencies</b> | Application Rate: Apply a maximum of 20 mL product per milking event to cover the treated surface.<br>Dilution (%): Ready-to-use product<br>Number and timing of application:<br>Maximum 3 pre-milking and 3 post-milking applications per day |
| <b>Category(ies) of users</b>              | Professional   |
| <b>Pack sizes and packaging material</b>   | Bottle, Plastic: HDPE 1L<br>Jerrycan, Plastic: HDPE 5 - 60L<br>Drum, Plastic: HDPE 220 L<br>IBC, Plastic: HDPE 1000L   |

#### 4.2.1 Use-specific instructions for use

Before use, bring the product at least 20°C.  
Fill the foaming cup with ready to use product from the original packaging.  
Pre-milking  
Apply the product to the full length of each teat. Leave to act at least 1 min. Wipe the product with a single-use paper towel/cloth to avoid any contamination of milk. Leave the teats skin dry.  
Post-milking  
The teat should be treated immediately after milking in such a way that the teats are fully covered with the product. Keep the animals standing or walking at least 5 minutes.

#### 4.2.2 Use-specific risk mitigation measures

Not applicable

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging



Section 5.4.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5.

### 4.3 Use description

#### Use 3 - Ready-to-use non-medical pre-milking and post-milking teat disinfection - dipping

|   |  |
|---|--|
| <b>Product type</b>   | PT03 - Veterinary hygiene (Disinfectants)  |
| <b>Where relevant, an exact description of the authorised use</b> | -  |
| <b>Target organism(s) (including development stage)</b>           | Scientific name: Bacteria<br>Common name: Bacteria<br>Development stage:<br><br>Scientific name: Yeasts<br>Common name: Yeasts<br>Development stage:   |
| <b>Field(s) of use</b>  | Indoor<br><br>Outdoor  |
| <b>Application method(s)</b>                                      | Method: Dipping<br>Detailed description:<br>Manual and automated dipping   |
| <b>Application rate(s) and frequencies</b>                        | Application Rate: Apply a maximum of 20 mL product per milking event to cover the treated surface.<br>Dilution (%): Ready-to-use product<br>Number and timing of application:<br>Maximum 3 pre-milking and 3 post-milking applications per day |
| <b>Category(ies) of users</b>                                     | Professional   |
| <b>Pack sizes and packaging material</b>                          | Bottle, Plastic: HDPE 1L<br>Jerrycan, Plastic: HDPE 5 - 60L<br>Drum, Plastic: HDPE 220 L<br>IBC, Plastic: HDPE 1000L   |

#### 4.3.1 Use-specific instructions for use

Before use, bring the product at least 20°C.

Fill the manual or automated dipping cup with ready to use product from the original packaging.

##### *Pre-milking*

Apply the product to the full length of each teat. Leave to act at least 1 min. Wipe the product with a single-use paper towel/cloth to avoid any contamination of milk. Leave the teats skin dry.

##### *Post-milking*

The teat should be treated immediately after milking in such a way that the teats are fully covered with the product. Keep the animals standing or walking at least 5 minutes.

#### 4.3.2 Use-specific risk mitigation measures

Not applicable

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Section 5.4.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5.

### 5. General directions for use

#### 5.1. Instructions for use

Please refer to use-specific instructions for use

#### 5.2. Risk mitigation measures

Not applicable.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of skin contact: Wash with plenty of water.  
If swallowed: Rinse mouth. Do not induce vomiting. If symptoms occurs: Get medical advice/attention.  
  
If inhaled: Get medical attention if symptoms occur.

### 5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container to in accordance with national regulation.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container at room temperature. Protect from direct sun light. Protect from frost. Shelf-life: 2 years.

### 6. Other information

N/A