

Summary of product characteristics for a biocidal product family

Family name: Drevosan family

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: CZ-0030455-0000

R4BP 3 asset reference number: CZ-0030455-0000

Table Of Contents

| | |
|---|----|
| Part I.- First information level | 1 |
| 1. Administrative information | 1 |
| 2. Product family composition and formulation | 3 |
| Part II.- Second information level - meta SPC(s) | 3 |
| 1. Meta SPC administrative information - Meta-SPC 1 | 3 |
| 2. Meta SPC composition | 4 |
| 3. Hazard and precautionary statements of the meta SPC | 4 |
| 4. Authorised use(s) of the meta SPC | 5 |
| 5. General directions for use of the meta SPC | 8 |
| 6. Other information | 9 |
| 7. Third information level: individual products in the meta SPC | 9 |
| 1. Meta SPC administrative information - Meta-SPC 2 | 11 |
| 2. Meta SPC composition | 12 |
| 3. Hazard and precautionary statements of the meta SPC | 12 |
| 4. Authorised use(s) of the meta SPC | 13 |
| 5. General directions for use of the meta SPC | 16 |
| 6. Other information | 17 |
| 7. Third information level: individual products in the meta SPC | 17 |
| 1. Meta SPC administrative information - Meta-SPC 3 | 18 |
| 2. Meta SPC composition | 19 |
| 3. Hazard and precautionary statements of the meta SPC | 19 |
| 4. Authorised use(s) of the meta SPC | 20 |
| 5. General directions for use of the meta SPC | 23 |
| 6. Other information | 24 |
| 7. Third information level: individual products in the meta SPC | 24 |
| 1. Meta SPC administrative information - Meta-SPC 4 | 26 |
| 2. Meta SPC composition | 26 |
| 3. Hazard and precautionary statements of the meta SPC | 27 |

| | |
|---|----|
| 4. Authorised use(s) of the meta SPC | 28 |
| 5. General directions for use of the meta SPC | 31 |
| 6. Other information | 32 |
| 7. Third information level: individual products in the meta SPC | 32 |
| 1. Meta SPC administrative information - Meta-SPC 5 | 33 |
| 2. Meta SPC composition | 33 |
| 3. Hazard and precautionary statements of the meta SPC | 34 |
| 4. Authorised use(s) of the meta SPC | 35 |
| 5. General directions for use of the meta SPC | 36 |
| 6. Other information | 37 |
| 7. Third information level: individual products in the meta SPC | 37 |
| 1. Meta SPC administrative information - Meta-SPC 6 | 39 |
| 2. Meta SPC composition | 39 |
| 3. Hazard and precautionary statements of the meta SPC | 40 |
| 4. Authorised use(s) of the meta SPC | 41 |
| 5. General directions for use of the meta SPC | 42 |
| 6. Other information | 43 |
| 7. Third information level: individual products in the meta SPC | 43 |

Part I.- First information level

1. Administrative information

1.1. Family name

Drevosan family

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

| | |
|---------|---|
| Name | Bochemie a.s. |
| Address | Lidicka 326 735 81 Bohumin Czech Republic |

Authorisation number

CZ-0030455-0000

R4BP 3 asset reference number

CZ-0030455-0000

Date of the authorisation

31/10/2023

Expiry date of the authorisation

31/10/2028

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Bochemie a.s.

Address of the manufacturer

Lidická 326 73581 Bohumín Czech Republic

Location of manufacturing sites

Lidická 326 73581 Bohumín Czech Republic

1.5. Manufacturer(s) of the active substance(s)

| | |
|--|---|
| Active substance | 63 - Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) |
| Name of the manufacturer | Stepan Europe SAS |
| Address of the manufacturer | Chemin de Jongkind 38341 Voreppe France |
| Location of manufacturing sites | Chemin de Jongkind 38341 Voreppe France |

| | |
|--|---|
| Active substance | 48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole) |
| Name of the manufacturer | LANXESS Deutschland GmbH |
| Address of the manufacturer | Kennedyplatz 1 50569 Köln Germany |
| Location of manufacturing sites | Syngenta Crop Protection AG, Route de l'Île-au-Bois 1870 Monthey Switzerland |
| | Jiangsu Yangnong Chemical Group Co., Ltd, Wenfeng Road 225009 Yangzhou, Jiangsu China |
| | Jiangsu SevenContinent Green Chemical Co., Ltd, North Area of Dongsha Chem-Zone 215600 Zhanjiang, Jiangsu China |

| | |
|--|---|
| Active substance | 51 - tebuconazole |
| Name of the manufacturer | LANXESS Deutschland GmbH |
| Address of the manufacturer | Kennedyplatz 1 50569 Köln Germany |
| Location of manufacturing sites | Bayer CropScience Corp., Hawthorn Road, P.O. Box 4913 MO 64120-001 Kansas City United States |
| | Jiangsu Sword Agrochemicals Co., Ltd, Binhai Economic Development Zone, Coastal Industrial Park 224500 Binhai County, Jiangsu China |

| | |
|--|---|
| Active substance | 1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) |
| Name of the manufacturer | Arysta LifeScience Benelux SPRL |
| Address of the manufacturer | Rue de Renory 26/1 4102 Ougrée Belgium |
| Location of manufacturing sites | Rue de Renory 26/1 4102 Ougrée Belgium |

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|----------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 - 20 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 - 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 - 0,3 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 - 0,1 |
| Acid Brown 282 | Disodium [2,4-dihydro-4-[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)] [3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 0 - 1 |

2.2. Type(s) of formulation

| |
|--------------------------|
| SL - Soluble concentrate |
| AL - Any other liquid |

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 20 - 20 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,3 - 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,3 - 0,3 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,1 - 0,1 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Harmful if swallowed.
Causes severe skin burns and eye damage.
May damage the unborn child.
Very toxic to aquatic life with long lasting effects.
Contains propiconazole (CAS No. 60207-90-1). May produce an allergic reaction.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Collect spillage.

Store locked up.

Dispose of contents to hazardous waste collecting point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Automated dipping

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Preventive timber treatment

Target organism(s) (including development stage)

Scientific name: Basidiomycetes:
Common name: Wood rotting basidiomycetes
Development stage:

Scientific name: Hylotrupes bajulus L.
Common name: House longhorn beetle
Development stage: Larvae

Field(s) of use

| | |
|--|--|
| Application method(s) | Indoor Use class 1 and 2 (according to EN 335), softwood |
| | Method: Open system: dip treatment Detailed description: Automated dipping |
| Application rate(s) and frequencies | Application Rate: 15 g/m ² Dilution (%): 5% Number and timing of application: Applied once |
| Category(ies) of users | Industrial |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.1.1 Use-specific instructions for use

The product is diluted before use to prepare a 5% application solution. The optimum dipping time ranges between 30 and 90 minutes, depending on the properties of the timber.

4.1.2 Use-specific risk mitigation measures

All industrial application processes must be carried out within a contained area situated on impermeable hard standing with bunding to prevent run-off and a recovery system in place (e.g. sump).

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

| |
|--|
| |
|--|

4.2 Use description

Use 2 - Brush treatment - professional

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae |
| Field(s) of use | Indoor Use class 1 and 2 (according to EN 335), softwood |
| Application method(s) | Method: Open system: brush treatment Detailed description: Brush treatment |
| Application rate(s) and frequencies | Application Rate: 15 g/m ² Dilution (%): 10% Number and timing of application: Applied twice |
| Category(ies) of users | Professional |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.2.1 Use-specific instructions for use

4.2.1 Use-specific instructions for use

The product is diluted before use to prepare a 10% application solution. The product should be applied twice to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.

4.2.2 Use-specific risk mitigation measures

Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

See the use-specific instructions for use

5.2. Risk mitigation measures

Wear protective chemical resistant gloves during the product handling phase (glove material to be specified by the authorisation holder within the product information).
The use of eye protection during handling of the undiluted product is mandatory.
A protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).
Wash hands thoroughly after work.
Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer. Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

IF ON SKIN (undiluted concentrate): Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF ON SKIN (application solution): Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES (undiluted concentrate): Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF IN EYES (application solution): Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Wear appropriate personal protective equipment. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product nor the diluted solution of the biocidal product into the sewage system or the environment. Dispose of surplus chemical, contaminated material and the empty container safely using a method approved by the waste disposal authority.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years

Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed.

Provide means for cleaning of the area (absorbents) and water supply for first aid in case of skin/eye contamination.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

| | |
|---|-----------------|
| Dřevosan Profi | Market area: CZ |
| Deksan Profi | Market area: CZ |
| Drevochráň Profi | Market area: SK |
| Authorisation number CZ-0030455-0001 1-1 <small>(R4BP 3 asset reference number - National Authorisation)</small> | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 20 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,3 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,1 |

Trade name(s)

| | |
|-----------------------|-----------------|
| Dřevosan Profi zelený | Market area: CZ |
| Deksan Profi zelený | Market area: CZ |
| | |

Drevochráň Profi zelený

Market area: SK

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CZ-0030455-0002 1-1

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 20 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,3 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,1 |

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|----------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 20 - 20 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,3 - 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,3 - 0,3 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,1 - 0,1 |
| Acid Brown 282 | Disodium [2,4-dihydro-4-[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)] [3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 1 - 1 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
May damage the unborn child.

Precautionary statements

| |
|---|
| Very toxic to aquatic life with long lasting effects. Contains propiconazole (CAS No. 60207-90-1) and Acid Brown 282 (CAS No. 70236-60-1). May produce an allergic reaction. |
| Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist. Wash hands thoroughly after handling. Do no eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED:Rinse mouth.Do NOT induce vomiting. IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water. IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED:Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs:Get medical advice. Wash contaminated clothing before reuse. Collect spillage. Store locked up. Dispose of contents to hazardous waste collecting point. |

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Automated dipping

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Preventive timber treatment

Scientific name: Basidiomycetes:

| | |
|---|---|
| Target organism(s) (including development stage) | <p>Common name: Wood rotting basidiomycetes Development stage:</p> <p>Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae</p> |
| Field(s) of use | <p>Indoor</p> <p>Use class 1 and 2 (according to EN 335), softwood</p> |
| Application method(s) | <p>Method: Open system: dip treatment Detailed description: Automated dipping</p> |
| Application rate(s) and frequencies | <p>Application Rate: 15 g/m² Dilution (%): 5% Number and timing of application: Applied once</p> |
| Category(ies) of users | <p>Industrial</p> |
| Pack sizes and packaging material | <p>Jerry can (HDPE) 1 kg to 50 kg</p> |

4.1.1 Use-specific instructions for use

The product is diluted before use to prepare a 5% application solution. The optimum dipping time ranges between 30 and 90 minutes, depending on the properties of the timber.

4.1.2 Use-specific risk mitigation measures

All industrial application processes must be carried out within a contained area situated on impermeable hard standing with bunding to prevent run-off and a recovery system in place (e.g. sump).

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

| |
|--|
| |
|--|

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

| |
|--|
| |
|--|

4.2 Use description

Use 2 - Brush treatment - professional

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae |
| Field(s) of use | Indoor Use class 1 and 2 (according to EN 335), softwood |
| Application method(s) | Method: Open system: brush treatment Detailed description: Brush treatment |
| Application rate(s) and frequencies | Application Rate: 15 g/m ² Dilution (%): 10% Number and timing of application: Applied twice |
| Category(ies) of users | Professional |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.2.1 Use-specific instructions for use

The product is diluted before use to prepare a 10% application solution. The product should be applied twice to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.

4.2.2 Use-specific risk mitigation measures

Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

See the use-specific instructions for use

5.2. Risk mitigation measures

Wear protective chemical resistant gloves during the product handling phase (glove material to be specified by the authorisation holder within the product information).
The use of eye protection during handling of the undiluted product is mandatory.
A protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).
Wash hands thoroughly after work.
Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer. Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

IF ON SKIN (undiluted concentrate): Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF ON SKIN (application solution): Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES (undiluted concentrate): Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF IN EYES (application solution): Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Wear appropriate personal protective equipment. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product nor the diluted solution of the biocidal product into the sewage system or the environment. Dispose of surplus chemical, contaminated material and the empty container safely using a method approved by the waste disposal authority.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years

Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed.

Provide means for cleaning of the area (absorbents) and water supply for first aid in case of skin/eye contamination.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

| | |
|---|-----------------|
| Dřevosan Profi hnědý | Market area: CZ |
| Deksan Profi hnědý | Market area: CZ |
| Drevochráň Profi hnědý | Market area: SK |
| Authorisation number CZ-0030455-0003 1-2 <small>(R4BP 3 asset reference number - National Authorisation)</small> | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|----------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 20 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,3 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,3 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,1 |
| Acid Brown 282 | Disodium [2,4-dihydro-4-[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)] [3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 1 |

1. Meta SPC administrative information**1.1. Meta SPC identifier**

Meta-SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 8 - 8 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,12 - 0,12 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,12 - 0,12 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,04 - 0,04 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

Causes severe skin burns and eye damage.
Very toxic to aquatic life with long lasting effects.
Contains propiconazole (CAS No. 60207-90-1). May produce an allergic reaction.

Do not breathe mist.
Wash hands thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.
Collect spillage.
Store locked up.
Dispose of contents to hazardous waste collecting point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Automated dipping

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Preventive timber treatment

Target organism(s) (including development stage)

Scientific name: Basidiomycetes
Common name: Wood rotting basidiomycetes
Development stage:

Scientific name: Hylotrupes bajulus L.
Common name: House longhorn beetle
Development stage: Larvae

| | |
|--|---|
| Field(s) of use | Indoor Use class 1 and 2 (according to EN 335), softwood |
| Application method(s) | Method: Open system: dip treatment Detailed description: Automated dipping |
| Application rate(s) and frequencies | Application Rate: 40 g/m ² Dilution (%): 10% Number and timing of application: Applied once |
| Category(ies) of users | Industrial |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.1.1 Use-specific instructions for use

The product is diluted before use to prepare a 10% solution. The optimum dipping time ranges between 30 and 90 minutes, depending on the properties of the timber.

4.1.2 Use-specific risk mitigation measures

All industrial application processes must be carried out within a contained area situated on impermeable hard standing with bunding to prevent run-off and a recovery system in place (e.g. sump).

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

| |
|--|
| |
|--|

4.2 Use description

Use 2 - Brush treatment - professional

| | |
|---|--|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | <p>Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage:</p> <p>Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae</p> |
| Field(s) of use | <p>Indoor</p> <p>Use class 1 and 2 (according to EN 335), softwood</p> |
| Application method(s) | <p>Method: Open system: brush treatment Detailed description: Brush treatment</p> |
| Application rate(s) and frequencies | <p>Application Rate: 40 g/m² Dilution (%): 20% Number and timing of application: Applied 2 to 3 times</p> |
| Category(ies) of users | Professional |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.2.1 Use-specific instructions for use

4.2.1 Use-specific instructions for use

The product is diluted before use to prepare a 20% application solution. The product should be applied 2 to 3 times to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.

4.2.2 Use-specific risk mitigation measures

Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

See the use-specific instructions for use

5.2. Risk mitigation measures

Wear protective chemical resistant gloves during the product handling phase (glove material to be specified by the authorisation holder within the product information).
The use of eye protection during handling of the undiluted product is mandatory.
A protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).
Wash hands thoroughly after work.
Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general

public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer. Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

IF ON SKIN (undiluted concentrate): Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF ON SKIN (application solution): Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES (undiluted concentrate): Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF IN EYES (application solution): Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Wear appropriate personal protective equipment. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product nor the diluted solution of the biocidal product into the sewage system or the environment. Dispose of surplus chemical, contaminated material and the empty container safely using a method approved by the waste disposal authority.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years

Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed.

Provide means for cleaning of the area (absorbents) and water supply for first aid in case of skin/eye contamination.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

| | |
|--|-----------------|
| Dřevosan | Market area: CZ |
| Drevochráš | Market area: SK |
| Authorisation number (R4BP 3 asset reference number - National Authorisation) CZ-0030455-0004 1-3 | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 8 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,12 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,12 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,04 |

Trade name(s)

| | |
|--|-----------------|
| Dřevosan zelený | Market area: CZ |
| Drevochráš zelený | Market area: SK |
| Authorisation number (R4BP 3 asset reference number - National Authorisation) CZ-0030455-0005 1-3 | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 8 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,12 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,12 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,04 |

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 4

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|-------------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 8 - 8 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,12 - 0,12 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,12 - 0,12 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,04 - 0,04 |
| Acid Brown 282 | Disodium [2,4-dihydro-4- [(2-hydroxy-5- nitrophenyl)azo]-5- methyl-2-phenyl-3H- pyrazol-3-onato(2-)] [3- hydroxy-4-[(2-hydroxy-1- naphthyl)azo]-7- nitronaphthalene-1- sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 1 - 1 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Very toxic to aquatic life with long lasting effects.
Contains propiconazole (CAS No. 60207-90-1) and Acid Brown 282 (CAS No. 70236-60-1). May produce an allergic reaction.

Precautionary statements

Do not breathe mist.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor.

If skin irritation or rash occurs: Get medical advice.

Wash contaminated clothing before reuse.

Collect spillage.

Store locked up.

Dispose of contents to hazardous waste collecting point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Automated dipping

| | |
|---|--|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | <p>Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage:</p> <p>Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae</p> |
| Field(s) of use | <p>Indoor</p> <p>Use class 1 and 2 (according to EN 335), softwood</p> |
| Application method(s) | <p>Method: Open system: dip treatment Detailed description: Automated dipping</p> |
| Application rate(s) and frequencies | <p>Application Rate: 40 g/m² Dilution (%): 10% Number and timing of application: Applied once</p> |

Category(ies) of users

Industrial

Pack sizes and packaging material

Jerry can (HDPE) 1 kg to 50 kg

4.1.1 Use-specific instructions for use

The product is diluted before use to prepare a 10% solution. The optimum dipping time ranges between 30 and 90 minutes, depending on the properties of the timber.

4.1.2 Use-specific risk mitigation measures

All industrial application processes must be carried out within a contained area situated on impermeable hard standing with bunding to prevent run-off and a recovery system in place (e.g. sump).

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

4.2 Use description

Use 2 - Brush treatment - professional

Product type

PT08 - Wood preservatives (Preservatives)

| | |
|---|--|
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | <p>Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage:</p> <p>Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae</p> |
| Field(s) of use | <p>Indoor</p> <p>Use class 1 and 2 (according to EN 335), softwood</p> |
| Application method(s) | <p>Method: Open system: brush treatment Detailed description: Brush treatment</p> |
| Application rate(s) and frequencies | <p>Application Rate: 40 g/m² Dilution (%): 20% Number and timing of application: Applied 2 to 3 times</p> |
| Category(ies) of users | Professional |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 50 kg |

4.2.1 Use-specific instructions for use

The product is diluted before use to prepare a 20% application solution. The product should be applied 2 to 3 times to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.

4.2.2 Use-specific risk mitigation measures

Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

See the use-specific instructions for use

5.2. Risk mitigation measures

Wear protective chemical resistant gloves during the product handling phase (glove material to be specified by the authorisation holder within the product information).
The use of eye protection during handling of the undiluted product is mandatory.
A protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).
Wash hands thoroughly after work.
Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals.
Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.
Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions
IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.
IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
IF ON SKIN (undiluted concentrate): Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
IF ON SKIN (application solution): Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.
IF IN EYES (undiluted concentrate): Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
IF IN EYES (application solution): Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5

minutes. Call a POISON CENTRE or a doctor.

Emergency measures to protect the environment in case of an accident
Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.
Wear appropriate personal protective equipment. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste.
In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product nor the diluted solution of the biocidal product into the sewage system or the environment. Dispose of surplus chemical, contaminated material and the empty container safely using a method approved by the waste disposal authority.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years
Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed.
Provide means for cleaning of the area (absorbents) and water supply for first aid in case of skin/eye contamination.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

| | | |
|--|---------------------|-----------------|
| Trade name(s) | Dřevosan hnědý | Market area: CZ |
| | Drevochráň hnedý | Market area: SK |
| Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small> | CZ-0030455-0006 1-4 | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|-------------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 8 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,12 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,12 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,04 |
| Acid Brown 282 | Disodium [2,4-dihydro-4- [(2-hydroxy-5- nitrophenyl)azo]-5- methyl-2-phenyl-3H- pyrazol-3-onato(2-)] [3- hydroxy-4-[(2-hydroxy-1- naphthyl)azo]-7- nitronaphthalene-1- sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 1 |

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 5

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 - 2 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 - 0,03 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 - 0,03 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 - 0,01 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes skin irritation.
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Wash hands thoroughly after handling.
Avoid release to the environment.
Wear protective gloves/eye protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice.
If eye irritation persists: Get medical advice.
Take off contaminated clothing. And wash it before reuse.
Collect spillage.

Dispose of contents to hazardous waste collecting point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Brush treatment - non-professional

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae |
| Field(s) of use | Indoor Use class 1 and 2 (according to EN 335), softwood |
| Application method(s) | Method: Open system: brush treatment Detailed description: Brush treatment |
| Application rate(s) and frequencies | Application Rate: 150 g/m ² Dilution (%): 100% Number and timing of application: Applied twice |
| Category(ies) of users | General public (non-professional) |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 15 kg |

4.1.1 Use-specific instructions for use

4.1.2 Use-specific risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

The product is applied undiluted. It should be applied twice to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.
Comply with the instructions for use.

5.2. Risk mitigation measures

Avoid exposure of skin and eyes.
Wash hands after use.
It is recommended to wear gloves during application.
Wash hands thoroughly after work.

Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals.
Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.
Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct

losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal. Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

If medical advice is needed, have product container or label at hand.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent. Avoid discharge to sewers, surface water or soil.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product into the sewage system or the environment. Unused product must be disposed of as hazardous waste.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years

Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed. Keep out of reach of children and non-target animals/pets.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Dřevosan Optimal

Market area: CZ

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CZ-0030455-0007 1-5

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 |
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 |

Trade name(s)

Dřevosan Optimal zelený

Market area: CZ

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CZ-0030455-0008 1-5

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|------------|------------------|------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|---|------------------|-------------|-----------|-------------|
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 |

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta-SPC 6

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|------------|------------------|------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 - 2 |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|----------------------|-------------|-----------|-------------|
| 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 - 0,03 |
| tebuconazole | 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 - 0,03 |
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 - 0,01 |
| Acid Brown 282 | Disodium [2,4-dihydro-4-[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)]-[3-hydroxy-4-[(2-hydroxy-1-naphthyl)azo]-7-nitronaphthalene-1-sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 0,1 - 0,1 |

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes skin irritation.
 Causes serious eye irritation.
 Very toxic to aquatic life with long lasting effects.
 Contains Acid Brown 282 (CAS No. 70236-60-1). May produce an allergic reaction.

Precautionary statements

Wash hands thoroughly after handling.
 Avoid release to the environment.
 Wear protective gloves/eye protection.
 IF ON SKIN:Wash with plenty of water.
 IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
 If skin irritation occurs:Get medical advice.
 If eye irritation persists:Get medical advice.
 Take off contaminated clothing.And wash it before reuse.

Collect spillage.
Dispose of contents to hazardous waste collecting point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Brush treatment - non-professional

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Preventive timber treatment |
| Target organism(s) (including development stage) | Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: Larvae |
| Field(s) of use | Indoor Use class 1 and 2 (according to EN 335), softwood |
| Application method(s) | Method: Open system: brush treatment Detailed description: Brush treatment |
| Application rate(s) and frequencies | Application Rate: 150 g/m ² Dilution (%): 100% Number and timing of application: Applied twice |
| Category(ies) of users | General public (non-professional) |
| Pack sizes and packaging material | Jerry can (HDPE) 1 kg to 15 kg |

4.1.1 Use-specific instructions for use

4.1.2 Use-specific risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

The product is applied undiluted. It should be applied twice to achieve the target application rate. Before repeated application the previous coating should be allowed to dry for 24 hours.
Comply with the instructions for use.

5.2. Risk mitigation measures

Avoid exposure of skin and eyes.
Wash hands after use.
It is recommended to wear gloves during application.
Wash hands thoroughly after work.

Do not use on wood which may come into direct contact with food, feeding stuff, drinking water or livestock animals.
Do not use the product for wood, which is foreseen as part of structures (e.g. flooring, furniture), to which persons of the general public and pets may have prolonged contact.

Do not use the wood waste from the treated wood (e.g. shavings, sawdust etc.) as a bedding for animals.
Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.
Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct

losses to soil, sewer or water, and that any losses of the product shall be collected for reuse or disposal. Can be harmful to protected species such as bats, hornets or birds. The presence of protected species in the area to be treated must be assessed prior to use of the product. Appropriate protective measures must be taken if necessary.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid instructions

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

If medical advice is needed, have product container or label at hand.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent. Avoid discharge to sewers, surface water or soil.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge the biocidal product into the sewage system or the environment. Unused product must be disposed of as hazardous waste.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 3 years

Store the product in tightly closed original containers. Store at temperatures not exceeding 30 °C. Avoid sources of heat (radiator, direct sunlight). Do not store near food, drink and feed. Keep out of reach of children and non-target animals/pets.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Dřevosan Optimal hnědý

Market area: CZ

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

CZ-0030455-0009 1-6

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|-------------------------|-------------|-----------|-------------|
| Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) | | Active Substance | 68424-85-1 | 270-325-2 | 2 |
| 1-[[2-(2,4- dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]methyl]- 1H-1,2,4-triazole | | Active Substance | 60207-90-1 | 262-104-4 | 0,03 |
| tebuconazole | 1-(4-chlorophenyl)-4,4- dimethyl-3-(1,2,4-triazol- 1-ylmethyl)pentan-3-ol | Active Substance | 107534-96-3 | 403-640-2 | 0,03 |
| (RS)- α -cyano- 3phenoxybenzyl-(1RS)- cis, trans-3-(2,2- dichlorovinyl)-2,2- dimethylcyclopropanecar boxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,01 |
| Acid Brown 282 | Disodium [2,4-dihydro-4- [(2-hydroxy-5- nitrophenyl)azo]-5- methyl-2-phenyl-3H- pyrazol-3-onato(2-)] [3- hydroxy-4-[(2-hydroxy-1- naphthyl)azo]-7- nitronaphthalene-1- sulphonato(3- | Non-active substance | 70236-60-1 | 274-490-1 | 0,1 |