Summary of product characteristics for a biocidal product family

Family name: Holzschutz-Creme

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: CH-2012-0039

R4BP 3 asset reference number: CH-0019960-0000

Table Of Contents

Part I First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II Second information level - meta SPC(s)	3
Meta SPC administrative information - meta SPC	3
2. Meta SPC composition	4
3. Hazard and precautionary statements of the meta SPC	5
4. Authorised use(s) of the meta SPC	6
5. General directions for use of the meta SPC	11
6. Other information	14
7. Third information level: individual products in the meta SPC	1/1

Part I.- First information level

1. Administrative information

1.1. Family name

Holzschutz-Creme		
------------------	--	--

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Remmers GmbH
Address	Bernhard-Remmers-Str. 13 D - 49624 Löningen Germany
CH-2012-0039	

Authorisation number

R4BP 3 asset reference number

Date of the authorisation

Expiry date of the authorisation

CH-0019960-0000
25/03/2015
30/10/2025

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Remmers GmbH

Address of the manufacturer

Bernhard-Remmers-Straße 13 49624 Löningen Germany

Location of manufacturing sites

Bernhard-Remmers-Straße 13 49624 Löningen Germany

1.5. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	Troy Chemical Company BV
Address of the manufacturer	Uiverlaan 12e 3140 AC Maassluis Netherlands
Location of manufacturing sites	Uiverlaan 12e 3140 AC Maassluis Netherlands

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,94 - 0,944
White spirit	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	29,1 - 38,3
White spirit (Varsol 60)	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	38,3 - 38,3
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.			25498-49-1	247-045-4	2,1899 - 2,19
WorléeKyd L 7904 (preparation) - function: binder					19,99 - 20
Soja-Lecithin STA - funtion: surfactant			8002-43-5	232-307-2	0,2 - 0,3
Luwax V Schuppen (preparation) - function: water-repellent agent					0,05 - 0,2
Solvent 254	Distillates (petroleum), hydrotreated light		64742-47-8	265-149-8	14,99 - 15
Disponil A 4065 (preparation) - function: emulsifier			00000-00-0	000-000-0	1,799 - 1,8
Water			7732-18-5	231-791-2	19,499 - 19,5
Sicoflush-L-Gelb 1916 (preparation)			00000-00-0	000-000-0	0,01 - 4,5
Addipast Black 508			00000-00-0	000-000-0	0,01 - 0,9
Kronos Titanium Dioxide (all types)	Titanium Dioxide		13463-67-7	236-675-5	0,01 - 8

Sicotrans rot L 2715 D		1309-37-1	215-168-2	0,01 - 1,35
Octa-Soligen 69 (preparation) - fuction: drier				1 - 1,5
ShellSol A 100	Solvent naphtha (petroleum), light arom.	64742-95-6	265-199-0	0,15 - 0,6
Stobi-Skin 100 - function: anti-skinning agent		96-29-7	202-496-6	0,299 - 0,3
WorléeKyd L 7904 (preparation) - function: binder		00-00-0	000-000-0	20 - 20
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.		00-00-0	000-000-0	3,5 - 3,5
Soja-Lecithin STA - function: surfactant		8002-43-5	232-307-2	0,2 - 0,2
Octa-Soligen 69 (preparation) - fuction: drier		00-00-0	000-000-0	1 - 1
Luwax V Schuppen (preparation) - function: water-repellent agent		00-00-0	000-000-0	0,05 - 0,05
Disponil A 4065 (preparation) - function: emulsifier		00-00-0	000-000-0	1,8 - 1,8
Addipast Black 508 LH		00000-00-0	000-000-0	0 - 0

2.2. Type(s) of formulation

AL - Any other liquid

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,94 - 0,944
White spirit	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	29,1 - 38,3
White spirit (Varsol 60)	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	38,3 - 38,3
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.			25498-49-1	247-045-4	2,1899 - 2,19
WorléeKyd L 7904 (preparation) - function: binder					19,99 - 20
Soja-Lecithin STA - funtion: surfactant			8002-43-5	232-307-2	0,2 - 0,3
Luwax V Schuppen (preparation) - function: water-repellent agent					0,05 - 0,2
Solvent 254	Distillates (petroleum), hydrotreated light		64742-47-8	265-149-8	14,99 - 15
Disponil A 4065 (preparation) - function: emulsifier			00000-00-0	000-000-0	1,799 - 1,8
Water			7732-18-5	231-791-2	19,499 - 19,5
Sicoflush-L-Gelb 1916 (preparation)			00000-00-0	000-000-0	0,01 - 4,5
Addipast Black 508			00000-00-0	000-000-0	0,01 - 0,9
Kronos Titanium Dioxide (all types)	Titanium Dioxide		13463-67-7	236-675-5	0,01 - 8
Sicotrans rot L 2715 D			1309-37-1	215-168-2	0,01 - 1,35
Octa-Soligen 69 (preparation) - fuction: drier					1 - 1,5
ShellSol A 100	Solvent naphtha (petroleum), light arom.		64742-95-6	265-199-0	0,15 - 0,6
Stobi-Skin 100 - function: anti-skinning agent			96-29-7	202-496-6	0,299 - 0,3

WorléeKyd L 7904 (preparation) - function: binder	00-00-0	000-000-0	20 - 20
Polyphase AF3 (non-active ingedients) - function: co-formulants of a.i.	00-00-0	000-000-0	3,5 - 3,5
Soja-Lecithin STA - function: surfactant	8002-43-5	232-307-2	0,2 - 0,2
Octa-Soligen 69 (preparation) - fuction: drier	00-00-0	000-000-0	1-1
Luwax V Schuppen (preparation) - function: water-repellent agent	00-00-0	000-000-0	0,05 - 0,05
Disponil A 4065 (preparation) - function: emulsifier	00-00-0	000-000-0	1,8 - 1,8
Addipast Black 508 LH	00000-00-0	000-000-0	0 - 0

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard	statements
i iuzui u	Julionio

Causes serious eye irritation.

Causes damage to organs central nervous system through prolonged or repeated exposure .

Harmful to aquatic life with long lasting effects.

Causes skin irritation.

Contains IPBC. May produce an allergic reaction.

May cause an allergic skin reaction.

Causes damage to organs central nervous systems through prolonged or repeated exposure .

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe vapours.

Wear protective clothing.

Avoid release to the environment.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of .

If skin irritation or rash occurs:Get medical advice.

If eye irritation persists:Get medical advice.

Dispose of contents to in original container in compliance with valid regulations.

IF SWALLOWED: Immediately call a POISON CENTER.

Dispose of contents to in original container in compliance with valid regulations..

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - preventive protection against blue-staining fungi - use by general public and professional users

Product ty	pe
------------	----

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

PT08 - Wood preservatives (Preservatives)

Target organisms: blue stain fungi

Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of product application: outdoors, partly in situ

Users: General Public, Professionals

Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae

Field(s) of use

Indoor

Outdoor

Target organism: preventive protection againstblue-staining fungi in UC 2 and 3 according to EN 335

Application method(s)

Open system: brush treatment -

Target organisms: blue stain fungi

Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of

product application: outdoors, partly in situ Users: General Public and Professionals

Application rate(s) and frequencies

200 - 250 ml/m² - 100 -

Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher

Category(ies) of users

Trained professional

	Professional General public (non-professional)
Pack sizes and packaging naterial	Can /Tin, coated tin plate , 0.75 L, 2,5 L, 5L, 10L, 20 L coated tin plate
	Maximum package size for consumer use: 5 L

4.1.1 Use-specific instructions for use

For application by brushing: apply at least 2 subsequent coats

4.1.2 Use-specific risk mitigation measures

no use-specific risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

4.2 Use description

Use 2 - preventive protection against wood-destroying and blue-staining fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae

Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Hyphae

Field(s) of use

Outdoor

Preventive protection against wood-destroying and blue-staining fungi in UC 2 and 3

according to EN 335

Application method(s)

Open system: brush treatment -Target organisms: wood rotting fungi, blue stain fungi

Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of

product application: outdoors, partly in situ Users: (trained) Professionals and General Public

Application rate(s) and frequencies

200-250 ml/m² - 100 -

Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher

Category(ies) of users

Professional

General public (non-professional)

Trained professional

Pack sizes and packaging material

Can /Tin, coated tin plate , 0.75 L, 2.5 L, 5 L, 10 L, 20 L

4.2.1 Use-specific instructions for use

no use-specific instructions for use

4.2.2 Use-specific risk mitigation measures

no use-specific risk mitigation measures

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

4.3 Use description

Use 3 - preventive protection against wood-destroying and blue-staining fungi - professional use only

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

concentration of a.i. IPBC: 1.50 %

Target organism(s) (including development stage)

Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae

Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Hyphae

Field(s) of use

Outdoor

Target organism: preventive protection against wood-destroying and blue-staining fungi in UC 2 and 3 according to EN 335

Open system: brush treatment -

Application method(s)

Target organisms: wood rotting fungi, blue stain fungi

Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of

product application: outdoors, partly in situ

Users: (trained) Professionals and General Public

Application rate(s) and frequencies

200-250 ml/m² - 100 -

Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher

Category(ies) of users

Professional

Trained professional

Pack sizes and packaging material

Can /Tin, coated tin plate , 0.75 L, 2.5 L, 5 L, 10 L, 20 L

4.3.1 Use-specific instructions for use

no use-specific instructions for use

4.3.2 Use-specific risk mitigation measures

Only to be used by professional operators

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

Holzschutz-Creme

Manner and area of use:

Target organisms: blue stain fungi Application method: brush treatment

Field of use: outdoor use

Users: General public, (trained) professionals

Function: Inhibition of metabolism Application aim: Preventive .

Application rate by brushing 200-250 ml/m² (180-225 g/m²).

Aidol Holzschutz-Creme Manner and area of use:

Target organisms: wood rotting fungi, blue stain fungi

Application method: brush treatment

Field of use: outdoor use

Users: Professionals and non-professionals

Function: Inhibition of metabolism Application aim: Preventive .

Application rate by brushing 200-250 ml/m² (180-225 g/m²).

Holzschutz-Creme Plus - clear Manner and area of use:

Target organisms: blue stain fungi , Wood rotting fungi

Application method: brush treatment

Field of use: outdoor use Users: (trained) professionals Function: Inhibition of metabolism Application aim: Preventive.

Application rate by brushing 200-250 ml/m² (180-225 g/m²).

5.2. Risk mitigation measures

Holzschutz-Creme

Maximum Package Size for DIY-use: 5 L

Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher humidity.)

Clean tool immediately after use with a thinner

Use only in well ventilated areas

Do not use indoor

Do not use on wood than comes in direct contact with food or feed.

Open and handle with care

Do not eat, drink or smoke while working

Apply solvent-resistant skin protection cream before working

Avoid contact with eyes and skin

Keep away from food, beverages and animal feed

Wash hands before pauses and after work

Do not inhale gases/vapours

Keep ignition sources away. - do not smoke

Protect against electrostatic charges

Fumes can combine with air to form an explosive mixture

Aidol Holzschutz-Creme

Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher

humidity.)

Clean tool immediately after use with a thinner

Use only in well ventilated areas

Do not use indoor

Do not use on wood than comes in direct contact with food or feed.

Open and handle with care

Do not eat, drink or smoke while working

Apply solvent-resistant skin protection cream before working

Avoid contact with eyes and skin

Keep away from food, beverages and animal feed

Wash hands before pauses and after work

Do not inhale gases/vapours

Keep ignition sources away. - do not smoke

Protect against electrostatic charges

Fumes can combine with air to form an explosive mixture

Holzschutz-Creme Plus - clear

May only be used by professionals or industrial use.

Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher humidity.)

Clean tool immediately after use with a thinner

Use only in well ventilated areas

Do not use indoor

Do not use on wood than comes in direct contact with food or feed.

Open and handle with care

Do not eat, drink or smoke while working

Apply solvent-resistant skin protection cream before working

Avoid contact with eyes and skin

Keep away from food, beverages and animal feed

Wash hands before pauses and after work

Do not inhale gases/vapours

Keep ignition sources away. - do not smoke

Protect against electrostatic charges

Fumes can combine with air to form an explosive mixture

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Holzschutz-Creme

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing

soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport.

Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

Prevent from spreading (e.g. by confining or oil barrier). This product may not be allowed to reach

surface water because it is toxic to aquatic environments.

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Aidol Holzschutz-Creme

Hazard warnings: Irritating to eyes and skin

Safety phrases: Keep out of reach of children

Keep away from food, beverages and animal feed

Avoid contact with skin and eyes

First aid measures

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport. Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate Ventilation.

Holzschutz-Creme Plus - clear

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport. Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil. Prevent from spreading (e.g. by confining or oil barrier). This product may not be allowed to reach surface water because it is toxic to aquatic environments.

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

5.4. Instructions for safe disposal of the product and its packaging

Holzschutz-Creme

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions. European waste catalogue: 03 02 02 organochlorinated wood preservatives

Uncleaned packaging:

Disposal must be made according to official regulations. Only completely empty containers may be recycled.

Aidol Holzschutz-Creme

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions. European waste catalogue: 03 02 02 organochlorinated wood preservatives

Uncleaned packaging:

Disposal must be made according to official regulations. Only completely empty containers may be recycled.

Holzschutz-Creme Plus - clear

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of

special use and disposal conditions at the user's, other codes may apply under other conditions. European waste catalogue: 03 02 02 organochlorinated wood preservatives Uncleaned packaging: Disposal must be made according to official regulations. Only completely empty containers may be recycled. 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage Holzschutz-Creme Store in cool location. Store away from food. Store cool and dry in tightly closed containers. Store container in a well-ventilated position. Protect from frost. Protect from heat and direct sunlight. Shelf life: 12 months from date of manufacture. Aidol Holzschutz-Creme Store in cool location. Store away from food. Store cool and dry in tightly closed containers. Store container in a well-ventilated position. Protect from frost. Protect from heat and direct sunlight. Shelf life: 12 months from date of manufacture. Holzschutz-Creme Plus - clear Store in cool location. Store away from food. Store cool and dry in tightly closed containers. Store container in a well-ventilated position. Protect from frost. Protect from heat and direct sunlight. Shelf life: 12 months from date of manufacture. 6. Other information Holzschutz-Creme, DK 7. Third information level: individual products in the meta SPC 7.1 Trade name(s), authorisation number and specific composition of each individual product

Holzschutz-Creme

Authorisation number

Trade name(s)

Market area: CH

CH-0019960-0001 1-1

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,944
White spirit	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	29,1
White spirit (Varsol 60)	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	38,3
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.			25498-49-1	247-045-4	2,1899
WorléeKyd L 7904 (preparation) - function: binder					19,99
Soja-Lecithin STA - funtion: surfactant			8002-43-5	232-307-2	0,2
Luwax V Schuppen (preparation) - function: water-repellent agent					0,05
Solvent 254	Distillates (petroleum), hydrotreated light		64742-47-8	265-149-8	15
Disponil A 4065 (preparation) - function: emulsifier			00000-00-0	000-000-0	1,799
Water			7732-18-5	231-791-2	19,499
Sicoflush-L-Gelb 1916 (preparation)			00000-00-0	000-000-0	0,01
Addipast Black 508			00000-00-0	000-000-0	0,01
Kronos Titanium Dioxide (all types)	Titanium Dioxide		13463-67-7	236-675-5	0,01
Sicotrans rot L 2715 D			1309-37-1	215-168-2	0,01
Octa-Soligen 69 (preparation) - fuction: drier					1
ShellSol A 100	Solvent naphtha (petroleum), light arom.		64742-95-6	265-199-0	0,15

Stobi-Skin 100 - function: anti-skinning agent	96-29-7	202-496-6	0,3
WorléeKyd L 7904 (preparation) - function: binder	00-00-0	000-000-0	20
Polyphase AF3 (non-active ingedients) - function: co-formulants of a.i.	00-00-0	000-000-0	3,5
Soja-Lecithin STA - function: surfactant	8002-43-5	232-307-2	0,2
Octa-Soligen 69 (preparation) - fuction: drier	00-00-0	000-000-0	1
Luwax V Schuppen (preparation) - function: water-repellent agent	00-00-0	000-000-0	0,05
Disponil A 4065 (preparation) - function: emulsifier	00-00-0	000-000-0	1,8
Addipast Black 508 LH	00000-00-0	000-000-0	0

Trade name(s)

Holzschutz-Creme Plus - clear

Market area: CH

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

CH-0019960-0002 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,94
White spirit	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	38,3
White spirit (Varsol 60)	Naphtha (petroleum), hydrodesulfurized heavy		64742-82-1	265-185-4	38,3
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.			25498-49-1	247-045-4	2,1899
WorléeKyd L 7904 (preparation) - function: binder					20

Soja-Lecithin STA - funtion: surfactant		8002-43-5	232-307-2	0,2
Luwax V Schuppen (preparation) - function: water-repellent agent				0,05
Solvent 254	Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	15
Disponil A 4065 (preparation) - function: emulsifier		00000-00-0	000-000-0	1,8
Water		7732-18-5	231-791-2	19,499
Sicoflush-L-Gelb 1916 (preparation)		00000-00-0	000-000-0	0,01
Addipast Black 508		00000-00-0	000-000-0	0,01
Kronos Titanium Dioxide (all types)	Titanium Dioxide	13463-67-7	236-675-5	0,01
Sicotrans rot L 2715 D		1309-37-1	215-168-2	0,01
Octa-Soligen 69 (preparation) - fuction: drier				1
ShellSol A 100	Solvent naphtha (petroleum), light arom.	64742-95-6	265-199-0	0,15
Stobi-Skin 100 - function: anti-skinning agent		96-29-7	202-496-6	0,3
WorléeKyd L 7904 (preparation) - function: binder		00-00-0	000-000-0	20
Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i.		00-00-0	000-000-0	3,5
Soja-Lecithin STA - function: surfactant		8002-43-5	232-307-2	0,2
Octa-Soligen 69 (preparation) - fuction: drier		00-00-0	000-000-0	1
Luwax V Schuppen (preparation) - function: water-repellent agent		00-00-0	000-000-0	0,05
Disponil A 4065 (preparation) - function: emulsifier		00-00-0	000-000-0	1,8
Addipast Black 508 LH		00000-00-0	000-000-0	0