

Summary of product characteristics for a biocidal product family

Family name: Micronclean IPA family

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Authorisation number: ES/MRF(NA)-2020-02-00677

R4BP 3 asset reference number: ES-0021788-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - Meta SPC 1	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	7
6. Other information	8
7. Third information level: individual products in the meta SPC	8
1. Meta SPC administrative information - Meta SPC 2	10
2. Meta SPC composition	10
3. Hazard and precautionary statements of the meta SPC	10
4. Authorised use(s) of the meta SPC	11
5. General directions for use of the meta SPC	15
6. Other information	16
7. Third information level: individual products in the meta SPC	16
1. Meta SPC administrative information - Meta SPC 3	17
2. Meta SPC composition	17
3. Hazard and precautionary statements of the meta SPC	18
4. Authorised use(s) of the meta SPC	18
5. General directions for use of the meta SPC	21
6. Other information	22
7. Third information level: individual products in the meta SPC	22

Part I.- First information level

1. Administrative information

1.1. Family name

Micronclean IPA family

1.2. Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Arrow Regulatory (Ireland) Ltd acting on behalf of Micronclean (UK)
Address	9 Pembroke St Upper D02 KR83 Dublin Ireland

Authorisation number

ES/MRF(NA)-2020-02-00677

R4BP 3 asset reference number

ES-0021788-0000

Date of the authorisation

22/01/2020

Expiry date of the authorisation

19/09/2029

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Aquazero

Address of the manufacturer

Church Road South PE25 3RS Skegness United Kingdom

Location of manufacturing sites

Church Road South PE25 3RS Skegness United Kingdom

Name of the manufacturer	Pluswipes
Address of the manufacturer	Pywell Road, Willowbrook East Industrial Estate, Corby NN17 5XJ Northants United Kingdom
Location of manufacturing sites	Pywell Road, Willowbrook East Industrial Estate, Corby NN17 5XJ Northants United Kingdom

Name of the manufacturer	Hangzhou Guoguang Touring Commodity CO.Ltd
Address of the manufacturer	No 8. Yushun Road, Jingshan Town, Yuhan District Hangzhou China
Location of manufacturing sites	No 8. Yushun Road, Jingshan Town, Yuhan District Hangzhou China

1.5. Manufacturer(s) of the active substance(s)

Active substance	1355 - Propan-2-ol
Name of the manufacturer	ExxonMobil
Address of the manufacturer	ExxonMobil Chemical Europe Hermeslaan 2 1831 Machelen Belgium
Location of manufacturing sites	Baton Rouge Chemical Plant (BRCP), 4999 Scenic Highway 70897 Louisiana United States

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69 - 64,69

2.2. Type(s) of formulation

AL - Any other liquid
impregnated wipe

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69 - 64,69

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.
Precautionary statements	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking. If eye irritation persists: Get medical advice. Avoid breathing vapours. Store in a well-ventilated place. Keep container tightly closed. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents to in accordance with local regulations.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Professional - Disinfection of hard surfaces from wiping (impregnated wipe)

Product type	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Disinfectant wipe for use against bacteria and yeast on hard surfaces in cleanrooms (GMP EU classification in Grade A to C)

Target organism(s) (including development stage)

Scientific name: Bacteria
Common name: Bacteria
Development stage:

Scientific name: Yeasts
Common name: Yeasts
Development stage:

Field(s) of use

Indoor

Indoor
Disinfectant wipe for use against bacteria and yeast on hard surfaces in cleanrooms (GMP EU classification in Grade A to C).

Application method(s)

Method: wiping
Detailed description:

Use recommended cleanroom wiping procedure: pre-clean the surfaces previously to the product application
Wipes should be folded so that the entire surface of the wipe can be used. Typically wipes are quarter folded, and then refolded after every wipe of the surface, to contain and remove the contamination. In this manner, there are eight different surfaces of the wipe exposed and able to be used for wiping. Wiping should be done in overlapping linear strokes from clean to dirty or dry to wet. After all eight surfaces have been used, the wipe (and its captured contamination) should be discarded in an appropriate container. Ensure complete coverage of the surfaces. Reseal after use.

Application rate(s) and frequencies

Application Rate: For application by wipe for the disinfection of hard surfaces in cleanrooms: the surface should be wiped according to appropriate standard cleanroom wiping techniques. This must ensure complete wetting of the surface and the surface should remain wet for a contact time of 60 seconds.

Dilution (%): 0
Number and timing of application:

For application by wipe for the disinfection of hard surfaces in cleanrooms: the surface should be wiped according to appropriate standard cleanroom wiping techniques. This must ensure complete wetting of the surface and the surface should remain wet for a contact time of 60 seconds.

Category(ies) of users

Professional

Pack sizes and packaging material

Packaging material: PET/PE

Wipe material and size: Polyester, 300mm x 300mm

Pack size:
380 mm x 430mm (Veriguard 10) and 220 mm x 370 mm (Veriguard 15)

Packing material: PET/PE

Wipe material and size: Polycellulose, 230mm x 230mm

Pack size: 190mm x 330mm

Packaging material: HDPE

Wipe material and size: Polypropylene, 200 mm x 200mm

Pack size: 230mm length, 105 mm diameter

Packaging material: PET/PE

Wipe material and size: Polypropylene, 200 mm x 200mm

Pack size: 175mm x 290mm

Packaging material: PET/Foil/PE

Wipe material and size: Polypropylene/Viscose, 220 mm x 200mm

Pack size:
335mm x 120 mm x 72mm

4.1.1 Use-specific instructions for use

Refer to general directions for use

4.1.2 Use-specific risk mitigation measures

Refer to general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Refer to general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Refer to general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Refer to general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Use recommended cleanroom wiping procedure: pre-clean the surfaces previously to the product application. Wipes should be folded so that the entire surface of the wipe can be used. Typically wipes are quarter folded, and then refolded after every wipe of the surface, to contain and remove the contamination. In this manner, there are eight different surfaces of the wipe exposed and able to be used for wiping. Wiping should be done in overlapping linear strokes from clean to dirty or dry to wet. After all eight surfaces have been used, the wipe (and its captured contamination) should be discarded in an appropriate container. Ensure complete coverage of the surfaces. Reseal after use.

5.2. Risk mitigation measures

FOR PROFESSIONAL USE ONLY

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Avoid contact with eyes and skin. Wash hands and exposed skin before meals and after use.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect adverse effects:

- Headache, nausea, dizziness and CNS disturbances.
- Nausea, vomiting, diarrhoea and hemorrhagic gastritis.
- Eye damage and allergic dermatitis.
- Aspiration pneumonitis, hypotension and hyperglycemia.

Description of first aid measures.

Inhalation: Call a doctor or physician if you feel unwell.

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash skin immediately with plenty of water. Seek medical aid if irritation or discomfort persists.

Eye Contact: Promptly wash eyes with plenty of water while lifting the eyelids. Remove any contact lenses from the eyes if easy to do. Continue to rinse for at least 15 minutes. Obtain medical attention if any discomfort continues.

Ingestion: Wash mouth out with water. Do not induce vomiting. Consult a doctor immediately.

UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Contain the spillage using bunding.

5.4. Instructions for safe disposal of the product and its packaging

Transfer to a suitable container and arrange for collection by specialised disposal company.

Dispose of waste and residues in accordance with local authority requirements.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, dry well-ventilated area in original container.
Keep container tightly closed.
Keep away from sources of ignition.
Keep away from direct sunlight.
Shelf life of 24 months

6. Other information

None

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual

product

Trade name(s)

VeriGuard IPA Polyester Wipe	Market area: ES
VeriGuard IPA Polyester Wipe Sterile	Market area: ES
VeriGuard IPA Polyester V Fold Wipe	Market area: ES
VeriGuard IPA Polycellulose Wipe	Market area: ES
VeriGuard IPA Polypropylene Wipe	Market area: ES
VeriGuard IPA Polypropylene Wipe Sterile	Market area: ES
VeriGuard IPA Polypropylene Refill Sterile	Market area: ES
VeriGuard IPA Polypropylene Z Fold Wipe Sterile	Market area: ES
ES-0021788-0001 1-1	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69 - 64,69

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Avoid breathing vapours.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If eye irritation persists: Get medical advice.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents to in accordance with local regulations.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Professional - Disinfection of hard surfaces from spraying

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Disinfectant for use against bacteria and yeasts on hard surfaces in cleanrooms (GMP EU classification in Grade A to C).
Spray directly onto surface to ensure complete wetting. Leave for a contact time of 5 min seconds before wiping.

Target organism(s) (including development stage)

Scientific name: Bacteria
Common name: Bacteria
Development stage:

Scientific name: Yeasts
Common name: Yeasts
Development stage:

Field(s) of use

Indoor

Indoor
Disinfectant for use against bacteria and yeasts on hard surfaces in cleanrooms (GMP EU classification in Grade A to C).

Application method(s)

Method: Spraying
Detailed description:
For application by trigger spray for the disinfection of hard surfaces in cleanrooms: 50 ml product per m² of surface. The spray product should be sprayed directly onto the surface to ensure complete wetting and the surface should remain wet for a contact time of 5 min before wiping.

Application rate(s) and frequencies

Application Rate: For application by trigger spray for the disinfection of hard surfaces in cleanrooms: 50 ml product per m² of surface. The spray product should be sprayed directly onto the surface to ensure complete wetting and the surface should remain wet for a contact time of 5 min before wiping.
Dilution (%):
Number and timing of application:
For application by trigger spray for the disinfection of hard surfaces in cleanrooms: 50 ml product per m² of surface. The spray product should be sprayed directly onto the surface to ensure complete wetting and the surface should remain wet for a contact time of 5 min before wiping.

Category(ies) of users

Professional

Pack sizes and packaging material

Pack size: 500 ml and 950 ml
Packaging material: HDPE Trigger Sprays

4.1.1 Use-specific instructions for use

Refer to general directions for use

4.1.2 Use-specific risk mitigation measures

The use of eye protection is recommended when handling the product.
Refer to general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Refer to general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Refer to general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Refer to general directions for use

4.2 Use description

Use 2 - Professional - Disinfection of gloves from spraying

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Disinfectant for use against bacteria and yeasts on gloved hands in cleanrooms manufacturing facilities (GMP EU classification in Grade A to C). Spray approximately 1ml of product onto the upper and to the lower part of each gloved hand and rub hands together ensuring each glove is covered with the solution and wait for liquid to dry
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage: Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor Indoor Disinfectant for use against bacteria and yeasts on gloved hands in cleanrooms manufacturing facilities (GMP EU classification in Grade A to C).
Application method(s)	Method: Spraying Detailed description: For application by trigger spray for the disinfection of gloves: 1ml of product should be applied to the upper and to the lower part of each gloved hand and rubbed, ensuring each glove is covered in solution. Contact time – 60 seconds 1ml/hand

Application rate(s) and frequencies

Application Rate: For application by trigger spray for the disinfection of gloves: 1ml of product should be applied to the upper and to the lower part of each gloved hand and rubbed, ensuring each glove is covered in solution.
Dilution (%):
Number and timing of application:
For application by trigger spray for the disinfection of gloves: 1ml of product should be applied to the upper and to the lower part of each gloved hand and rubbed, ensuring each glove is covered in solution.

Category(ies) of users

Professional

Pack sizes and packaging material

Pack size: 500 ml and 950 ml
Packaging material: HDPE Trigger Sprays

4.2.1 Use-specific instructions for use

Refer to general directions for use

4.2.2 Use-specific risk mitigation measures

The use of eye protection is recommended when handling the product.
Refer to general directions for use

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Refer to general directions for use

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Refer to general directions for use

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Refer to general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Spray directly onto surface to ensure complete wetting. Leave for a contact time of 5 min before wiping and 60 seconds for disinfection of gloves from spraying.

5.2. Risk mitigation measures

FOR PROFESSIONAL USE ONLY

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Avoid contact with eyes and skin. Wash hands and exposed skin before meals and after use.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect adverse effects:

- Headache, nausea, dizziness and CNS disturbances.
- Nausea, vomiting, diarrhoea and hemorrhagic gastritis.
- Eye damage and allergic dermatitis.
- Aspiration pneumonitis, hypotension and hyperglycemia.

Description of first aid measures.

Inhalation: Call a doctor or physician if you feel unwell.

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash skin immediately with plenty of water. Seek medical aid if irritation or discomfort persists.

Eye Contact: Promptly wash eyes with plenty of water while lifting the eyelids. Remove any contact lenses from the eyes if easy to do. Continue to rinse for at least 15 minutes. Obtain medical attention if any discomfort continues.

Ingestion: Wash mouth out with water. Do not induce vomiting. Consult a doctor immediately.

UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Contain the spillage using bunding.

5.4. Instructions for safe disposal of the product and its packaging

Transfer to a suitable container and arrange for collection by specialised disposal company.

Dispose of waste and residues in accordance with local authority requirements.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, dry well-ventilated area in original container.

Keep container tightly closed.

Keep away from sources of ignition.

Keep away from direct sunlight.

Shelf life of 24 months

6. Other information

None

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

CleanGuard IPA 500ml Trigger Spray	Market area: ES
CleanGuard IPA 950ml Trigger Spray	Market area: ES

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

ES-0021788-0002 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69 - 64,69

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.
 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
 If eye irritation persists: Get medical advice.
 Avoid breathing vapours.
 Store in a well-ventilated place. Keep container tightly closed.
 Wash hands thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Call a POISON CENTER/doctor if you feel unwell.
 If eye irritation persists: Get medical advice.
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
 Dispose of contents to in accordance with local regulations.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Professional - Disinfection of hard surfaces from mopping

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Mopping disinfection against bacteria and yeast on hard surfaces in cleanrooms (GMP EU classification: grades A/B/C). Apply sufficient disinfectant to ensure complete wetting of the mop head and the surface to be disinfected and pre-clean surfaces according to standard cleanroom procedures.
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: Bacteria Development stage: Scientific name: Yeasts Common name: Yeasts Development stage:
Field(s) of use	Indoor Indoor Apply sufficient disinfectant to ensure complete wetting of the mop head and the surface to be disinfected and pre-clean surfaces according to standard cleanroom procedures.
Application method(s)	Method: Mopping Detailed description: Application method(s) Mopping
Application rate(s) and frequencies	Application Rate: The biocidal product is ready to use. Ensure to pre-clean surfaces in accordance with cleanroom protocols. Apply sufficient disinfectant to ensure complete wetting of the mop head and the surface to be disinfected Dilution (%): Number and timing of application: The biocidal product is ready to use. Ensure to pre-clean surfaces in accordance with cleanroom protocols. Apply sufficient disinfectant to ensure complete wetting of the mop head and the surface to be disinfected.
Category(ies) of users	Professional
Pack sizes and packaging material	5 L HDPE container



4.1.1 Use-specific instructions for use

Refer to general directions for use

4.1.2 Use-specific risk mitigation measures

The use of eye protection is recommended when handling the product.
Refer to general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Refer to general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Refer to general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Refer to general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Apply sufficient disinfectant to ensure complete wetting of the mop head and the surface to be disinfected and pre-clean surfaces according to standard cleanroom procedures.
Monitor levels of airborne residues to ensure persons re-entry into treated areas after disinfection where relevant, setting a waiting restriction of sufficient duration to allow time for airborne residues to fall below workplace exposure limits (WEL).
Application of technical/engineering controls to remove airborne residues prior to permitting persons re-entry (e.g. room ventilation or LEV) is mandatory.

5.2. Risk mitigation measures

FOR PROFESSIONAL USE ONLY
The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.
Avoid contact with eyes and skin.
Wash hands and exposed skin before meals and after use.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect adverse effects:

- Headache, nausea, dizziness and CNS disturbances.
- Nausea, vomiting, diarrhoea and hemorrhagic gastritis.
- Eye damage and allergic dermatitis.
- Aspiration pneumonitis, hypotension and hyperglycemia.

Description of first aid measures.

Inhalation: Call a doctor or physician if you feel unwell.

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash skin immediately with plenty of water. Seek medical aid if irritation or discomfort persists.

Eye Contact: Promptly wash eyes with plenty of water while lifting the eyelids. Remove any contact lenses from the eyes if easy to do. Continue to rinse for at least 15 minutes. Obtain medical attention if any discomfort continues.

Ingestion: Wash mouth out with water. Do not induce vomiting. Consult a doctor immediately.

UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body. Contain the spillage using bunding.

--

5.4. Instructions for safe disposal of the product and its packaging

Transfer to a suitable container and arrange for collection by specialised disposal company. Dispose of waste and residues in accordance with local authority requirements.
--

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, dry well-ventilated area in original container. Keep container tightly closed. Keep away from sources of ignition. Keep away from direct sunlight. Shelf life of 24 months

6. Other information

None

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	CleanGuard IPA 5 Litre	Market area: ES
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	ES-0021788-0003 1-3	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	64,69
