

# Summary of product characteristics for a biocidal product family

**Family name:** perform-IPA

**Product type(s):** PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

**Authorisation number:** EU-0023656-0000

**R4BP 3 asset reference number:** IS-0026059-0000

## Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	4
Part II.- Second information level - meta SPC(s)	4
1. Meta SPC administrative information - <b>meta SPC 1 perform IPA liquid</b>	5
2. Meta SPC composition	5
3. Hazard and precautionary statements of the meta SPC	5
4. Authorised use(s) of the meta SPC	6
5. General directions for use of the meta SPC	14
6. Other information	15
7. Third information level: individual products in the meta SPC	15
1. Meta SPC administrative information - <b>meta SPC 2 perform wipes IPA</b>	17
2. Meta SPC composition	17
3. Hazard and precautionary statements of the meta SPC	18
4. Authorised use(s) of the meta SPC	18
5. General directions for use of the meta SPC	22
6. Other information	23
7. Third information level: individual products in the meta SPC	24
1. Meta SPC administrative information - <b>meta SPC 3 mikrozyd liquid</b>	25
2. Meta SPC composition	26
3. Hazard and precautionary statements of the meta SPC	26
4. Authorised use(s) of the meta SPC	27
5. General directions for use of the meta SPC	34
6. Other information	35
7. Third information level: individual products in the meta SPC	36
1. Meta SPC administrative information - <b>meta SPC 4 mikrozyd wipes</b>	37
2. Meta SPC composition	37
3. Hazard and precautionary statements of the meta SPC	38

4. Authorised use(s) of the meta SPC	38
5. General directions for use of the meta SPC	42
6. Other information	43
7. Third information level: individual products in the meta SPC	44
1. Meta SPC administrative information - <b>meta SPC 5 kodan wipes IPA pro</b>	44
2. Meta SPC composition	45
3. Hazard and precautionary statements of the meta SPC	45
4. Authorised use(s) of the meta SPC	46
5. General directions for use of the meta SPC	49
6. Other information	50
7. Third information level: individual products in the meta SPC	51
1. Meta SPC administrative information - <b>meta SPC 6 kodan wipes IPA</b>	52
2. Meta SPC composition	52
3. Hazard and precautionary statements of the meta SPC	53
4. Authorised use(s) of the meta SPC	53
5. General directions for use of the meta SPC	57
6. Other information	58
7. Third information level: individual products in the meta SPC	59
1. Meta SPC administrative information - <b>meta SPC 7 AntiLy SD</b>	60
2. Meta SPC composition	60
3. Hazard and precautionary statements of the meta SPC	61
4. Authorised use(s) of the meta SPC	61
5. General directions for use of the meta SPC	68
6. Other information	69
7. Third information level: individual products in the meta SPC	70
1. Meta SPC administrative information - <b>meta SPC 8 AntiLy SD wipes</b>	71
2. Meta SPC composition	72
3. Hazard and precautionary statements of the meta SPC	72
4. Authorised use(s) of the meta SPC	73
5. General directions for use of the meta SPC	76

6. Other information

77

7. Third information level: individual products in the meta SPC

78

## Part I.- First information level

### 1. Administrative information

#### 1.1. Family name

perform-IPA

#### 1.2. Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

#### 1.3. Authorisation holder

Name and address of the authorisation holder

Name	Schuelke & Mayr GmbH
Address	Robert-Koch-Str. 2 22851 Norderstedt Germany

Authorisation number

EU-0023656-0000

R4BP 3 asset reference number

IS-0026059-0000

Date of the authorisation

27/12/2020

Expiry date of the authorisation

30/11/2030

#### 1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Schülke & Mayr GmbH

Address of the manufacturer

Robert-Koch-Str. 2 22851 Norderstedt Germany

Location of manufacturing sites

Robert-Koch-Str. 2 22851 Norderstedt Germany

<b>Name of the manufacturer</b>	BOCHEMIE a.s.
<b>Address of the manufacturer</b>	Lidická 326 735 95 Bohumín Czech Republic
<b>Location of manufacturing sites</b>	Lidická 326 735 95 Bohumín Czech Republic

<b>Name of the manufacturer</b>	Imeco
<b>Address of the manufacturer</b>	Boschstr. 5 63768 Hösbach Germany
<b>Location of manufacturing sites</b>	Boschstr. 5 63768 Hösbach Germany
	Neue Straße 2-4 09471 Königswalde Germany

<b>Name of the manufacturer</b>	Tristel Solutions Limited
<b>Address of the manufacturer</b>	Lynx Business Park, Fordham Road, Snailwell CB8 7NY Cambridgeshire United Kingdom
<b>Location of manufacturing sites</b>	Lynx Business Park, Fordham Road, Snailwell CB8 7NY Cambridgeshire United Kingdom

<b>Name of the manufacturer</b>	Techtex
<b>Address of the manufacturer</b>	Units 7&8 Rhodes Bus. Park Silburn Way M24 4NE Middleton United Kingdom
<b>Location of manufacturing sites</b>	Units 7&8 Rhodes Bus. Park Silburn Way M24 4NE Middleton United Kingdom

<b>Name of the manufacturer</b>	A.F.P. GmbH
<b>Address of the manufacturer</b>	Otto Brenner Straße 16 21337 Lüneburg Germany
<b>Location of manufacturing sites</b>	Otto Brenner Straße 16 21337 Lüneburg Germany

<b>Name of the manufacturer</b>	Innovate GmbH
<b>Address of the manufacturer</b>	Am Hohen Stein 11 06618 Naumburg (Saale) Germany
<b>Location of manufacturing sites</b>	Am Hohen Stein 11 06618 Naumburg (Saale) Germany

<b>Name of the manufacturer</b>	Lysoform Dr. Hans Rosemann GmbH
<b>Address of the manufacturer</b>	Kaiser-Wilhelm-Straße 133 12247 Berlin Germany
<b>Location of manufacturing sites</b>	Kaiser-Wilhelm-Straße 133 12247 Berlin Germany

<b>Name of the manufacturer</b>	Sterisol AB
<b>Address of the manufacturer</b>	Kronoängsgatan 3 592 23 Vadstena Sweden
<b>Location of manufacturing sites</b>	Kronoängsgatan 3 592 23 Vadstena Sweden

<b>Name of the manufacturer</b>	Rudolf Dankwardt GmbH
<b>Address of the manufacturer</b>	Gutenbergring 50-52 22848 Norderstedt Germany
<b>Location of manufacturing sites</b>	Gutenbergring 50-52 22848 Norderstedt Germany
	Lagerstr. 15 19249 Jessenitz - Werk / Lübtheen Germany

#### 1.5. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Ineos Solvents Germany GmbH (formerly Sasol)
<b>Address of the manufacturer</b>	Römerstraße 733 47443 Moers Germany
<b>Location of manufacturing sites</b>	Römerstraße 733 47443 Moers Germany
	Shamrockstr. 88 44643 Herne Germany

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Shell Chemicals Europe B.V.
<b>Address of the manufacturer</b>	Postbus 2334 3000 CH Rotterdam Netherlands
<b>Location of manufacturing sites</b>	Shell Nederland Raffinaderij B.V., Vondelingenweg 601 3196 KK Rotterdam-Pernis Netherlands

## 2. Product family composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation
Any other liquid (AL), ready-to-use

## Part II.- Second information level - meta SPC(s)



## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 1 perform IPA liquid

### 1.2. Suffix to the authorisation number

1-1

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

## Precautionary statements

Repeated exposure may cause skin dryness or cracking.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists: Get medical advice.

If eye irritation persists: Get medical attention.

In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of surfaces - spraying

##### Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

**Field(s) of use**

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

**Application method(s)**

Method: Spraying  
Detailed description:  
Product will be sprayed directly on the surface

**Application rate(s) and frequencies**

Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  
Dilution (%): -  
Number and timing of application:  
Disinfection after each production and cleaning process or when required according to standard operating procedure (SOP)

**Category(ies) of users**

Industrial  
Professional

**Pack sizes and packaging material**

Bottle: 250-1000 ml  
packaging material: high-density polyethylene (HDPE), surlyn/polypropylene (PP)  
closure material is either: PP, polyoxymethylene (POM), low-density polyethylene (LDPE), HDPE, polyethylene (PE), ethylene-vinyl acetate (EVA), stainless steel, polybutylene terephthalate (PBT), (LD)PE, exp. polytetrafluoroethylene (PTFE), linear low density polyethylene (LLDPE), expanded PE (EXPPE), Co Polymer PP

canister: 5-10 L  
packaging material: HDPE.  
closure material is either: HDPE/LDPE

Revolver BAG: 1 L  
packaging material: EVA

closure material: PP/Silicone/EVA

**4.1.1 Use-specific instructions for use**

Spray ready-to-use product on the surface and allow to take effect at room temperature (20± 2°C) for at least 1 minute.

#### 4.1.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.2 Use description

#### Use 2 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

<b>Application method(s)</b>	<p>Method: Wiping  Detailed description:  Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  Dilution (%): -  Number and timing of application:    Disinfection after each production and cleaning process or when required according to SOP.</p>
<b>Category(ies) of users</b>	<p>Industrial    Professional</p>
<b>Pack sizes and packaging material</b>	<p>Bottle: 250-1000 ml  packaging material: HDPE, surlyn/PP  closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.</p> <p>canister: 5-10 L  packaging material: HDPE.  closure material is either: HDPE/LDPE</p> <p>Revolver BAG: 1 L  packaging material: EVA</p> <p>closure material: PP/Silicone/EVA.</p>

#### 4.2.1 Use-specific instructions for use

Spray or pour ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.2.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.3 Use description

#### Use 3 - Disinfection of surfaces with food and feed contact - spraying

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -  Scientific name: Viruses Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Spraying Detailed description: Product will be sprayed directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use. Do not apply more than 25 ml/m <sup>2</sup> . Dilution (%): -

	<p>Number and timing of application:</p> <p>Disinfection after each production and cleaning process or when required according to SOP.</p>
<p><b>Category(ies) of users</b></p>	<p>Industrial</p> <p>Professional</p>
<p><b>Pack sizes and packaging material</b></p>	<p>Bottle: 250-1000 ml  packaging material: HDPE, surlyn/PP  closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.</p> <p>canister: 5-10 L  packaging material: HDPE.  closure material is either: HDPE/LDPE</p> <p>Revolver BAG: 1 L  packaging material: EVA</p> <p>closure material: PP/Silicone/EVA.</p>

**4.3.1 Use-specific instructions for use**

Spray ready-to-use product on the surface and allow to take effect at room temperature (20± 2°C) for at least 1 (bactericidal and yeasticidal activity) or 2 minutes (virucidal activity).

**4.3.2 Use-specific risk mitigation measures**

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

--

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.
---------------------------------

#### 4.4 Use description

##### Use 4 - Disinfection of surfaces with food and feed contact - wiping

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -  Scientific name: Viruses Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description:  Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use. Do not apply more than 25 ml/m <sup>2</sup> . Dilution (%): - Number and timing of application:  Disinfection after each production and cleaning process or when required according to



	SOP.
<b>Category(ies) of users</b>	Industrial Professional
<b>Pack sizes and packaging material</b>	<p>Bottle: 250-1000 ml packaging material: HDPE, surlyn/PP closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.</p> <p>canister: 5-10 L packaging material: HDPE. closure material is either: HDPE/LDPE</p> <p>Revolver BAG: 1 L packaging material: EVA closure material: PP/Silicone/EVA.</p>

#### 4.4.1 Use-specific instructions for use

Spray ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.4.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Do not apply more than 25 ml/m<sup>2</sup>.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

#### 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Apply a funnel for refilling.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:  
In case of accident: Call a poison centre or a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If on skin: Wash with water. If skin irritation occurs: Get medical advice.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### 5.4. Instructions for safe disposal of the product and its packaging

-

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 36 months  
Keep container tightly closed.  
Store in a well-ventilated place.  
Protect from sunlight.  
Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225** Mjög eldfimur vökvi og gufa.  
**H319** Veldur alvarlegri augneringu.  
**H336** Getur valdið sljóleika eða svima.  
**EUH066** Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

**P210** Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.  
**P233** Ílát skal vera vel lukt.  
**P240** Jarðtengið og spennujafnið ílát og viðtökubúnað.  
**P241** Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
**P242** Notið ekki verkfæri sem mynda neista.  
**P243** Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.  
**P261** Gætið þess að anda ekki inn gufu.  
**P261** Gætið þess að anda ekki inn ýringi.  
**P271** Notið eingöngu utandyra eða í vel loftræstu rými.  
**P280** Notið augnhlífar.  
**P305 + P351 + P338** BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
**P312** Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
**P337 + P313** Ef augnering er viðvarandi: Leitið lækni.  
**P370 + P378** Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
**P403 + P235** Geymist á vel loftræstum stað. Geymist á köldum stað.  
**P405** Geymist á læstum stað.  
**P501** Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

**Trade name(s)**

perform® sterile alcohol IPA	Market area: EU
perform® classic alcohol IPA	Market area: EU
buraton® IPA	Market area: EU
perform® advanced alcohol IPA	Market area: EU
arcana® IPA	Market area: EU
clear IPA	Market area: EU
pure IPA	Market area: EU
disinfectant IPA	Market area: EU
Surface disinfection liquid classic	Market area: EU
sterile IPA	Market area: EU
mikrozyd® sterile liquid	Market area: EU
Surface disinfection liquid sterile	Market area: EU
BTS 6000	Market area: EU
IS-0026059-0001 1-1	

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 2 perform wipes IPA

### 1.2. Suffix to the authorisation number

1-2

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

## 2.2. Type(s) of formulation of the meta SPC

### Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

## 3. Hazard and precautionary statements of the meta SPC

### Hazard statements

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Avoid breathing vapours.  
Avoid breathing spray.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a POISON CENTER or doctor if you feel unwell.  
If eye irritation persists: Get medical advice.  
If eye irritation persists: Get medical attention.  
In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description: Product will be wiped directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: Disinfection after each production and cleaning process or when required according to SOP.
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	Soft pack: 1-200 wipes  Packaging material: LDPE/Alu/PET; LDPE/PET; biaxially oriented polypropylene (BOPP) + cast polypropylene (CPP)  Pouch: 10-200 wipes Packaging material: LDPE/PET

Tube: 50-200 wipes  
Packaging material: HDPE  
closure material is either PP, PE3385

#### 4.1.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20±2°C).

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.2 Use description

#### Use 2 - Disinfection of surfaces with food and feed contact - wiping

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-



**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

Scientific name: Viruses  
Common name: -  
Development stage: -

**Field(s) of use**

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

**Application method(s)**

Method: Wiping  
Detailed description:  
Product will be wiped directly on the surface.

**Application rate(s) and frequencies**

Application Rate: Ready-to-use wipes  
Dilution (%): -  
Number and timing of application:

Disinfection after each production and cleaning process or when required according to SOP.

**Category(ies) of users**

Industrial

Professional

**Pack sizes and packaging material**

Soft pack: 1-200 wipes  
Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes  
Packaging material: LDPE/PET

Tube: 50-200 wipes  
Packaging material: HDPE  
closure material is either PP, PE3385

**4.2.1 Use-specific instructions for use**

#### 4.2.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

#### 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:  
In case of accident: Call a poison centre or a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If on skin: Wash with water. If skin irritation occurs: Get medical advice.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

### 5.4. Instructions for safe disposal of the product and its packaging

-

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própán-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225** Mjög eldfimur vökvi og gufa.

**H319** Veldur alvarlegri augnertingu.

**H336** Getur valdið sljóleika eða svima.

**EUH066** Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

**P210** Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.

**P233** Ílát skal vera vel lukt.

**P240** Jarðtengið og spennujafnið ílát og viðtökubúnað.

**P241** Notið sprengiheld rafföng/loftræstibúnað/lýsingu.

**P242** Notið ekki verkfæri sem mynda neista.

**P243** Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.

P261 Gætið þess að anda ekki inn gufu.  
P261 Gætið þess að anda ekki inn ýringi.  
P271 Notið eingöngu utandyra eða í vel loftræstu rými.  
P280 Notið augnhlífur.  
P305 + P351 + P338 BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
P312 Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
P337 + P313 Ef augnerting er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/fíláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

#### Trade name(s)

perform classic wipes IPA	Market area: EU
buraton® wipes IPA	Market area: EU
perform® advanced wipes IPA	Market area: EU
arcana® wipes IPA	Market area: EU
clear IPA wipes	Market area: EU
pure IPA wipes	Market area: EU
disinfectant IPA wipes	Market area: EU
Surface disinfection wipes classic	Market area: EU
perform® sterile wipes IPA	Market area: EU
sterile IPA wipes	Market area: EU

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

mikrozid® sterile wipes	Market area: EU
Surface disinfection wipes sterile	Market area: EU
IS-0026059-0002 1-2	

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

---

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 3 mikrozid liquid

### 1.2. Suffix to the authorisation number

1-3

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Avoid breathing vapours.  
Avoid breathing spray.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists: Get medical advice.

If eye irritation persists: Get medical attention.

In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of surfaces - spraying

##### Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria including Mycobacterium tuberculosis  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

##### Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

##### Application method(s)

Method: Spraying  
Detailed description:  
Product will be sprayed directly on the surface

##### Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  
Dilution (%): -  
Number and timing of application:  
Disinfection when required according to SOP.

##### Category(ies) of users

Industrial  
Professional

## Pack sizes and packaging material

Bottle: 250-1000 ml  
packaging material: HDPE, surlyn/PP  
closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L  
packaging material: HDPE.  
closure material is either: HDPE/LDPE

Revolver BAG: 1 L  
packaging material: EVA  
Closure : PP/Silicone/EVA

### 4.1.1 Use-specific instructions for use

Spray ready-to-use product on the surface and allow to take effect at room temperature (20± 2°C) for at least 1 minute.

### 4.1.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage



See general directions for use.

## 4.2 Use description

### Use 2 - Disinfection of surfaces - wiping

**Product type**

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria including Mycobacterium tuberculosis  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

**Field(s) of use**

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

**Application method(s)**

Method: Wiping

Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.

**Application rate(s) and frequencies**

Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.

Dilution (%): -

Number and timing of application:

Disinfection when required according to SOP.

**Category(ies) of users**

Industrial

Professional

**Pack sizes and packaging material**

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L  
packaging material: HDPE.  
closure material is either: HDPE/LDPE

Revolver BAG: 1 L  
packaging material: EVA  
Closure : PP/Silicone/EVA

#### 4.2.1 Use-specific instructions for use

Spray or pour ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.2.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

#### 4.3 Use description

Use 3 - Disinfection of surfaces with food and feed contact - spraying

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria including Mycobacterium tuberculosis  Common name: -  Development stage: -</p> <p>Scientific name: Yeast  Common name: -  Development stage: -</p> <p>Scientific name: Viruses  Common name: -  Development stage: -</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)</p>
<b>Application method(s)</b>	<p>Method: Spraying  Detailed description:  Product will be sprayed directly on the surface.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  Dilution (%): -  Number and timing of application:</p> <p>Disinfection when required according to SOP.</p>
<b>Category(ies) of users</b>	<p>Industrial</p> <p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Bottle: 250-1000 ml  packaging material: HDPE, surlyn/PP  closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP</p> <p>canister: 5-10 L  packaging material: HDPE.  closure material is either: HDPE/LDPE</p> <p>Revolver BAG: 1 L  packaging material: EVA  Closure : PP/Silicone/EVA</p>

#### 4.3.1 Use-specific instructions for use

Spray ready-to-use product on the surface and allow to take effect at room temperature (20± 2°C) for at least 1 (bactericidal and yeasticidal activity) or 2 minutes (virucidal activity).

#### 4.3.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.4 Use description

#### Use 4 - Disinfection of surfaces with food and feed contact - wiping

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria including Mycobacterium tuberculosis  
Common name: -  
Development stage: -

Scientific name: Yeast  
 Common name: -  
 Development stage: -

Scientific name: Viruses  
 Common name: -  
 Development stage: -

**Field(s) of use**

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

**Application method(s)**

Method: Wiping  
 Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on surface.

**Application rate(s) and frequencies**

Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  
 Dilution (%): -  
 Number and timing of application:

Disinfection when required according to SOP.

**Category(ies) of users**

Industrial

Professional

**Pack sizes and packaging material**

Bottle: 250-1000 ml  
 packaging material: HDPE, surlyn/PP  
 closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L  
 packaging material: HDPE.  
 closure material is either: HDPE/LDPE

Revolver BAG: 1 L  
 packaging material: EVA  
 closure material: PP/Silicone/EVA

#### 4.4.1 Use-specific instructions for use

Spray or pour ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.4.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Do not apply more than 25 ml/m<sup>2</sup>.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

#### 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.

Apply a funnel for refilling.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:  
In case of accident: Call a poison centre or a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If on skin: Wash with water. If skin irritation occurs: Get medical advice.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

### 5.4. Instructions for safe disposal of the product and its packaging

-

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 36 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225 Mjög eldfimur vökvi og gufa.**

**H319 Veldur alvarlegri augnertingu.**

**H336 Getur valdið sljóleika eða svima.**

**EUH066 Endurtekin snerting getur valdið þurri eða sprunginni húð.**

Precautionary statements:

**P210 Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.**

**P233 Ílát skal vera vel lukt.**

P240 Jarðtengið og spennujafnið ílát og viðtökubúnað.  
P241 Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
P242 Notið ekki verkfæri sem mynda neista.  
P243 Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.  
P261 Gætið þess að anda ekki inn gufu.  
P261 Gætið þess að anda ekki inn ýringi.  
P271 Notið eingöngu utandyra eða í vel loftræstu rými.  
P280 Notið augnhlífar.  
P305 + P351 + P338 BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
P312 Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
P337 + P313 Ef augnerting er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

#### Trade name(s)

mikrozid® classic liquid	Market area: EU
mikrozid® IPA liquid	Market area: EU
Surface Disinfection liquid pure	Market area: EU
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)	IS-0026059-0003 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1



---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 4 mikrozid wipes

### 1.2. Suffix to the authorisation number

1-4

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation of the meta SPC

#### Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

### 3. Hazard and precautionary statements of the meta SPC

#### Hazard statements

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

#### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Avoid breathing vapours.  
Avoid breathing spray.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a POISON CENTER or doctor if you feel unwell.  
If eye irritation persists: Get medical advice.  
If eye irritation persists: Get medical attention.  
In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents to /container to an approved waste disposal plant.

### 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria including Mycobacterium tuberculosis Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description: Product will be wiped directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: Disinfection when required according to SOP.
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP  Pouch: 10-200 wipes Packaging material: LDPE/PET  Tube: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385

#### 4.1.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.2 Use description

#### Use 2 - Disinfection of surfaces with food and feed contact - wiping

##### Product type

PT04 - Food and feed area (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria including Mycobacterium tuberculosis  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

Scientific name: Viruses  
Common name: -  
Development stage: -

<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description: Product will be wiped directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application:  Disinfection when required according to SOP.
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP  Pouch: 10-200 wipes Packaging material: LDPE/PET  Tube: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385

#### 4.2.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

#### 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### 5.4. Instructions for safe disposal of the product and its packaging

-

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months  
Keep container tightly closed.  
Store in a well-ventilated place.  
Protect from sunlight.  
Store at room temperature in the original container.

#### 6. Other information

Varan inniheldur própán-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225** Mjög eldfimur vökvi og gufa.  
**H319** Veldur alvarlegri augnertingu.  
**H336** Getur valdið sljóleika eða svima.  
**EUH066** Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

**P210** Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.  
**P233** Ílát skal vera vel lukt.  
**P240** Jarðtengið og spennujafnið ílát og viðtökubúnað.  
**P241** Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
**P242** Notið ekki verkfæri sem mynda neista.  
**P243** Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.  
**P261** Gætið þess að anda ekki inn gufu.  
**P261** Gætið þess að anda ekki inn ýringi.  
**P271** Notið eingöngu utandyra eða í vel loftræstu rými.  
**P280** Notið augnhlífur.  
**P305 + P351 + P338** BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
**P312** Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
**P337 + P313** Ef augnerting er viðvarandi: Leitið lækni.  
**P370 + P378** Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
**P403 + P235** Geymist á vel loftræstum stað. Geymist á köldum stað.  
**P405** Geymist á læstum stað.  
**P501** Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	mikrozid® classic wipes	Market area: EU
	mikrozid® IPA wipes	Market area: EU
	surface disinfection wipes classic	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0026059-0004 1-4	

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

---

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 5 kodan wipes IPA pro

### 1.2. Suffix to the authorisation number

1-5



### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation of the meta SPC

#### Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

## 3. Hazard and precautionary statements of the meta SPC

#### Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

#### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists: Get medical advice.

If eye irritation persists: Get medical attention.

In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria including Mycobacterium tuberculosis  Common name: -  Development stage: -</p> <p>Scientific name: Yeast  Common name: -  Development stage: -</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)</p>
<b>Application method(s)</b>	<p>Method: Wiping  Detailed description:  Product will be wiped directly on the surface.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Ready-to-use wipes  Dilution (%): -</p>

	Number and timing of application: -
<b>Category(ies) of users</b>	Industrial Professional
<b>Pack sizes and packaging material</b>	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP  Pouch: 10-200 wipes Packaging material: LDPE/PET  Tube: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385

#### 4.1.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

--

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use.
---------------------------------

**4.2 Use description**

**Use 2 - Disinfection of surfaces with food and feed contact - wiping**

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria including Mycobacterium tuberculosis Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -  Scientific name: Viruses Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description: Product will be wiped directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: -
<b>Category(ies) of users</b>	Industrial  Professional

## Pack sizes and packaging material

Soft pack: 1-200 wipes  
Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes  
Packaging material: LDPE/PET

Tube: 50-200 wipes  
Packaging material: HDPE  
closure material is either PP, PE3385

### 4.2.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature ( $20 \pm 2^\circ\text{C}$ ).

### 4.2.2 Use-specific risk mitigation measures

See general directions for use.

### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

## 5. General directions for use of the meta SPC

## 5.1. Instructions for use

Clean the surface carefully before use.

Remove excess water from the surface before disinfection, if appropriate.

Make sure to wet surfaces completely.

Used wipes must be disposed in a closed container.

## 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Keep out of reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

## 5.4. Instructions for safe disposal of the product and its packaging

-

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

H225 Mjög eldfimur vökvi og gufa.  
H319 Veldur alvarlegri augneringu.  
H336 Getur valdið sljóleika eða svima.  
EUH066 Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

P210 Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.  
P233 Ílát skal vera vel lukt.  
P240 Jarðtengið og spennujafnið ílát og viðtökubúnað.  
P241 Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
P242 Notið ekki verkfæri sem mynda neista.  
P243 Grípið til aðgerða til að koma í veg fyrir stöðurafragn.  
P261 Gætið þess að anda ekki inn gufu.  
P261 Gætið þess að anda ekki inn ýringi.  
P271 Notið eingöngu utandyra eða í vel loftræstu rými.  
P280 Notið augnhlífur.  
P305 + P351 + P338 BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
P312 Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
P337 + P313 Ef augnering er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

kodan® wipes pure

Market area: EU

schülke® classic wipes

Market area: EU

Authorisation number

IS-0026059-0005 1-5

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 6 kodan wipes IPA

### 1.2. Suffix to the authorisation number

1-6

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1



## 2.2. Type(s) of formulation of the meta SPC

### Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

## 3. Hazard and precautionary statements of the meta SPC

### Hazard statements

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

### Precautionary statements

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Avoid breathing vapours.  
Avoid breathing spray.  
Use only outdoors or in a well-ventilated area.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a POISON CENTER or doctor if you feel unwell.  
If eye irritation persists: Get medical advice.  
If eye irritation persists: Get medical attention.  
In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria including Mycobacterium tuberculosis Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description: Product will be wiped directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: -
<b>Category(ies) of users</b>	Industrial  Professional  General public (non-professional)
<b>Pack sizes and packaging material</b>	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP  Pouch: 10-200 wipes Packaging material: LDPE/PET

Tube: 50-200 wipes  
Packaging material: HDPE  
closure material is either PP, PE3385

#### 4.1.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.2 Use description

#### Use 2 - Disinfection of surfaces with food and feed contact - wiping

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria including Mycobacterium tuberculosis  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

Scientific name: Viruses  
Common name: -  
Development stage: -

**Field(s) of use**

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

**Application method(s)**

Method: Wiping  
Detailed description:  
Product will be wiped directly on the surface.

**Application rate(s) and frequencies**

Application Rate: Ready-to-use wipes  
Dilution (%): -  
Number and timing of application:  
-

**Category(ies) of users**

Industrial  
Professional  
General public (non-professional)

**Pack sizes and packaging material**

Soft pack: 1-200 wipes  
Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes  
Packaging material: LDPE/PET

Tube: 50-200 wipes  
Packaging material: HDPE  
closure material is either PP, PE3385

**4.2.1 Use-specific instructions for use**

#### 4.2.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

#### 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Keep out of the reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

### 5.4. Instructions for safe disposal of the product and its packaging

-

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225** Mjög eldfimur vökvi og gufa.

**H319** Veldur alvarlegri augneringu.

**H336** Getur valdið sljóleika eða svima.

**EUH066** Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

**P101** Ef leita þarf læknis skal hafa ílát eða merkimiða tiltæk.

**P102** Geymist þar sem börn ná ekki til.

**P210** Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.

**P233** Ílát skal vera vel lukt.

**P240** Jarðtengið og spennujafnið ílát og viðtökubúnað.

**P241** Notið sprengiheld rafföng/loftræstibúnað/lýsingu.

**P242** Notið ekki verkfæri sem mynda neista.

**P243** Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.

**P261** Gætið þess að anda ekki inn gufu.

**P261** Gætið þess að anda ekki inn ýringi.

**P271** Notið eingöngu utandyra eða í vel loftræstu rými.

**P304 + P340** EFTIR INNÖNDUN: Flytjið viðkomandi í ferskt loft og látið hann hvílast í stellingu sem léttir öndun.

**P305 + P351 + P338** BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.

**P312** Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.

P337 + P313 Ef augnerting er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/fláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	schülke Hygiene-Tücher	Market area: EU
	SOS Desinfizierende Feuchttücher	Market area: EU
	SOS Hygiene-Tücher	Market area: EU
	kodan® clean comfort wipes	Market area: EU
	schülke clean comfort wipes	Market area: EU
	Hygiene-Tücher	Market area: EU
	Desinfizierende Feuchttücher	Market area: EU
	Desinfektionstücher	Market area: EU
	clean comfort wipes	Market area: EU
	disinfecting wipes	Market area: EU
<b>Authorisation number</b>	IS-0026059-0006 1-6	
(R4BP 3 asset reference number - National Authorisation)		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC 7 AntiLy SD

### 1.2. Suffix to the authorisation number

1-7

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1



## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Avoid breathing vapours.  
Avoid breathing spray.  
Use only outdoors or in a well-ventilated area.  
Wear eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a POISON CENTER or doctor if you feel unwell.  
If eye irritation persists: Get medical advice.  
If eye irritation persists: Get medical attention.  
In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Disinfection of surfaces - spraying

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Spraying Detailed description: Product will be sprayed directly on the surface.
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use. Do not apply more than 25 ml/m <sup>2</sup> . Dilution (%): - Number and timing of application: -
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP; Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel); Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

#### 4.1.1 Use-specific instructions for use

Spray ready-to-use product onto the surfaces and allow to take effect for at least 1 minute at room temperature (20±2 °C).

#### 4.1.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.2 Use description

#### Use 2 - Disinfection of surfaces - wiping

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Wiping Detailed description:  Product is applied on wipes by pouring, spraying or soaking and the surface is thoroughly wiped with the soaked wipe afterwards (wet-wiping).
<b>Application rate(s) and frequencies</b>	Application Rate: Ready-to-use. Do not apply more than 25 ml/m <sup>2</sup> . Dilution (%): - Number and timing of application: -
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP  Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel);  Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)  Canister: 5-30 L packaging material: HDPE closure material: HDPE

#### 4.2.1 Use-specific instructions for use

Apply the ready-to-use product on wipes by pouring, spraying or soaking and wipe the surface thoroughly with the wet wipe (wet-wiping). Allow to take effect for at least 5 minutes at room temperature (20±2 °C).

#### 4.2.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 4.3 Use description

#### Use 3 - Disinfection of surfaces with food and feed contact - spraying

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: - Development stage: -  Scientific name: Yeast Common name: - Development stage: -  Scientific name: Viruses Common name: - Development stage: -
<b>Field(s) of use</b>	Indoor  Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)
<b>Application method(s)</b>	Method: Spraying Detailed description: Product will be sprayed directly on the surface.

**Application rate(s) and frequencies**

Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>.  
Dilution (%): -  
Number and timing of application:  
-

**Category(ies) of users**

Industrial  
Professional

**Pack sizes and packaging material**

Bottle: 125-1000 ml  
packaging material: HDPE  
Clack cap material: PP  
Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel)  
Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

**4.3.1 Use-specific instructions for use**

Spray ready-to-use product onto the surface and allow to take effect at room temperature (20 ± 2 °C) for at least 1 (bactericidal and yeasticidal activity) or 2 minutes (virucidal activity).

**4.3.2 Use-specific risk mitigation measures**

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use.

**4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

#### 4.4 Use description

##### Use 4 - Disinfection of surfaces with food and feed contact - wiping

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: - Development stage: -</p> <p>Scientific name: Yeast Common name: - Development stage: -</p> <p>Scientific name: Viruses Common name: - Development stage: -</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)</p>
<b>Application method(s)</b>	<p>Method: Wiping Detailed description: Product is applied on wipes by pouring, spraying or soaking and the surface is thoroughly wiped with the soaked wipe afterwards (wet-wiping).</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Ready-to-use. Do not apply more than 25 ml/m<sup>2</sup>. Dilution (%): - Number and timing of application: -</p>
<b>Category(ies) of users</b>	<p>Industrial</p> <p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Bottle: 125-1000 ml packaging material: HDPE</p>

Clack cap material: PP  
Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel)  
Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

Canister: 5-30 L  
packaging material: HDPE  
closure material: HDPE

#### 4.4.1 Use-specific instructions for use

Apply the ready-to-use product on wipes by pouring, spraying or soaking and wipe the surface thoroughly with the wet wipe (wet-wiping). Allow to take effect for at least 5 minutes at room temperature (20 ±2°C).

#### 4.4.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use



Clean the surface carefully before use.  
Remove excess water from the surface before disinfection, if appropriate.  
Do not apply more than 25 ml/m<sup>2</sup>.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

## 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Apply a funnel for refilling.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:  
In case of accident: Call a poison centre or a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If on skin: Wash with water. If skin irritation occurs: Get medical advice.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

## 5.4. Instructions for safe disposal of the product and its packaging

-

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 36 months  
Keep container tightly closed.  
Store in a well-ventilated place.  
Protect from sunlight.  
Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word:  
**Hætta**

Hazard statements:

H225 Mjög eldfimur vökvi og gufa.  
H319 Veldur alvarlegri augnertingu.  
H336 Getur valdið sljóleika eða svima.  
EUH066 Endurtekin snerting getur valdið þurri eða sprunginni húð.

Precautionary statements:

P210 Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.  
P233 Ílát skal vera vel lukt.  
P240 Jarðtengið og spennujafnið ílát og viðtökubúnað.  
P241 Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
P242 Notið ekki verkfæri sem mynda neista.  
P243 Grípið til aðgerða til að koma í veg fyrir stöðurafmagn.  
P261 Gætið þess að anda ekki inn gufu.  
P261 Gætið þess að anda ekki inn ýringi.  
P271 Notið eingöngu utandyra eða í vel loftræstu rými.  
P280 Notið augnhlífur.  
P305 + P351 + P338 BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
P312 Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
P337 + P313 Ef augnerting er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

AntiLy 5

Market area: EU

Authorisation number

IS-0026059-0007 1-7

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

**Trade name(s)**

AntiLy 6

Market area: EU

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

IS-0026059-0008 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

**1. Meta SPC administrative information**

**1.1. Meta SPC identifier**

meta SPC 8 AntiLy SD wipes

**1.2. Suffix to the authorisation number**

1-8

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

### 2.2. Type(s) of formulation of the meta SPC

#### Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

## 3. Hazard and precautionary statements of the meta SPC

#### Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

#### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists: Get medical advice.

If eye irritation persists: Get medical attention.

In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of surfaces - wiping

<b>Product type</b>	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: - Development stage: -</p> <p>Scientific name: Yeast Common name: - Development stage: -</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)</p>
<b>Application method(s)</b>	<p>Method: Wiping Detailed description: Product will be wiped directly on the surface.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Ready-to-use wipes Dilution (%): -</p>

	Number and timing of application: -
<b>Category(ies) of users</b>	Industrial Professional
<b>Pack sizes and packaging material</b>	Can: 100-150 wipes Packaging: HDPE Closure material: HDPE  Pack: 100-150 wipes Packaging: PET/PE

#### 4.1.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

#### 4.2 Use description

##### Use 2 - Disinfection of surfaces with food and feed contact - wiping

###### Product type

PT04 - Food and feed area (Disinfectants)

###### Where relevant, an exact description of the authorised use

-

###### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: -  
Development stage: -

Scientific name: Yeast  
Common name: -  
Development stage: -

Scientific name: Viruses  
Common name: -  
Development stage: -

###### Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

###### Application method(s)

Method: Wiping  
Detailed description:  
Product will be wiped directly on the surface.

###### Application rate(s) and frequencies

Application Rate: Ready-to-use wipes  
Dilution (%): -  
Number and timing of application:  
-

###### Category(ies) of users

Industrial

Professional

###### Pack sizes and packaging material

Can: 100-150 wipes

Packaging: HDPE  
Closure material: HDPE

Pack: 100-150 wipes  
Packaging: PET/PE

#### 4.2.1 Use-specific instructions for use

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature ( $20 \pm 2^\circ\text{C}$ ).

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use



Clean the surface carefully before use.

Remove excess water from the surface before disinfection, if appropriate.  
Make sure to wet surfaces completely.  
Used wipes must be disposed in a closed container.

## 5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.  
Ensure adequate ventilation to prevent the formation of explosive atmospheres.  
Avoid contact with eyes.  
Keep out of reach of children and pets.  
Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:  
In case of accident: Call a poison centre or a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If on skin: Wash with water. If skin irritation occurs: Get medical advice.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

## 5.4. Instructions for safe disposal of the product and its packaging

-

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months  
Keep container tightly closed.  
Store in a well-ventilated place.  
Protect from sunlight.  
Store at room temperature in the original container.

## 6. Other information

Varan inniheldur própan-2-ól (CAS-nr.: 67-63-0), þar sem búið var að staðfesta evrópska viðmiðunargildið 129,28 mg/m<sup>3</sup> fyrir fagmenn og er notað sem viðmið við áhættumat vörunnar.

The signal word, hazard- and precautionary statements shall be in Icelandic on the product label.

Signal word: **Hætta**

Hazard statements:

**H225 Mjög eldfimur vökvi og gufa.**  
**H319 Veldur alvarlegri augneringu.**  
**H336 Getur valdið sljóleika eða svima.**  
**EUH066 Endurtekin snerting getur valdið þurri eða sprunginni húð.**

Precautionary statements:

**P210 Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.**

P233 Ílát skal vera vel lukt.  
P240 Jarðtengið og spennujafnið ílát og viðtökubúnað.  
P241 Notið sprengiheld rafföng/loftræstibúnað/lýsingu.  
P242 Notið ekki verkfæri sem mynda neista.  
P243 Grípið til aðgerða til að koma í veg fyrir stöðurafragn.  
P261 Gætið þess að anda ekki inn gufu.  
P261 Gætið þess að anda ekki inn ýringi.  
P271 Notið eingöngu utandyra eða í vel loftræstu rými.  
P280 Notið augnhlífur.  
P305 + P351 + P338 BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.  
P312 Hringið í EITRUNARMÍÐSTÖÐ eða lækni ef lasleika verður vart, s. 543 2222 eða 112.  
P337 + P313 Ef augnerting er viðvarandi: Leitið lækni.  
P370 + P378 Ef eldur kemur upp: Notið alkóhólþolna froðu, koltvísýring eða vatnsúða til að slökkva eldinn.  
P403 + P235 Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405 Geymist á læstum stað.  
P501 Fargið innihaldi/íláti hjá viðurkenndri spilliefnamóttöku.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

AntiLy 5 wipes

Market area: EU

Authorisation number

IS-0026059-0009 1-8

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

Trade name(s)

AntiLy 6 wipes

Market area: EU

**Authorisation number**

(R4BP 3 asset reference number - National  
Authorisation)

IS-0026059-0010 1-8

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

---