

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Magnum Gel Roaches IGR Plus

Product type(s)

PT18: Insecticides, acaricides and products to control other arthropods

Authorisation number: 3148-1, 3148-3, 3148-4

R4BP asset number: BG-0026466-0000

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	Magnum Gel Roaches IGR Plus BugAway Магнум Гел за Хлебарки EC GEL ROACHES IGR X GEL IGR ROACHES
---------------	--

1.2. Authorisation holder

Name and address of the authorisation holder	Name	MYLVA S.A.
	Address	Via Augusta, 48 08006 Barcelona Spain
Authorisation number	3148-1, 3148-3, 3148-4	
<i>R4BP asset number</i>	BG-0026466-0000	
Date of the authorisation	14/05/2021	
Expiry date of the authorisation	23/03/2026	

1.3. Manufacturer(s) of the product

Name of manufacturer	Mylva S.A.
Address of manufacturer	Via Augusta 48 08006 Barcelona (Catalonia) Spain
Location of manufacturing sites	Mylva S.A. site 1 Sant Galderic 23, poligon industrial ponent , Sant pol de Mar 08395 Barcelona (Catalonia) Spain

1.4. Manufacturer(s) of the active substance(s)

Active substance	imidacloprid
Name of manufacturer	ADAMA Agriculture España S.A.
Address of manufacturer	Calle Mendez Alvaro, 20-5 28045 Madrid Spain
Location of manufacturing sites	ADAMA Agriculture España S.A. site 1 Adama Makhteshim Ltd. - Neot-Hovav Eco-Industrial Park 84100 Beer Sheva Israel ADAMA Agriculture España S.A. site 2 Jiangsu Yangnong Chemicals Group Co. Ltd - 39 Wenfeng Road 225009 Yangzhou China

Active substance	S-Methoprene
Name of manufacturer	Bábolna Bioenvironmental Centre Ltd.
Address of manufacturer	H-1107 Budapest, Szállás u. 6. 1107 Szállás, Budapest Hungary
Location of manufacturing sites	Bábolna Bioenvironmental Centre Ltd. site 1 H-1107 Budapest, Szállás u. 6. 1107 Szállás, Budapest Hungary

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
imidacloprid	(2E)-1-[(6-chloro pyridin-3-yl) methyl]-N-nitroimid azolidin-2-imine	active substance	138261-41-3	428-040-8	2,15 % (w/w)
S-Methoprene	Isopropyl-(2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadien oate	active substance	65733-16-6		0,5 % (w/w)

2.2. Type(s) of formulation

RB Bait (ready for use)

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P102: Keep out of reach of children. P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents to according to hazard residues regulation.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Trained professional user

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Imidacloprid 2.15% and 0.5% S-Methoprene Gel is an indoor an outdoor gel bait insecticide against German cockroaches, <i>Blatta orientalis</i> , American cockroaches and <i>Periplaneta americana</i> . Imidacloprid 2.15% and 0.5% S-methoprene Gel is designed for the controlled placement of bait in the following situations: -User: Industrial, professional and general public (non-professional).
Target organism(s) (including development stage)	Scientific name: Blattodea: Blattodea: Common name: German cockroach Development stage: Adults and late nymphs Scientific name: <i>Blatta Orientalis</i> Common name: oriental cockroaches Development stage: Adults and late nymphs Scientific name: Blattidae: Blattidae: Common name: American Cockroach Development stage: Adults and late nymphs
Field(s) of use	indoor use outdoor use Other -In inaccessible places: cracks, crevices, behind furniture, etc... where cockroaches may be present. - In dark and wet places: under the sink, behind the toilet, near the drain... - In high temperature places: behind the engines, refrigerators, washing machines, dishwashers... -In places with food waste or organic materials: under or behind kitchen cupboards, near the dustbin, in the storeroom. in the cellars, in the courtyards...
Application method(s)	Method: bait application Detailed description: Apply drops of MAGNUM GEL CUCARACHAS IGR PLUS or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals. Dark humid places: under the sink, behind the toilet, near drains. MAGNUM GEL CUCARACHAS IGR PLUS drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature. Hot places: behind motors, fridges, washing machines, dishwashers,... Places with food or organic stuff remainders: under or behind cupboards, near rubbish bin, pantries, basements, courtyards,... Any place with cracks, crevices,

	ventilation grilles, fake ceilings. Repeat application after three months.
Application rate(s) and frequency	Application rate: Cartridge and Syringe: Blatella spp: 1-4 drops/m ² (0.16 g/m ²) ; Blatta spp: 2-6 drops/m ² (0.24 g/m ²); Periplaneta spp: 2-6 drops/m ² (0.24 g/m ²) / Bait Station: 5g/25m ² Dilution (%): 0 Number and timing of application: For normal infestation, one application is effective for three months. For high infestation, inspect the bait after one month.
Category(ies) of users	trained professional
Pack sizes and packaging material	cartridge, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50,60,75,80,100,125,150,175,200,250,300,350,400, and 500 g syringe, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50 g Bait Station, Plastic: PET , 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g Three packaging are of plastic material. Cartridge and syringe are provided with a security cap. Cartridge: -Size: 1, 2, 3, 4, 5, 8,10,15, 20, 25, 30, 35, 40, 50, 60, 75, 80,100, 125,150,175, 200, 250, 300, 350, 400,450 and 500 g. Syringe: -Size: 1, 2, 3,4, 5,8,10,15, 20, 25, 30, 35, 40, 50 g. Bait station: - Size: 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g. No changes.

4.1.1. Use-specific instructions

Apply drops of **MAGNUM GEL CUCARACHAS IGR PLUS** or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals.

Dark humid places: under the sink, behind the toilet, near drains. **MAGNUM GEL CUCARACHAS IGR PLUS** drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature.

Hot places: behind motors, fridges, washing machines, dishwashers,...

Places with food or organic stuff remainders: under or behind cupboards,near rubbish bin, pantries, basements, courtyards,...

Any place with cracks, crevices, ventilation grilles, fake ceilings.

Repeat application after three months.

4.1.2. Use-specific risk mitigation measures

Handling:

Avoid contact with eyes and skin. If direct manipulation and possible contact with the product exist, wear protective gloves when handling chemicals. Use appropriate protective equipment.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid measures:

In case of contact with eyes flush with plenty of water for at least 15 minutes. Do not forget to remove any contact lenses. In case of contact with skin, wash with soap and plenty of water, without rubbing. If necessary move the victim to a medical center and take the container or label. Do not leave the intoxicated person alone. Notes to the Physician Treatment: Treat symptomatically. In case of an accident, call the Toxicological Information Service.

Accidental release measures: Personal precautions; Ensure adequate ventilation. Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected people must be kept away.

Procedures for cleaning application equipment:

To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Product waste:

Wear appropriate clothes and adopt relevant safety measures. Wash floor and contaminated objects with soap water.

Do not empty into drains or the environment. Cover the product with absorbent material such as sand or any other absorbent material.

Dispose in an authorized waste management plants. Container disposal: Empty packages must be treated by an authorized agent.

Product disposal:

- Respect the rules on clothing and protective measures.
- To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment. Cover the product with absorbent material such as sand, ground, diatomaceous ground to prevent spreading.
- The product should NOT be eliminated in municipal sewers, drains or rivers.
- The treatment and/or disposal shall be made in accordance with local legislation. Spilled product cannot be reused and must be discarded. Dispose the product residue on an authorized point waste collection. Container disposal: Empty containers should be removed by an authorized company according to the national rules for reStore in the original container tightly closed.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in a dry, cool and well ventilated place. It is recommended to store the product at a temperature preferably between 5°C and 45°C.

4.2. Use description

Table 2. non-Trained Professional User

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Imidacloprid 2.15% and 0.5% S-Methoprene Gel is an indoor an outdoor gel bait insecticide against German cockroaches, <i>Blatta orientalis</i> , American cockroaches and <i>Periplaneta americana</i> . Imidacloprid 2.15% and 0.5% S-methoprene Gel is designed for the controlled placement of bait in the following situations: -User: Industrial, professional and general public (non-professional).
Target organism(s) (including development stage)	Scientific name: Blattodea: Blattodea: Common name: German cockroach Development stage: Adults and late nymphs Scientific name: <i>Blatta Orientalis</i> Common name: Oriental Cockroach Development stage: Adults and late nymphs Scientific name: Blattodea: Blattodea: Common name: American Cockroach Development stage: Adults and late nymphs
Field(s) of use	indoor use outdoor use Other -In inaccessible places: cracks, crevices, behind furniture, etc... where cockroaches may be present. - In dark and wet places: under the sink, behind the toilet, near the drain... - In high temperature places: behind the engines, refrigerators, washing machines, dishwashers... -In places with food waste or organic materials: under or behind kitchen cupboards, near the dustbin, in the storeroom, in the cellars, in the courtyards...
Application method(s)	Method: bait application Detailed description: Apply drops of MAGNUM GEL CUCARACHAS IGR PLUS or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals. Dark humid places: under the sink, behind the toilet, near drains. MAGNUM GEL CUCARACHAS IGR PLUS drops

	<p>adhere to all surfaces, even vertical ones, and keep effective even at high temperature. Hot places: behind motors, fridges, washing machines, dishwashers,... Places with food or organic stuff remainders: under or behind cupboards, near rubbish bin, pantries, basements, courtyards,... Any place with cracks, crevices, ventilation grilles, fake ceilings. Repeat application after three months.</p>
Application rate(s) and frequency	<p>Application rate: Cartridge and Syringe: Blatella spp: 1-4 drops/m² (0.16 g/m²) ; Blatta spp: 2-6 drops/m² (0.24 g/m²); Periplaneta spp: 2-6 drops/m² (0.24 g/m²) / Bait Station: 5g/25m²</p> <p>Dilution (%): 0</p> <p>Number and timing of application: For normal infestation, one application is effective for three months. For high infestation, inspect the bait after one month</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>Cartridge, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50,60,75,80,100,125,150,175,200,250,300,350,400, and 500 g</p> <p>Syringe, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50 g</p> <p>Bait Station, Plastic: PET , 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g</p> <p>Three packaging are of plastic material. Cartridge and syringe are provided with a security cap.</p> <p>Cartridge:</p> <p>-Size: 1, 2, 3, 4, 5, 8,10,15, 20, 25, 30, 35, 40, 50, 60, 75, 80,100, 125,150,175, 200, 250, 300, 350, 400,450 and 500 g.</p> <p>Syringe:</p> <p>-Size: 1, 2, 3,4, 5,8,10,15, 20, 25, 30, 35, 40, 50 g.</p> <p>Bait station:</p> <p>- Size: 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g.</p> <p>No changes.</p>

4.2.1. Use-specific instructions

Apply drops of **MAGNUM GEL CUCARACHAS IGR PLUS** or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals.

Dark humid places: under the sink, behind the toilet, near drains. **MAGNUM GEL CUCARACHAS IGR PLUS** drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature.
Hot places: behind motors, fridges, washing machines, dishwashers,...

Places with food or organic stuff remainders: under or behind cupboards, near rubbish bin, pantries, basements, courtyards,...

Any place with cracks, crevices, ventilation grilles, fake ceilings.

Repeat application after three months.

4.2.2. Use-specific risk mitigation measures

Handling:

Avoid contact with eyes and skin. If direct manipulation and possible contact with the product exist, wear protective gloves when handling chemicals. Use appropriate protective equipment.

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid measures:

In case of contact with eyes flush with plenty of water for at least 15 minutes. Do not forget to remove any contact lenses. In case of contact with skin, wash with soap and plenty of water, without rubbing. If necessary move the victim to a medical center and take the container or label. Do not leave the intoxicated person alone. Notes to the Physician Treatment: Treat symptomatically. In case of an accident, call the Toxicological Information Service.

Accidental release measures: Personal precautions; Ensure adequate ventilation. Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected people must be kept away.

Procedures for cleaning application equipment:

To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment.

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Product waste:

Wear appropriate clothes and adopt relevant safety measures. Wash floor and contaminated objects with soap water.

Do not empty into drains or the environment. Cover the product with absorbent material such as sand or any other absorbent material.

Dispose in an authorized waste management plants. Container disposal: Empty packages must be treated by an authorized agent

Product disposal:

- Respect the rules on clothing and protective measures.
- To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment. Cover the product with absorbent material such as sand, ground, diatomaceous ground to prevent spreading.
- The product should NOT be eliminated in municipal sewers, drains or rivers.
- The treatment and/or disposal shall be made in accordance with local legislation. Spilled product cannot be reused and must be discarded. Dispose the product residue on an authorized point waste collection. Container disposal: Empty containers should be removed by an authorized company according to the national rules for reStore in the original container tightly closed.

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in a dry, cool and well ventilated place. It is recommended to store the product at a temperature preferably between 5°C and 45°C.

4.3. Use description

Table 3. Non-professional user

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Imidacloprid 2.15% and 0.5% S-Methoprene Gel is an indoor an outdoor gel bait insecticide against German cockroaches, <i>Blatta orientalis</i> , American cockroaches and <i>Periplaneta americana</i> . Imidacloprid 2.15% and 0.5% S-methoprene Gel is designed for the controlled placement of bait in the following situations: -User: Industrial, professional and general public (non-professional).
Target organism(s) (including development stage)	Scientific name: Blattodea: Blattodea: Common name: German cockroach Development stage: Adults and late nymphs Scientific name: Blattodea: Blattodea: Common name: American Cockroach Development stage: Adults and late nymphs Scientific name: <i>Blatta Orientalis</i> Common name: Oriental cockroach Development stage: Adults and late nymphs
Field(s) of use	indoor use outdoor use Other -In inaccessible places: cracks, crevices, behind furniture, etc... where cockroaches may be present. - In dark and wet places: under the sink, behind the toilet, near the drain... - In high temperature places: behind the engines, refrigerators, washing machines, dishwashers... -In places with food waste or organic materials: under or behind kitchen cupboards, near the dustbin, in the storeroom, in the cellars, in the courtyards...
Application method(s)	Method: bait application Detailed description: Apply drops of MAGNUM GEL CUCARACHAS IGR PLUS or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals. Dark humid places: under the sink, behind the toilet, near drains. MAGNUM GEL CUCARACHAS IGR PLUS drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature. Hot places: behind motors, fridges, washing

	<p>machines, dishwashers,... Places with food or organic stuff remainders: under or behind cupboards,near rubbish bin, pantries, basements, courtyards,... Any place with cracks, crevices, ventilation grilles, fake ceilings. Repeat application after three months.</p>
Application rate(s) and frequency	<p>Application rate: Cartridge and Syringe: Blatella spp: 1-4 drops/m2 (0.16 g/m2) ; Blatta spp: 2-6 drops/m2 (0.24 g/m2); Periplaneta spp: 2-6 drops/m2 (0.24 g/m2) / Bait Station: 5g/25m2</p> <p>Dilution (%): 0</p> <p>Number and timing of application: For normal infestation, one application is effective for three months. For high infestation, inspect the bait after one month.</p>
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	<p>Cartridge, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50,60,75,80,100,125,150,175,200,250,300,350,400, 500 g</p> <p>Syringe, Plastic: LDPE , 1,2,3,4,5,8,10,15,20,25,30,35,40,50 g</p> <p>Bait Station, Plastic: PET , 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g</p> <p>Three packaging are of plastic material. Cartridge and syringe are provided with a security cap.</p> <p>Cartridge:</p> <p>-Size: 1, 2, 3, 4, 5, 8,10,15, 20, 25, 30, 35, 40, 50, 60, 75, 80,100, 125,150,175, 200, 250, 300, 350, 400,450 and 500 g.</p> <p>Syringe:</p> <p>-Size: 1, 2, 3,4, 5,8,10,15, 20, 25, 30, 35, 40, 50 g.</p> <p>Bait station:</p> <p>- Size: 1, 2, 2.5, 3, 4, 5, 8, 10, 15, 20, 25, 30 g.</p> <p>No changes.</p>

4.3.1. Use-specific instructions

Apply drops of **MAGNUM GEL CUCARACHAS IGR PLUS** or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals.

Dark humid places: under the sink, behind the toilet, near drains. **MAGNUM GEL CUCARACHAS IGR PLUS** drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature.

Hot places: behind motors, fridges, washing machines, dishwashers,...

Places with food or organic stuff remainders: under or behind cupboards,near rubbish bin, pantries, basements, courtyards,...

Any place with cracks, crevices, ventilation grilles, fake ceilings.
Repeat application after three months.

4.3.2. Use-specific risk mitigation measures

Handling:

Avoid contact with eyes and skin. If direct manipulation and possible contact with the product exist, wear protective gloves when handling chemicals. Use appropriate protective equipment.

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid measures:

In case of contact with eyes flush with plenty of water for at least 15 minutes. Do not forget to remove any contact lenses. In case of contact with skin, wash with soap and plenty of water, without rubbing. If necessary move the victim to a medical center and take the container or label. Do not leave the intoxicated person alone. Notes to the Physician Treatment: Treat symptomatically. In case of an accident, call the Toxicological Information Service.

Accidental release measures: Personal precautions; Ensure adequate ventilation. Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected people must be kept away.

Procedures for cleaning application equipment:

To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment.

4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Product waste:

Wear appropriate clothes and adopt relevant safety measures. Wash floor and contaminated objects with soap water.

Do not empty into drains or the environment. Cover the product with absorbent material such as sand or any other absorbent material.

Dispose in an authorized waste management plants. Container disposal: Empty packages must be treated by an authorized agent

Product disposal:

- Respect the rules on clothing and protective measures.
- To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment. Cover the product with absorbent material such as sand, ground, diatomaceous ground to prevent spreading.
- The product should NOT be eliminated in municipal sewers, drains or rivers.
- The treatment and/or disposal shall be made in accordance with local legislation. Spilled product cannot be reused and must be discarded. Dispose the product residue on an authorized point waste collection. Container disposal: Empty containers should be removed by an authorized company according to the national rules for reStore in the original container tightly closed.

4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in a dry , cool and well ventilated place. It is recommended to store the product at a temperature preferably between 5°C and 45°C .

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Apply drops of **MAGNUM GEL CUCARACHAS IGR PLUS** or place bait station in difficult access places, such as cracks, slots, crevices, behind furniture... where drops are not visible and out of the reach of children and animals.

Dark humid places: under the sink, behind the toilet, near drains. **MAGNUM GEL CUCARACHAS IGR PLUS** drops adhere to all surfaces, even vertical ones, and keep effective even at high temperature.

Hot places: behind motors, fridges, washing machines, dishwashers,...

Places with food or organic stuff remainders: under or behind cupboards, near rubbish bin, pantries, basements, courtyards,...

Any place with cracks, crevices, ventilation grilles, fake ceilings.

Repeat application after three months.

5.2. Risk mitigation measures

Avoid contact with eyes and skin. If direct manipulation and possible contact with the product exist, wear protective gloves when handling chemicals. Use appropriate protective equipment.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid measures:

In case of contact with eyes flush with plenty of water for at least 15 minutes. Do not forget to remove any contact lenses. In case of contact with skin, wash with soap and plenty of water, without rubbing. If necessary move the victim to a medical center and take the container or label. Do not leave the intoxicated person alone. Notes to the Physician Treatment: Treat symptomatically. In case of an accident, call the Toxicological Information Service.

Accidental release measures: Personal precautions; Ensure adequate ventilation. Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected people must be kept away.

Procedures for cleaning application equipment:

To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment.

5.4. Instructions for safe disposal of the product and its packaging

Product waste:

Wear appropriate clothes and adopt relevant safety measures. Wash floor and contaminated objects with soap water.

Do not empty into drains or the environment. Cover the product with absorbent material such as sand or any other absorbent material.

Dispose in an authorized waste management plants. Container disposal: Empty packages must be treated by an authorized agent.

Product disposal:

- Respect the rules on clothing and protective measures.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

-
- To clean the floor and contaminated objects by this material, use carbonated or soapy water. Do not discharge into drains or the environment. Cover the product with absorbent material such as sand, ground, diatomaceous ground to prevent spreading.
 - The product should NOT be eliminated in municipal sewers, drains or rivers.
 - The treatment and/or disposal shall be made in accordance with local legislation. Spilled product cannot be reused and must be discarded. Dispose the product residue on an authorized point waste collection. Container disposal: Empty containers should be removed by an authorized company according to the national rules for residues management.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in the original container tightly closed. Store in a dry, cool and well ventilated place. It is recommended to store the product at a temperature preferably between 5°C and 45°C.

6. OTHER INFORMATION

x