

RAC/M/51/2019 Final 14 February 2020

Minutes of the 51st Meeting of the Committee for Risk Assessment (RAC 51)

Monday 25, 14.00 to Thursday 28 November, 13.00 and Tuesday 3, 09.00 to Thursday 5 December, 13.00

Summary Record of the Proceedings, and Conclusions and action points

Chairman's opening address

The chairman reflected on the following topics in his opening address:

- A new style of minute preparation (the summary record section) in a much shorter format
 and with the possibility of adoption at the end of (each week of) the current meeting,
 this latter to be put to the 56th ECHA Management Board meeting on 12 December 2019.
- Revision of the process for preparing restriction opinions for Committee to allow for a smoother preparation for plenary meetings for members, rapporteurs and secretariat.
- The report of the RAC AfA working group meeting in October was brought to member's attention, as was a new document collecting learnings from the evaluation of the first AfA applications on OP/NPnEO.
- The imminent move of the Agency to the new location at Telakkakatu 6 was outlined.

Agenda point									
Conclusions / agreements / adoptions	Action requested after the meeting (by whom/by when)								
2. Adoption of the Agenda									
The Agenda (RAC/A/51/2019) was adopted.	SECR to upload the adopted Agenda to the RAC CIRCABC and to the ECHA website as part of the RAC-51 minutes.								
4. Appointment of (co-)rapporteurs									
a) Appointment of (co-)rapporteurs for CLH dossiers, restriction dossiers, authorisation applications, evaluation of occupational exposure limits									
The Secretariat collected the names of volunteers for rapporteurships for CLH dossiers, authorisation applications and OELs, as stated in the restricted room document. The Committee agreed upon the proposed appointments of the Rapporteurs for the intentions and/or newly submitted CLH dossiers, as well as the pool for the applications for Authorisation and OELs.	-								

5. Report from other ECHA bodies and activities

a) Report on RAC 50 action points, written procedures and update on other ECHA bodies

The Chairman informed the Committee that the action points from the previous meeting RAC-50, pending publications of some CLH opinions, were nearing completion. The summary of all substances related written procedures, calls for expression of interests in (co-)rapporteurship and written procedures for appointments of rapporteurs, and adopted opinions, is provided in the room document on administrative issues (RAC/51/2019/01) (see Annex IV).

SECR presented document RAC/51/2019/01.

SECR to upload the document to the CIRCABC non-confidential website.

b) RAC work plan for all processes

SECR presented the RAC work plan for quarter one to three 2020.

c) Revised rules for procedure

RAC agreed on the revised Rules of Procedure of the Committee for Risk Assessment. (RAC/51/2019/02).

SECR to inform the Management Board on the agreement of RAC on the proposed revised Rules of Procedures.

6. Health based exposure limits at the workplace

a) Discussion on key issues (prior to the availability of a draft opinion)

1. Lead and its compounds

The Chairman welcomed the expert accompanying the regular Eurometaux stakeholder observer as well as the two occasional stakeholders. He reported that the request to ECHA to evaluate limit values for lead and its compounds at the workplace, in accordance with Chemical Agents Directive, was submitted by DG EMPL via Service Level Agreement in March 2019 with a deadline of 18 months to September 2020.

A call for evidence in the preparatory phase inviting interested parties to submit comments and evidence on the subject took place from 17 April to 30 June 2019.

The ECHA scientific report was launched for a two month consultation from 17 October to 16 December 2019. In parallel, a RAC consultation was launched from 28 October to 2 December 2019.

RAC discussed the key issues of ECHA scientific report for evaluation of limit values for lead and its compounds at the workplace.

- There was general support to the approach of deriving a biological limit value for lead concentrations in blood as the primary limit value and to also if feasible to set an air limit value;
- Neurotoxicity was considered to be the most sensitive endpoint;
- Other effects should also be considered (e.g. renal, cardiovascular and haematological);
- Organic compounds might require more detailed consideration;
- Reducing the risk for women of childbearing age at the workplace also needs further consideration.

Rapporteurs to prepare the draft opinion taking into account RAC-51 discussions and RAC consultation and comments received in the Public Consultation.

The expert accompanying the regular Eurometaux stakeholder observer commented on the importance of thoroughly evaluating the primary literature for quality and the design of human epidemiology studies that will form the basis for setting the blood limit values and the air limit values. One of the occasional stakeholders commented on the risk for women of childbearing age.

2. Diisocyanates

The Chairman welcomed the expert accompanying the regular Cefic stakeholder observer, the expert accompanying the regular EuPC stakeholder observer and two occasional stakeholders.

The Chairman reported that the request to ECHA to evaluate limit values for diisocyanates at the workplace, in accordance with Chemical Agents Directive, was submitted by DG EMPL via Service Level Agreement in March 2019 with a deadline of 18 months (September 2020).

A call for evidence in the preparatory phase inviting interested parties to submit comments and evidence on the subject took place from 17 April to 30 June 2019.

The ECHA scientific report was launched for a two month public consultation from 17 October to 16 December 2019. In parallel a RAC consultation was launched from 28 October to 2 December 2019.

RAC discussed the key issues of the ECHA scientific report for evaluation of limit values for diisocyanates at the workplace.

- There was general support for a nonthreshold approach and to deriving exposure response relations based on the 'NCO-group' approach;
- Specific endpoints causing respiratory effects were seen as the most relevant endpoints;

Rapporteurs to prepare the draft opinion taking into account RAC-51 discussions and RAC consultation and comments received in the Public Consultation.

- A biological guidance value could possibly be set recognising analytical considerations;
- A short term exposure limit should be reconsidered by taking short term human studies on board.

The expert accompanying the regular CEFIC stakeholder observer commented on using NCO group approach and on the possibility to define a threshold.

7. Harmonised classification and labelling (CLH)

7.1 General CLH issues

The Chairman informed the Committee that the action points from the previous meeting RAC-50, pending publications of some CLH opinions, were nearing completion. The summary of all substance - related written procedures, calls for expression of interests in (co-)rapporteurship and written procedures for appointments of rapporteurs, and adopted opinions, is provided in the room document on administrative issues (RAC/51/2019/01) (see Annex IV).

a) Corrigendum to the adopted opinion on L-(+)- lactic acid

The Secretariat informed the Committee that in the context of the Caracal discussions and following commenting round on the draft 15th ATP to the CLP Regulation (Adaptation to technical and scientific progress, containing RAC opinions from 2018), comments were raised by some stakeholders and Member State Competent Authorities in relation to the adopted opinion on L-(+)-lactic acid, more specifically to the generic concentration limits (GCL) for skin corrosion / irritation and serious eye damage / eye irritation.

During the finalisation of the opinion, the conclusion concerning severe eye damage was erroneously modified by ECHA, giving the impression that RAC did conclude that the 1% GCL applies to mixtures containing L-(+)-lactic acid. The reference to the 1% GCL was intended as a statement of fact (as was the case in the Section on skin corrosion/ irritation).

References to GCLs are not usually included in the RAC opinion. ECHA therefore proposed to remove the pertinent text from the RAC opinion and to issue a corrigendum to this end.

RAC agreed to this proposal.

b) Physical hazards

The Secretariat informed the Committee about the recent discussions at CARACAL for the 15th ATP to the CLP Regulation (RAC 2018 opinions) revealing that there needs to be a more detailed assessment of physical hazards in the CLH dossiers.

To this end, the Secretariat had compiled a paper (CLP / Physical Hazards Note, *room document*) aiming to highlight the differences in the preferred experimental methods to assess the physical properties in e.g. the REACH Regulation versus those necessary for classification according to CLP. The paper further proposes the way forward to check that the physical hazards have been assessed appropriately and to limit the likelihood of incorrect or unclear assessment for the CLH dossiers that are already in the CLH process.

The ECPA Regular Stakeholder Observer noted that for plant protection products that are for renewal pursuant to the plant protection product Regulation (EC) 1107/2009, the physical hazards are usually assessed according to the 'old' standards thus would not comply with this most recent

approach. He further confirmed that internal discussions were ongoing within ECPA with the aim to address this issue and he would provide further details on this issue and the outcome of the discussions once these were available.

7.2 CLH dossiers

A. Substances with hazard classes for agreement by A-listing following the usual scrutiny but without plenary debate

- 24-epibrassinolide: physical hazards (explosives, flammable solids, pyrophoric solids, self-heating substances, oxidising solids), acute toxicity, skin corrosion / irritation, serious eye damage / eye irritation, STOT SE, STOT RE
- carbendazim (ISO): physical hazards (explosives, flammable solids, self-reactive substances, pyrophoric solids, self-heating substances, substances which in contact with water emit flammable gases, oxidising solids), skin sensitisation, hazards to the aquatic environment
- silanamine: physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising solid, substance or mixture corrosive to metals), acute toxicity (oral and dermal routes of exposure), skin corrosion / irritation, serious eye damage / eye irritation, skin sensitisation, hazards to the aquatic environment
- trinexapac-ethyl (ISO): physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising liquid, oxidising solid), acute toxicity, STOT SE, serious eye damage/irritation, germ cell mutagenicity
- 1,4-dimethylnaphthalene: physical hazards (explosive, flammable gas, flammable liquid, self-reactive substance or mixture, pyrophoric liquid, substance or mixture which in contact with water emits flammable gas, oxidising liquid), acute toxicity (dermal and inhalation routes of exposure), skin corrosion/irritation, serious eye damage/eye irritation, respiratory sensitisation, skin sensitisation, germ cell mutagenicity, STOT SE, STOT RE, hazards to the aquatic environment
- imazamox (ISO): hazards to the aquatic environment
- 3-methylpyrazole: acute oral toxicity, skin corrosion / irritation, serious eye damage / eye irritation

B. Substances with hazard classes for agreement in plenary session

- 1. 24-epibrassinolide
- 2. acetamiprid (ISO) (hazards to the aquatic environment only)
- 3. cypermethrin (ISO)
- 4. tetrafluoroethylene
- 5. thiamethoxam (ISO)
- 6. silanamine
- 7. trinexapac-ethyl (ISO) (human health hazards only)
- 8. 1,4-dimethylnaphthalene
- 9. imazamox (ISO)
- 10.3-methylpyrazole

• carbendazim (ISO)

Carbendazim (ISO) is an active substance in plant protection and biocidal products used in film preservatives, fibre, leather, rubber and polymerised materials preservatives and in construction material preservatives. It has an existing entry in Annex VI to the CLP Regulation for the following hazards: Muta. 1B; H340, Repr. 1B; H360FD, Aquatic Acute 1; H400, Aquatic Chronic 1; H410. Legal deadline for the adoption of an opinion is 16 May 2020.

The Dossier Submitter (DE) proposed to add the following classifications: Skin Sens. 1; H317 and M-factors to the existing environmental classifications (Aquatic Acute 1; H400, M=10 and Aquatic Chronic 1; H410, M=10).

Selected physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising solid, organic peroxide), skin sensitisation and hazards to the aquatic environment were open for comments during the public consultation.

Following the detailed scrutiny of the draft opinion during the RAC consultation, no further discussion was deemed necessary at the plenary.

The Committee agreed to the proposal by the DS to classify carbendazim (ISO) as listed below.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Skin Sens. 1; H317, Aquatic Acute 1; H400, M=10, Aquatic Chronic 1; H410, M=10]

Rapporteurs to revise the opinion based on the RAC comments and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

No experts accompanying the RAC Regular Stakeholder Observers were present.

1. 24-epibrassinolide

24-epibrassinolide is an active substance in plant protection products used in agriculture (viticulture, arable crops and vegetable production). It has no existing Annex VI entry. Legal deadline for the adoption of an opinion is 11 July 2020.

The Dossier Submitter (AT) proposed to classify the substance for hazards to the aquatic environment (Aquatic Chronic 4; H413).

Selected physical hazards (explosives, flammable solids, pyrophoric solids, self-heating substances, oxidising solids), human health hazards (except respiratory sensitisation and aspiration hazard) and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Aquatic Chronic 4; H413]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The ECPA Regular Stakeholder Observer addressed the issue of limited data in the CLH report on this substance raised by several RAC Members and explained that 24-epibrassinolide belongs to a group of so-called low risk active substances pursuant to Article 22 of Regulation (EC) 1107/2009 (Plant Protection Products Regulation).

2. acetamiprid (ISO)

The Chairman welcomed the expert accompanying the ECPA Regular Stakeholder Observer and reported that acetamiprid (ISO) is an active substance in plant protection products used as an insecticide to control herbivorous (sucking and biting) insects. It has an existing entry in Annex VI to the CLP Regulation as Acute Tox. 4*; H302 (minimum classification) and Aquatic Chronic 3; H412. The legal deadline for the adoption of an opinion is 23 April 2020.

The Dossier Submitter (NL) proposed to modify/add the following aquatic hazard classes: Aquatic Acute 1; H400 M=10 and Aquatic Chronic 1; H410 M=100. For human health the Dossier Submitter proposed to modify/add the classification to Acute Tox. 3; H301, Carc. 2; H351 and Repr. 2; H361d.

Acute oral toxicity, carcinogenicity, toxicity to reproduction and hazards to the aquatic environment were open for comments during the public consultation.

The human health hazards for this substance will be discussed at RAC 52 / March 2020.

RAC agreed on the harmonised classification and labelling as indicated in Table 2 below.

[Aquatic Acute 1; H400, M=10 and Aquatic Chronic 1; H410, M=10]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the environmental part of the opinion in consultation with the Rapporteurs.

Rapp to draft the human health part of the opinion and provide it for the RAC consultation prior to RAC 52.

SECR to launch the RAC consultation on the human health part of the ODD and to schedule the dossier for the adoption at RAC 52.

The expert accompanying the ECPA Regular Stakeholder Observer did not intervene during the discussion.

3. cypermethrin (ISO)

The Chairman welcomed the expert accompanying the ECPA Regular Stakeholder Observer and reported that cypermethrin (ISO) is an active substance in biocidal products used as an insecticide. It has an existing entry in Annex VI to the CLP Regulation for acute oral and inhalation toxicity

(Acute Tox. 4*; H302 and Acute Tox. 4*; H332 (minimum classifications)), as STOT SE 3; H335 and for hazards to the aquatic environment (Aquatic Acute 1; H400 and Aquatic Chronic 1; H410). Legal deadline for the adoption of an opinion is 14 May 2020.

The Dossier Submitter (BE) proposed to confirm Acute Tox. 4; H302 and Acute Tox. 4; H332, and to add STOT RE 2; H373 (nervous system) and M-factors for the aquatic hazards (Aquatic Acute 1; H400, M=100 and Aquatic Chronic 1; H410, M=1000).

Acute toxicity, specific target organ toxicity (repeated exposure) and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[STOT RE 2; H373 (nervous system), Acute Tox. 4; H302, ATE(oral) = 500 mg/kg, Acute Tox. 4, H332, ATE(inhalation) = 3,3 mg/L, Aquatic Acute 1; H400, M=100 000, Aquatic Chronic 1; H410, M=100 000]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The expert accompanying the ECPA Regular Stakeholder Observer clarified that the existing classification for respiratory irritation (STOT SE 3 – not open for public consultation in the CLH report) was triggered by human experience from using cypermethrin in ventilation systems in the United States.

The expert further intervened during the discussion on degradability of the compound.

4. tetrafluoroethylene

The Chairman welcomed the expert accompanying the Cefic regular stakeholder observer and reported that tetrafluoroethylene is an industrial chemical used primarily in the manufacture of polymers. It has no existing entry in Annex VI to the CLP Regulation. The legal deadline for the adoption of an opinion is 30 May 2020.

The Dossier Submitter (IE) proposed to classify the substance for carcinogenicity (Carc. 1B; H350).

Carcinogenicity was the only hazard open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Carc. 1B; H350]

Rapporteur to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The expert accompanying the Cefic regular stakeholder observer agreed to the proposed classification, but expressed the preference for specifying the route of exposure and for setting a specific concentration limit.

5. thiamethoxam (ISO)

The Chairman welcomed the expert accompanying the ECPA Regular Stakeholder Observer and reported that thiamethoxam (ISO) is an active substance in plant protection products used as an insecticide. It has an existing entry in Annex VI to the CLP Regulation for acute oral toxicity (Acute Tox. 4*; H302 (minimum classification) and for hazards to the aquatic environment (Aquatic Acute 1; H400, M=10 and Aquatic Chronic 1; H410). Legal deadline for the adoption of an opinion is 12 June 2020.

The Dossier Submitter (FR) proposed to classify the substance as Flam. Sol. 1; H228, Acute Tox. 4; H302, (ATE (oral) = 800 mg/kg bw), Repr. 2; H361 and to add an M-factor to aquatic chronic hazard (Aquatic Acute 1; H400, M = 10 and Aquatic Chronic 1; H410, M = 10).

Physical hazard (flammable solid), acute toxicity, toxicity to reproduction, and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Repr. 2; H361fd, Acute Tox. 4; H302, ATE = 780 mg/kg bw, Aquatic Acute 1; H400, M=10, Aquatic Chronic 1; H410, M=10]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The expert accompanying the ECPA Regular Stakeholder Observer did not intervene during the discussion.

6. silanamine

Silanamine is an active substance in biocidal products used as an insecticide, acaricide and in products to control other arthropods. It has no existing entry in Annex VI to the CLP Regulation. Legal deadline for the adoption of an opinion is 17 June 2020.

The Dossier Submitter (FR) proposed to classify the substance for repeated dose toxicity (STOT RE 2; H373 (lungs) (inhalation)) and to add the supplemental hazard statement EUH066 (repeated exposure may cause skin dryness or cracking).

Selected physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising solid, substance or mixture corrosive to metals), acute toxicity, skin corrosion/irritation, serious eye damage/eye irritation, skin sensitisation, germ cell mutagenicity, carcinogenicity, toxicity to reproduction, specific target organ toxicity - repeated exposure and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted <u>by simple majority</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Acute Tox. 2; H330, ATE(inhalation) = 0,45 mg/L, STOT RE 2; H373 (lungs) (inhalation), additional labelling EUH066]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to launch a targeted public consultation on the data not included in the CLH report that lead to the conclusion on the classification on acute toxicity by inhalation.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

No experts accompanying RAC Regular Stakeholder Observers were present. There was no intervention from the Stakeholder Observers during the discussion.

7. trinexapac-ethyl (ISO)

The Chairman welcomed the expert accompanying the ECPA stakeholder observer and reported that trinexapac-ethyl (ISO) is an active substance used in plant protection products used as plant growth regulator. It has no existing entry in Annex VI to the CLP Regulation. The legal deadline for the adoption of an opinion is 14 March 2020.

The Dossier Submitter (LT) proposed to classify the substance as Skin Sens 1B; H317 and for chronic aquatic hazards - Aquatic Chronic 1, H410, M-factor=1.

Selected physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising liquid, oxidising solid), human health and environmental hazards (with exception of aspiration hazard and hazardous to the ozone layer) were open for comments during the public consultation.

At RAC 50, the Committee agreed on hazards to the aquatic environment (Aquatic Chronic 1, H410, M=1) in line with the DS proposal.

RAC adopted <u>by simple majority</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Skin Sens. 1B; H317, STOT RE 2; H373 (gastrointestinal tract), Aquatic Chronic 1, H410, M=1]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The expert accompanying the ECPA Regular Stakeholder Observer commented on skin sensitisation / amount of an impurity used in the compound. The ECPA expert further intervened during the

discussion on repeated dose toxicity in relation to the details of a rabbit developmental toxicity study.

8. 1,4-dimethylnaphthalene

1,4-dimethylnaphthalene is an active substance in plant protection products used as a dormancy enhancer in potatoes during storage. It has no existing entry in Annex VI to the CLP Regulation. The legal deadline for the adoption of an opinion is 9 August 2020.

The Dossier Submitter (NL) proposed to classify for the following hazards: Eye Irrit. 2; H319, Asp. Tox. 1; H304, Aquatic Acute 1; H400, M=1 and Aquatic Chronic 2; H411.

Selected physical hazards (explosive, flammable gas, flammable liquid, self-reactive substance or mixture, pyrophoric liquid, substance or mixture which in contact with water emits flammable gas, oxidising liquid), acute toxicity, skin corrosion/irritation, serious eye damage/eye irritation, respiratory sensitisation, skin sensitisation, germ cell mutagenicity, carcinogenicity, toxicity to reproduction, STOT SE, STOT RE, aspiration hazard and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Acute Tox. 4; H302, ATE of 1300 mg/kg, Eye Irrit. 2; H319; Asp. Tox. 1; H304, Aquatic Acute 1; H400, M=1 and Aquatic Chronic 3; H412]

Rapporteurs to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteurs.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

No experts accompanying RAC Regular Stakeholder Observers were present. There was no intervention from the RAC Regular Stakeholder Observers during the discussion.

9. imazamox (ISO)

The Chairman welcomed the expert accompanying the ECPA Regular Stakeholder Observer and reported that imazamox (ISO) is an active substance in plant protection products used as a herbicide. It has an existing entry in Annex VI to the CLP Regulation for hazards to the aquatic environment (Aquatic Acute 1; H400 and Aquatic Chronic 1; H410). The legal deadline for the adoption of an opinion is 8 August 2020.

The Dossier Submitter (FR) proposed to add classification for toxicity to reproduction (Repr. 2; H361d) and to add M-factors of 10 for both environmental hazards.

Toxicity to reproduction and hazards to the aquatic environment were open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Repr. 2; H361d, Aquatic Acute 1; H400, M=10, Aquatic Chronic 1; H410, M=10]

Rapporteur to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteur.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

The expert accompanying the ECPA Regular Stakeholder Observer provided some details on individual animal data in the rabbit developmental toxicity study and in relation to the historical control data sets provided by Industry during the public consultation on the CLH report.

10. 3-methylpyrazole

3-methylpyrazole is an industrial chemical used in fertilisers. It has no existing entry in Annex VI to the CLP Regulation. The legal deadline for the adoption of an opinion is 15 August 2020.

The Dossier Submitter (BE) proposed to classify the substance as follows: Acute Tox. 4; H302 (ATE (oral) = 500 mg/kg bw), Skin Corr. 1; H314, Eye Dam. 1; H318, STOT RE 1; H372 (lungs), Repr. 1B; H360D.

Acute toxicity (oral, inhalation), skin corrosion/irritation, serious eye damage/eye irritation, STOT RE and toxicity to reproduction were open for comments during the public consultation.

RAC adopted <u>by consensus</u> the opinion with a proposal for the harmonised classification and labelling as indicated in Table 1 below.

[Repr. 1B; H360D, Acute Tox. 4; H302 (ATE (oral) = 500 mg/kg bw), Skin Corr. 1; H314, Eye Dam. 1; H318, STOT RE 2; H373 (lungs)]

Rapporteur to revise the opinion in accordance with the discussion in RAC and to provide it to SECR.

SECR to make an editorial check of the opinion documents in consultation with the Rapporteur.

SECR to forward the adopted opinion and its annexes to COM and publish it on the ECHA website.

No experts accompanying RAC Regular Stakeholder Observers were present. There was no intervention from the Regular Stakeholder Observers during the discussion.

8. Restrictions

8.1 General restriction issues

a) Report from the Restrictions Efficiency Task Force **RAC** took note of the report from the Restrictions Task Force provided by the SECR.

8.2 Restriction Annex XV dossiers

a) Opinion development

1. Calcium cyanamide in fertilisers

The Chairman welcomed the Dossier Submitter's representatives from ECHA and an expert accompanying the Cefic regular stakeholder observer. He informed the participants that the

restriction dossier had been submitted in July 2019 and concerns the placing on the market of calcium cyanamide used as a fertiliser.

The rapporteurs presented and RAC discussed the first draft opinion.

RAC agreed that the scope of the proposal is clear and that the targeting of the restriction is appropriate.

The Rapporteurs were asked to complete the evaluation of the mesocosm study and the terrestrial field study and take them into account in their evaluation of the aquatic and terrestrial predicted no effect concentrations.

The Rapporteurs were asked to carefully evaluate the modelling scenarios for exposure assessment.

SECR to launch written consultation on the first draft opinion.

Rapporteurs to prepare the second draft opinion, taking into account RAC-51 discussions and the RAC written consultation, by end of January 2020.

The expert accompanying the regular Cefic stakeholder observer commented on the hazard and exposure assessment.

2. Skin sensitisers in textiles

The Chairman welcomed the Dossier Submitter's representatives from France and Sweden, two occasional stakeholder observers. He informed the participants that the restriction dossier had been submitted in April 2019 and proposes to restrict skin sensitising substances in finished textile, leather, hide and fur articles.

Rapporteurs presented and RAC discussed the second draft opinion.

RAC agreed to include all clothing and footwear in the scope of the Restriction (without specifying the material), as proposed by the Dossier Submitter and supported by Rapporteurs.

RAC supported the inclusion of textile, leather, hide and fur articles, other than clothing, that come into contact with the skin under normal or reasonably foreseeable conditions of use to an extent similar to clothing.

RAC supported the inclusion of disposable textiles in the scope of the restriction and recommended to include all parts of multilayer disposable textiles in the scope of the restriction.

RAC agreed not to support the inclusion of articles covered by EU Regulation 1935/2004 (Food Contact Material Regulation) into the scope of the restriction.

RAC provisionally agreed with the elicitation thresholds for risk assessment as proposed by the Rapporteurs (except for Disperse Blue 124, where

Rapporteurs to prepare the third draft opinion, taking into account RAC-51 discussions, by mid-December 2019 (for the RAC written consultation).

Rapporteurs to prepare the fourth draft opinion, taking into account RAC-51 discussions, the RAC consultation and the results of the public consultation, by early February 2020.

the Rapporteurs were asked to review the data in the CLP dossier).

RAC provisionally agreed with exposure assessment as proposed by the Rapporteurs.

The Commission observer, the EDANA occasional stakeholder observer, the Euratex occasional stakeholder observer and the ClientEarth regular stakeholder observer commented on the scope of the restriction.

The expert accompanying the Euratex occasional stakeholder observer commented on elicitation thresholds.

The EDANA occasional stakeholder observer commented on exposure parameters, migration factors and risk characterisation.

3. Perfluorohexane-1-sulphhonic acid, its salts and related substances

The Chairman welcomed the Dossier Submitter's representatives from Norway (following via WebEx), the SEAC Rapporteur and stakeholder observers. He informed the participants that the restriction dossier had been submitted in April 2019 and to restrict the manufacture, use and placing on the market of PFHxS, its salts and related substances as substances, constituents of other substances, mixtures and articles or parts thereof. The restriction proposal aims at reducing the emissions of PFHxS, its salts and their related substances to the environment and to human exposure to a minimum (the main potential exposure pathways are intake via food and drinking water and through exposure to house dust).

Rapporteurs presented the state of play on the opinion development and the results of the public consultation so far.

Rapporteurs to prepare the third draft opinion, taking into account RAC-51 discussions and the results of the public consultation, by early 2020.

The Commission observer commented on the derogations.

4. Microplastics

The Chairman welcomed the Dossier Submitter's representatives from ECHA, the SEAC Rapporteur (following via WebEx) and experts accompanying the regular ECPA, EEB, Eurometaux, Cefic and ClientEarth stakeholder observers, as well as three occasional stakeholder observers together with their accompanying experts. He informed the participants that the restriction dossier had been submitted in January 2019. In addition, Sweden (KemI) collaborated with ECHA in preparation of the dossier. The proposal aims at restricting the use of intentionally added microplastic particles to consumer or professional use products of any kind.

The rapporteurs presented and RAC discussed the fourth draft opinion.

Scope of the restriction

RAC agreed to define a concentration limit of 0.01% w/w for all the uses.

RAC members to provide comments via written consultation on the fourth draft opinion by 13 December 2019.

Rapporteurs to prepare the fifth draft opinion, taking into account RAC-51

RAC agreed to define microbeads as a microplastic used in a mixture as an abrasive.

discussions and the RAC written consultation, by early February 2020.

Release characterisation

RAC agreed with the microplastics use and release characterisation provided. In particular, RAC agreed with the characterisation of the:

- Down-the-drain pathway (with some uncertainties)
- Municipal solid waste (bin/trash) pathway
- Direct release to the environment pathway
- Polymeric infill material releases pathway (with some uncertainties)

Risk management

RAC agreed with the three risk management components proposed (i.e. a complete ban, instructions for use requirements, reporting requirements). Subject to more detailed discussions on instructions for use and reporting at the next meeting.

Derogations

RAC agreed with derogation 3a, for natural polymers that have not been chemically modified.

RAC agreed that biodegradable microplastics do not contribute to the microplastics concern and that derogation 3b (biodegradable polymers) is needed.

The expert accompanying the regular Cefic stakeholder observer commented on the definition of 'solid' used in the proposed restriction. The experts accompanying the regular EEB and occasional

EDANA stakeholder observers commented on the uncertainties in the release estimates.

The Commission observer recalled the complexity of the proposed restriction and the need to properly reflect relevant arguments to support the scientific validity of the analysis in the opinion. The expert accompanying the regular Cefic stakeholder observer commented on the reporting requirement.

The regular EEB stakeholder observer noted that the 4th DO for discussion during this meeting had not been provided to stakeholders. She asked for all documents and presentation to be shared before the discussions in order to enable stakeholders to better contribute. The expert accompanying the regular EEB stakeholder observer commented on the derogations.

5. Formaldehyde and formaldehyde releasers

The Chairman welcomed the Dossier Submitter's representatives from ECHA and expert accompanying the regular Cefic stakeholder observer. He informed the participants that the restriction dossier had been submitted in January 2019 and proposes to restrict the placing on the

market of articles releasing formaldehyde at concentrations greater than or equal to 0.124 mg/m³ as measured in accordance with the conditions specified in the restriction proposal.

The rapporteurs presented and RAC discussed the third/fourth draft opinion.

RAC agreed that there is no identified risk in aircraft cabins, and therefore they should be excluded from the restriction.

RAC considered an emission limit of 0.05 mg/(m^2h) for building interiors and 0.05 mg/ m^3 for vehicle interiors.

RAC members to provide comments via written consultation on the third draft opinion by 12 December 2019.

The **Secretariat** to organise an open rapporteurs' dialogue (face-to-face) in early February 2020.

Rapporteurs to prepare the fifth draft opinion, taking into account RAC-51 discussions and the RAC written consultation, as well as outcome of the dialogue, by early February 2020.

The Commission observer commented on the scope and the emission limit value. The expert accompanying the regular Cefic stakeholder observer commented on the emission limit value.

6. Cobalt salts

The Chairman welcomed the Dossier Submitter's representatives from ECHA, the SEAC Rapporteurs (following via WebEx), experts accompanying the regular Eurometaux and Cefic stakeholder observers, as well as one occasional stakeholder observer. He informed the participants that the restriction dossier had been submitted in October 2018 and proposes to restrict the placing on the market, manufacture and use of five cobalt salts (cobalt sulphate, cobalt dichloride, cobalt dinitrate, cobalt carbonate and cobalt diacetate) as substances on their own or in mixtures in a concentration equal or above 0.01% by weight in industrial and professional applications.

The rapporteurs presented and RAC discussed the sixth draft opinion.

RAC agreed to support the restriction for the five cobalt salts, as proposed by the Rapporteurs, and to recommend the Commission to consider a Binding Occupational Exposure Limit for cobalt and all its compounds.

Rapporteurs, together with **SECR**, to make the final editorial changes (as discussed during RAC-51) to the draft RAC opinion.

SECR to organise the written consultation on the final draft RAC opinion.

SECR to organise the written procedure for the adoption of the RAC opinion (lasting for 5 calendar days based on Art 20(2) of the RAC RoPs).

After the adoption:

Rapporteurs, together with **SECR**, to ensure that the supporting documentation (BD and RCOM) is in line with the adopted RAC opinion.

SECR to forward the adopted opinion and its supporting documentation to SEAC.

The expert accompanying the regular Cefic stakeholder observer commented on the practicality and monitorability of the proposed restriction. The expert accompanying the regular Eurometaux stakeholder observer commented on the future update of the ISO standard.

7. D4/D5/D6

The Chairman welcomed the Dossier Submitter's representatives from ECHA, the SEAC Rapporteurs (following via WebEx), expert accompanying the regular Cefic stakeholder observer, as well as one occasional stakeholder observer. He informed the participants that the restriction dossier had been submitted in January 2019 and proposes to restrict placing on the market of D4, D5 and D6 as substances, as constituents of other substances, or in mixtures in a concentration equal to or greater than 0.1% w/w of each substance.

Rapporteurs presented and RAC discussed the updated third draft opinion.

RAC adopted the opinion on this restriction proposal by consensus.

Rapporteurs to make final editorial changes (as discussed during RAC-51) to the adopted RAC opinion.

Rapporteurs, together with **SECR**, to ensure that the supporting documentation (BD and RCOM) is in line with the adopted RAC opinion.

SECR to forward the adopted opinion and its supporting documentation to SEAC.

The expert accompanying the regular Cefic stakeholder observer commented on modelling. The occasional stakeholder observer as well as the COM observer commented on derogations.

9. Authorisation

9.1 General authorisation issues

a) Update on incoming/future applications

ECHA Secretariat presented the information on incoming/future applications, expected workload in 2020/2021 and timelines. The secretariat informed also about OPE/NPE AfAs: technical guidance and standard texts for RAC and SEAC rapporteurs.

One of the rapporteurs expressed concern on unsynchronised timelines of processing AFA cases in RAC and SEAC. Agreement of the draft opinion in SEAC before discussion in RAC results in pressure to the RAC Rapporteurs to provide preliminary conclusions without RAC scrutiny.

SECR to revise dates of the RAC AFA WG in July.

SECR to correct wording in OPE/NPE AfAs: technical guidance and standard texts for RAC and SEAC rapporteurs.

The stakeholder observer pointed on some unfortunate phrases in the OPE/NPE AfAs: technical guidance and standard texts for RAC and SEAC rapporteurs.

b) Report from RAC WG on AfAs received during October 2019

The meeting of the 2nd Meeting of the Committee for Risk Assessment Working Group on Applications for Authorisation took place on 22-23 October 2019.

Participants: 19 RAC members, five Members' advisers, one regular stakeholder observer and ECHA.

The working group recommended that the following draft opinion were suitable for agreement at the RAC plenary:

- OPE_Sebia (three uses)
- NPE_Sebia (single use)
- OPE Stago (two uses)
- OPE_BioMarin (two uses)
- OPE_bioMerieux (three uses)
- OPE_Janssen (single use)

The working group recommended that the following draft opinions ware suitable for consideration via the A-listing procedure.

- SC Ariston (single use)
- SD_Bussi (single use)

ECHA Secretariat presented the Report of the 2nd Meeting of the Committee for Risk Assessment Working Group on Applications for Authorisation.

RAC took note of the Report.

9.2 Authorisation applications

a) Discussion on key issues

17 applications for authorisation from August 2019 submission window (OPE/NPE)

RAC discussed the key issues in the seventeen applications for authorisation.

b) Agreement on draft opinions

- A. Agreement on draft opinions on AFA by A-listing following the usual scrutiny but without plenary debate
- 1. SC_Ariston (1 use)
- 2. SD_Bussi (1 use)

The Chairman informed the Committee that following the Rapporteurs' proposal, the RAC consultation and the recommendation of the 2nd meeting the RAC AFA WG the draft opinions on the two AFA cases SC Ariston and SD Bussi have been proposed for agreement via the A-listing procedure.

draft opinions.

ECHA Secretariat presented the summary of the Rapporteur together with SECR to do the final editing of the draft opinions.

RAC agreed by consensus the draft opinions on **SECR** to send the draft opinions to the applicant the two AFA cases SC Ariston and SD Bussi.

SC_Ariston

Use 1: Use of sodium chromate as an anticorrosion agent of the carbon steel in sealed circuit of gas absorption appliances up to 0.70 % by weight (as CrVI) in the refrigerant solution.

RAC concluded that the RMMs and OCs presented in the application are expected to be appropriate and effective in limiting the risk, provided that they are implemented and adhered to.

The applicant is using 4.36 tonnes of the substance annually. 8 workers are exposed directly on 1 site in Italy.

The highest calculated excess cancer risk for workers for combined exposure for inhalation is 3.54×10^{-5} , (for maintenance and cleaning). The highest RCR for dermal exposure is 0.26 (maintenance and cleaning).

The highest excess cancer risk calculated for humans via the environment (local scale for combined routes (inhalation and oral)), is $3.13 \times$ 10^{-9} (acidic conditions) and 3.14×10^{-9} (alkaline conditions).

The estimates of excess cancer risk for workers and for indirect exposure of humans (workers and general population) via environment calculated by the applicant allows a health impact assessment.

RAC agreed:

- No additional conditions for authorisation
- To propose monitoring arrangements for the authorisation
 - The applicant shall implement and conduct an initial measurement campaign and, at least, annual exposure monitoring programmes for Cr(VI) and annual monitoring of Cr(VI) emissions to wastewater and air.
 - The information gathered via measurements and related contextual information shall be used by the applicant to review and confirm the effectiveness of proposed RMM.
 - The applicant shall ensure that the application of RMMs at his site is in accordance with the hierarchy of control principles.

for commenting.

- The measurements shall be documented, maintained and be made available by the applicant, upon request.
- Following implementation of the RMMs and OCs proposed for the new installation, the applicant may reduce the frequency of measurements, once the applicant can clearly demonstrate that exposure to humans and releases to the environment have been reduced to as low a level as technically and practically possible.
- recommendations for the review report
 - The information gathered via the measurements referred to in section 8 points (a) and (b) as well as the outcome and conclusions of the review and any action taken in accordance with point (c) shall be included in any subsequent authorisation review report.

SD_Bussi

Use 1: Use of sodium dichromate as an additive for suppressing parasitic reactions and oxygen evolution, pH buffering and cathode corrosion protection in the electrolytic manufacture of sodium chlorite.

RAC concluded that the RMMs as proposed in the application are expected to be appropriate and effective in limiting the risk, provided that they are implemented and adhered to.

The applicant is using 0.1-2 tonnes of the substance annually. 1-50 workers are exposed directly on 1 site in Italy.

The highest calculated excess cancer risk for workers combined exposure (for unit operators) is 2.9×10^{-6} . The highest excess cancer risk calculated for humans via the environment (local scale for combined routes (inhalation and oral)), is 8.41×10^{-8} .

The estimates of excess cancer risk for workers and for indirect exposure of humans (workers and general population) via the environment allow a health impact assessment.

RAC agreed:

· No additional conditions for authorisation

- Proposals for the monitoring arrangements for the authorisation
 - The applicant shall implement at least annual exposure monitoring programmes for Cr(VI) and emissions to wastewater and air from local exhaust ventilation at least annually.
 - The information gathered via the measurements shall be used by the applicant to review and confirm the effectiveness of proposed RMM and OCs.
 - The applicant shall ensure that the application of RMMs at his site is in accordance with the hierarchy of control principles.
 - The information from the measurements, shall be documented, maintained and be made available by the applicant, upon request.
 - Following implementation of the RMMs and OCs proposed for the new installation, the applicant may reduce the frequency of measurements, once the applicant can clearly demonstrate that exposure to humans and releases to the environment have been reduced to as low a level as technically and practically possible.
- recommendations for the review report
 - The information gathered via the measurements referred to in section 8 points (a) and (b) as well as the outcome and conclusions of the review and any action taken in accordance with point (c) shall be included in any subsequent authorisation review report.

B. Agreement on draft opinions on AFA in plenary session

1. OPE_Sebia

Use 1: Industrial use of 4-ter[t]-OPnEO for its "wetting" detergent properties allowing the dissolution, the dilution and the good spreading of substrates and reagents, necessary to optimize the sensitivity of gel electrophoresis in vitro diagnostic tests.

Use 2: Industrial use of 4-tert-OPnEO for its detergent properties in the production of

Rapporteurs together with **SECR** to do the final editing of the draft opinions.

SECR to send the draft opinions to the applicant for commenting.

electrophoresis gels in view of ensuring the positioning of specific proteins necessary for the interpretation of results of gel electrophoresis in vitro diagnostic tests.

Use 3: Industrial use of 4-tert-OPnEO for its detergent properties resulting in cellular lysis and protein interactions rupture and required for the production of reagents involved in the determination of proteins of interest in gel and capillary electrophoresis IVD test.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in limiting the risk, provided that they are adhered to.

Minor concerns regarding the RMMs lead to recommendations for the review report.

The release estimates provided by the applicant are found to be appropriate.

	Used amount kg/year	Release kg/year 4-tert-OPnEO
Use-1	101	0.066-4.4
		(Uses 1, 2, and 3 at Lisses plus Use 1 at Paladru)
Use-2	37	0.068-4.7 d
		(Uses 1, 2, and 3 at Lisses plus Use 2 at Rome)
Use-3	92	0.066-4.4 (Uses 1, 2 and 3 at Lisses)

RAC agreed

- No additional conditions for authorisation
- Recommendations for the review report:
 - RAC recommends the applicant to further assess in any review report the feasibility to collect the remaining liquid wastes from washing the glassware at the site of Lisses (SEBIA) and put it in practice if the outcome of the feasibility study is favourable.

RAC recommends that the applicant should carry out quarterly/four times per year monitoring of 4-tert-OPnEO (parent substance and its primary degradation products) in the waste water prior to release to the municipal STP at the site of Lisses (SEBIA) and Rome (INTERLAB) =using an analytical method capable of adequately characterising the substance in water and at an appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.

RAC agreed on the draft opinions on uses 1, 2 and 3 by consensus.

2. NPE_Sebia

Use 1: Industrial use of 4-NPnEO for its detergent properties in the production of buffers and reagents in view of ensuring the positioning of specific proteins necessary for the interpretation of gel electrophoresis in vitro diagnostic tests results based on the determination of isoenzymes.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in limiting the risk, provided that they are adhered to.

The recommendations for the review report are expected to allow RAC to evaluate the review report efficiently.

Annual tonnage used: 2 kg. The use applied for may result in emissions of 0.00016 kg/year (according to monitoring data) or 0.040 kg /year (according to default release values from ERCs) of the substance to the environment.

RAC agreed

- No additional conditions for authorisation
- Recommendations for the review report:
 - RAC recommends the applicant to further assess in a potential review report the feasibility to collect the remaining liquid wastes from washing the glassware at the site of Lisses

Rapporteurs together with **SECR** to do the final editing of the draft opinion.

SECR to send the draft opinion to the applicant for commenting.

(SEBIA) and to put this into practice if the outcome of the feasibility study is favourable.

RAC recommends that the applicant should carry out quarterly/four times per year monitoring of 4-NPnEO (parent substance and its primary degradation products) in the waste water prior to release to the municipal STP at the site of Lisses (SEBIA) using analytical method capable of adequately characterising the substance in water and at an appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.

RAC agreed on the draft opinion by consensus.

3. OPE_bioMerieux

Use 1: Industrial use of 4-tert-OPnEO for its non-ionic detergent properties in the <u>formulation of reagents</u> for molecular in vitro preparative and testing applications.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in limiting the risk, provided that they are adhered to.

The recommendations for the review report are expected to allow RAC to evaluate the review report efficiently.

Annual tonnage used: 0.976 tonnes/year. The use applied for may result in emissions of 2.87 kg/year (according to monitoring data) or 19.5 kg/year (according to default release values from ERC-2) of the substance to the environment.

RAC agreed for:

- No additional conditions for authorisation
- · Recommendations for the review report:
 - RAC recommends that the applicant should continue quarterly/four times

Rapporteurs together with **SECR** to do the final editing of the draft opinions.

SECR to send the draft opinions to the applicant for commenting.

per year monitoring of 4-tert-OPnEO (parent substance and its main degradation products) in the waste water prior to release to the local STP using an analytical method capable of characterising adequately the substance in water and an at appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.

RAC recommends the applicant to further assess in any review report the feasibility to collect the liquid wastes from washing the glassware and put it in practice if the outcome of the feasibility study is favourable.

Use 2: Industrial use of 4-tert-OPnEO for its non-ionic detergent properties in view of <u>controlling</u> the amount of <u>non-specific reactions in the formulation of in vitro reagents</u> for clinical and industrial in-vitro testing immunoassays.

RAC concluded that the operational conditions and risk management measures described in the application are **not** appropriate and effective in limiting the risk.

The proposed additional conditions for the authorisation are expected to result in operational conditions and risk management measures that are appropriate and effective in limiting the risk for the environment.

The recommendations for the review report are expected to allow RAC to evaluate the review report efficiently.

Annual tonnage used: 0.085 tonnes/year. The use applied for may result in emissions of 90.48 g/year (according to monitoring data) or 1 700 g/year (default release value from ERC-2) of the substance to the environment.

RAC agreed for:

- Conditions for authorisation
 - All liquid waste releases which occur during quality control on bulk solutions

and packaging steps shall be collected and disposed of for adequate treatment within 2 years after the authorisation is granted.

- Recommendations for the review report:
 - RAC recommends that the applicant should continue quarterly/four times per year monitoring of 4-tert-OPnEO (parent substance and its primary degradation products) in the waste water prior to release to the local STP using an analytical method capable of adequately characterising substance in water and at an appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.
 - RAC recommends the applicant to further assess in any review report the feasibility to collect the liquid wastes from washing the glassware and put it in practice if the outcome of the feasibility study is favourable.

Use 3: Industrial use of 4-tert-OPnEO for its nonionic detergent properties, used for the <u>extraction</u> <u>of biological material</u> which is further formulated and coated on articles intended for clinical and industrial in vitro testing applications.

RAC concluded that the operational conditions and risk management measures described in the application are not appropriate and effective in limiting the risk.

The proposed additional conditions for the authorisation are expected to result in operational conditions and risk management measures that are appropriate and effective in limiting the risk for the environment.

The recommendations for the review report are expected to allow RAC to evaluate the review report efficiently.

Annual tonnage used: 0.0013 tonnes/year. The use applied for may result in emissions of 1.3 g/year (according to monitoring data) or 26 g/year (default release value from ERC-6a) of the substance to the environment.

RAC agreed for:

- Conditions for authorisation
 - All liquid waste releases which occur during different mixture and antigen preparation steps shall be collected and disposed of for adequate treatment within 2 years after the authorisation is granted.
- · Recommendations for the review report:
 - RAC recommends that the applicant should continue quarterly/four times per year monitoring of 4-tert-OPnEO (parent substance and its primary degradation products) in the waste water prior to release to the local STP using an analytical method capable of adequately characterising substance in water and at an appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.
 - RAC recommends the applicant to further assess in any review report the feasibility to collect the liquid wastes from washing the glassware and put it in practice if the outcome of the feasibility study is favourable.

RAC agreed on the draft opinions by consensus.

4. OPE_Stago

Use 1: Industrial use of 4-tert-OPnEO for its detergent properties in the process of cell lysing for the production of in-vitro diagnostic.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in

Rapporteurs together with **SECR** to do the final editing of the draft opinions.

SECR to send the draft opinions to the applicant for commenting.

limiting the risk, provided that they are adhered to.

Annual tonnage used: 0.0007 tonnes. According to the applicant the use applied for may result in emissions of 4-tert-OPnEO to the environment in the range of 1-14 g per year.

Use 2: Industrial use of 4-tert-OPnEO in view of controlling the amount of non-specific reactions in the production of in-vitro diagnostic reagents.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in limiting the risk, provided that they are adhered to.

Annual tonnage used: 0.0082 tonnes. The use applied for may result in emissions of 4-tert-OPnEO to the environment in the range of 4-164 g per year.

RAC agreed for both uses:

- No additional conditions for authorisation
- · Recommendations for the review report:
 - RAC recommends that the applicant should further assess in a potential review report the feasibility to collect the remaining liquid wastes from rinsing reusable equipment (e.g. glassware, plastic, glass and inox containers) at both sites and put in practice if the outcome of the feasibility study is favourable.
 - RAC recommends that the applicant should continue at both sites with the quarterly/four times per year monitoring of 4-tert-OPnEO in the waste water prior to release to the local STP using an analytical method capable adequately characterising substance and its degradation products in water and at an appropriately low level of detection. The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the

corresponding environmental release values.

RAC agreed on the draft opinions on use 1 and 2 by consensus.

5. OPE_BioMarin

Use 1: Industrial use as a surfactant to perform viral inactivation of biological proteins in the manufacture of a biopharmaceutical Final Bulk Drug Substance (FBDS) for an Enzyme Replacement Therapy (BMN250) for the treatment of rare and orphan diseases in the human population.

RAC concluded that the operational conditions and risk management measures described in the application are appropriate and effective in limiting the risk, provided that they are adhered to.

The recommendations for any review report are expected to allow RAC to evaluate this efficiently.

Annual tonnage used: 0.321 tonnes. The use applied for may result in up to approximately 4 g of emissions of 4-tert-OPnEO per year (measured data) of the substance to the environment.

Use 2: Industrial use as a surfactant to perform viral inactivation of biological proteins in the manufacture of a biopharmaceutical Final Bulk Drug Substance (FBDS) for Gene Therapy products for the treatment of rare conditions in the human population.

RAC concluded that the operational conditions and risk management measures described in the application are expected to be appropriate and effective in limiting the risk, provided that they are adhered to.

The recommendations for any review report are expected to allow RAC to evaluate this efficiently.

Annual tonnage used: 0.244 tonnes. The use applied for may result in up to approximately 3.17 g of emissions of 4-tert-OPnEO per year (measured data) of the substance to the environment.

Rapporteurs together with **SECR** to do the final editing of the draft opinions.

SECR to send the draft opinions to the applicant for commenting.

RAC agreed for both uses:

- No additional conditions for authorisation
- Recommendations for the review report:
 - Once full production of Use 1 and 2 is achieved, the applicant shall undertake, a monitoring programme of the waste water prior to release to the local STP to confirm predicted release values. The initial sampling frequency should be sufficient to demonstrate daily fluctuations.
 - Once established, RAC recommends that thereafter the applicant should, while the plant is in operation, continue with the quarterly /four times per year monitoring of 4-tert-OPnEO and its principal degradation products in in the waste water prior to release to the local STP using an analytical method capable of adequately characterising the substance and its degradation products in water and at an appropriately low level of detection, overcoming the relative high LOQ of the applied method for this application.
 - The results should be included in any subsequent review report, including details of the sampling point, the analytical method, the concentrations detected and the corresponding environmental release values.

RAC agreed on the draft opinions by consensus.

6. OPE_Janssen

Use 1: 4-tert-Octylphenol ethoxylate is used as a lysing agent for the permeabilization of the host cell membrane to release adenovirus particles used for the manufacture of vaccines. Its use allows the selective elimination of enveloped adventitious viruses and is compatible with the chemicals needed to control the host cell DNA precipitation in the next process step.

RAC concluded that the operational conditions and risk management measures described in the application are expected to be appropriate and

Rapporteurs together with **SECR** to do the final editing of the draft opinion.

SECR to send the draft opinion to the applicant for commenting.

effective in limiting the risk, provided that they are implemented and adhered to.

Annual tonnage to be used: 0.27 tonnes/year. The use applied for may result in 0 kg per year emissions of the substance for the environment.

RAC agreed for:

- 1. no additional conditions for the authorisation,
- 2. no recommendations for the review report.

RAC agreed on the draft opinion by consensus.

10. AOB

_

11. Action points and main conclusions of RAC-50

SECR to upload the adopted action points to CIRCA BC.

Table 1: CLH opinions which were adopted at RAC-51

- 1. 24-Epibrassinolide
- 2. carbendazim (ISO)
- 3. cypermethrin (ISO)
- 4. <u>tetrafluoroethylene</u>
- 5. thiamethoxam (ISO)
- 6. <u>silanamine</u>, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic <u>amorphous</u>, nano, surface treated silicon dioxide
- 7. <u>trinexapac-ethyl (ISO)</u>
- 8. <u>1,4-dimethylnaphthalene</u>
- 9. imazamox (ISO)
- 10. 3-methylpyrazole

Table 2: CLH opinion which are not finished

1. acetamiprid (ISO)

Table 1

1. 24-Epibrassinolide

Classification and labelling in accordance with the CLP Regulation (Regulation (EC) 1272/2008)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling	Labelling			Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	Limits, M- factors and ATE	
Current Annex						No current Annex VI entry	V				
VI entry		1	1		1		,	1	1	Т	1
Dossier		(3aS,5S,6R,7aR,7bS,9aS,10R		78821-43-9	Aquatic Chronic 4	H413		H413			
submitters		,12aS,12bS)-10-									
proposal		[(2S,3R,4R,5R)-3,4-									
		dihydroxy-5,6-									
	TBD	dimethylheptan-2-yl]-5,6-									
	100	dihydroxy-7a,9a-									
		dimethylhexadecahydro-									
		3 <i>H</i> -benzo[<i>c</i>]indeno[5,4-									
		e]oxepin-3-one; 24-									
		epibrassinolide									
RAC opinion		(3aS,5S,6R,7aR,7bS,9aS,10R		78821-43-9	Aquatic Chronic 4	H413		H413			
		,12aS,12bS)-10-									
		[(2S,3R,4R,5R)-3,4-									
		dihydroxy-5,6-									
	TBD	dimethylheptan-2-yl]-5,6-									
	IBD	dihydroxy-7a,9a-									
		dimethylhexadecahydro-									
		3 <i>H</i> -benzo[<i>c</i>]indeno[5,4-									
		eloxepin-3-one; 24-									
		epibrassinolide									
Resulting		(3aS,5S,6R,7aR,7bS,9aS,10R		78821-43-9	Aquatic Chronic 4	H413		H413			1
Annex VI entry		,12aS,12bS)-10-									
if agreed by		[(2S,3R,4R,5R)-3,4-									
сом		dihydroxy-5,6-									
		dimethylheptan-2-yl]-5,6-									
	TBD	dihydroxy-7a,9a-									
		dimethylhexadecahydro-									
		3 <i>H</i> -benzo[<i>c</i>]indeno[5,4-									
		<i>e</i>]oxepin-3-one; 24-									
		epibrassinolide									

2. Carbendazim (ISO)

Classification and labelling in accordance with the CLP Regulation (Regulation (EC) 1272/2008)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, Notes	
					Hazard Class and	Hazard statement	Pictogram, Signal	Hazard statement	Suppl. Hazard	M-factors and ATE	
					Category Code(s)	Code(s)	Word Code(s)	Code(s)	statement Code(s)		
Current Annex	613-048-00-8	carbendazim (ISO); methyl	234-232-0	10605-21-7	Muta. 1B	H340	GHS08	H340			
VI entry		benzimidazol-2-			Repr. 1B	H360FD	GHS09	H360FD			
		ylcarbamate			Aquatic Acute 1	H400	Dgr	H410			
					Aquatic Chronic 1	H410					
Dossier	613-048-00-8	carbendazim (ISO); methyl	234-232-0	10605-21-7	Retain	Retain	Retain	Retain		Add	
submitters		benzimidazol-2-			Aquatic Acute 1	H400	GHS09	H410		M=10	
proposal		ylcarbamate			Aquatic Chronic 1	H410				M=10	
							Add	Add			
					Add	Add	GHS07	H317			
					Skin Sens. 1	H317					
RAC opinion	613-048-00-8	carbendazim (ISO); methyl	234-232-0	10605-21-7	Retain	Retain	Retain	Retain		Add	
		benzimidazol-2-			Aquatic Acute 1	H400	GHS09	H410		M=10	
		ylcarbamate			Aquatic Chronic 1	H410				M=10	
							Add	Add			
					Add	Add	GHS07	H317			
					Skin Sens. 1	H317					
Resulting	613-048-00-8	carbendazim (ISO); methyl	234-232-0	10605-21-7	Muta. 1B	H340	GHS07	H340		M=10	
Annex VI entry		benzimidazol-2-			Repr. 1B	H360FD	GHS08	H360FD		M=10	
if agreed by		ylcarbamate			Skin Sens. 1	H317	GHS09	H317			
COM					Aquatic Acute 1	H400	Dgr	H410			
İ					Aquatic Chronic 1	H410					

3. Cypermethrin (ISO)

Classification and labelling in accordance with the CLP Regulation (Regulation (EC) 1272/2008)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling	Specific Conc. Limits,	Notes		
					Hazard Class and	Hazard statement	Pictogram, Signal	Hazard statement	Suppl. Hazard	M-factors and ATE	
					Category Code(s)	Code(s)	Word Code(s)	Code(s)	statement Code(s)		
Current Annex		cypermethrin cis/trans +/-	257-842-9	52315-07-8	Acute Tox. 4*	H332	GHS07	H332			
VI entry		40/60; (<i>RS</i>)-α-cyano-3-			Acute Tox. 4*	H302	GHS09	H302			
		phenoxybenzyl			STOT SE 3	H335	Wng	H335			
	607-421-00-4	(1RS,3RS;1RS,3SR)-3-(2,2-			Aquatic Acute 1	H400		H410			
		dichlorovinyl)-2,2-			Aquatic Chronic 1	H410					
		dimethylcyclopropanecarbo xylate									
Dossier		cypermethrin (ISO); α-	257-842-9	52315-07-8	Retain	Retain	Retain	Retain		Add	
submitters		cyano-3-phenoxybenzyl 3-			Aquatic Acute 1	H332	GHS07	H332		M=100	
proposal		(2,2-dichlorovinyl)-2,2-			Aquatic Chronic 1	H302	GHS09	H302		M=1000	
		dimethylcyclopropanecarbo				H400	Wng	H410			
		xylate; cypermethrin			Add	H410					
		cis/trans +/- 40/60			STOT RE 2		Add	Add			
	607-421-00-4					Add	GHS08	H373 (nervous			
					Modify	H373 (nervous		system)			
					Acute Tox. 4	system)					
					Acute Tox. 4						
RAC opinion		cypermethrin (ISO); α-	257-842-9	52315-07-8	Retain	Retain	Retain	Retain		Add	
		cyano-3-phenoxybenzyl 3-			Aquatic Acute 1	H332	GHS07	H332		oral; ATE = 500	
		(2,2-dichlorovinyl)-2,2-			Aquatic Chronic 1	H302	GHS09	H302		mg/kg bw	
		dimethylcyclopropanecarbo				H400	Wng	H410		inhal; ATE = 3.3 mg/L	
		xylate; cypermethrin			Add	H410				(dusts & mists)	
	607-421-00-4	cis/trans +/- 40/60			STOT RE 2		Add	Add		M=100000	
						Add	GHS08	H373 (nervous		M=100000	
				· ·	Modify	H373 (nervous		system)			
					Acute Tox. 4	system)		, ,			
					Acute Tox. 4						
Resulting		cypermethrin (ISO); α-	257-842-9	52315-07-8	Acute Tox. 4	H332	GHS07	H332		oral; ATE = 500	
Annex VI entry		cyano-3-phenoxybenzyl 3-			Acute Tox. 4	H302	GHS08	H302		mg/kg bw	
if agreed by		(2,2-dichlorovinyl)-2,2-			STOT SE 3	H335	GHS09	H335		inhal; ATE = 3.3 mg/L	
COM	607-421-00-4	dimethylcyclopropanecarbo			STOT RE 2	H373 (nervous	Wng	H373 (nervous		(dusts & mists)	
		xylate; cypermethrin			Aquatic Acute 1	system)		system)		M=100000	
		cis/trans +/- 40/60			Aquatic Chronic 1	H400		H410		M=100000	
						H410					

4. Tetrafluoroethylene

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc.	Notes
					Hazard Class and	Hazard statement	Pictogram, Signal	Hazard statement	Suppl. Hazard	Limits, M-	
					Category Code(s)	Code(s)	Word Code(s)	Code(s)	statement	factors and	
									Code(s)	ATE	
Current Annex VI entry		No current Annex VI entry									
Dossier submitters proposal	TBD	tetrafluoroethylene	204-126-9	116-14-3	Carc. 1B	H350	GHS08	H350			
RAC opinion	TBD	tetrafluoroethylene	204-126-9	116-14-3	Carc. 1B	H350	GHS08 Dgr	H350			
Resulting Annex VI entry if agreed by COM	TBD	tetrafluoroethylene	204-126-9	116-14-3	Carc. 1B	H350	GHS08 Dgr	H350			

5. Thiamethoxam (ISO)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc. Limits,	Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	M-factors and ATE	
Current Annex VI entry	613-267-00-9	thiamethoxam (ISO); 3-(2- chloro-thiazol-5-ylmethyl)- 5-methyl[1,3,5]oxadiazinan- 4-ylidene- <i>N</i> -nitroamine	428-650-4	153719-23- 4	Acute Tox. 4* Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H410		M=10	
Dossier Jubmitters Proposal	613-267-00-9	thiamethoxam (ISO); 3-(2-chloro-thiazol-5-ylmethyl)-5-methyl[1,3,5]oxadiazinan-4-ylidene- <i>N</i> -nitroamine	428-650-4	153719-23- 4	Retain Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Add Flam. Sol. 1 Repr. 2	Retain H302 H400 H410 Add H228 H361	Retain GHS07 GHS09 Add GHS02 GHS08 Modify Dgr	Retain H302 H410 Add H228 H361		Add oral: ATE = 800 mg/kg bw Retain M=10 Add M=10	
RAC opinion	613-267-00-9	thiamethoxam (ISO); 3-(2-chloro-thiazol-5-ylmethyl)-5-methyl[1,3,5]oxadiazinan-4-ylidene- <i>N</i> -nitroamine	428-650-4	153719-23- 4	Retain Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Add Repr. 2	Retain H302 H400 H410 Add H361fd	Retain GHS07 GHS09 Wng Add GHS08	Retain H302 H410 Add H361fd		Add oral: ATE = 780 mg/kg bw Retain M=10 Add M=10	
Resulting Annex VI entry f agreed by COM	613-267-00-9	thiamethoxam (ISO); 3-(2-chloro-thiazol-5-ylmethyl)-5-methyl[1,3,5]oxadiazinan-4-ylidene- <i>N</i> -nitroamine	428-650-4	153719-23- 4	Repr. 2 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1	H361fd H302 H400 H410	GHS07 GHS08 GHS09 Wng	H361fd H302 H410		oral: ATE = 780 mg/kg bw M=10 M=10	

6. Silanamine

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc. Limits,	Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	M-factors and ATE	
Current Annex VI entry						No Current Annex VI E	ntry				
Dossier submitters proposal	TBD	silanamine, 1,1,1-trimethyl- N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface- treated silicon dioxide	272-697-1	68909-20-6	STOT RE 2	H373 (lungs, inhalation)	GHS08 Wng	H373 (lungs, inhalation)	EUH 066		
RAC opinion	TBD	silanamine, 1,1,1-trimethyl- N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface- treated silicon dioxide	272-697-1	68909-20-6	Acute Tox. 2 STOT RE 2	H330 H373 (lung, inhalation)	GHS06 GHS08 Dgr	H330 H373 (lung, inhalation)	EUH 066	Inhalation: ATE = 0.45 mg/L (dusts & mists)	
Resulting Annex VI entry if agreed by COM	TBD	silanamine, 1,1,1-trimethyl- N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface- treated silicon dioxide	272-697-1	68909-20-6	Acute Tox. 2 STOT RE 2	H330 H373 (lung, inhalation)	GHS06 GHS08 Dgr	H330 H373 (lung, inhalation)	EUH 066	Inhalation: ATE = 0.45 mg/L (dusts & mists)	

7. Trinexapac-ethyl (ISO)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc.	Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	Limits, M- factors and ATE	
Current Annex /I entry					N	o current Annex VI entry		l		-	
Dossier submitters proposal	TBD	trinexapac-ethyl (ISO); ethyl 4- [cyclopropyl(hydroxy)methy lene]-3,5- dioxocyclohexanecarboxyla te		95266-40-3	Skin Sens. 1B Aquatic Chronic 1	H317 H410	GHS07 GHS09 Wng	H317 H410		M=1	
RAC opinion	TBD	trinexapac-ethyl (ISO); ethyl 4- [cyclopropyl(hydroxy)methy lene]-3,5- dioxocyclohexanecarboxyla te		95266-40-3	STOT RE 2 Skin Sens. 1B Aquatic Chronic 1	H373 (GI tract) H317 H410	GHS08 GHS07 GHS09 Wng	H373 (GI tract) H317 H410		M=1	
Resulting Annex VI entry if agreed by COM	TBD	trinexapac-ethyl (ISO); ethyl 4- [cyclopropyl(hydroxy)methy lene]-3,5- dioxocyclohexanecarboxyla te		95266-40-3	STOT RE 2 Skin Sens. 1B Aquatic Chronic 1	H373 (GI tract) H317 H410	GHS08 GHS07 GHS09 Wng	H373 (GI tract) H317 H410		M=1	

8. 1,4-dimethylnaphthalene

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc.	Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	Limits, M- factors and ATE	
Current Annex /I entry				•	N	lo current Annex VI entry			, ,		'
Dossier Submitters Proposal		1,4- dimethylnaphthalene	209-335-9	571-58-4	Asp. Tox. 1 Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 2	H304 H319 H400 H411	Dgr GHS07 GHS08 GHS09	H304 H319 H410		M=1	
RAC opinion		1,4- dimethylnaphthalene	209-335-9	571-58-4	Asp. Tox. 1 Acute Tox. 4 Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 3	H304 H302 H319 H400 H412	Dgr GHS07 GHS08 GHS09	H304 H302 H319 H410		oral: ATE = 1300 mg/kg bw M=1	
Resulting Annex VI entry if agreed by COM		1,4- dimethylnaphthalene	209-335-9	571-58-4	Asp. Tox. 1 Acute Tox. 4 Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 3	H304 H302 H319 H400 H412	Dgr GHS07 GHS08 GHS09	H304 H302 H319 H410		oral: ATE = 1300 mg/kg bw M=1	

9. Imazamox (ISO)

	Index No	International Chemical	EC No	CAS No	Classification		Labelling			Specific Conc. Limits,	Notes
		Identification			Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	M-factors and ATEs	
Current Annex VI entry	613-208-00-7	imazamox (ISO); (RS)-2-(4- isopropyl-4-methyl-5-oxo-2- imidazolin-2-yl)-5- methoxymethylnicotinic acid	-	114311-32- 9	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			
Dossier submitters proposal	613-208-00-7	imazamox (ISO); (RS)-2-(4- isopropyl-4-methyl-5-oxo-2- imidazolin-2-yl)-5- methoxymethylnicotinic acid	-	114311-32- 9	Retain Aquatic Acute 1 Aquatic Chronic 1 Add Repr. 2	Retain H400 H410 Add H361d	Retain GHS09 Wng Add GHS08	Retain H410 Add H361d		Add M=10 M=10	
RAC opinion	613-208-00-7	imazamox (ISO); (RS)-2-(4- isopropyl-4-methyl-5-oxo-2- imidazolin-2-yl)-5- methoxymethylnicotinic acid	-	114311-32- 9	Retain Aquatic Acute 1 Aquatic Chronic 1 Add Repr. 2	Retain H400 H410 Add H361d	Retain GHS09 Wng Add GHS08	Retain H410 Add H361d		Add M=10 M=10	
Resulting entry in Annex VI if agreed by COM		imazamox (ISO); (RS)-2-(4- isopropyl-4-methyl-5-oxo-2- imidazolin-2-yl)-5- methoxymethylnicotinic acid		114311-32- 9	Repr. 2 Aquatic Acute 1 Aquatic Chronic 1	H361d H400 H410	GHS08 GHS09 Wng	H361d H410		M=10 M=10	

10. 3-methylpyrazole

	Index	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc.	Notes
	No				Hazard Class and	Hazard statement		Hazard statement	Suppl. Hazard	Limits, M-	
					Category Code(s)	Code(s)	Word Code(s)	Code(s)	statement	factors and	
									Code(s)	ATE	
Current Annex					N	o current Annex VI entry					
VI entry					IN I	o current Annex vi entry					
Dossier		3-methylpyrazole	215-925-7	1453-58-3	Repr. 1B	H360D	GHS08	H360D		oral: ATE = 500	
submitters					Acute Tox. 4	H302	GHS07	H302		mg/kg bw	
proposal	TBD				STOT RE 1	H372 (lung)	GHS05	H373 (lung)			
					Skin Corr. 1	H314	Dgr	H314			
					Eye Dam. 1	H318					
RAC opinion		3-methylpyrazole	215-925-7	1453-58-3	Repr. 1B	H360D	GHS08	H360D		oral: ATE = 500	
					Acute Tox. 4	H302	GHS07	H302		mg/kg bw	
	TBD				STOT RE 2	H373 (lung)	GHS05	H373 (lung)			
	100				Skin Corr. 1	H314	Dgr	H314			
					Eye Dam. 1	H318					
Resulting		3-methylpyrazole	215-925-7	1453-58-3	Repr. 1B	H360D	GHS08	H360D		oral: ATE = 500	
Annex VI entry					Acute Tox. 4	H302	GHS07	H302		mg/kg bw	
f agreed by	TBD				STOT RE 2	H373 (lung)	GHS05	H373 (lung)			
COM	טטו				Skin Corr. 1	H314	Dgr	H314			
					Eye Dam. 1	H318					

Table 2

1. Acetamiprid (ISO)

	Index No	Chemical name	EC No	CAS No	Classification		Labelling			Specific Conc. Limits,	Notes
					Hazard Class and Category Code(s)	Hazard statement Code(s)	Pictogram, Signal Word Code(s)	Hazard statement Code(s)	Suppl. Hazard statement Code(s)	M-factors and ATE	
Current Annex VI entry	608-032-00-2	acetamiprid (ISO); (<i>E</i>)-N ¹ - [(6-chloro-3- pyri-dyl)methyl]-N ² -cyano- N ¹ -methylacetamidine		135410-20- 7	Acute Tox. 4* Aquatic Chronic 3	H302 H412	GHS07 Wng	H302 H412			
Dossier submitters proposal	608-032-00-2	acetamiprid (ISO); (1 <i>E</i>)- <i>N</i> -[(6-chloropyridin-3-yl)methyl]- <i>N</i> '-cyano- <i>N</i> -methylethanimidamide; (<i>E</i>)- <i>N</i> ¹-[(6-chloro-3-pyridyl)methyl]- <i>N</i> ²-cyano- <i>N</i> ¹-methylacetamidine		135410-20- 7; 160430- 64-8	Add Carc. 2 Repr. 2 Aquatic Acute 1 Modify Acute Tox. 3 Aquatic Chronic 1	Add H351 H361d H400 Modify H301 H410	Add GHS06 GHS08 GHS09 Modify Dgr Remove GHS07	Add H351 H361d Modify H301 H410		Add M=10 M=100	
RAC opinion	608-032-00-2	acetamiprid (ISO); (1E)-N- [(6-chloropyridin-3- yl)methyl]-N'-cyano-N- methylethanimidamide; (E)- N¹-[(6-chloro-3- pyridyl)methyl]-N²-cyano- N¹-methylacetamidine		135410-20- 7; 160430- 64-8	Add Aquatic Acute 1 Modify Aquatic Chronic 1	Add H400 Modify H410	Add GHS09	Modify H410		Add M=10 M=10	
Resulting Annex VI entry if agreed by COM	608-032-00-2	acetamiprid (ISO); (1E)-N- [(6-chloropyridin-3- yl)methyl]-N'-cyano-N- methylethanimidamide; (E)- N¹-[(6-chloro-3- pyridyl)methyl]-N²-cyano- N¹-methylacetamidine		135410-20- 7; 160430- 64-8	TBD after HH agreed						

Part I. List of Attendees of the RAC-51 meeting

RAC Members	Moldov Raili
Aquilina Gabriele	Murray Brendan
Andreou Kostas	Neumann Michael
Barański Bogusław	Paris Pietro
Biró Anna	Pribu Mihaela
Bjørge Christine	Printemps Nathalie
Borg Daniel	Pronk Marja
Brovkina Julija	Rucki Marian
Carvalho João	Santonen Tiina
Chankova-Petrova Stephka	Schlüter Urs
Chiurtu Elena (co-opted member)	Schulte Agnes
Czerczak Sławomir	Séba Julie
de la Flor Tejero Ignacio	Sørensen Hammer Peter
Dobrev Ivan	Sogorb Miguel A.
Dunauskienė Lina	Spetseris Nikolaos
Geoffroy Laure	Stahlmann Ralf
Gruiz Katalin	Tobiassen Lea Stine
Hakkert Betty	Tsitsimpikou Christina
Hartwig Andrea (co-opted member)	Užomeckas Žilvinas
Heederik Dick (co-opted member)	Van der Haar Rudolf (co-opted member)
Husa Stine	Varnai Veda
Kadiķis Normunds	
Kapelari Sonja	Apologies, Members
Karadjova Irina	Agapiou Agapios
Leinonen Riitta	Branisteanu Radu (co-opted member)
Losert Annemarie	Dungey Stephen
Lund Bert-Ove	Mullooly Yvonne
Martínek Michal	Smith Andrew
Menard Srpčič Anja	Zeljezic Davor
Moeller Ruth	

Members' advisers	Regular stakeholder observers
Granato Giuseppe (Pietro Paris)	Barry Frank (ETUC)
Hoffmann Frauke (Agnes	Dairy Halik (LTOC)
Schulte)_formaldehyde	Bernard Alice (ClientEarth)
Hyytinen Eija-Riitta (Riitta Leinonen)	Van de Broeck Steven (Cefic)
Kuittinen Marko (Riitta Leinonen)	Janosi Amaya (Cefic)
Peczkowska Beata (Boguslaw Baranski)	Comini Andrea (EuCheMS)
Sebbio Claudia (Paris Pietro)	Romano Mozo Dolores (EEB)
Sonnenburg Anna (Ralf Stahlmann)_3-methylpyrazole	Rowe Rocky (ECPA)
	Verougstraete Violaine (Eurometaux)
Commission	
Sylvain Bintein (DG ENV)	Occasional stakeholders
Miriam Gutierrez-Medina (DG GROW)	Angiulli Francesca (A.I.S.E)_Restriction: microplastics
Zinta Podniece (DG EMPL)	Buijs Nathalie (MedTech Europe)_OEL: lead and diisocyanates; Restriction: cobalt salts, microplastics, siloxanes; AfA: all AfAs
	Drmac Dunja (Euratex)_Restriction: skin sensitisers in textile
Invited experts	Stevens Gil (EDANA)_Restriction: skin sensitisers in textile, microplastics
Rodriguez Wendy (replacing RAC member Julie Seba)	Tillieux Geoffroy (EuPC)_OEL: lead and diisocyanates
Susana Viegas (replacing RAC Member Joao Carvalho)	
	Stakeholder experts
<u>Dossier submitters</u>	Binks Steve (Eurometaux/European Association of the metals Industry)_OEL: lead
Mörk Anna-Karin (SE)_skin sensitisers in textile	Bonifay Sebastien (ECPA/ECPA microplastics users)_Restriction: microplastics
Steward Alexandra (SE)_skin	Busch Michaela (ECPA/Nisso)_CLH:
sensitisers in textile	acetamiprid) Goettel Manuela (ECPA/BASE) CLH:
	Goettel Manuela (ECPA/BASF)_CLH: imazamox
	Green Dannielle (EEB/School of Life
	Sciences, Anglia Ruskin
	University)_Restriction: microplastics Jackson Ffion (MedTech/Siemens
	Healthineers)_Restriction: microplastics
	Jacobi Sylvia (Cefic/Sector group Catalysts
	Europe)_Restriction: cobalt salts

Jenner Karen	REMOTE PARTICIPANTS
(AISE/Givaudan)_Restriction:	KENOTE I AKTIOT ANTO
microplastics	
Klasse Hans-Juergen (Cefic/AlzChem	
Trostberg GmbH)_CLH: calcium	
cyanamide	
Krueger Ines (EuPC/Covestro Deutschland AG)_OEL: diisocyanates	RAC Members
Leibold Edgar	
(Cefic/Formacare)_Restriction:	Carvalho Joao
formaldehyde	
Lloyd Sara (ECPA/Syngenta)_CLH:	
thiamethoxam, trinexapac-ethyl	Losert Annemarie
Mortier Nike	
(ClientEarth/OWS)_Restriction:	Mullooly Yvonne
microplastics	
Ott Wolfgang (EDANA/Kelheim	
fibres)_Restrcition: skin sensitisers in	Printemps Nathalie
textile, microplastics	
Pfois Pierfrancesco	
(Euratex/ETAD)_Restriction: skin	Schlueter Urs
sensitisers in textile	
Plotzke Kathy (Cefic/CES-Silicone	
Europe)_Restriction: siloxanes	Tobiassen Lea Stine
Serrano Ramon Blanca	
(Cefic/Cefic)_Restriction:	
microplastics	
Shenton Martyn James (Cefic/AGC	
Chemicals Europe Ltd)_CLH:	Members' advisers
tetrafluoroethylene	
Stein Juergen	
(ECPA/Arysta/UPL)_CLH:	Boel Els (Julie Seba)
cypermethrin	
Terlingen Leon	
(Eurometaux/Fertilizers	Catone Tiziana (Gabriele Aquilina)
Europe)_Restiction: microplastics	
Unterberger Elif (Cefic/BASF)_OEL:	Esposito Dania (Pietro Paris)
diisocyanates	Loposito Burna (Frotto Fario)
Viegas Vanessa (Eurometaux/Cobalt	
Institute and Cobalt REACH	Kinzl Max (Annemarie Losert)
Consortium Ltd)_Cobalt salts	
	Marinkovic Marino (Betty Hakkert)
	Vega Milagros (Joao Carvalho)
	Woutersen Marjolijn (Betty Hakkert)

SEAC rapporteurs	Kusendila Christophe
Bergs Ivars (cobalt salts)	Lekatos Stylianos
Fankhauser Simone (cobalt salts)	Rozwadowski Jacek
Thiele Karen (microplastics)	Tosetti Patrizia
<u>Dossier submitters</u>	ECHA staff in plenary
BE	Ajao Charmaine
Lefebvre Frederic (cypermethrin)	Berges Markus
FR	Blainey Mark
Dubois Celine (skin sensitisers)	Bowmer Tim, Chairman
Fiore Karine (skin sensitisers)	Broeckaert Fabrice
IE	Di Bastiano Augusto
Conway Louise (tetrafluoroethylene)	Dvorakova Dana
LT	Figuiere Romain
Paltanaviciene Audra (trinexapac- ethyl)	Gmeinder Michael
NL	Hellsten Kati
Van Herwijnen Rene (acetamiprid and 1,4-dimethylnaphthalene)	Henrichson Sanna
Groothuis Floris (acetamiprid and 1,4-dimethylnaphthalene)	Jones Stella
NO	Karjalainen Antti
Correll Myhre Ingunn (PFHxS)	Kivelä Kalle
Fotland Tor Øystein (PFHxS)	Kokkola Leila
SE	Lapenna Silvia
Carlsson Feng Mattias (skin sensitisers)	Lefevre-Brevart Sandrine
Johansson Olof (microplastics)	Logtmeijer Christiaan
	Ludborzs Arnis
Commission	Marques-Camacho Mercedes
Baricic Peter	Mazzega Sbovata Silvia
Bertato Valentina	Montiel Pablo
Blass Rico Ana Maria	Mushtaq Fesil
Hualde-Grasa Eva Patricia	Myöhänen Kirsi
Jezso Veronika	Nicot Thierry

Nogueiro Eugénia
Nygren Jonas
Orispää Katja
O'Rourke Regina
Ottati Maria
Peltola Jukka
Peltola-Thies Johanna
Pennese Daniele
Perazzolo Chiara
Prevedouros Konstantinos
Regil Pablo
Reuter Ulrike
Roggeman Maarten
Sadam Diana
Simoes Ricardo
Simpson Peter
Smilovici Simona
Sosnowski Piotr
Stockmann-Juvala Helene
Tanarro Celia
Uphill Simon
Uphoff Andreas
Vaananen Virpi
Vainio Matti
Van Haelst Anniek

Part II. LIST OF ANNEXES

ANNEX I	Final Agenda of the RAC-51 meeting
ANNEX II	List of documents submitted to the Members of the Committee for Risk Assessment for the RAC-51 meeting
ANNEX III	Declarations of conflicts of interest to the Agenda of the RAC-51 meeting
ANNEX IV	Administrative issues and information items



Annex I (RAC-51)

Final Agenda 51st meeting of the Committee for Risk Assessment

25-28 November 2019 and 3 December – 5 December 2019

ECHA Conference Centre (Annankatu 18, Helsinki)

Monday 25 November starts at 14.00 Thursday 28 November breaks at 13.00 Tuesday 3 December resumes at 09.00 Thursday 5 December ends at 13.00

Item 1	- Welcome and Apologies	

Item 2 - Adoption of the Agenda

RAC/A/51/2019 For adoption

Item 3 - Declarations of conflicts of interest to the Agenda

Item 4 - Appointment of (co-)rapporteurs

a) Appointment of (co-)rapporteurs for CLH dossiers, restriction dossiers, authorisation applications, evaluation of occupational exposure limits

For agreement

Item 5 - Report from other ECHA bodies and activities

 Report on RAC 50 action points, written procedures and update on other ECHA bodies

> RAC/51/2019/01 Room document For information

b) RAC workplan for all processes

For information

c) Revised rules of procedure

RAC/51/2019/02 For agreement

Item 6 -Health based exposure limits at the workplace

- a) Discussion on key issues
 - 1) Lead and its compounds
 - 2) Diisocyanates

For discussion

Item 7 - Harmonised classification and labelling (CLH)

7.1 General CLH issues

- a) Corrigendum to the adopted opinion on L-(+)- lactic acid
- b) Physical hazards

For information/discussion

7.2 CLH dossiers

A. Hazard classes for agreement without plenary debate (fast-track)

- 24-epibrassinolide: physical hazards (explosives, flammable solids, pyrophoric solids, self-heating substances, oxidising solids), human health hazards
- carbendazim (ISO): physical hazards (explosives, flammable solids, self-reactive substances, pyrophoric solids, self-heating substances, substances which in contact with water emit flammable gases, oxidising solids), skin sensitisation, hazards to the aquatic environment
- silanamine: physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising solid, substance or mixture corrosive to metals), acute toxicity (dermal and inhalation routes of exposure), skin corrosion / irritation, serious eye damage / eye irritation, skin sensitisation, hazards to the aquatic environment
- trinexapac-ethyl (ISO): physical hazards (explosive, flammable solid, self-reactive substance or mixture, pyrophoric solid, self-heating substance or mixture, substance or mixture which in contact with water emits flammable gas, oxidising liquid, oxidising solid), acute toxicity, STOT SE, skin corrosion/irritation, serious eye damage/irritation, germ cell mutagenicity, carcinogenicity

- 1,4-dimethylnaphthalene: physical hazards (explosive, flammable gas, flammable liquid, self-reactive substance or mixture, pyrophoric liquid, substance or mixture which in contact with water emits flammable gas, oxidising liquid), acute toxicity (dermal and inhalation routes of exposure), skin corrosion/irritation, serious eye damage/eye irritation, respiratory sensitisation, skin sensitisation, germ cell mutagenicity, STOT SE, STOT RE, hazards to the aquatic environment
- imazamox (ISO): hazards to the aquatic environment
- 3-methylpyrazole: acute oral toxicity, skin corrosion / irritation, serious eye damage / eye irritation

B. Hazard classes for agreement with plenary debate

- 1) 24-epibrassinolide
- 2) acetamiprid (ISO)
- 3) cypermethrin (ISO)
- 4) tetrafluoroethylene
- 5) thiamethoxam (ISO)
- 6) silanamine
- 7) trinexapac-ethyl (ISO) (human health hazards only)
- 8) 1,4-dimethylnaphthalene
- 9) imazamox (ISO)
- 10) 3-methylpyrazole

For discussion and adoption

Item 8 - Restrictions

8.1 General restriction issues

a) Report from the Restrictions Efficiency Task Force

For information

8.2 Restriction Annex XV dossiers

- a) Opinion development
 - 1) Calcium cyanamide in fertilisers first draft opinion
 - 2) Skin sensitisers in textile second draft opinion
 - 3) Perfluorohexane-1-sulphhonic acid, its salts and related substances Update from public consultation comments
 - 4) Microplastics fourth draft opinion
 - 5) Formaldehyde and formaldehyde releasers third draft opinion

For discussion

- 6) Cobalt salts final draft opinion
- 7) Siloxanes (D4, D5, and D6) final draft opinion

For discussion and adoption

Item 9 - Authorisation

9.1 General authorisation issues

- a) Update on incoming/future applications
- b) Report from RAC WG on AfAs received during October 2019

For information/discussion

9.2 Authorisation applications

- a) Discussion on key issues
 - 1) 17 applications for authorisation from August 2019 submission window (OPE/NPE)

For discussion

- b) Agreement on draft opinions
- A. Hazard classes for agreement without plenary debate (fast-track)
 - 1) SC_Ariston (1 use)
 - 2) SD_Bussi (1 use)
- B. Hazard classes for agreement with plenary debate
 - 1) OPE_Sebia (3 uses)
 - 2) NPE_Sebia (1 use)
 - 3) OPE_bioMerieux (3 uses)
 - 4) OPE_Stago (2 uses)
 - 5) OPE_BioMarin (2 uses)
 - 6) OPE_Janssen (1 use)

For discussion and agreement

Item 10 - AOB

Item 11 – Action points and main conclusions of RAC-51

Table with Conclusions and Action points from RAC-51

For adoption

PROVISIONAL TIMELINE FOR THE DISCUSSIONS AT RAC-51 - WEEK 1

Please note that this timeline is provisional. Changes can be made before and during the meeting in order to accommodate the discussions.

Monday 25 November: Afternoon session

	Honday 25 November Arternoon Session
Item 1	 Welcome and Apologies
Item 2	– Adoption of the Agenda
Item 3	 Declarations of conflicts of interest to the Agenda
Item 5	- RAC Work Plan for Restriction, Authorisation and C&L processes
Item 5	- Revised Rules of Procedure
Item 6	- Occupational exposure limits
Item 8	- Restrictions

Tuesday 26 November: Morning session

Item 8 - Restrictions

Tuesday 26 November: Afternoon session

Item 8 - Restrictions

Wednesday 27 November: Morning session

Item 8 - Restrictions

Wednesday 27 November: Afternoon session

Item 8 - Restrictions

Item 9 - Authorisation applications

Thursday 28 November: Morning session

Item 9 - Authorisation applications

PROVISIONAL TIMELINE FOR THE DISCUSSIONS AT RAC-51 - WEEK 2

Please note that this timeline is provisional. Changes can be made before and during the meeting in order to accommodate the discussions.

Tuesday 3 December: Morning session

Item 1 - Welcome and Apologies

Item 3 - Declarations of conflicts of interest to the Agenda

Item 7 - CLH dossiers

Tuesday 3 December: Afternoon session

Item 7 - CLH dossiers

Wednesday 4 December: Morning session

Item 7 - CLH dossiers

Wednesday 4 December: Afternoon session

Item 7 - CLH dossiers

Thursday 5 December: Morning session

Item 4 - Appointment of rapporteurs

Item 7 - CLH dossiers

Item 10 - AOB



Annex II (RAC 51)

Documents submitted to the Members of the Committee for Risk Assessment for the RAC 51 meeting.

Document number	Title
RAC/A/51/2019	Final Draft Agenda
RAC/51/2019/01	Administrative issues and information items
Room document	
RAC/51/2019/02	Revised rules of procedure
RAC/51/2019/03	Amendment to the RAC opinion on L-(+)-lactic acid in relation to the generic
Room document	concentration limits (GCL) for skin corrosion/irritation and serious eye damage/eye irritation
RAC/51/2019/04	CLH/Physical hazard note
Room document	



Annex III (RAC-51)

The following participants, including those for whom the Chairman declared the interest on their behalf, declared potential conflicts of interest with the Agenda items (according to Art 9 (2) of RAC RoPs)

AP/Dossier / DS	RAC Member	Reason for potential CoI / Working for	
ALREADY DECLARED AT	PREVIOUS RAC PLE	NARY MEETING(S)	
Applications for Authoris	sation		
All chromates Urs SCHLUTER		Institutional & personal involvement; asked to refrain from voting in the event of a vote on this group of substances - other mitigation measures may be applied by the Chairman.	
Harmonised classification	on & labelling		
Trinexapac-ethyl (ISO)	Lina DUNAUSKIENE	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.	
LT	Zilvinas UZOMECKAS	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.	

Dossier / DS	RAC Member	Reason for potential CoI / Working for		
NEW DOSSIERS				
Restrictions				
Calcium cyanamide	Ruth MOELLER	Worked as consultant on human health risk assessment of cyanamide – personal involvement		
Perfluorohexane-1- sulphhonic acid, its salts and related substances	Christine BJORGE	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.		
	Stine HUSA	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.		
Skin sensitisers in textile	Daniel BORG	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.		
	Bert-Ove LUND	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. Partial personal involvement.		
	Nathalie PRINTEMPS	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.		
Harmonised classification	Harmonised classification & labelling			
carbendazim (ISO)	Agnes SCHULTE	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.		

Dossier / DS	RAC Member	Reason for potential CoI / Working for
	Urs SCHLUTER	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
	Michael NEUMANN	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
1) acetamiprid (ISO) 2) 1,4-	Betty HAKKERT	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
dimethylnaphthalene NL	Marja PRONK	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
1) thiamethoxam (ISO) 2) imazamox (ISO) 3) silanamine	Nathalie PRINTEMPS	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
FR	Tiina Santonen	Personal involvement in amorphous silicon dioxide compounds during her previous work (before joining RAC).
1) 3-methylpyrazole 2) cypermethrin (ISO) BE	Julie SEBA + Wendy Rodriguez (adviser)	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.
1) 24-epibrassinolide	Annemarie LOSERT	Working for the CA submitting the dossier; asked to refrain from voting in the event of a vote on this substance - no other mitigation measures applied. No personal involvement.

Annex IV (RAC-51)

ADMINISTRATIVE ISSUES AND INFORMATION ITEMS

1 Status report on the RAC-50 Action Points

The RAC-50 action points due for RAC-51 are completed.

2 Outcome of written procedures & other consultations

2.1 Written procedures for adoption of RAC opinions / minutes of the meeting

Opinions / minutes adopted via written procedure	Deadline	Report on the outcome
Written procedure for adoption of the minutes of RAC-50	13 November 2019	closed

2.2 RAC consultations (status by 19 November 2019)

Subject / document	Deadline	Status / follow-up
Harmonised classification and labelling		
24-Epibrassinolide	5 November 2019	closed
acetamiprid (ISO) – ENV only	5 November 2019	closed
carbendazim (ISO)	28 October 2019	closed
cypermethrin (ISO)	5 November 2019	closed
tetrafluoroethylene	5 November 2019	closed
thiamethoxam (ISO)	5 November 2019	closed
silanamine	5 November 2019	closed
trinexapac-ethyl (ISO)	14 November 2019	closed
1,4-dimethylnaphthalene	5 November 2019	closed
imazamox (ISO)	31 October 2019	closed
3-methylpyrazole	5 November 2019	closed
Application for Authorisation / Review Report		
146_CT_TataSteel 147_CTPht_AO_Bilbaina 148_CTPht_DEZA 149_CTPht_Nalon 150_CTPht_AO_Koppers 151_CTPht_AO_Rutgers 152_CTPht_AO_RainCarbon 153_CTPht_Bilbaina 155_OPE_Siemens_2 157_OPE_Kedrion 158_OPE_Sanofi 159_OPE_Merck 161_OPE_Swords 166_OPE_Ompi	2 October 2019	closed

Subject / document	Deadline	Status / follow-up
167_OPE_Roche 168_OPE_Vetter 169_OPE_Nordisk 171_OPE_Wallac 173_OPE_Sobi 174_OPE_Eli_Lilly 175_OPE_Rousselot 176_OPE_Abbott_1 177_OPE_Abbott_2 178_OPE_Janssen 179_OPE_Octapharma 181_OPE_NPE_Roche 183_NPE_GEHC_Bio-Sciences Consultations on applications for authorisation		
154_OPE_Siemens_1, 156_OPE_Hospira, 160_OPE_Merck_2, 162_OPE_LFB, 163_OPE_Rentschler, 164_OPE_Baxter, 165_OPE_bioMerieux_2, 170_OPE_Diasorin, 172_OPE_DIAGAST, 180_OPE_NPE_Bio-Rad, 182_NPE_Abbott, 184_OPE_Lilly, 185_OPE_NPE_Idexx, 186_OPE_NPE_Beckman, 187_OPE_AGC, 188_OPE_Wallac_2, 189_OPE_Lonza, 190_OPE_TEVA, 191_NPE_Sekisui Consultations on applications for authorisation Restrictions	8 January 2020	ongoing
Consultations on the third draft opinion on formaldehyde and formaldehyde releasers, and on the fourth draft opinion on Microplastics	12 December 13 December 2019	ongoing
Consultations on the second versions of the draft opinions on PFHxS and on skin sensitisers, on the third version of the draft opinion on D4/D5/D6, and on the sixth version of the draft opinion on Cobalt salts	22 November 2019 20 November 2019 18 November 2019 20 November 2019	closed
Art. 77. 3. c request		
no consultations		
Health based exposure limits at the workplace		
Consultations on the two scientific reports for evaluation of limit values for diisocyanates and 'lead and its compounds.	28 October – 2 December	ongoing

2.3 Calls for expression of interest

Calls for expression of interest			Date	Outcome	
Harmonised classification and labell	ing				
Call for expression of interest in C dossiers	CLH 11 – 18 November 2019		one volunteer		
Application for Authorisation	Application for Authorisation				
Call for expression of interest in rapporteurship on applications for authorisation on SVHCs in 12 Itest entries in Annex XIV of the REACH Regulation. Full list of the latest entries is published in Annex of the Commission Regulation (EU) 2017/999 ¹ .					
Restriction Call for expression of interest for (co-)rapporteurs on restriction proposal PFHxA	15 October – 31 October 2019	No volunteers			

2.4 Written procedures for the appointment of (co-)rapporteurs

Appointment of (Co-Subs	tance	Deadline	Outcome	
Harmonised classification and labelling				
Written procedure for the appointment of (co-)rapporteurs	bisphenol A; 4,4'- isopropylidenediphenol 201-245-8, CAS 80-05-7) (EC	31 October 2019	closed No comments were received from RAC members on the recommendation of the Chairman; the RAC (co-)Rapporteurs were appointed with tacit agreement.	
Restrictions – no written procedures				
Applications for Authorisation— no written procedures				

2.5 Follow-up on the opinions on applications for authorisation adopted by RAC and SEAC44

Opinion(s)	Sent on		
Opinions sent to the European Commission, the Member States and applicants			
CT_Thyssen (2 opinions)	5 September 2019		
CT_Aloys (1 opinion) CT_Keuco (2 opinions) CT_Schell (1 opinion) CT_Ideal (2 opinions)	19 September 2019		
OPE_Ortho (2 opinions)	23 October 2019		

 $^{^1}$ Commission Regulation (EU) 2017/999 of 13 June 2017 amending Annex XIV to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)