

Summary of product characteristics for a biocidal product family

Family name: Airedale PAA product family

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0028970-0000

R4BP 3 asset reference number: EU-0028970-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - Peracetic Acid 2%	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	3
4. Authorised use(s) of the meta SPC	5
5. General directions for use of the meta SPC	14
6. Other information	16
7. Third information level: individual products in the meta SPC	16
1. Meta SPC administrative information - Peracetic Acid 5%	18
2. Meta SPC composition	18
3. Hazard and precautionary statements of the meta SPC	19
4. Authorised use(s) of the meta SPC	20
5. General directions for use of the meta SPC	33
6. Other information	35
7. Third information level: individual products in the meta SPC	35
1. Meta SPC administrative information - Peracetic Acid 15%	38
2. Meta SPC composition	38
3. Hazard and precautionary statements of the meta SPC	39
4. Authorised use(s) of the meta SPC	40
5. General directions for use of the meta SPC	53
6. Other information	55
7. Third information level: individual products in the meta SPC	55

Part I.- First information level

1. Administrative information

1.1. Family name

Airedale PAA product family

1.2. Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Rigest Trading (Ireland) Limited
Address	Mullingar Heifer Beef, Nolagh N91W896 Ballinalack Ireland

Authorisation number

EU-0028970-0000

R4BP 3 asset reference number

EU-0028970-0000

Date of the authorisation

12/07/2023

Expiry date of the authorisation

30/06/2033

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer	Airedale Chemical Company Ltd
Address of the manufacturer	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom
Location of manufacturing sites	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom

1.5. Manufacturer(s) of the active substance(s)

Active substance	1340 - Peracetic acid
Name of the manufacturer	Airedale Chemical Company Ltd
Address of the manufacturer	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom
Location of manufacturing sites	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	1,74 - 15,9
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99 - 1,2
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	8,1 - 25,97
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	7,7 - 15,9

2.2. Type(s) of formulation

SL - Soluble concentrate

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Peracetic Acid 2%

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	1,74 - 2,36
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99 - 1,2
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	8,1 - 9,9
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	14,1 - 15,9

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

May intensify fire; oxidiser
May be corrosive to metals.
Causes severe skin burns and eye damage.
Harmful if swallowed.
Toxic to aquatic life with long lasting effects.
Corrosive to the respiratory tract.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep away from clothing and other combustible materials.
Keep only in original packaging.
Do not breathe vapours.
Do not breathe spray.
Wash exposed skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Wear protective gloves.
Wear protective clothing.
Wear eye protection.
Wear face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER.
Immediately call a doctor.
Wash contaminated clothing before reuse.
Collect spillage.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents to a licensed hazardous-waste collection point.
Dispose of container to a licensed hazardous-waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Cleaning in Place (CIP) including pharmaceutical and cosmetic industry

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: - Common name: Bacteria Development stage: - Scientific name: - Common name: Yeasts Development stage: - Scientific name: - Common name: Fungi Development stage: - Scientific name: - Common name: Viruses Development stage: -
Field(s) of use	Indoor General (including pharmaceutical and cosmetic industry) Disinfection of hard, non-porous surfaces by CIP procedures (with circulation of the product solution in the production system)
Application method(s)	Method: CIP - Manual or automated dosing Detailed description: The diluted product shall be transferred to equipment to be disinfected by manual dosing or automated dosing. Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. 1% product with 2% PAA, that is 10 ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 5% product with 2% PAA, that is 50 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 7,5% product with 2% PAA, that is 75 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of peracetic acid (PAA). Dilution (%): 2-7,5 % Number and timing of application: 1-2 applications per day
Category(ies) of users	

Pack sizes and packaging material

Industrial Professional
High-density polyethylene (HDPE) bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with polypropylene (PP) bung: 200 litres HDPE intermediate bulk container (IBC) with HDPE screw cap: 1000 litres

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2 Use description

Use 2 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) including in pharmaceutical and cosmetic industries

Product type	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>General (including pharmaceutical and cosmetic industry) Disinfection of hard and non-porous surfaces by spraying or pouring</p>
Application method(s)	<p>Method: Spraying or pouring (followed by wiping for a homogenous distribution) Detailed description:</p> <p>The diluted product must be placed in and sprayed with trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogeneous distribution).</p>
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 7,5% product with 2% PAA , that is

	75 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 7,5 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres

4.2.1 Use-specific instructions for use

See general directions for use

4.2.2 Use-specific risk mitigation measures

See general directions for use

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.3 Use description

Use 3 - Disinfection of inner surfaces (e.g. tanks, pipes, vessels, filling machines) by CIP in food and feed industry

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood). Disinfection of hard and non-porous surfaces by CIP procedures (with circulation).</p>
Application method(s)	<p>Method: Manual or automated dosing Detailed description:</p> <p>The diluted product shall be transferred to equipment to be disinfected by manual or automated dosing. For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory. For all industries, final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.</p>
Application rate(s) and frequencies	<p>Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. 1% product with 2% PAA, that is 10 ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 5% product with 2% PAA, that is 50 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 7,5% product with 2% PAA, that is 75 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 1-7,5 % Number and timing of application: 1-2 applications per day</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres
HDPE IBC with HDPE screw cap: 1000 litres

4.3.1 Use-specific instructions for use

See general directions for use

4.3.2 Use-specific risk mitigation measures

See general directions for use

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.4 Use description

Use 4 - Surface disinfection by spraying or by pouring (followed by wiping for a homogenous distribution) in food and feed industry

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood) Disinfection of hard and non-porous surfaces by spraying or pouring</p>
Application method(s)	<p>Method: Spraying or pouring (followed by wiping for a homogenous distribution) Detailed description:</p> <p>The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution). For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.</p>
Application rate(s) and frequencies	<p>Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 7,5% product with 2% PAA, that is 75 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 7,5 % Number and timing of application: 1-2 applications per day</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres</p>

4.4.1 Use-specific instructions for use

See general directions for use

4.4.2 Use-specific risk mitigation measures

See general directions for use

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 5.5 for meta-SPC 1 in this document

4.5 Use description

Use 5 - Disinfection by dipping in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood)
Disinfection of equipment (hard and non-porous surfaces) by dipping

Application method(s)

Method: Dipping
Detailed description:

The equipment to be disinfected shall be placed in a dipping bath.
For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (7,5% product with 2% PAA, that is 75 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.
Dilution (%): 7,5 %
Number and timing of application:
1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.5.1 Use-specific instructions for use

See general directions for use

4.5.2 Use-specific risk mitigation measures

See general directions for use

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Disinfection cycle (for surface disinfection ONLY):

- the surfaces to be disinfected must be cleaned before the disinfection procedure, and the user must thoroughly clean, rinse and drain the cleaning liquids from the surfaces to be disinfected;
- products must be diluted in potable water before use.

Dilution rate and contact time depends on the use considered. Please refer to the description of application method related to each use.

- Disinfection procedures by CIP:

- final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions

- Disinfection procedures by dipping:

- the solution shall not be re-used.

Use only once a day after production and replace it with a fresh solution daily.

- Disinfection procedures by spraying:

- wet the surface completely

(application rate > 20 ml/m² but maximum 100ml/m²) in order to keep the surface wet during the required contact time.

- do not use equipment until product is completely absorbed to the surface or air dried.

5.2. Risk mitigation measures

- Wear chemical goggles consistent with European Standard EN 16321 or equivalent, protective clothing chemically resistant to the biocidal product, and chemical resistant gloves classified under European Standard EN 374 or equivalent. Goggles, protective clothing and glove material (preferably butyl rubber) to be specified by the authorisation holder within the product information. This is without prejudice to the application of Council Directive 98/24/EC and other Union legislation in the area of health and safety at work. See section 6 for the full titles of the EN standards and legislation.

- Use with adequate ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. Atmospheric levels shall be maintained below the exposure guideline. For all wiping and spraying application, a ventilation rate of at least 10 air changes/hour is required in the rooms where the application takes place.

- When respiratory protection is required (that is when the concentration of PAA and/or hydrogen peroxide are above their respective Acute Exposure Concentration (AEC) inhalation (0,5 mg/m³ and 1,25 mg/m³ respectively), use an approved air-purifying or positive-pressure supplied-air respirator depending on the potential airborne concentration.

- Do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.

- Keep out of reach of children and non-target animals and pets.

- Re-entrance into treated area is only allowed once the levels of peracetic acid and hydrogen peroxide in the air are below the AEC inhalation (respectively 0,5 mg/m³ for PAA & 1,25 mg/m³ for hydrogen peroxide)

- No bystanders are allowed in treated area during the application phase.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

- IF ON SKIN: Immediately wash skin with plenty of water. Take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. After washing the skin: Call 112/ambulance for medical assistance.

- Information to healthcare personnel/doctor: Initiate life support measures, thereafter call a POISON CENTRE

- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

- Information to healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Immediately call 112/ambulance for medical assistance.

- Information to healthcare personnel/doctor: Immediately initiate life support measures, thereafter call a POISON CENTRE.

- If symptoms: Call 112/ambulance for medical assistance.

- If no symptoms: Call a POISON CENTRE or a doctor.

- Information to healthcare personnel/doctor: Initiate life support measures if needed, thereafter call a POISON CENTRE.

5.4. Instructions for safe disposal of the product and its packaging

- This biocidal product, when being disposed of in its unused and uncontaminated state, should be treated as a hazardous waste in accordance with Directive 2008/98/EC of the European Parliament and of the Council. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. Do not dump into any sewers, on the ground, or into any body of water. Avoid release to the environment. High-temperature incineration is an acceptable practice.

- Containers are non-refillable. Do not reuse or refill the containers. Containers should be triple or pressure rinsed with water promptly after they are emptied. They can then be offered for recycling or reconditioning for biocidal products, or they can be

punctured and disposed of in a sanitary landfill or by other procedures approved by national and local authorities. Send waste liquid from rinsing of used containers to an approved waste handling facility.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Store between 0°C and 30°C
- Store in dark conditions
- Keep in a well-ventilated place. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted.
- Do not store in and avoid contact with aluminium, carbon steel, copper, mild steel, iron.
- Avoid contact with amines, ammonia, strong acids, strong bases, strong oxidizers.
- Shelf-life: Meta-SPC 1 (2% PAA): 6 months

6. Other information

With respect to the "Category (ies) of users" note:

Professionals (including industrial users) means trained professionals if this is required by national legislation.

Full titles of EN standards and legislation referred to in section 5.2:

EN 16321– Eye and face protection for occupational users – Part 1: general requirements.

EN 374 – Protective gloves against dangerous chemicals and micro-organisms. Part 1: terminology and performance requirements for chemical risks.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, (OJ L 312, 22.11.2008, p. 3).

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) (OJ L 131, 5.5.1998, p. 11).

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Peracetic Acid 2% Foamy	Market area: EU
PAA Foam 2.4%	Market area: EU
Primuzon PE foam	Market area: EU
FC 4001	Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

iMClean Pxs	Market area: EU
Sterilfoam	Market area: EU
EU-0028970-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	2
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	9,105
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	14,421

Trade name(s)**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

Peracetic Acid 2%	Market area: EU
Talogen 2	Market area: EU
iMClean Px	Market area: EU
EU-0028970-0002 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	2
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	1,2
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	9,105
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	14,421

1. Meta SPC administrative information

1.1. Meta SPC identifier

Peracetic Acid 5%

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	4,5 - 5,5
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99 - 0,99

Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	21,62 - 24,38
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	7,7 - 9,4

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Heating may cause a fire.
 May be corrosive to metals.
 Harmful if swallowed.Harmful in contact with skin.Harmful if inhaled.
 Causes severe skin burns and eye damage.
 Very toxic to aquatic life with long lasting effects.
 Corrosive to the respiratory tract.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
 Keep only in original packaging.
 Do not breathe vapours.
 Do not breathe spray.
 Wash exposed skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Avoid release to the environment.
 Wear protective gloves.
 Wear protective clothing.
 Wear eye protection.
 Wear face protection.
 IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.
 IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water.
 IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with shower.
 IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER.

Immediately call a doctor.

Wash contaminated clothing before reuse.

Collect spillage.

Store in a well-ventilated place.Keep container tightly closed.

Store at temperatures not exceeding 30 °C/86 °F.

Dispose of contents to a licensed hazardous-waste collection point.

Dispose of container to a licensed hazardous-waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - CIP including in pharmaceutical and cosmetic industry

Product type	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>General (including pharmaceutical and cosmetic industry) Disinfection of hard and non-porous surfaces by CIP procedures (with circulation)</p>
Application method(s)	<p>Method: CIP - Manual or automated dosing Detailed description:</p> <p>The diluted product shall be transferred to equipment by manual dosing or automated dosing. Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.</p>

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts 0,02% PAA (e.g. 0,4% product with 5% PAA, that is 4 ml product/litre) • Active against bacteria, yeasts and fungi : 0,1% PAA (e.g. 2% product with 5% PAA, that is 20 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.
Dilution (%): 0,4-3 %
Number and timing of application:
1-2 applications per day

Category(ies) of users

Industrial
Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres
HDPE IBC with HDPE screw cap: 1000 litres

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2 Use description

Use 2 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) including in pharmaceutical and cosmetic industries

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

General (including pharmaceutical and cosmetic industry)
Disinfection of hard and non-porous surfaces by spraying or pouring

Application method(s)

Method: Spraying or pouring (followed by wiping for a homogenous distribution)
Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution).

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 3 %

Number and timing of application:

1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres
HDPE IBC with HDPE screw cap: 1000 litres

4.2.1 Use-specific instructions for use

See general directions for use

4.2.2 Use-specific risk mitigation measures

See general directions for use

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.3 Use description

Use 3 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) for veterinary hygiene

Product type

PT03 - Veterinary hygiene (Disinfectants)

Where relevant, an exact description of the authorised

-

use

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

WITH prior cleaning
By spraying: On hard and non-porous and porous surfaces
By pouring: ONLY on hard/non-porous surfaces

Application method(s)

Method: Spraying or pouring (followed by wiping for homogenous distribution)
Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for homogenous distribution).
Cleaning of the surface prior to disinfection is mandatory.
Do not use equipment and surfaces, or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.

Application rate(s) and frequencies

Application Rate: at +10°C for 5 minutes contact time • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. 4% product with 5% PAA, that is 40 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 4 %
Number and timing of application:

Disinfection of animal housing takes place once animals have been moved out and the building has been cleaned and cleared of objects not to be disinfected, maximum 1-2 times per day.

Category(ies) of users

Industrial

Professional

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

Pack sizes and packaging material

HDPE drum with PP bung: 200 litres
HDPE IBC with HDPE screw cap: 1000 litres

4.3.1 Use-specific instructions for use

See general directions for use

4.3.2 Use-specific risk mitigation measures

See general directions for use

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.4 Use description

Use 4 - Disinfection by dipping for veterinary hygiene

Product type

PT03 - Veterinary hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

Disinfection of equipment (hard and non-porous and porous surfaces by dipping), WITH prior cleaning

Application method(s)

Method: Dipping
Detailed description:

The equipment to be disinfected must be placed in a dipping bath.

Cleaning prior to use is mandatory.

Application rate(s) and frequencies

Application Rate: at +10°C for 5 min contact time • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. 4% product with 5% PAA, that is 40 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 4 %

Number and timing of application:
1-2 applications per day maximum

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.4.1 Use-specific instructions for use

See general directions for use

4.4.2 Use-specific risk mitigation measures

See general directions for use

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.5 Use description

Use 5 - Disinfection of inner surfaces (tanks, pipes, vessels, filling machines, ...) by CIP in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

	<p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood) Disinfection of hard and non-porous surfaces by CIP procedures (with circulation)</p>
Application method(s)	<p>Method: Manual or automated dosing Detailed description:</p> <p>The diluted product shall be transferred to equipment by manual dosing or automated dosing. For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory. For all industries, final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.</p>
Application rate(s) and frequencies	<p>Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. „4% product with 5% PAA, that is 4 mL/ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 2% product with 5% PAA, that is 20 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 0,4-3 % Number and timing of application: 1-2 applications per day</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres</p>

4.5.1 Use-specific instructions for use

See general directions for use

4.5.2 Use-specific risk mitigation measures

See general directions for use

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.6 Use description

Use 6 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use	Indoor In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood) Disinfection of hard and non-porous surfaces by spraying or pouring
Application method(s)	Method: Spraying or pouring (followed by wiping for a homogenous distribution) Detailed description: The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution). For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 3 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres

4.6.1 Use-specific instructions for use

See general directions for use

4.6.2 Use-specific risk mitigation measures

See general directions for use

4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.7 Use description

Use 7 - Disinfection by dipping in food and feed industry

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood) Disinfection of equipment (hard and non-porous surfaces) by dipping</p>
Application method(s)	<p>Method: Dipping Detailed description:</p>

	<p>The equipment to be disinfected shall be placed in a dipping bath.</p> <p>For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.</p>
Application rate(s) and frequencies	<p>Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 3 % Number and timing of application: 1-2 applications per day</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres</p>

4.7.1 Use-specific instructions for use

See general directions for use

4.7.2 Use-specific risk mitigation measures

See general directions for use

4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Disinfection cycle (for surface disinfection ONLY):

- the surfaces to be disinfected must be cleaned before the disinfection procedure, and the user must thoroughly clean, rinse and drain the cleaning liquids from the surfaces to be disinfected;
 - products must be diluted in potable water before use.
- Dilution rate and contact time depends on the use considered. Please refer to the description of application method related to each use.

• Disinfection procedures by CIP:

- final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions

• Disinfection procedures by dipping:

- the solution shall not be re-used.

Use only once a day after production and replace it with a fresh solution daily.

• Disinfection procedures by spraying:

- wet the surface completely

(application rate > 20 ml/m² but maximum 100ml/m²) in order to keep the surface wet during the required contact time.

- do not use equipment until product is completely absorbed to the surface or air dried.

For PT3 uses:

- do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.

- the products shall not be used for the disinfection of animal transport vehicles.

5.2. Risk mitigation measures

- Wear chemical goggles consistent with European Standard EN 16321 or equivalent, protective clothing chemically resistant to the biocidal product, and chemical resistant gloves classified under European Standard EN 374 or equivalent. Goggles, protective clothing and glove material (preferably butyl rubber) to be specified by the authorisation holder within the product information. This is without prejudice to the application of Council Directive 98/24/EC and other Union legislation in the area of health and safety at work. See section 6 for the full titles of the EN standards and legislation.

- Use with adequate ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. Atmospheric levels shall be maintained below the exposure guideline. For all wiping and spraying application, a ventilation rate of at least 10 air changes/hour is required in the rooms where the application takes place.

- When respiratory protection is required (that is when the concentration of PAA and/or hydrogen peroxide are above their respective Acute Exposure Concentration (AEC)inhalation (0,5 mg/m³ and 1,25 mg/m³ respectively), use an approved air-purifying or positive-

pressure supplied-air respirator depending on the potential airborne concentration.

- Do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.
- Keep out of reach of children and non-target animals and pets.
- Re-entrance into treated area is only allowed once the levels of peracetic acid and hydrogen peroxide in the air are below the AEC inhalation (respectively 0,5 mg/m³ for PAA & 1,25 mg/m³ for hydrogen peroxide)
- No bystanders are allowed in treated area during the application phase.
- Animals shall be removed before treatment takes place.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF ON SKIN: Immediately wash skin with plenty of water. Take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. After washing the skin: Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Initiate life support measures, thereafter call a POISON CENTRE
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Immediately call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Immediately initiate life support measures, thereafter call a POISON CENTRE.
- If symptoms: Call 112/ambulance for medical assistance.
- If no symptoms: Call a POISON CENTRE or a doctor.
- Information to healthcare personnel/doctor: Initiate life support measures if needed, thereafter call a POISON CENTRE.

5.4. Instructions for safe disposal of the product and its packaging

- This biocidal product, when being disposed of in its unused and uncontaminated state, should be treated as a hazardous waste in accordance with Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. Do not dump into any sewers, on the ground, or into any body of water. Avoid release to the environment. High-temperature incineration is an acceptable practice.

- Containers are non-refillable. Do not reuse or refill the containers. Containers should be triple or pressure rinsed with water promptly after they are emptied. They can then be offered for recycling or reconditioning for biocidal products, or they can be punctured and disposed of in a sanitary landfill or by other procedures approved by national and local authorities. Send waste liquid from rinsing of used containers to an approved waste handling facility.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Store between 0°C and 30°C
- Store in dark conditions
- Keep in a well-ventilated place. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted.
- Do not store in and avoid contact with aluminium, carbon steel, copper, mild steel, iron.
- Avoid contact with amines, ammonia, strong acids, strong bases, strong oxidizers.
- Shelf-life: Meta-SPC 2 (5% PAA): 6 months

--

6. Other information

With respect to the "Category (ies) of users" note:

Professionals (including industrial users) means trained professionals, if this is required by national legislation.

Full titles of EN standards and legislation referred to in section 5.2:

EN 16321– Eye and face protection for occupational users – Part 1: general requirements.

EN 374 – Protective gloves against dangerous chemicals and micro-organisms. Part 1: terminology and performance requirements for chemical risks.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, (OJ L 312, 22.11.2008, p. 3).

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) (OJ L 131, 5.5.1998, p. 11).

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Airocide PAAD	Market area: EU
DOSAR HPPA	Market area: EU
EXCEL-CLEANSE	Market area: EU
Perafoam 5%	Market area: EU
Tennacide 5 PAAD	Market area: EU
Abbey PeraD	Market area: EU
Peraguard Plus	Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Perapro	Market area: EU
EU-0028970-0003 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	5
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	23,513
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	8,453

Trade name(s)

Peracetic Acid 5%	Market area: EU
PERSAN S5	Market area: EU
Perasan	Market area: EU
Clusterflush	Market area: EU
Cleanline Clusterflush	Market area: EU
Pro-Dis CIP	Market area: EU
Acidic Sanitiser	Market area: EU

Virodax	Market area: EU
Perosan 5	Market area: EU
PERACLEANSE	Market area: EU
Oxysan 5	Market area: EU
Percid 5	Market area: EU
Peraguard	Market area: EU
QC 5% Peracetic Acid	Market area: EU
Crystal QUARTZ	Market area: EU
AGRI-PER 5%	Market area: EU
Biokill	Market area: EU
Talogen 5	Market area: EU
Tomahawk	Market area: EU
ASL-Multikill 5	Market area: EU
nu-Peracid 5	Market area: EU
Thunderbird	Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0028970-0004 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	5
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	23,513
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	8,453

1. Meta SPC administrative information

1.1. Meta SPC identifier

Peracetic Acid 15%

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	14,1 - 15,9
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99 - 0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	23 - 25,97
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	14,1 - 15,9

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Heating may cause a fire.
May be corrosive to metals.
Harmful if swallowed.
Toxic in contact with skin.
Toxic if inhaled.
Causes severe skin burns and eye damage.
Very toxic to aquatic life with long lasting effects.
Corrosive to the respiratory tract.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep only in original packaging.
Do not breathe vapours.
Do not breathe spray.
Wash exposed skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Wear protective gloves.
Wear protective clothing.

Wear eye protection.

Wear face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off immediately all contaminated clothing. And wash it before reuse.

Immediately call a doctor.

Immediately call a POISON CENTER.

Collect spillage.

Store in a well-ventilated place. Keep container tightly closed.

Store at temperatures not exceeding 30 °C/86 °F.

Dispose of contents to a licensed hazardous-waste collection point.

Dispose of container to a licensed hazardous-waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - CIP, including in pharmaceutical and cosmetic industry

Product type	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>

Field(s) of use	Indoor General (including pharmaceutical and cosmetic industry) Disinfection of hard and non-porous surfaces by CIP procedures (with circulation)
Application method(s)	Method: CIP - Manual or automated dosing Detailed description: The diluted product shall be transferred to equipment by manual dosing or automated dosing. Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. 0,135% product with 15% PAA, that is 1,35 ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 0,675 % product with 15% PAA, that is 6,75 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 1% product with 15% PAA, that is 10 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 0,135-1 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2 Use description

Use 2 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution), including in pharmaceutical and cosmetic industries

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

General (including pharmaceutical and cosmetic industry)
Disinfection of hard and non-porous surfaces by spraying or pouring

Application method(s)

Method: Spraying or pouring (followed by wiping for a homogenous distribution)
Detailed description:

	The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution).
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 1% product with 15% PAA, that is 10 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 1 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres

4.2.1 Use-specific instructions for use

See general directions for use

4.2.2 Use-specific risk mitigation measures

See general directions for use

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.3 Use description

Use 3 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) for veterinary hygiene

Product type	PT03 - Veterinary hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - Common name: Bacteria Development stage: -</p> <p>Scientific name: - Common name: Yeasts Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>Disinfection of hard and non-porous and porous surfaces by spraying or pouring WITH prior cleaning</p>
Application method(s)	<p>Method: Spraying or pouring (followed by wiping for homogenous distribution) Detailed description:</p> <p>The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for homogenous distribution).</p> <p>Cleaning prior to use is mandatory.</p>
Application rate(s) and frequencies	<p>Application Rate: at +10°C for 5 minutes contact time • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. approximately 1,33% product with 15% PAA, that is 13,3 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 1,33 % Number and timing of application: Disinfection of animal housing takes place once animals have been moved out and the building has been cleaned and cleared of objects not to be disinfected, maximum 1-2 times per day.</p>

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres

4.3.1 Use-specific instructions for use

See general directions for use

4.3.2 Use-specific risk mitigation measures

See general directions for use

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.4 Use description

Use 4 - Disinfection by dipping for veterinary hygiene

Product type	PT03 - Veterinary hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: - Common name: Bacteria Development stage: - Scientific name: - Common name: Yeasts Development stage: - Scientific name: - Common name: Viruses Development stage: -
Field(s) of use	Indoor Disinfection of equipment (hard and non-porous and porous surfaces) by dipping, WITH prior cleaning
Application method(s)	Method: Dipping Detailed description: The equipment to be disinfected must be placed in a dipping bath. Cleaning prior to use is mandatory.
Application rate(s) and frequencies	Application Rate: at +10°C in 5 minutes contact time: • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. approximately 1,33% product with 15% PAA, that is 13,3 mL product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 1,33 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres
HDPE IBC with HDPE screw cap: 1000 litres

4.4.1 Use-specific instructions for use

See general directions for use

4.4.2 Use-specific risk mitigation measures

See general directions for use

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.5 Use description

Use 5 - Disinfection of inner surfaces (e.g. tanks, pipes, vessels, filling machines) by CIP in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

-

use

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood).
Disinfection of hard and non-porous surfaces by CIP procedures (with circulation).

Application method(s)

Method: CIP - Manual or automated dosing
Detailed description:

The diluted product must be transferred to equipment by manual dosing or automated dosing.

For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.

For all industries, final rinsing (with potable water) is mandatory: after the disinfection procedure, treated surfaces are rinsed with water and the water is drained into the sewer system.

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. 0,135% product with 15% PAA, that is 1,35 ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 0,675 % product with 15% PAA, that is 6,75 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 1% product with 15% PAA, that is 10 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.
Dilution (%): 0,135-1 %
Number and timing of application:
1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres
HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.5.1 Use-specific instructions for use

See general directions for use

4.5.2 Use-specific risk mitigation measures

See general directions for use

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.6 Use description

Use 6 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts
Development stage: -

Scientific name: -
Common name: Fungi
Development stage: -

Scientific name: -
Common name: Viruses
Development stage: -

Field(s) of use

Indoor

In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood).
Disinfection of hard and non-porous surfaces by spraying or pouring.

Application method(s)

Method: Spraying or pouring (followed by wiping for a homogenous distribution)
Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution).

For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 1% product with 15% PAA, that is 10 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 1 %

Number and timing of application:

1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.6.1 Use-specific instructions for use

See general directions for use

4.6.2 Use-specific risk mitigation measures

See general directions for use

4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.7 Use description

Use 7 - Disinfection by dipping in food and feed industry

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: -
Common name: Bacteria
Development stage: -

Scientific name: -
Common name: Yeasts

	<p>Development stage: -</p> <p>Scientific name: - Common name: Fungi Development stage: -</p> <p>Scientific name: - Common name: Viruses Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood). Disinfection of equipment (hard and non-porous surfaces) by dipping.</p>
Application method(s)	<p>Method: Dipping Detailed description:</p> <p>The equipment to be disinfected must be placed in a dipping bath. For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.</p>
Application rate(s) and frequencies	<p>Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 1% product with 15% PAA, that is 10 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 1 % Number and timing of application: 1-2 applications per day</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres</p>

4.7.1 Use-specific instructions for use

See general directions for use

4.7.2 Use-specific risk mitigation measures

See general directions for use

4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Disinfection cycle (for surface disinfection ONLY):

- the surfaces to be disinfected must be cleaned before the disinfection procedure, and the user must thoroughly clean, rinse and drain the cleaning liquids from the surfaces to be disinfected;
- products must be diluted in potable water before use.

Dilution rate and contact time depends on the use considered. Please refer to the description of application method related to each use.

- Disinfection procedures by CIP:

- final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions

- Disinfection procedures by dipping:

- the solution shall not be re-used.

Use only once a day after production and replace it with a fresh solution daily.

- Disinfection procedures by spraying:

- wet the surface completely (application rate > 20 ml/m² but maximum 100ml/m²) in order to keep the surface wet during the required contact time.

- do not use equipment until product is completely absorbed to the surface or air dried.

For PT3 uses:

- do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.

- the products shall not be used for the disinfection of animal transport vehicles.

5.2. Risk mitigation measures

- Wear chemical goggles consistent with European Standard EN 16321 or equivalent, protective clothing chemically resistant to the biocidal product, and chemical resistant gloves classified under European Standard EN 374 or equivalent. Goggles, protective clothing and glove material (preferably butyl rubber) to be specified by the authorisation holder within the product information. This is without prejudice to the application of Council Directive 98/24/EC and other Union legislation in the area of health and safety at work. See section 6 for the full titles of the EN standards and legislation.
- Use with adequate ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. Atmospheric levels shall be maintained below the exposure guideline. For all wiping and spraying application, a ventilation rate of at least 10 air changes/hour is required in the rooms where the application takes place.
- When respiratory protection is required (that is when the concentration of PAA and/or hydrogen peroxide are above their respective Acute Exposure Concentration (AEC)inhalation (0,5 mg/m³ and 1,25 mg/m³ respectively), use an approved air-purifying or positive-pressure supplied-air respirator depending on the potential airborne concentration.
- Do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.
- Keep out of reach of children and non-target animals and pets.
- Re-entrance into treated area is only allowed once the levels of peracetic acid and hydrogen peroxide in the air are below the AEC inhalation (respectively 0,5 mg/m³ for PAA & 1,25 mg/m³ for hydrogen peroxide)
- No bystanders are allowed in treated area during the application phase.
- Animals shall be removed before treatment takes place.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF ON SKIN: Immediately wash skin with plenty of water. Take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. After washing the skin: Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Initiate life support measures, thereafter call a POISON CENTRE
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Immediately call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Immediately initiate life support measures, thereafter call a POISON CENTRE.
- If symptoms: Call 112/ambulance for medical assistance.
- If no symptoms: Call a POISON CENTRE or a doctor.
- Information to healthcare personnel/doctor: Initiate life support measures if needed, thereafter call a POISON CENTRE.

5.4. Instructions for safe disposal of the product and its packaging

- This biocidal product, when being disposed of in its unused and uncontaminated state, should be treated as a hazardous waste in accordance with Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. Do not dump into any sewers, on the ground, or into any body of water. Avoid release to the environment. High-temperature incineration is an acceptable practice.
- Containers are non-refillable. Do not reuse or refill the containers. Containers should be triple or pressure rinsed with water promptly after they are emptied. They can then be offered for recycling or reconditioning for biocidal products, or they can be punctured and disposed of in a sanitary landfill or by other procedures approved by national and local authorities. Send waste liquid from rinsing of used containers to an approved waste handling facility.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Store between 0°C and 30°C
- Store in dark conditions
- Keep in a well-ventilated place. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted.

- Do not store in and avoid contact with aluminium, carbon steel, copper, mild steel, iron.
- Avoid contact with amines, ammonia, strong acids, strong bases, strong oxidizers.
- Shelf-life: Meta-SPC 3 (15% PAA): 12 months

6. Other information

With respect to the "Category (ies) of users" note:

Professionals (including industrial users) means trained professionals, if this is required by national legislation.

Full titles of EN standards and legislation referred to in section 5.2:

EN 16321– Eye and face protection for occupational users – Part 1: general requirements.

EN 374 – Protective gloves against dangerous chemicals and micro-organisms. Part 1: terminology and performance requirements for chemical risks.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, (OJ L 312, 22.11.2008, p. 3).

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) (OJ L 131, 5.5.1998, p. 11).

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Peracetic Acid 15%	Market area: EU
PERSAN S15	Market area: EU
Kilco Peroxtif 15%	Market area: EU
Perosan 15	Market area: EU
Oxysan 15	Market area: EU
Percid 15	Market area: EU
AGRI-PER 15%	Market area: EU

Primuzon PE 15	Market area: EU
Talogen 15	Market area: EU
DSC Forte Des Oxy	Market area: EU
ASL-Multikill 15	Market area: EU
nu-Peracid 15	Market area: EU
DI 1011	Market area: EU
Sterilforte	Market area: EU
EU-0028970-0005 1-3	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	15
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	25,109
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	15,07