

# Summary of product characteristics for a biocidal product

**Product name:** Xyladecor gegen Holzwürmer "Neu"

**Product type(s):** PT08 - Wood preservatives (Preservatives)

**Authorisation number:** AT-0018114-0000

**R4BP 3 asset reference number:** AT-0018114-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

## Administrative information

### 1.1. Trade names of the product

Xyladecor gegen Holzwürmer "Neu"
Xyladecor gegen Holzwürmer "Neu"
Xyladecor Houtwormverdelger BP
Xyladecor Xylamon proti cervotocum
SUPRALUX XYLAMON SZÚÖLÖSZER
Sadolin Anticarii WK CP
Xylamon Matacarcomas Plus
Herbol gegen Holzwürmer Neu
Xyladecor gegen Holzwürmer "Neu"
Xyladecor Xylamon proti cervotocum

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Akzo Nobel Decorative Coatings B.V.
	Address	Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam Netherlands
<b>Authorisation number</b>	AT-0018114-0000	
<b>R4BP 3 asset reference number</b>	AT-0018114-0000	
<b>Date of the authorisation</b>	13/03/2018	
<b>Expiry date of the authorisation</b>	13/03/2028	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	Akzo Nobel Decorative Paints France SA
<b>Address of the manufacturer</b>	Z.I. "Les Bas Prés" C.S. 70113 60761 Montataire Cedex France
<b>Location of manufacturing sites</b>	Z.I. "Les Bas Prés" C.S. 70113 60761 Montataire Cedex France

<b>Name of the manufacturer</b>	Akzo Nobel Decorative Paints Sp.z.o.o.
<b>Address of the manufacturer</b>	ul. Wybrzeze Gdynskie 6d 01-531 Warszawa Poland
<b>Location of manufacturing sites</b>	ul. Przemyslowa 3 08-440 Pilawa Poland

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
<b>Name of the manufacturer</b>	Agriphar S.A.
<b>Address of the manufacturer</b>	Rue Renory 26/1 BE-4102 Ougrée Belgium
<b>Location of manufacturing sites</b>	Rue Renory 26/1 BE-4102 Ougrée Belgium

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,1
Naphtha (petroleum), hydrotreated heavy	Naphtha (petroleum), hydrotreated heavy		64742-48-9	265-150-3	94,15

## 2.2. Type of formulation

Liquid, solvent based, ready-to-use

## 3. Hazard and precautionary statements

### Hazard statements

May be fatal if swallowed and enters airways.  
Very toxic to aquatic life with long lasting effects.

### Precautionary statements

Keep out of reach of children.  
If medical advice is needed, have product container or label at hand.  
Do not get in eyes, on skin, or on clothing.  
IF SWALLOWED: Immediately call a doctor.  
Do NOT induce vomiting.  
Store locked up.  
Dispose of container to authorized local waste disposal collection point.  
Dispose of contents to authorized local waste disposal collection point.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Curative and preventive efficacy against insecticides for use class 1 including preventive efficacy against termites

#### Product type

PT08 - Wood preservatives (Preservatives)

#### Where relevant, an exact description of the authorised use

Xyladecor gegen Holzwürmer "Neu" is applied as wood preservative for the curative use against wood-destroying insects and as a preventive measure against wood-destroying insects including termites. The product is ready-to-use and it is intended for indoor use, e.g. furniture, doors. It can also be applied outdoors to woods protected from weathering and moisture under roofs. It contains 0.1% Cypermethrin as the active substance. Cypermethrin is applied as solvent-based formulation. It is used by brushing, dipping and hole injection by both professional users and amateurs. The application rate is 280 ml/m<sup>2</sup> for curative application and 120 - 140 ml/m<sup>2</sup> for preventive application.

#### Target organism(s) (including development stage)

Scientific name: *Hylotrupes bajulus* L.  
Common name: House longhorn beetle

	<p>Development stage: Larvae</p> <p>Scientific name: Anobium punctatum De Geer Common name: Common furniture beetle Development stage: Larvae</p> <p>Scientific name: Reticulitermes sp. Common name: Termites Development stage: Larvae</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Outdoor</p>
<b>Application method(s)</b>	<p>Open system - Brushing Short term dipping Hole injection</p>
<b>Application rate(s) and frequencies</b>	<p>120 - 140 ml/m<sup>2</sup> for preventive efficacy; 280 ml/m<sup>2</sup> for curative efficacy - 100 - One single application (2 to 3 layers up to recommended dose)</p>
<b>Category(ies) of users</b>	<p>Professional</p> <p>General public (non-professional)</p>
<b>Pack sizes and packaging material</b>	<p>Can /Tin - Metal: - 0,125L ; 0,25L ; 0,40L ; 0,50L ; 0,75L ; 1L ; 2,5L ; 5L</p>

#### 4.1.1 Use-specific instructions for use

Wood surfaces must be clean and dry before treating.  
The product is for use on timbers indoor and on timbers outdoor under roof and not exposed to weathering or moisture.  
The stain is ready-to-use. Do not thin. Stir or shake slightly before use. Reseal container after use. Processing temperature is 5 - 35°C.  
Cover working place with foil or paper. Completely remove old paint. Clean wood from dust and dirt. Do not inhale sanding dust. Protect plants.  
Cover all plastic surfaces, fabric cover, paintings etc. around the place of treatment. Use soft flat brush for brushing.  
Drying period after first application app. 5 hours, at least 24 hours after last application under good ventilation.  
Not to be used indoors on surfaces larger than 2 - 3m<sup>2</sup>.

#### 4.1.2 Use-specific risk mitigation measures

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Wear suitable protective clothing and gloves.  
Do not allow to enter drains or watercourses.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Not known if the product is used properly according to the product label.  
In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.  
After skin contact: Take off immediately all contaminated clothing/shoes and wash immediately with plenty of water and soap. Do not use solvents or thinners.  
After contact with eyes: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediately medical attention.  
If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention and show this container or label.  
After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.  
No action should be taken involving any personal risk or without suitable training.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non recyclable products via licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.  
This material and its container must be disposed of in a safe way. Do not empty into drains. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
European Waste Code (EWC): 03 02 02 organo-chlorinated wood preservatives.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in accordance with local regulations.  
Store the product in tightly closed original containers at temperatures about 5 - 30°C.  
The product is stable for 2 years at room temperature.

### 5. General directions for use

#### 5.1. Instructions for use

Wood surfaces must be clean and dry before treating.  
The product is for use on timbers indoor and on timbers outdoor under roof and not exposed to weathering or moisture.  
The stain is-ready-to-use. Do not thin. Stir or shake slightly before use. Reseal container after use. Processing temperature is 5 - 35°C.  
Cover working place with foil or paper. Completely remove old paint. Clean wood from dust and dirt. Do not inhale sanding dust. Protect plants.  
Cover all plastic surfaces, fabric cover, paintings etc. around the place of treatment. Use soft flat brush for brushing.  
Drying period after first application app. 5 hours, at least 24 hours after last application under good ventilation.  
Not to be used indoors on surfaces larger than 2 - 3 m<sup>2</sup>.

#### 5.2. Risk mitigation measures

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Wear suitable protective clothing and gloves.  
Do not allow to enter drains or watercourses.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Not known if the product is used properly according to the product label.  
In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.  
After skin contact: Take off immediately all contaminated clothing/shoes and wash immediately with plenty of water and soap. Do not use solvents or thinners.  
After contact with eyes: Check for and remove any contact lenses. immediately flush with running water for at least 15 minutes, keeping eyelids open. Seek medical attention.  
If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does enter the lungs. Get medical attention.  
After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.  
No action should be taken involving any personal risk or without suitable training.

### 5.4. Instructions for safe disposal of the product and its packaging

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non recyclable products via licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.  
This material and its container must be disposed of in a safe way. Do not empty into drains. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.  
European Waste Code (EWC): 03 02 02 organo-chlorinated wood preservatives.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in accordance with local regulations.  
Store the product in tightly closed original containers at temperatures about 5 - 30°C.  
The product is stable for 2 years at room temperature.

## 6. Other information

Use biocides safely. Always read label and product information before use.