## Summary of product characteristics for a biocidal product

**Product name:** AQUAPRIMER 2907-63 TS 14872 GREY

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** 417-21

R4BP 3 asset reference number: DK-0027288-0017

## **Table Of Contents**

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	9
5.1. Instructions for use	9
5.2. Risk mitigation measures	9
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	10
5.4. Instructions for safe disposal of the product and its packaging	10
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	10
6. Other information	10

#### **Administrative information**

#### 1.1. Trade names of the product

AQUAPRIMER 2907-63 TS 14872 GREY		

#### 1.2. Authorisation holder

Name and address of the authorisation holder

Name	Teknos A/S
Address	Industrivej 19 6580 Vamdrup Denmark
417-21 1-2	

**Authorisation number** 

R4BP 3	asset	refer	ence
number			

Date of the authorisation

Expiry date of the authorisation

DK-0027288-0017
20/10/2021
20/10/2031

## 1.3. Manufacturer(s) of the biocidal products

## 1.4. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)		
Name of the manufacturer	Troy Corporation		
Address of the manufacturer	8 Vreeland Road 07932 Florham Park, New Jersey United States		
Location of manufacturing sites	One Avenue L07105 Newark, New Jersey United States		
Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)		
Name of the manufacturer	Troy Chemical Europe BV		
Address of the manufacturer	Uiverlaan 12 E3145 XN Maassluis Netherlands		
Location of manufacturing sites	Industriepark 23 56593 Horhausen Germany		

## 2. Product composition and formulation

## 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,599794
BIT	1,2-benzisothiazolin-3- one	Non-active substance	2634-33-5	220-120-9	0,02953085
MIT	2-methyl-2h-isothiazol-3- one	Non-active substance	2682-20-4	220-239-6	0,0000068
Formaldehyde	Formaldehyde	Non-active substance	50-00-0	200-001-8	0
DPM	diproppylenglycol methyl ether	Non-active substance	34590-94-8	252-104-2	0,144
Butyldiglycol	2-(2- butoxyethoxy)ethanol	Non-active substance	112-34-5	203-961-6	1,998
Bytyl diglycol/butyloxitol	2-butoxyethanol	Non-active substance	111-76-2	203-905-0	0,36

## 2.2. Type of formulation

#### 3. Hazard and precautionary statements

#### **Hazard statements**

Harmful to aquatic life with long lasting effects.

Contains 3-iodo-2-propynyl-butyl-carbamate, 1,2-benzisothiazolin-3-one (BIT) and 2methyl-2h-isothiazol-3-one (MIT). May produce an allergic reaction.

#### **Precautionary statements**

Avoid release to the environment.

Dispose of contents to hazardous waste.

Dispose of container to hazardous waste.

#### 4. Authorised use(s)

#### 4.1 Use description

#### Use 1 - Use # 2.1 Industrial -Automated spraying

#### **Product type**

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised Wood preservative for preventive protection against wood discolouring fungi.

Target organism(s) (including development stage)

Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae

Scientific name: Sydowia Pithyophilia Common name: Blue stain fungi Development stage: Hyphae

#### Field(s) of use

Indoor

Use class 2 Use class 3

#### Application method(s)

Method: Automatic spraying

Detailed description:

Application method in which the material is finely atomised in various types of automatic application/spraying equipment.

The coating facilities will be equipped with automatic spray guns, rotation disks or rotation bells and the spraying process will typically take place in a closed chamber.

Application rate(s) and frequencies	Application Rate: 150 – 200 g/m² Dilution (%): 100 Number and timing of application: The total amount to be applied is 150 – 200 g/m². This is achieved by 1-2 applications.		
Category(ies) of users	Industrial		
Pack sizes and packaging material  20 ltr. metal can (inside coated tinplate) 120 ltr. HDPE drum (plastic) 1000 ltr. HDPE IPC (plastic)			
<b>4.1.1 Use-specific instruction</b> Please refer to section 5.1	ns for use		
4.1.2 Use-specific risk mitiga	tion measures		
within the product information).  A protective coverall (at least type 6, EN Freshly treated timber shall be stored after	er treatment under shelter or on impermeable hard standing, or both, to prevent direct sof the product shall be collected for reuse or disposal.		

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

se, the instructions for safe disposal of the product and its
se, the conditions of storage and shelf-life of the product torage
ofessionel - Manual spraying
PT08 - Wood preservatives (Preservatives)
Wood preservative for preventive protection against wood discolouring fungi
Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Spores and spore producing structures
Scientific name: Sydowia Pithyophilia Common name: Blue stain fungi Development stage: Spores and spore producing structures
Indoor
Use class 2 Use class 3
Method: Open system: spray treatment Detailed description: Application method in which the material is finely atomised in various types of application/spraying equipment, e.g. a spray gun.
Application Rate: 150 – 200 g/m² Dilution (%): 100 Number and timing of application: The total amount to be applied is 150 – 200 g/m². This is achieved by 1-2 applications.

## Category(ies) of users

Industrial						
Deale alinea and most of	20 ltr. matal.can (inside coated timplato)					
Pack sizes and packaging material	20 ltr. metal can (inside coated tinplate)					
inacoria:	120 litr. HDPE drum (plastic) 1000 ltr. HDPE IPC (plastic)					
4.2.1 Use-specific instruction	s for use					
Please refer to section 5.1						
ricase feler to section 3.1						
4.2.2 Use-specific risk mitiga	tion measures					
	s during product handling phase (glove material to be specified by the authorisation holder use gloves. Use new gloves at start of every work period or at least every 2 hours.					
specified by the authorisation holder with Use of respiratory protective equipment (	RPE) providing a protection factor of 10 is mandatory. At least a powered air purifying M1), or a half/full mask with combination filter gas/P2 is required (filter type (code letter, in holder within the product information).					
Freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct osses to soil, sewer or water. Any losses of the product shall be collected for reuse or disposal.						
Please refer to section 5.2 for additional (	general risk mitigations measures.					

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please refer to section 5.3		

## 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please refer to section 5.4			

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please refer to section 5.5			

#### 4.3 Use description

**Product type** 

use

#### Use 3 - Use # 2.3 Professional - Manual brush/roller/pad

Where relevant, an exact
description of the authorised

Wood preservative for preventive protection against wood discolouring fungi

Target organism(s) (including development stage)

Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae

PT08 - Wood preservatives (Preservatives)

Scientific name: Sydowia Pithyophilia Common name: Blue stain fungi Development stage: Hyphae

Field(s) of use

Outdoor

Use class 2 Use class 3

Application method(s)

Method: Manual brush/roller/pad

Detailed description:

Manual application with brush/roller or pad.

Application rate(s) and frequencies

Application Rate: 150 - 200 g/m<sup>2</sup>

Dilution (%): 100

Number and timing of application:

The total amount to be applied is  $150 - 200 \text{ g/m}^2$ . This is achieved by 1-2 applications.

Category(ies) of users	Trained professional
	Professional
Pack sizes and packaging material	10 ltr. metal can (inside coated tinplate) 20 ltr. metal can (inside coated tinplate)
l	
4.3.1 Use-specific instruction	s for use
Please refer to section 5.1	
4.3.2 Use-specific risk mitiga	tion measures
Cover the ground during application and o	collect any spillage.
Please refer to section 5.2 for additional of	general risk mitigation measures.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
Please refer to section 5.3	

# 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please refer to section 5.4	

# 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please refer to section 5.5			

#### 5. General directions for use

#### 5.1. Instructions for use

Aqueous opaque wood preservative designed for superficial application.

The product protects the wood surface and the treated area against wood discolouring fungi and satisfies the performance requirements in EN 599.1 for blue stain and for Use Class 2 and 3.1 when applied on wood that is minimum 'moderately to slightly durable to fungi' according to EN 350:2016: Durability Class DC3-4.

MetaSPC2: The total amount to be applied is  $150 - 200 \text{ g/m}^2$ . This is achieved by 1-2 applications. A top coat must be applied to treated timber. The topcoat must not be a wood preservative or be treated with a film preservative. The topcoat has to be maintained.

Since actual absorption achieved depends on the wood species, the timber and surface quality, it may in practice and should be checked by appropriate means.

Drying times, determined at 20 °C and 50 % relative humidity:

Dry to handle: 2-3 hours
Dry to sand / recoat: 3-4 hours

The drying time can be reduced using special drying systems to force drying. The drying times are approximate and may vary according to wood quality, temperatures, humidity and ventilation.

Cleaning: The equipment is cleaned with water.

#### 5.2. Risk mitigation measures

Keep children and pets away from treated wood during application and drying. On not use on wood which may come in direct contact with food feeding stuff and livestock animals.
The biocidal product shall not be used for treatment of wood which is intended for contact with food, feed or livestock.
3. Particulars of likely direct or indirect effects, first aid instructions and emergency leasures to protect the environment
F INHALED: If symptoms occur call a POISON CENTRE or a doctor F SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a
POISON CENTRE or a doctor.  F ON SKIN: Wash skin with soap and water. If symptoms occur call a POISON CENTRE or a doctor.
FIN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a loctor.
4. Instructions for safe disposal of the product and its packaging
4. Instructions for safe disposal of the product and its packaging  at the end of the treatment, dispose unused product and the packaging in accordance with local requirements.
at the end of the treatment, dispose unused product and the packaging in accordance with local requirements.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.
the end of the treatment, dispose unused product and the packaging in accordance with local requirements.  5. Conditions of storage and shelf-life of the product under normal conditions of storage store in cool, dry place in well closed containers, below 20°C. Protect from direct sunlight.  Shelf life: 9 months in original containers.