Summary of product characteristics for a biocidal product

Product name: Mida Agri 830 Post Red

Product type(s): PT03 - Veterinary hygiene (Disinfectants)

Authorisation number: BE2022-0001-00-00

R4BP 3 asset reference number: BE-0028600-0005

Table Of Contents

Administrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

Administrative information

1.1. Trade names of the product

Mida Agri 830 Post Red		

1.2. Authorisation holder

Name and address of the authorisation holder

Address Afrikalaan 182 9000 Gent Belgium	Name	Christeyns NV
	Address	Afrikalaan 182 9000 Gent Belgium

Authorisation number

BE2022-0001-00-00 1-5

R4BP 3 asset reference number

BE-0028600-0005

Date of the authorisation

27/05/2022

Expiry date of the authorisation

31/01/2032

1.3. Manufacturer(s) of the biocidal products

1.4. Manufacturer(s) of the active substance(s)

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Purac Biochem BV
Address of the manufacturer	Arkelsedijk 46 4206 AC Gorinchem Netherlands
Location of manufacturing sites	Arkelsedijk 46 4206 AC Gorinchem Netherlands

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	8
Isopropanol	Propan-2-ol	Non-active substance	67-63-0		1
2-butoxyethanol	2-butoxy-1-ethanol	Non-active substance	111-76-2		0
Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs	Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs	Non-active substance	85536-14-7	287-494-3	0
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Non-active substance	68891-38-3	500-234-8	0
1-heptanol, 2-propyl-, 7EO	1-heptanol, 2-propyl-, 7EO	Non-active substance	160875-66-1	605-233-7	0
Sulfuric acid, mono-C12- 14-alkyl esters, sodium salts	Sulfuric acid, mono-C12- 14-alkyl esters, sodium salts	Non-active substance	85586-07-8	287-809-4	0
Akypo LF1	Polyoxyethylene octyl ether carboxylic acid	Non-active substance	53563-70-5	611-013-1	3

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

Causes serious eye damage.

Precautionary statements

Wear eye protection.

Wear protective gloves.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/DOCTOR.

Dispose of contents to appropriate disposal.

Dispose of container to appropriate disposal.

4. Authorised use(s)

4.1 Use description

Use 1 - Use 2.1 - Disinfection of teats after milking

_				
Pr	od	uci	t t	/pe

PT03 - Veterinary hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: bacteria Common name: Bacteria Development stage: Adults

Scientific name: Yeast Common name: Yeasts Development stage: Adults

Field(s) of use

Indoor

Indoor - in dairy farms : disinfection of teat after milking, by dipping $% \left(1\right) =\left(1\right) \left(1\right) \left$

Application method(s)

Method: Dipping

Detailed description:

Dip all teats into a dipping cup until they are fully covered.

Apply the product to the whole teat and do not wipe it (3-10 ml per animal per milking event)

Allow to dry.

Application rate(s) and frequencies

Application Rate: 3-10 ml of product/cow/milking event

Dilution (%): /

Number and timing of application:

	Active against bacteria and yeasts With undiluted product In 5 min contact time at +30°C
	at +30 C
Category(ies) of users	Professional
Pack sizes and packaging material	10, 20, 25 L cans (HDPE) 200L vessels (HDPE) 1000 litre IBC with screw cap (top) and tap (bottom)
4.1.1 Use-specific instructio	ons for use
	y are fully covered. do not wipe it (3-10 ml per animal per milking event). Allow to dry for 5 minutes. a fridge), the product must "return" to RT before use
For hygienic reasons, the wear of glove	es and protective clothes is highly recommended
4.1.2 Use-specific risk mitig	ation measures
Do not release the solution to the manu	re/slurry pit, only release to the sewer system.
Wear protective goggles. Avoid contact with skin and eyes Ensure good ventilation of the work stat Do not eat, drink or smoke when using a Always wash hands after handling the p	this product.
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
I	
4.1.4 Where specific to the u	use, the instructions for safe disposal of the product and its

packaging

1		

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Do not store at temperatures above 30°C Protect from frost Shelf-life : 12 months

5. General directions for use

5.1. Instructions for use

- 1. All the surfaces to be disinfected must be cleaned before the disinfection procedure, with some exceptions. Then, the user should thoroughly clean, rinse and drain the cleaning liquids from the surfaces to be disinfected.
 - 2. Disinfection cycle:
 - If required, products must be diluted in potable water before use
 - · Dilution rate & contact time depends on the use considered.
 - Final rinsing (with potable water): please refer to the description of application method related to each use.

Open containers. Small containers are transferred manually into reservoirs or dilution vessels, while large containers are pumped into reservoirs via a pump.

For all uses, no waiting period is required after application of the biocidal product or between two applications of the product, or the next access by humans or animals to the area where the biocidal product has been used.

Cleaning of equipment can be done with water.

¥ :

5.2. Risk mitigation measures

Avoid contact with skin and eyes Keep out of reach of children and pets

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor. ON SKIN: Immediately wash with plenty of water. Take off all contaminated clothing and wash it before reuse. Wash with soap id water and continue rinsing for 15 minutes. Call a POISON CENTRE or a doctor.
IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for
least 15 minutes. Immediately call a Call 112/ambulance for medical assistance. SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting
all 112/ambulance for medical assistance. op leak without risks if possible.
o not contaminate ground and groundwater.
event entry to sewers and public waters.
I. Instructions for safe disposal of the product and its packaging
instructions for safe disposal of the product and its packaging
spose of in accordance with local regulations.
. Conditions of storage and shelf-life of the product under normal conditions of storage
. Conditions of storage and shelf-life of the product under normal conditions of storage
. Conditions of storage and shelf-life of the product under normal conditions of storage
o not store at temperatures above 30°C
o not store at temperatures above 30°C otect from frost
o not store at temperatures above 30°C otect from frost
o not store at temperatures above 30°C otect from frost
o not store at temperatures above 30°C otect from frost
o not store at temperatures above 30°C otect from frost nelf-life : 12 months
o not store at temperatures above 30°C otect from frost nelf-life : 12 months