

EN

ANNEX

**SUMMARY OF PRODUCT CHARACTERISTICS
FOR A BIOCIDAL PRODUCT FAMILY**

FAMILY WASP & FLY LURE

Product type(s)

PT19: Repellents and attractants

Authorisation number EU-0027083-0000

R4BP asset number EU-0027083-0000

Part I.
FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. Family name

| | |
|------|------------------------|
| Name | FAMILY WASP & FLY LURE |
|------|------------------------|

1.2. Product type(s)

| | |
|-----------------|----------------------------------|
| Product type(s) | PT19: Repellents and attractants |
|-----------------|----------------------------------|

1.3. Authorisation holder

| | | |
|--|---------|--|
| Name and address of the authorisation holder | Name | ARMOSA TECH SA |
| | Address | Rue des Tuiliers, 1 4480 Engis Belgium |
| Authorisation number | | EU-0027083-0000 |
| <i>R4BP asset number</i> | | EU-0027083-0000 |
| Date of the authorisation | | 21/04/2022 |
| Expiry date of the authorisation | | 30/04/2032 |

1.4. Manufacturer(s) of the product

| | |
|---------------------------------|---|
| Name of manufacturer | ARMOSA SA |
| Address of manufacturer | Rue des Tuiliers, 1 4480 Engis Belgium |
| Location of manufacturing sites | ARMOSA SA site 1 Rue des Tuiliers, 1 4480 Engis Belgium |

1.5. Manufacturer(s) of the active substance(s)

| | |
|---------------------------------|---|
| Active substance | D-Fructose |
| Name of manufacturer | Belgosuc nv |
| Address of manufacturer | Industriepark 20 8730 Beernem Belgium |
| Location of manufacturing sites | Belgosuc nv Industriepark 20 8730 Beernem Belgium |

| | |
|---------------------------------|---|
| Active substance | Acetic acid |
| Name of manufacturer | ARMOSA TECH |
| Address of manufacturer | Rues des Tuiliers 1 4480 Engis Belgium |
| Location of manufacturing sites | ARMOSA TECH site 1 Rues des Tuiliers 1 4480 Engis Belgium |

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|--------------------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 15,51 - 97,19 % (w/w) |
| Acetic acid | | active substance | | 200-580-7 | 0,27 - 2,8 % (w/ w) |

2.2. Type(s) of formulation

| | |
|---------------------|--|
| Formulation type(s) | AL Any other liquid SL Soluble concentrate SP Water soluble powder |
|---------------------|--|

Part II.
SECOND INFORMATION LEVEL - META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

| | |
|------------|----------------------|
| Identifier | Meta SPC: Meta spc 1 |
|------------|----------------------|

1.2. Suffix to the authorisation number

| | |
|--------|-----|
| Number | 1-1 |
|--------|-----|

1.3. Product type(s)

| | |
|-----------------|----------------------------------|
| Product type(s) | PT19: Repellents and attractants |
|-----------------|----------------------------------|

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|--------------------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 51,03 - 51,03 % (w/w) |
| Acetic acid | | active substance | | 200-580-7 | 0,9 - 0,9 % (w/w) |

2.2. Type(s) of formulation of the meta SPC 1

| | |
|---------------------|------------------------|
| Formulation type(s) | SL Soluble concentrate |
|---------------------|------------------------|

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

| | |
|--------------------------|--|
| Hazard statements | |
| Precautionary statements | |

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1. Use # 1 – Wasp and fly attractant – concentrated liquid

| | |
|--|--|
| Product type | PT19: Repellents and attractants |
| Where relevant, an exact description of the authorised use | Wasp and fly attractant |
| Target organism(s) (including development stage) | Scientific name: <i>Vespula</i> spp., <i>Dolichovespula</i> spp. Common name: wasps Development stage: adults Scientific name: <i>Drosophila</i> species Common name: fruit fly Development stage: adults Scientific name: <i>Musca domestica</i> Common name: house fly Development stage: adults Scientific name: <i>Vespa</i> spp. Common name: hornet Development stage: adults |
| Field(s) of use | indoor use outdoor use Indoor and Outdoors: for wasps, hornets and flies: Inside and outside around buildings. Indoor : for the control of fruit flies, it can be used undiluted in all places where fruit flies create a nuisance (only for indoor use): hotel, restaurants, kitchens, industrial kitchens, supermarkets, fruits and vegetables shops, ... |
| Application method(s) | Method: bait application Detailed description: To be used with a suitable trap. Diluted for the control of wasp and common fly and poured inside a suitable wasp trap. Undiluted for the control of fruit flies (<i>Drosophila</i>) and poured inside a suitable trap. |
| Application rate(s) and frequency | Application rate: - Number and timing of application: Use against flies and wasps: dilute 100ml product with 300ml water. To be adapted depending on the size of the packaging (for instance, 50ml + 150ml water in case of 50ml packaging) Use against fruit flies: pour 50 ml undiluted product in the trap to cover an area of 4m ² |
| Category(ies) of users | professional ; general public (non-professional) |
| Pack sizes and packaging material | Glass bottle: 50 ml to 5 L HDPE bottle: 50 ml to 5 L PE/PA bottle: 50 ml to 5 L |

| |
|---|
| PE/PP Sachet: 10, 25, 50, 75, 100, 150, 200 and 250 mL (to put inside Buckets (PE or PP) up to 2,5L; Cardboard boxes up to 2,5L; Bags (PE or PP) up to 2,5L) |
|---|

4.1.1. Use-specific instructions

For wasps and hornets:

- In case the product is not efficient enough, change location of the trap.
- Prefer early morning/or late night to install the trap to avoid high density of wasps and hornets. The trap should be used in early spring or at the onset of wasp and hornets activity.
- In case of high density of wasps and hornets, several traps need to be used (3-4) and be placed up to 10 meters interval from each others.
- For maximum efficacy, the trap needs to be placed, suspended or fixed at a height around 1.2 -2 meter of the ground.
- Product should be used with traps specifically designed to catch wasps and hornets.
- About 1/3 free air space is left between the mixed product and the trap exit in order to keep the wasps and hornets inside the trap.
- Check the traps and renew the product at least once a week. Also replace product when the trap is saturated with wasps and hornets or when half the liquid has evaporated.

For flies:

- In case the product is not efficient enough, change location of the trap.
- In case of high density of flies, several traps need to be used (3-4) and be placed up to 10 meters interval from each others.
- For maximum efficacy, the trap needs to be placed, suspended or fixed at a height around 1.2 -2 meter of the ground.
- Product should be used with traps specifically designed to catch flies.
- About 1/3 free air space is left between the mixed product and the trap exit in order to keep the flies inside the trap.
- Check the traps and renew the product at least once a week. Also replace product when the trap is saturated with flies or when half the liquid has evaporated.

For fruit flies:

- In case the product is not efficient enough, change location of the trap.
- In case of high density of fruit flies, several traps need to be used (3-4) and be placed up to 10 meters interval from each others.

- For maximum efficacy, the trap needs to be placed, suspended or fixed at a height around 1.2 -2 meter of the ground.

- Product should be used with traps specifically designed to catch fruit flies.

- About 1/3 free air space is left between the mixed product and the trap exit in order to keep the fruit flies inside the trap.

- Check the traps and renew the product at least once a week. Also replace product when the trap is saturated with fruit flies or when half the liquid has evaporated.

In case of high infestation of flies/wasps, use a fly/wasp trap containing 500ml of product.

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

- # Keep out of the reach of children.

- # Read label before use.

- # To protect bees, do not use in the vicinity of beehives, and not in places where bees are active (flowers, flowering crops...).

- # Do not use away from houses.

- # Withdraw the product when no infestation is present, to avoid catching non target insects.

- # Precautions for safe handling: Ensure good ventilation of the work station.

- # Hygiene measures: Keep away from food, drink and animal feeding stuffs. // Do not eat, drink or smoke when using this product. // Always wash hands after handling the product.

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects:

No additional information available

First aid instructions:

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. If possible show him this sheet.

Call a poison center or a doctor if you feel unwell.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

Emergency measures to protect the environment

General measures : Avoid contact with skin and eyes.

Emergency procedures : Ventilate spillage area.

Avoid release to the environment.

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Ecology - waste materials : Avoid release to the environment.

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container

Store in a well-ventilated place

Keep cool

Protect from frost

Store away from light

Shelf-life : 2 years

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 1

5.1. Instructions for use

Please see - Use-specific instructions for use

5.2. Risk mitigation measures

5.3. Risk mitigation measures

Please see – Specific RMM

5.4. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please see – Specific Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

5.5. Instructions for safe disposal of the product and its packaging

Please see – Specific Instructions for safe disposal of the product and its packaging

5.6. Conditions of storage and shelf-life of the product under normal conditions of storage

Please see – Specific conditions of storage and shelf-life of the product under normal conditions of storage

6. OTHER INFORMATION

Attractants should only be used as preventive measure, but are not suitable to protect against wasp stings.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

| | | |
|---------------|----------------------------------|-----------------|
| Trade name(s) | Attractif guêpes et mouches | Market area: BE |
| | Attractif guêpes et mouches Conc | Market area: BE |
| | Guêpe Clac Conc | Market area: BE |
| | Muscattract | Market area: BE |
| | Vespattract | Market area: BE |
| | Fructolure | Market area: BE |
| | Vesparex | Market area: BE |
| | Wasp Attract | Market area: BE |
| | Wasp Lure | Market area: BE |
| | Vespattract | Market area: DE |
| | Muscattract | Market area: DE |
| | Fructolure | Market area: DE |
| | Wespenfalle | Market area: DE |
| | MuscaDrink Forte | Market area: DE |
| | VespaDrink Forte | Market area: DE |
| | Vesparex | Market area: DE |
| | Wasp Attract | Market area: DE |
| | Muscattract | Market area: AT |
| | Vespattract | Market area: AT |
| | Fructolure | Market area: AT |
| | Wespenfalle | Market area: AT |
| | MuscaDrink Forte | Market area: AT |
| | VespaDrink Forte | Market area: AT |
| | Vesparex | Market area: AT |
| | Wasp Attract | Market area: AT |
| | Muscattract | Market area: ES |
| | Vespattract | Market area: ES |
| | Fructolure | Market area: ES |
| | Líquido atrayente Protecta | Market area: ES |

| | |
|---|-----------------|
| Líquido atrayente de avispa Protecta | Market area: ES |
| Vespomax | Market area: ES |
| Vesparex | Market area: ES |
| Wasp Attract | Market area: ES |
| Protecta Guêpes & Frelons attractif | Market area: FR |
| Klash Guêpes et frelons attractif | Market area: FR |
| Guêpes & Frelons attractif | Market area: FR |
| Guêpes et frelons attractif | Market area: FR |
| Guep-Apens | Market area: FR |
| Attractif guêpes frelons fructose | Market area: FR |
| Muscattract | Market area: FR |
| Vespattract | Market area: FR |
| Fructolure | Market area: FR |
| Wespenfalle | Market area: FR |
| MuscaDrink Forte | Market area: FR |
| VespaDrink Forte | Market area: FR |
| Vesparex | Market area: FR |
| Wasp Attract | Market area: FR |
| Vespa Lure - attractif guêpe (Ελκυστικό σφηκών) | Market area: GR |
| Muscattract | Market area: GR |
| Vespattract | Market area: GR |
| Fructolure | Market area: GR |
| Vesparex | Market area: GR |
| Wasp Attract | Market area: GR |
| Guêp'Clac Concentrato | Market area: IT |

| | |
|-----------------------------|-----------------|
| Muscattract | Market area: IT |
| Vespattract | Market area: IT |
| Fructolure | Market area: IT |
| Wespenfalle | Market area: IT |
| MuscaDrink Forte | Market area: IT |
| VespaDrink Forte | Market area: IT |
| Vesparex | Market area: IT |
| Wasp Attract | Market area: IT |
| Muscattract | Market area: LV |
| Vespattract | Market area: LV |
| Fructolure | Market area: LV |
| Vesparex | Market area: LV |
| Wasp Attract | Market area: LV |
| Muscattract | Market area: LT |
| Vespattract | Market area: LT |
| Fructolure | Market area: LT |
| Vesparex | Market area: LT |
| Wasp Attract | Market area: LT |
| Attractif guêpes et mouches | Market area: LU |
| Muscattract | Market area: LU |
| Vespattract | Market area: LU |
| Fructolure | Market area: LU |
| Wespenfalle | Market area: LU |
| MuscaDrink Forte | Market area: LU |
| VespaDrink Forte | Market area: LU |
| Vesparex | Market area: LU |
| Wasp Attract | Market area: LU |
| Muscattract | Market area: NL |
| Vespattract | Market area: NL |
| Fructolure | Market area: NL |
| Wespenfalle | Market area: NL |
| MuscaDrink Forte | Market area: NL |
| VespaDrink Forte | Market area: NL |
| Vesparex | Market area: NL |
| Wasp Attract | Market area: NL |
| Muscattract | Market area: PL |

| | |
|---|-----------------|
| Vespattract | Market area: PL |
| Fructolure | Market area: PL |
| Wespenfalle | Market area: PL |
| MuscaDrink Forte | Market area: PL |
| VespaDrink Forte | Market area: PL |
| Vesparex | Market area: PL |
| Wasp Attract | Market area: PL |
| Vespas Asiáticas líquido para armadilha | Market area: PT |
| Muscattract | Market area: PT |
| Vespattract | Market area: PT |
| Fructolure | Market area: PT |
| Wespenfalle | Market area: PT |
| MuscaDrink Forte | Market area: PT |
| VespaDrink Forte | Market area: PT |
| Vesparex | Market area: PT |
| Wasp Attract | Market area: PT |
| Muscattract | Market area: RO |
| Vespattract | Market area: RO |
| Fructolure | Market area: RO |
| Vesparex | Market area: RO |
| Wasp Attract | Market area: RO |
| Muscattract | Market area: SE |
| Vespattract | Market area: SE |
| Fructolure | Market area: SE |
| Wespenfalle | Market area: SE |
| MuscaDrink Forte | Market area: SE |
| VespaDrink Forte | Market area: SE |
| Vesparex | Market area: SE |
| Wasp Attract | Market area: SE |
| Guep'clac Liquid attractif | Market area: CH |
| Muscattract | Market area: CH |
| Vespattract | Market area: CH |
| Fructolure | Market area: CH |
| Wespenfalle | Market area: CH |

| | |
|---|-----------------|
| MuscaDrink Forte | Market area: CH |
| VespaDrink Forte | Market area: CH |
| Vesparex | Market area: CH |
| Wasp Attract | Market area: CH |
| Muscattract | Market area: CZ |
| Vespattract | Market area: CZ |
| Fructolure | Market area: CZ |
| Vesparex | Market area: CZ |
| Wasp Attract | Market area: CZ |
| Guep'clac Liquid attractif Guêpes et Frelons pour piège | Market area: CH |
| Fructose 51% w/w SL | Market area: BE |
| Desintec Fly & Wasp Attractant | Market area: DE |
| Insect Attractant | Market area: DE |
| Wespenfallen Flüssigkeit | Market area: DE |
| FlyCage | Market area: DE |
| Attractis | Market area: HR |
| Desintec Fly & Wasp Attractant | Market area: HR |
| Insect Attractant | Market area: HR |
| Wespenfalle | Market area: HR |
| MuscaDrink Forte | Market area: HR |
| VespaDrink Forte | Market area: HR |
| Vesparex | Market area: HR |
| Wasp Attract | Market area: HR |
| Muscattract | Market area: HR |
| Vespattract | Market area: HR |
| Wasp Lure | Market area: HR |
| Fructolure | Market area: HR |
| Attractis | Market area: DK |

| | |
|--------------------------------------|-----------------|
| Desintec Fly & Wasp Attractant | Market area: DK |
| Insect Attractant | Market area: DK |
| Wespenfalle | Market area: DK |
| MuscaDrink Forte | Market area: DK |
| VespaDrink Forte | Market area: DK |
| Vesparex | Market area: DK |
| Wasp Attract | Market area: DK |
| Muscattract | Market area: DK |
| Vespattract | Market area: DK |
| Wasp Lure | Market area: DK |
| Fructolure | Market area: DK |
| Biowasp | Market area: ES |
| Desintec Fly & Wasp Attractant | Market area: EE |
| Insect Attractant | Market area: EE |
| Wespenfalle | Market area: EE |
| MuscaDrink Forte | Market area: EE |
| VespaDrink Forte | Market area: EE |
| Vesparex | Market area: EE |
| Wasp Attract | Market area: EE |
| Muscattract | Market area: EE |
| Vespattract | Market area: EE |
| Wasp Lure | Market area: EE |
| Fructolure | Market area: EE |
| Attractis | Market area: FI |
| Desintec Fly & Wasp Attractant | Market area: FI |
| Insect Attractant | Market area: FI |
| Wespenfalle | Market area: FI |
| MuscaDrink Forte | Market area: FI |
| VespaDrink Forte | Market area: FI |
| Vesparex | Market area: FI |
| Wasp Attract | Market area: FI |

| | |
|---|-----------------|
| Muscattract | Market area: FI |
| Vespattract | Market area: FI |
| Wasp Lure | Market area: FI |
| Fructolure | Market area: FI |
| Desintec Fly & Wasp Attractant | Market area: FR |
| Insect Attractant | Market area: FR |
| Liquide pour piège Guêpes et Frelons | Market area: FR |
| Guêpes et Frelons Liquide pour Piège | Market area: FR |
| Desintec Fly & Wasp Attractant | Market area: GR |
| Insect Attractant | Market area: GR |
| Desintec Fly & Wasp Attractant | Market area: HU |
| Insect Attractant | Market area: HU |
| Wespenfalle | Market area: HU |
| MuscaDrink Forte | Market area: HU |
| VespaDrink Forte | Market area: HU |
| Vesparex | Market area: HU |
| Wasp Attract | Market area: HU |
| Muscattract | Market area: HU |
| Vespattract | Market area: HU |
| Wasp Lure | Market area: HU |
| Fructolure | Market area: HU |
| Attractis | Market area: NO |
| Desintec Fly & Wasp Attractant | Market area: NO |
| Insect Attractant | Market area: NO |
| Wespenfalle | Market area: NO |
| MuscaDrink Forte | Market area: NO |

| | |
|--------------------------------|-----------------|
| VespaDrink Forte | Market area: NO |
| Vesparex | Market area: NO |
| Wasp Attract | Market area: NO |
| Muscattract | Market area: NO |
| Vespattract | Market area: NO |
| Wasp Lure | Market area: NO |
| Fructolure | Market area: NO |
| Desintec Fly & Wasp Attractant | Market area: PL |
| Insect Attractant | Market area: PL |
| Wespenfalle | Market area: PL |
| MuscaDrink Forte | Market area: PL |
| VespaDrink Forte | Market area: PL |
| Vesparex | Market area: PL |
| Wasp Attract | Market area: PL |
| Muscattract | Market area: PL |
| Vespattract | Market area: PL |
| Fructolure | Market area: PL |
| Desintec Fly & Wasp Attractant | Market area: SK |
| Insect Attractant | Market area: SK |
| Wespenfalle | Market area: SK |
| MuscaDrink Forte | Market area: SK |
| VespaDrink Forte | Market area: SK |
| Vesparex | Market area: SK |
| Wasp Attract | Market area: SK |
| Muscattract | Market area: SK |
| Vespattract | Market area: SK |
| Wasp Lure | Market area: SK |
| Fructolure | Market area: SK |
| Desintec Fly & Wasp Attractant | Market area: SI |
| Insect Attractant | Market area: SI |
| Wespenfalle | Market area: SI |

| | | |
|----------------------|--------------------------------|-----------------|
| | MuscaDrink Forte | Market area: SI |
| | VespaDrink Forte | Market area: SI |
| | Vesparex | Market area: SI |
| | Wasp Attract | Market area: SI |
| | Muscattract | Market area: SI |
| | Vespattract | Market area: SI |
| | Wasp Lure | Market area: SI |
| | Fructolure | Market area: SI |
| | Attractis | Market area: SE |
| | Desintec Fly & Wasp Attractant | Market area: SE |
| | Insect Attractant | Market area: SE |
| | Desintec Fly & Wasp Attractant | Market area: CH |
| | Insect Attractant | Market area: CH |
| | Desintec Fly & Wasp Attractant | Market area: CZ |
| | Insect Attractant | Market area: CZ |
| | Wespenfalle | Market area: CZ |
| | MuscaDrink Forte | Market area: CZ |
| | VespaDrink Forte | Market area: CZ |
| | Vesparex | Market area: CZ |
| | Wasp Attract | Market area: CZ |
| | Muscattract | Market area: CZ |
| | Vespattract | Market area: CZ |
| | Wasp Lure | Market area: CZ |
| | Fructolure | Market area: CZ |
| Authorisation number | EU-0027083-0001 1-1 | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|-------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 51,03 |
| Acetic acid | | active substance | | 200-580-7 | 0,9 |

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

| | |
|------------|----------------------|
| Identifier | Meta SPC: Meta spc 2 |
|------------|----------------------|

1.2. Suffix to the authorisation number

| | |
|--------|-----|
| Number | 1-2 |
|--------|-----|

1.3. Product type(s)

| | |
|-----------------|----------------------------------|
| Product type(s) | PT19: Repellents and attractants |
|-----------------|----------------------------------|

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|--------------------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 15,51 - 15,51 % (w/w) |
| Acetic acid | | active substance | | 200-580-7 | 0,27 - 0,27 % (w/ w) |

2.2. Type(s) of formulation of the meta SPC 2

| | |
|---------------------|---------------------|
| Formulation type(s) | AL Any other liquid |
|---------------------|---------------------|

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

| | |
|--------------------------|--|
| Hazard statements | |
| Precautionary statements | |

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1. Use # 1 – Wasp and fly attractant – RTU liquid

| | |
|--|---|
| Product type | PT19: Repellents and attractants |
| Where relevant, an exact description of the authorised use | Wasp and fly attractant |
| Target organism(s) (including development stage) | Scientific name: vespula spp., dolichovespula spp Common name: wasps Development stage: adults Scientific name: Musca domestica Common name: house fly Development stage: adults Scientific name: Vespa spp. Common name: Hornet Development stage: adults Scientific name: Drosophilidae: Drosophilidae: Common name: fruit fly Development stage: adults |
| Field(s) of use | indoor use outdoor use Inside and outside around buildings. For the control of fruit flies, it can be used in all places where fruit flies create a nuisance: hotel, restaurants, kitchens, industrial kitchens, supermarkets, fruits and vegetables shops, ... |
| Application method(s) | Method: bait application Detailed description: To be used with a suitable trap |
| Application rate(s) and frequency | Application rate: Put 200ml of the product into the trap. Dilution (%): 0 Number and timing of application: / |
| Category(ies) of users | professional ; general public (non-professional) |
| Pack sizes and packaging material | Glass bottle: 50 ml to 5 L HDPE bottle: 50 ml to 5 L PE/PA bottle: 50 ml to 5 L PE/PP Sachet: 10, 25, 50, 75, 100, 150, 200 and 250 mL (to put inside Buckets (PE or PP) up to 2,5L; Cardboard boxes up to 2,5L; Bags (PE or PP) up to 2,5L) |

| | |
|--|--|
| | |
|--|--|

4.1.1. Use-specific instructions

The trap can be placed or suspended in the desired location where wasps or flies congregate.

The trap should be used in early spring or at the onset of wasp activity.

Make sure the amount of product placed in the trap is enough to drown the insect. The volume used should be adapted depending on the size of the trap.

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

Keep out of the reach of children.

Read label before use.

To protect bees, do not use in the vicinity of beehives, and not in places where bees are active (flowers, flowering crops...).

Do not use away from houses.

Withdraw the product when no infestation is present, to avoid catching non target insects.

Precautions for safe handling: Ensure good ventilation of the work station.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. // Do not eat, drink or smoke when using this product. // Always wash hands after handling the product.

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects:

No additional information available

First aid instructions:

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. If possible show him this sheet.

Call a poison center or a doctor if you feel unwell.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

Emergency measures to protect the environment

General measures : Avoid contact with skin and eyes.

Emergency procedures : Ventilate spillage area.

Avoid release to the environment.

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Ecology - waste materials : Avoid release to the environment.

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container

Store in a well-ventilated place

Keep cool

Protect from frost

Store away from light

Shelf-life : 2 years

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

Please see - Use-specific instructions for use

5.2. Risk mitigation measures

5.3. Risk mitigation measures

Please see – Specific RMM

5.4. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please see – Specific Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

5.5. Instructions for safe disposal of the product and its packaging

Please see – Specific Instructions for safe disposal of the product and its packaging

5.6. Conditions of storage and shelf-life of the product under normal conditions of storage

Please see – Specific conditions of storage and shelf-life of the product under normal conditions of storage

6. OTHER INFORMATION

Attractants should only be used as preventive measure, but are not suitable to protect against wasp stings.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

7.1. Trade name(s), authorisation number and specific composition of each individual product

| | | |
|---------------|---------------------------------|-----------------|
| Trade name(s) | Attractif guêpes et mouches RTU | Market area: BE |
| | Guêpe Clac RTU | Market area: BE |
| | Muscattract RTU | Market area: BE |
| | Vespattract RTU | Market area: BE |
| | Fructolure RTU | Market area: BE |
| | Vesparex RTU | Market area: BE |
| | Wasp Attract RTU | Market area: BE |
| | Wasp Lure RTU | Market area: BE |
| | Muscattract RTU | Market area: DE |
| | Vespattract RTU | Market area: DE |
| | Fructolure RTU | Market area: DE |
| | MuscaDrink RTU | Market area: DE |
| | VespaDrink RTU | Market area: DE |
| | Vesparex RTU | Market area: DE |
| | Wasp Attract RTU | Market area: DE |
| | Muscattract RTU | Market area: AT |
| | Vespattract RTU | Market area: AT |
| | Fructolure RTU | Market area: AT |
| | MuscaDrink RTU | Market area: AT |
| | VespaDrink RTU | Market area: AT |
| Vesparex RTU | Market area: AT | |

| | |
|---|-----------------|
| Wasp Attract RTU | Market area: AT |
| Muscattract RTU | Market area: ES |
| Vespattract RTU | Market area: ES |
| Fructolure RTU | Market area: ES |
| Vesparex RTU | Market area: ES |
| Wasp Attract RTU | Market area: ES |
| Guêpes et Frelons Attractif Prêt à l'emploi | Market area: FR |
| Muscattract RTU | Market area: FR |
| Vespattract RTU | Market area: FR |
| Fructolure RTU | Market area: FR |
| MuscaDrink RTU | Market area: FR |
| VespaDrink RTU | Market area: FR |
| Vesparex RTU | Market area: FR |
| Wasp Attract RTU | Market area: FR |
| Muscattract RTU | Market area: GR |
| Vespattract RTU | Market area: GR |
| Fructolure RTU | Market area: GR |
| Vesparex RTU | Market area: GR |
| Wasp Attract RTU | Market area: GR |
| Attrattivo per vespe pronto all'uso | Market area: IT |
| Muscattract RTU | Market area: IT |
| Vespattract RTU | Market area: IT |

| | |
|------------------|-----------------|
| Fructolure RTU | Market area: IT |
| Vesparex RTU | Market area: IT |
| Wasp Attract RTU | Market area: IT |
| MuscaDrink RTU | Market area: IT |
| VespaDrink RTU | Market area: IT |
| Muscattract RTU | Market area: LV |
| Vespattract RTU | Market area: LV |
| Fructolure RTU | Market area: LV |
| Vesparex RTU | Market area: LV |
| Wasp Attract RTU | Market area: LV |
| Muscattract RTU | Market area: LT |
| Vespattract RTU | Market area: LT |
| Fructolure RTU | Market area: LT |
| Vesparex RTU | Market area: LT |
| Wasp Attract RTU | Market area: LT |
| Muscattract RTU | Market area: LU |
| Vespattract RTU | Market area: LU |
| Fructolure RTU | Market area: LU |
| MuscaDrink RTU | Market area: LU |
| VespaDrink RTU | Market area: LU |
| Vesparex RTU | Market area: LU |
| Wasp Attract RTU | Market area: LU |
| Muscattract RTU | Market area: NL |
| Vespattract RTU | Market area: NL |

| | |
|----------------------------------|-----------------|
| Fructolure RTU | Market area: NL |
| MuscaDrink RTU | Market area: NL |
| VespaDrink RTU | Market area: NL |
| Vesparex RTU | Market area: NL |
| Wasp Attract RTU | Market area: NL |
| Muscattract RTU | Market area: PL |
| Vespattract RTU | Market area: PL |
| Fructolure RTU | Market area: PL |
| MuscaDrink RTU | Market area: PL |
| VespaDrink RTU | Market area: PL |
| Vesparex RTU | Market area: PL |
| Wasp Attract RTU | Market area: PL |
| Atractivo de vespa pronto a usar | Market area: PT |
| Muscattract RTU | Market area: PT |
| Vespattract RTU | Market area: PT |
| Fructolure RTU | Market area: PT |
| MuscaDrink RTU | Market area: PT |
| VespaDrink RTU | Market area: PT |
| Vesparex RTU | Market area: PT |
| Wasp Attract RTU | Market area: PT |
| Muscattract RTU | Market area: RO |
| Vespattract RTU | Market area: RO |
| Fructolure RTU | Market area: RO |
| Vesparex RTU | Market area: RO |

| | |
|-----------------------|---------------------|
| Wasp Attract RTU | Market area: RO |
| Muscattract RTU | Market area: SE |
| Vespattract RTU | Market area: SE |
| Fructolure RTU | Market area: SE |
| MuscaDrink RTU | Market area: SE |
| VespaDrink RTU | Market area: SE |
| Vesparex RTU | Market area: SE |
| Wasp Attract RTU | Market area: SE |
| Muscattract RTU | Market area: CH |
| Vespattract RTU | Market area: CH |
| Fructolure RTU | Market area: CH |
| MuscaDrink RTU | Market area: CH |
| VespaDrink RTU | Market area: CH |
| Vesparex RTU | Market area: CH |
| Wasp Attract RTU | Market area: CH |
| Muscattract RTU | Market area: CZ |
| Vespattract RTU | Market area: CZ |
| Fructolure RTU | Market area: CZ |
| Vesparex RTU | Market area: CZ |
| Wasp Attract RTU | Market area: CZ |
| Fructose 15.5% w/w AL | Market area: BE |
| Authorisation number | EU-0027083-0002 1-2 |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|-------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 15,51 |
| Acetic acid | | active substance | | 200-580-7 | 0,27 |

1. META SPC 3 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 3 identifier

| | |
|------------|----------------------|
| Identifier | Meta SPC: Meta spc 3 |
|------------|----------------------|

1.2. Suffix to the authorisation number

| | |
|--------|-----|
| Number | 1-3 |
|--------|-----|

1.3. Product type(s)

| | |
|-----------------|----------------------------------|
| Product type(s) | PT19: Repellents and attractants |
|-----------------|----------------------------------|

2. META SPC 3 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 3

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|--------------------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 97,19 - 97,19 % (w/w) |
| Acetic acid | | active substance | | 200-580-7 | 2,8 - 2,8 % (w/w) |

2.2. Type(s) of formulation of the meta SPC 3

| | |
|---------------------|-------------------------|
| Formulation type(s) | SP Water soluble powder |
|---------------------|-------------------------|

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 3

| | |
|--------------------------|--|
| Hazard statements | |
| Precautionary statements | |

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1. Use # 1 – Wasp and fly attractant – Soluble Powder (SP)

| | |
|--|---|
| Product type | PT19: Repellents and attractants |
| Where relevant, an exact description of the authorised use | Wasp and fly attractant |
| Target organism(s) (including development stage) | Scientific name: vespula spp., Dolichovespula spp Common name: wasps Development stage: adults Scientific name: Musca domestica Common name: house fly Development stage: adults |
| Field(s) of use | indoor use outdoor use Inside and outside around buildings. |
| Application method(s) | Method: bait application Detailed description: Diluted for the control of wasp and common fly and poured inside a suitable wasp trap out of which the wasps/ house flies cannot escape. |
| Application rate(s) and frequency | Application rate: Put 25g of powder in 200ml of water into the trap The volume of solution to be prepared should be adapted to the size of the trap. Product effective up to 7 days Number and timing of application: - |
| Category(ies) of users | professional ; general public (non-professional) |
| Pack sizes and packaging material | PVA Hydrosoluble bags: 10, 25, 50, 75, 100, 150, 200 and 250 g (to put inside: Buckets (PE or PP) up to 2,5Kg; Cardboard boxes up to 2,5Kg; Bags (PE or PP) up to 2,5Kg) PE/PA Bottle: 10 g to 2.5 kg PE/PP Bags: 10 g to 2.5 kg PE/PP Buckets: 10 g to 2.5 kg Metal Cans: 10 g to 2.5 kg |

4.1.1. Use-specific instructions

Make sure the amount of product placed in the trap is enough to drown the insect. The volume used should be adapted depending on the size of the trap.

The trap can then be placed or suspended in the desired location where wasps or flies congregate. If needed, several traps can be placed at 6 to 8 meters interval from each other.

The trap should be used in early spring or at the onset of wasp activity.

Check the traps and renew the product at least once week. Also replace product when the trap is saturated with flies/wasps or when half the liqui has evaporated.

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

Keep out of the reach of children.

Read label before use.

To protect bees, do not use in the vicinity of beehives, and not in places where bees are active (flowers, flowering crops...).

Do not use away from houses.

Withdraw the product when no infestation is present, to avoid catching non target insects.

Precautions for safe handling: Ensure good ventilation of the work station.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. // Do not eat, drink or smoke when using this product. // Always wash hands after handling the product.

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects:

No additional information available

First aid instructions:

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. If possible show him this sheet.

Call a poison center or a doctor if you feel unwell.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

Emergency measures to protect the environment

General measures : Avoid contact with skin and eyes.

Emergency procedures : Ventilate spillage area.

Avoid release to the environment. Prevent entry to sewers and public waters.

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Ecology - waste materials : Avoid release to the environment.

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container

Store in a well-ventilated place

Keep cool

Protect from frost

Store away from light

Shelf-life : 2 years

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 3

5.1. Instructions for use

Please see - Use-specific instructions for use

5.2. Risk mitigation measures

5.3. Risk mitigation measures

Please see – Specific RMM

5.4. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please see – Specific Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

5.5. Instructions for safe disposal of the product and its packaging

Please see – Specific Instructions for safe disposal of the product and its packaging

5.6. Conditions of storage and shelf-life of the product under normal conditions of storage

Please see – Specific conditions of storage and shelf-life of the product under normal conditions of storage

6. OTHER INFORMATION

Attractants should only be used as preventive measure, but are not suitable to protect against wasp stings.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 3

7.1. Trade name(s), authorisation number and specific composition of each individual product

| | | |
|---------------|---------------------------------|-----------------|
| Trade name(s) | Attractif guêpes et mouches Tab | Market area: BE |
| | Guêpe Clac Tab | Market area: BE |
| | Muscattract Tab | Market area: BE |
| | Muscattract Dry | Market area: BE |
| | Vespattract Tab | Market area: BE |
| | Vespattract Dry | Market area: BE |
| | Fructolure Tab | Market area: BE |
| | Fructolure Dry | Market area: BE |
| | Vesparex Dust | Market area: BE |
| | Wasp Attract Dust | Market area: BE |
| | Wasp Lure Powder | Market area: BE |
| | Muscattract Tab | Market area: DE |
| | Muscattract Dry | Market area: DE |
| | Vespattract Tab | Market area: DE |
| | Vespattract Dry | Market area: DE |
| | Fructolure Tab | Market area: DE |
| | Fructolure Dry | Market area: DE |
| | FlyCage | Market area: DE |
| | WaspCage | Market area: DE |
| | MuscaMix | Market area: DE |
| | VespaMix | Market area: DE |
| | Vesparex Dust | Market area: DE |
| | Wasp Attract Dust | Market area: DE |

| | |
|---|-----------------|
| Muscattract Tab | Market area: AT |
| Muscattract Dry | Market area: AT |
| Vespattract Tab | Market area: AT |
| Vespattract Dry | Market area: AT |
| Fructolure Tab | Market area: AT |
| Fructolure Dry | Market area: AT |
| FlyCage | Market area: AT |
| WaspCage | Market area: AT |
| MuscaMix | Market area: AT |
| VespaMix | Market area: AT |
| Vesparex Dust | Market area: AT |
| Wasp Attract Dust | Market area: AT |
| Muscattract Tab | Market area: ES |
| Muscattract Dry | Market area: ES |
| Vespattract Tab | Market area: ES |
| Vespattract Dry | Market area: ES |
| Fructolure Tab | Market area: ES |
| Fructolure Dry | Market area: ES |
| Cebo hidrosoluble para moscas Protecta | Market area: ES |
| Vesparex Dust | Market area: ES |
| Wasp Attract Dust | Market area: ES |
| Muscattract Tab | Market area: FR |
| Muscattract Dry | Market area: FR |
| Vespattract Tab | Market area: FR |
| Vespattract Dry | Market area: FR |

| | |
|---|-----------------|
| Fructose Tab | Market area: FR |
| Fructose Dry | Market area: FR |
| Sachets Appâts pour Boîte et Sac à Mouches | Market area: FR |
| Mouches Sac avec Appâts | Market area: FR |
| Mouches Recharge pour Sac à Mouches | Market area: FR |
| Sac à Mouches | Market area: FR |
| Boîte à Mouches | Market area: FR |
| Muscado Seau à Mouches | Market area: FR |
| Muscado Recharge pour Seau à Mouches | Market area: FR |
| FlyCage | Market area: FR |
| WaspCage | Market area: FR |
| MuscaMix | Market area: FR |
| VespaMix | Market area: FR |
| Vesparex Dust | Market area: FR |
| Wasp Attract Dust | Market area: FR |
| Muscattract Tab | Market area: GR |
| Muscattract Dry | Market area: GR |
| Vespattract Tab | Market area: GR |
| Vespattract Dry | Market area: GR |
| Fructose Tab | Market area: GR |
| Fructose Dry | Market area: GR |
| Vesparex Dust | Market area: GR |

| | |
|-------------------|-----------------|
| Wasp Attract Dust | Market area: GR |
| Muscattract Tab | Market area: IT |
| Muscattract Dry | Market area: IT |
| Vespattract Tab | Market area: IT |
| Vespattract Dry | Market area: IT |
| Fructolure Tab | Market area: IT |
| Fructolure Dry | Market area: IT |
| FlyCage | Market area: IT |
| WaspCage | Market area: IT |
| MuscaMix | Market area: IT |
| VespaMix | Market area: IT |
| Vesparex Dust | Market area: IT |
| Wasp Attract Dust | Market area: IT |
| Muscattract Tab | Market area: LV |
| Muscattract Dry | Market area: LV |
| Vespattract Tab | Market area: LV |
| Vespattract Dry | Market area: LV |
| Fructolure Tab | Market area: LV |
| Fructolure Dry | Market area: LV |
| Vesparex Dust | Market area: LV |
| Wasp Attract Dust | Market area: LV |
| Muscattract Tab | Market area: LT |
| Muscattract Dry | Market area: LT |
| Vespattract Tab | Market area: LT |
| Vespattract Dry | Market area: LT |
| Fructolure Tab | Market area: LT |

| | |
|----------------------|-----------------|
| Fructolure Dry | Market area: LT |
| Vesparex Dust | Market area: LT |
| Wasp Attract Dust | Market area: LT |
| Muscattract Tab | Market area: LU |
| Muscattract Dry | Market area: LU |
| Vespattract Tab | Market area: LU |
| Vespattract Dry | Market area: LU |
| Fructolure Tab | Market area: LU |
| Fructolure Dry | Market area: LU |
| FlyCage | Market area: LU |
| WaspCage | Market area: LU |
| MuscaMix | Market area: LU |
| VespaMix | Market area: LU |
| Vesparex Dust | Market area: LU |
| Wasp Attract Dust | Market area: LU |
| Muscattract Tab | Market area: NL |
| Muscattract Dry | Market area: NL |
| Vespattract Tab | Market area: NL |
| Vespattract Dry | Market area: NL |
| Fructolure Tab | Market area: NL |
| Fructolure Dry | Market area: NL |
| FlyCage | Market area: NL |
| WaspCage | Market area: NL |
| MuscaMix | Market area: NL |
| VespaMix | Market area: NL |
| Vesparex Dust | Market area: NL |
| Wasp Attract Dust | Market area: NL |

| | |
|----------------------|-----------------|
| Muscattract Tab | Market area: PL |
| Muscattract Dry | Market area: PL |
| Vespattract Tab | Market area: PL |
| Vespattract Dry | Market area: PL |
| Fructolure Tab | Market area: PL |
| Fructolure Dry | Market area: PL |
| FlyCage | Market area: PL |
| WaspCage | Market area: PL |
| MuscaMix | Market area: PL |
| VespaMix | Market area: PL |
| Vesparex Dust | Market area: PL |
| Wasp Attract Dust | Market area: PL |
| Muscattract Tab | Market area: PT |
| Muscattract Dry | Market area: PT |
| Vespattract Tab | Market area: PT |
| Vespattract Dry | Market area: PT |
| Fructolure Tab | Market area: PT |
| Fructolure Dry | Market area: PT |
| FlyCage | Market area: PT |
| WaspCage | Market area: PT |
| MuscaMix | Market area: PT |
| VespaMix | Market area: PT |
| Vesparex Dust | Market area: PT |
| Wasp Attract Dust | Market area: PT |
| Muscattract Tab | Market area: RO |
| Muscattract Dry | Market area: RO |
| Vespattract Tab | Market area: RO |

| | |
|----------------------|-----------------|
| Vespattract Dry | Market area: RO |
| Fructolure Tab | Market area: RO |
| Fructolure Dry | Market area: RO |
| Vesparex Dust | Market area: RO |
| Wasp Attract Dust | Market area: RO |
| Muscattract Tab | Market area: SE |
| Muscattract Dry | Market area: SE |
| Vespattract Tab | Market area: SE |
| Vespattract Dry | Market area: SE |
| Fructolure Tab | Market area: SE |
| Fructolure Dry | Market area: SE |
| FlyCage | Market area: SE |
| WaspCage | Market area: SE |
| MuscaMix | Market area: SE |
| VespaMix | Market area: SE |
| Vesparex Dust | Market area: SE |
| Wasp Attract Dust | Market area: SE |
| Muscattract Tab | Market area: CH |
| Muscattract Dry | Market area: CH |
| Vespattract Tab | Market area: CH |
| Vespattract Dry | Market area: CH |
| Fructolure Tab | Market area: CH |
| Fructolure Dry | Market area: CH |
| FlyCage | Market area: CH |
| WaspCage | Market area: CH |
| MuscaMix | Market area: CH |
| VespaMix | Market area: CH |

| | |
|---------------------------------------|-----------------|
| Vesparex Dust | Market area: CH |
| Wasp Attract Dust | Market area: CH |
| Muscattract Tab | Market area: CZ |
| Muscattract Dry | Market area: CZ |
| Vespattract Tab | Market area: CZ |
| Vespattract Dry | Market area: CZ |
| Fructolure Tab | Market area: CZ |
| Fructolure Dry | Market area: CZ |
| Vesparex Dust | Market area: CZ |
| Wasp Attract Dust | Market area: CZ |
| Fructose 97.2% w/w SP | Market area: BE |
| Desintec Fly & Wasp Attractant Powder | Market area: DE |
| Insect Attractant Powder | Market area: DE |
| Desintec Fly & Wasp Attractant Powder | Market area: AT |
| Insect Attractant Powder | Market area: AT |
| FlyCage | Market area: BE |
| Desintec Fly & Wasp Attractant Powder | Market area: BG |
| Insect Attractant Powder | Market area: BG |
| FlyCage | Market area: BG |
| MuscaMix | Market area: BG |
| VespaMix | Market area: BG |
| WaspCage | Market area: BG |

| | |
|---------------------------------------|-----------------|
| Vesparex Dust | Market area: BG |
| Wasp Attract Dust | Market area: BG |
| Fructolure Dry | Market area: BG |
| Fructolure Tab | Market area: BG |
| Muscattract Dry | Market area: BG |
| Muscattract Tab | Market area: BG |
| Vespattract Dry | Market area: BG |
| Vespattract Tab | Market area: BG |
| Desintec Fly & Wasp Attractant Powder | Market area: HR |
| Insect Attractant Powder | Market area: HR |
| FlyCage | Market area: HR |
| MuscaMix | Market area: HR |
| VespaMix | Market area: HR |
| WaspCage | Market area: HR |
| Vesparex Dust | Market area: HR |
| Wasp Attract Dust | Market area: HR |
| Fructolure Dry | Market area: HR |
| Fructolure Tab | Market area: HR |
| Muscattract Dry | Market area: HR |
| Muscattract Tab | Market area: HR |
| Vespattract Dry | Market area: HR |
| Vespattract Tab | Market area: HR |
| Desintec Fly & Wasp Attractant Powder | Market area: DK |

| | |
|---------------------------------------|-----------------|
| Insect Attractant Powder | Market area: DK |
| FlyCage | Market area: DK |
| MuscaMix | Market area: DK |
| VespaMix | Market area: DK |
| WaspCage | Market area: DK |
| Vesparex Dust | Market area: DK |
| Wasp Attract Dust | Market area: DK |
| Fluctolure Dry | Market area: DK |
| Fructolure Tab | Market area: DK |
| Muscattract Dry | Market area: DK |
| Muscattract Tab | Market area: DK |
| Vespattract Dry | Market area: DK |
| Vespattract Tab | Market area: DK |
| Desintec Fly & Wasp Attractant Powder | Market area: ES |
| Insect Attractant Powder | Market area: ES |
| FlyCage | Market area: ES |
| MuscaMix | Market area: ES |
| VespaMix | Market area: ES |
| WaspCage | Market area: ES |
| Desintec Fly & Wasp Attractant Powder | Market area: EE |
| Insect Attractant Powder | Market area: EE |
| FlyCage | Market area: EE |
| MuscaMix | Market area: EE |
| VespaMix | Market area: EE |
| WaspCage | Market area: EE |
| Vesparex Dust | Market area: EE |

| | |
|---------------------------------------|-----------------|
| Wasp Attract Dust | Market area: EE |
| Fructolure Dry | Market area: EE |
| Fructolure Tab | Market area: EE |
| Muscattract Dry | Market area: EE |
| Muscattract Tab | Market area: EE |
| Vespattract Dry | Market area: EE |
| Vespattract Tab | Market area: EE |
| Desintec Fly & Wasp Attractant Powder | Market area: FI |
| Insect Attractant Powder | Market area: FI |
| FlyCage | Market area: FI |
| MuscaMix | Market area: FI |
| VespaMix | Market area: FI |
| WaspCage | Market area: FI |
| Vesparex Dust | Market area: FI |
| Wasp Attract Dust | Market area: FI |
| Fructolure Dry | Market area: FI |
| Fructolure Tab | Market area: FI |
| Muscattract Dry | Market area: FI |
| Muscattract Tab | Market area: FI |
| Vespattract Dry | Market area: FI |
| Vespattract Tab | Market area: FI |
| Desintec Fly & Wasp Attractant Powder | Market area: FR |
| Insect Attractant Powder | Market area: FR |

| | |
|--|-----------------|
| Desintec Fly & Wasp Attractant Powder | Market area: GR |
| Insect Attractant Powder | Market area: GR |
| FlyCage | Market area: GR |
| MuscaMix | Market area: GR |
| VespaMix | Market area: GR |
| WaspCage | Market area: GR |
| Desintec Fly & Wasp Attractant Powder | Market area: HU |
| Insect Attractant Powder | Market area: HU |
| FlyCage | Market area: HU |
| MuscaMix | Market area: HU |
| VespaMix | Market area: HU |
| WaspCage | Market area: HU |
| Vesparex Dust | Market area: HU |
| Wasp Attract Dust | Market area: HU |
| Fructolure Dry | Market area: HU |
| Fructolure Tab | Market area: HU |
| Muscattract Dry | Market area: HU |
| Muscattract Tab | Market area: HU |
| Vespattract Dry | Market area: HU |
| Vespattract Tab | Market area: HU |
| Desintec Fly & Wasp Attractant Powder | Market area: IT |
| Insect Attractant Powder | Market area: IT |
| Desintec Fly & Wasp Attractant Powder | Market area: NO |

| | |
|---------------------------------------|-----------------|
| Insect Attractant Powder | Market area: NO |
| FlyCage | Market area: NO |
| MuscaMix | Market area: NO |
| VespaMix | Market area: NO |
| WaspCage | Market area: NO |
| Vesparex Dust | Market area: NO |
| Wasp Attract Dust | Market area: NO |
| Fructolure Dry | Market area: NO |
| Fructolure Tab | Market area: NO |
| Muscattract Dry | Market area: NO |
| Muscattract Tab | Market area: NO |
| Vespattract Dry | Market area: NO |
| Vespattract Tab | Market area: NO |
| Desintec Fly & Wasp Attractant Powder | Market area: NL |
| Insect Attractant Powder | Market area: NL |
| Desintec Fly & Wasp Attractant Powder | Market area: PL |
| Insect Attractant Powder | Market area: PL |
| Desintec Fly & Wasp Attractant Powder | Market area: PT |
| Insect Attractant Powder | Market area: PT |
| Desintec Fly & Wasp Attractant Powder | Market area: RO |

| | |
|---------------------------------------|-----------------|
| Insect Attractant Powder | Market area: RO |
| FlyCage | Market area: RO |
| MuscaMix | Market area: RO |
| VespaMix | Market area: RO |
| WaspCage | Market area: RO |
| Desintec Fly & Wasp Attractant Powder | Market area: SK |
| Insect Attractant Powder | Market area: SK |
| FlyCage | Market area: SK |
| MuscaMix | Market area: SK |
| VespaMix | Market area: SK |
| WaspCage | Market area: SK |
| Vesparex Dust | Market area: SK |
| Wasp Attract Dust | Market area: SK |
| Fructolure Dry | Market area: SK |
| Fructolure Tab | Market area: SK |
| Muscattract Dry | Market area: SK |
| Muscattract Tab | Market area: SK |
| Vespattract Dry | Market area: SK |
| Vespattract Tab | Market area: SK |
| Desintec Fly & Wasp Attractant Powder | Market area: SI |
| Insect Attractant Powder | Market area: SI |
| FlyCage | Market area: SI |
| MuscaMix | Market area: SI |
| VespaMix | Market area: SI |
| WaspCage | Market area: SI |
| Vesparex Dust | Market area: SI |

| | | |
|----------------------|---------------------------------------|-----------------|
| | Wasp Attract Dust | Market area: SI |
| | Fructolure Dry | Market area: SI |
| | Fructolure Tab | Market area: SI |
| | Muscattract Dry | Market area: SI |
| | Muscattract Tab | Market area: SI |
| | Vespattract Dry | Market area: SI |
| | Vespattract Tab | Market area: SI |
| | Desintec Fly & Wasp Attractant Powder | Market area: SE |
| | Insect Attractant Powder | Market area: SE |
| | Desintec Fly & Wasp Attractant Powder | Market area: CH |
| | Insect Attractant Powder | Market area: CH |
| | Desintec Fly & Wasp Attractant Powder | Market area: CZ |
| | Insect Attractant Powder | Market area: CZ |
| | FlyCage | Market area: CZ |
| | WaspCage | Market area: CZ |
| | MuscaMix | Market area: CZ |
| | VespaMix | Market area: CZ |
| Authorisation number | EU-0027083-0003 1-3 | |

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|------------------|------------|-----------|-------------|
| D-Fructose | | active substance | 57-48-7 | 200-333-3 | 97,19 |
| Acetic acid | | active substance | | 200-580-7 | 2,8 |