

Summary of product characteristics for a biocidal product

Product name: Product

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0028425-0000

R4BP 3 asset reference number: IS-0030459-0005

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

Administrative information

1.1. Trade names of the product

Sirafan Speed-FR

1.2. Authorisation holder

Name and address of the authorisation holder

Name	Ecolab Deutschland GmbH
Address	Ecolab Allee 1 40789 Monheim am Rhein Germany
Authorisation number	EU-0028425-0000 1-5

R4BP 3 asset reference number

IS-0030459-0005

Date of the authorisation

09/03/2023

Expiry date of the authorisation

28/02/2033

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

Ecolab Europe GmbH

Address of the manufacturer

Richtistrasse, 7 8304 Walliselen Switzerland
--

Location of manufacturing sites

Richtistrasse, 7 8304 Walliselen Switzerland
--

1.4. Manufacturer(s) of the active substance(s)

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Ineos Solvents Germany GmbH
Address of the manufacturer	Römerstrasse 733 47443 Moers Germany
Location of manufacturing sites	Shamrockstrasse 88 D-44623 Herne Germany
	Romestrasse, 733, D-47443 D-47443 Moers Germany

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Shell Chemicals Europe B.V.
Address of the manufacturer	Postbus 2334 3000 CH Rotterdam Netherlands
Location of manufacturing sites	Chemie BV/Shell Nederland Raffinaderij B.V., Vondelingenweg 601 3196 KK Rotterdam-Pernis, Netherlands

Active substance	1355 - Propan-2-ol
Name of the manufacturer	ExxonMobil Chemical Europe
Address of the manufacturer	Hermeslaan 2 1831 Machelen, Belgium
Location of manufacturing sites	Fawley Refinery and Petrochemical Plant, Fawley SO45 1TX Southampton United Kingdom
	Baton Rouge Chemical Plant 4999 Scenic Highway 70805-3359 LA United States

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	30,3

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

Flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. -
No smoking.
Wear eye protection.
Wear face protection.

4. Authorised use(s)

4.1 Use description

Use 1 - Use # 5.1 – Disinfection of non-food and food contact surfaces by trigger spray

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name:
Common name: Bacteria
Development stage:

Scientific name:
Common name: Yeasts
Development stage:

Field(s) of use

Indoor

Disinfection of food contact and non-food contact hard non-porous surfaces in:
Commercial kitchens, Catering, Food processing and Food Retail, Canteen, Bathrooms
and Restrooms in hotels, restaurants, stores, schools, offices.

Application method(s)	Method: Trigger spraying Detailed description: Direct application onto hard non-porous surfaces by trigger spraying.
Application rate(s) and frequencies	Application Rate: c.a. 18 ml/m ² at room temperature Dilution (%): 0 Number and timing of application: As required
Category(ies) of users	Professional
Pack sizes and packaging material	0.5 liter – 10 liter HDPE container (with trigger spray)

4.1.1 Use-specific instructions for use

Application by trigger spraying: Open the nozzle before use. For optimum results hold bottle upright and apply from a distance of 10 cm to 20 cm. Ensure complete wetting of the surfaces (max. 18 ml/m², corresponding to 29 strokes/m²). Allow to take effect for 30 seconds for bacteria and yeast. Always close the nozzle after use.

Do not mix product with other products. Do not pour any unused product back into the original container.

4.1.2 Use-specific risk mitigation measures

Avoid contact with eyes.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Potential Health Effects

Eyes - Causes serious eye irritation.

Skin - Health injuries are not known or expected under normal use.

Ingestion - Health injuries are not known or expected under normal use.

Inhalation - Inhalation may cause central nervous system effects.

Chronic Exposure - Health injuries are not known or expected under normal use.

First Aid Measures

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Get medical advice.
IF SWALLOWED : Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
IF INHALED : Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use (5.4).

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use (5.5).

5. General directions for use

5.1. Instructions for use

Please refer to specific instructions of use for meta-SPC 5

5.2. Risk mitigation measures

Please refer to specific risk mitigation measures for meta-SPC 5

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please refer to specific information for meta-SPC 5

5.4. Instructions for safe disposal of the product and its packaging

Product

Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, regional, national and/or international regulations.

Product residues

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains. Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store away from direct sunlight and at temperature between 0°C to 25°C

Shelf life: 24 months

6. Other information

Safety data sheet and technical sheet available for professional users on request.

AEL acute/medium-term/long-term 17.9 mg/kg bw/day for professional workers and AEL acute/medium-term/long-term 10.7 mg/kg bw/day were used for the risk assessment in the Assessment Report of Propan-2-ol in PT2 - Germany - (January 2015).

The Following hazard and precautionary statements

H226

Eldfimir vökvi og gufa.

H319

Veldur alvarlegri augnertingu.

H336

Getur valdið sljóleika eða svima.

EUH066:

Endurtekin snerting getur valdið þurri eða sprunginni húð.

P210:

Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.

P280

Notið augnhlífur.

P280

Notið andlitshlífur.