ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

impralit ACA protect brown

Product type(s)

PT08: Wood preservatives

Authorisation number: CZ-0019603-0000 1-1

R4BP asset number: CZ-0019603-0002

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	impralit ACA protect brown
---------------	----------------------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Rütgers Organics GmbH
ivalile and address of the authorisation holder	Address	Oppauerstr. 43 68305 Mannheim Germany
Authorisation number		CZ-0019603-0000 1-1
R4BP asset number		CZ-0019603-0002
Date of the authorisation		09/06/2017
Expiry date of the authorisation		28/07/2025

1.3. Manufacturer(s) of the product

Name of manufacturer	Rütgers Organics GmbH
Address of manufacturer	Oppauerstraße 43 68305 Mannheim Germany
Location of manufacturing sites	Oppauerstraße 43 68305 Mannheim Germany
	Park Road Industrial Estate Cumbria LA14 4EQ Barrow-in-Furness United Kingdom of Great Britain and Northern Ireland (the)

1.4. Manufacturer(s) of the active substance(s)

Active substance	Basic Copper carbonate
Name of manufacturer	Spiess-Urania Chemicals GmbH
Address of manufacturer	Frankenstraβe 18b 20097 Hamburg Germany
Location of manufacturing sites	Hovestr. 50 20539 Hamburg Germany

Active substance	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of manufacturer	Lanxess Deutschland GmbH
Address of manufacturer	Kennedyplatz 1 50569 Köln Germany
Location of manufacturing sites	Schwarzwaldalle 215 CH 4002 Basel Switzerland

Active substance	tebuconazole
Name of manufacturer	Lanxess Deutschland GmbH
Address of manufacturer	Kennedyplatz 1 50569 Köln Germany
Location of manufacturing sites	Hawthorn Road, P.O. box 4913, MO 64120-0013 Kansas City United States (the)

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Basic Copper carbonate	Copper(II) carbonate- copper(II) hydroxide (1:1)	active substance	12069-69-1	235-113-6	20
1-[[2-(2,4-dichlorophenyl)-4 propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2 triazole (Propiconazole)		active substance	60207-90-1	262-104-4	0,3
tebuconazole	1-(4- chlorophenyl)-4,4 dimethyl-3- (1,2,4-triazol- 1- ylmethyl)pentan-3 ol		107534-96-3	403-640-2	0,3
Monoethanolamin	2 -aminoethanol	Non-active substance	141-43-5	205-483-3	35

2.2. Type(s) of formulation

SL Soluble concentrate

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H332: Harmful if inhaled.
	H314: Causes severe skin burns and eye damage.
	H335: May cause respiratory irritation.
	H360D: May damage the unborn child.
	H410: Very toxic to aquatic life with long lasting effects.
	EUH208: Contains propiconazole. May produce an allergic reaction.
Precautionary statements	P260: Do not breathe mist.
	P273: Avoid release to the environment.
	P280: Wear protective gloves.
	P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308+P313: IF exposed or concerned: Get medical advice.
	P310: Immediately call a POISON CENTER.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Preventive timber treatment

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Preventive timber treatment
Target organism(s) (including development stage)	Scientific name: Fungi: Fungi: Common name: wood rotting fungi Development stage: hyphae Scientific name: Coleoptera: Coleoptera: Common name: wood boring beetles Development stage: larvae
Field(s) of use	indoor use outdoor use Use class 1, 2, 3 and 4 (according to EN 335-1), softwood
Application method(s)	Method: closed system: vacuum impregnation Detailed description: - Method: closed system: vacuum impregnation Detailed description: - Method: Uzavřený systém: vakuová impregnace Detailed description: -
Application rate(s) and frequency	Application rate: 5.4 kg/m3 Dilution (%): 1% Number and timing of application: Application rates for softwood: Use class 1: 5.4 kg/m3 Use classes 2 and 3: 7.4 kg/m3 Use class 4: 14 kg/m3 Applied once
	Application rate: 7.4 kg/m3 Dilution (%): 2% Number and timing of application: Application rates for softwood: Use class 1: 5.4 kg/m3 Use classes 2 and 3: 7.4 kg/m3 Use class 4: 14 kg/m3 Applied once

	Application rate: 14 kg/m3 Dilution (%): 3.3% Number and timing of application: Application rates for softwood: Use class 1: 5.4 kg/m3 Use classes 2 and 3: 7.4 kg/m3 Use class 4: 14 kg/m3 Applied once
Category(ies) of users	industrial
Pack sizes and packaging material	1200 kg IBC (HDPE) 600 kg IBC (HDPE) 60 kg drum (HDPE)

4.1.1. Use-specific instructions

See the general instructions for use

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

See the general risk mitigation measures

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See the general first aid instructions and emergency measures to protect the environment

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

See the general instructions for disposal

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See the general conditions of storage

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

The product is diluted before use; a 1% to 4% solution is prepared depending on the use class and properties of the timber (recommended concentration for UC 2 and 3: 1.5–2.5%; UC 4: 3–4%).

5.2. Risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information), eye protection and a protective coverall (at least type 6, EN 13034) during the product handling phase.

Ensure sufficient ventilation of the workplace. Do not breathe aerosol.

Do not eat, drink or smoke when handling the preparation.

Wash hands thoroughly after handling.

Wash contaminated clothing before use.

The application shall be conducted within a contained area or on impermeable hard standing with building and that freshly treated timber shall be stored after treatment under shelter or on impermeable hard standing or both to prevent direct loss to soil, sewer or water, and any losses off the product shall be collected for reuse or disposal.

Treated wood should not be used in places near or above water.

Do not use for wood which may come into direct contact with food, feeding stuffs, drinking water or livestock animals.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid measures:

Inhalation: If inhaled, remove person to fresh air and keep comfortable for breathing.

impralit ACA protect brown: If experiencing allergic respiratory symptoms, call a doctor.

Skin contamination:

Undiluted product: Take off immediately all contaminated clothing. Rinse skin with water. In case of skin burns, seek medical attention.

Application solution: Wash skin with plenty of water.

Eye contamination (concentrate): Immediately flush the eyes with plenty of water, holding eyelids apart. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Get medical attention immediately.

<u>Eye contamination</u> (application solution): Rinse cautiously with water for several minutes, holding eyelids apart to ensure flushing of the entire surface. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if eye irritation persists.

<u>Ingestion:</u> Rinse mouth. Do NOT induce vomiting. Seek medical aid immediately and show the container label.

Emergency measures to protect the environment in case of an accident

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste. Wear appropriate personal protective equipment. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste. In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

5.4. Instructions for safe disposal of the product and its packaging

The product, empty containers and used sorbents must be treated as hazardous waste. The product and the application solution must not be released to the environment or to any kind of sewer.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 2 years

Store in a well-ventilated place. Keep container tightly closed.

Store at temperature from -15 to +30 °C.

Protect against direct sunlight.

Keep away from food, beverages, drinking water and feed.

Prevent unauthorised access.

Provide means for cleaning of the area (absorbents) and water supply for first aid in case of skin/eye contamination.

6. OTHER INFORMATION

Application codes