

Summary of product characteristics for a biocidal product

Product name: CINQ SUR CINQ FAMILLE

Product type(s): PT19 - Repellents and attractants (Pest control)

PT19 - Repellents and attractants (Pest control)

Authorisation number: FR-2019-0092

R4BP 3 asset reference number: FR-0013302-0001

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	6
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	7

Administrative information

1.1. Trade names of the product

CINQ SUR CINQ FAMILLE

1.2. Authorisation holder

Name and address of the authorisation holder

Name	Laboratoire Chauvin
Address	416 rue Samuel Morse CS 99535 34961 Montpellier Cedex 2 France
Authorisation number	FR-2019-0092 1-1

R4BP 3 asset reference number

FR-0013302-0001

Date of the authorisation

23/07/2019

Expiry date of the authorisation

22/07/2029

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

Laboratoire CHAUVIN

Address of the manufacturer

416 rue Samuel Morse - CS 99535 34961 Montpellier cedex 2 France
--

Location of manufacturing sites

FABRICATION CHIMIQUE ARDECHOISE LES ILES FERAYS 07300 Tournon cedex France
--

1.4. Manufacturer(s) of the active substance(s)

Active substance	1320 - Ethyl butylacetylaminopropionate
Name of the manufacturer	Merck KGaA
Address of the manufacturer	Frankfurter Strasse 250 64293 Darmstadt Germany
Location of manufacturing sites	Merck S.L.U. Poligono Merck 08100 Mollet del Valles Spain

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Ethyl butylacetylaminopropionate		Active Substance	52304-36-6	257-835-0	20

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements	<p>Flammable liquid and vapour.</p> <p>Causes serious eye irritation.</p> <p>Contains 2-hexyl-3-phenyl-2- propenal (trans & cis), benzyl 2-hydroxybenzoate. May produce an allergic reaction.</p>
Precautionary statements	<p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.</p> <p>Wash thoroughly after handling.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>If eye irritation persists: Get medical .</p>

4. Authorised use(s)

4.1 Use description

Use 1 - Skin repellent against mosquitoes

Product type	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	Insect repellents
Target organism(s) (including development stage)	Scientific name: Aedes spp. Common name: Aedes mosquitoes Development stage: Adults Scientific name: Culex spp. Common name: Culex mosquitoes Development stage: Adults
Field(s) of use	Other Skin application
Application method(s)	Method: Spraying Detailed description: Spraying on skin at 10 cm on head, hands (adults only), ¾ arms and 1/2 legs
Application rate(s) and frequencies	Application Rate: 0.7 mg / cm ² of skin Dilution (%): 0 Number and timing of application: The application rate is 0.7 mg / cm ² of skin Protection time: 5 hours in temperate condition <u>For European conclusion:</u> Number and timing of application: Child to Adult (> 2 years): 1 application per day <u>For French conclusion:</u> Number and timing of application: Child from 6 months up to 6 years: 1 application per day Child to Adult (> 6 years): 2 applications per day
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Bottle spray: 100 mL HDPE for the bottle and PE-LD/PP for the dip tube inside the bottle and PE-LD for the regulator on the spray and a Copolymer Polypropylene cap.

4.1.1 Use-specific instructions for use

The product must not be used for tropical species.

4.1.2 Use-specific risk mitigation measures

For European conclusion: Do not apply the product more than one time per day.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Skin repellent against ticks

Product type	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	Insect repellents
Target organism(s) (including development stage)	Scientific name: Ixodes ricinus Common name: - Development stage: Adults Scientific name: Ixodes ricinus Common name: - Development stage: Nymphs
Field(s) of use	Other Skin application Method: Spraying

Application method(s)	Detailed description: Spraying on skin at 10 cm on head, hands (adults only), ¾ arms and 1/2 legs
Application rate(s) and frequencies	Application Rate: 0.95 mg / cm ² of skin Dilution (%): 0 Number and timing of application: The application rate is 0.95 mg / cm ² of skin <u>For European conclusion:</u> Number and timing of application: Child to Adult (> 11 years): 1 application per day <u>For French conclusion:</u> Number and timing of application: Child to Adult (> 6 months): 1 application per day Protection time: 3 hours in temperate condition
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Bottle spray: 100 mL HDPE for the bottle and PE-LD/PP for the dip tube inside the bottle and PE-LD for the regulator on the spray and a Copolymer Polypropylene cap.

4.2.1 Use-specific instructions for use

The product must not be used for tropical species.

4.2.2 Use-specific risk mitigation measures

For European conclusion: Do not apply the product on children under 6 years.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- Respect the recommended application doses.
- Retreat after water exposure without exceeding the maximal recommended application number.
- The user should inform the registration holder if the treatment is ineffective
- The use of the product with other repellent products is not recommended.
- In case of a concomitant use of the product with sunscreen, first apply the sunscreen and wait 20 minutes before the application of the product.
- The protection time is only indicative. Environmental factors (e.g. high temperature, wind velocity) can lower it.

5.2. Risk mitigation measures

- Do not spray directly on the face, spray the product in the hand and then spread it onto the face.
- For children, the product must be applied by an adult.
- Do not apply on hands of children.
- Apply the product on skin and spread it uniformly with hands on following areas:
 - o Adults et children (> 11 years old): apply on head, neck, hands (palms and backs), lower arms, lower legs, feet and 70% of upper arms and thighs
 - o Children from 6 months to 11 years old: apply on head, neck, lower arms, lower legs, feet and 70% of upper arms and thighs.
- Wash hands before handling food.
- Keep out of reach of children.
- Avoid breathing vapours/spray.
- Use only outdoors or in a well-ventilated area.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.

Skin contact: In case of skin lesions, redness or persistent pain after application, consult a doctor.

Inhalation of large quantities: keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur.

Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.

Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.

Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains
Dispose of unused product, its packaging and all other waste in accordance with local regulations.
The packaging must not be reused.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Do not store the product more than 3 years.

6. Other information

- Considering the importance of this active substance in vector control, the authorisation holder has to implement a monitoring of scientific literature toward the active substance IR3535. Results of this assessment must be submitted to the Competent Authorities (CA) or other appointed bodies involved in resistance management every 5 years.
- Number of pump sprays indicated on the label should be in accordance with the application rate.
- The particle size distribution after storage should be provided in post-authorisation within two years.