

Summary of product characteristics for a biocidal product

Product name: 18V33CP-PE

Product type(s): PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

Authorisation number: FR-2023-0047

R4BP 3 asset reference number: FR-0031118-0000

Table Of Contents

| | |
|---|----|
| Administrative information | 1 |
| 1.1. Trade names of the product | 1 |
| 1.2. Authorisation holder | 1 |
| 1.3. Manufacturer(s) of the biocidal products | 2 |
| 1.4. Manufacturer(s) of the active substance(s) | 2 |
| 2. Product composition and formulation | 2 |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product | 2 |
| 2.2. Type of formulation | 3 |
| 3. Hazard and precautionary statements | 3 |
| 4. Authorised use(s) | 3 |
| 5. General directions for use | 11 |
| 5.1. Instructions for use | 11 |
| 5.2. Risk mitigation measures | 11 |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 12 |
| 5.4. Instructions for safe disposal of the product and its packaging | 12 |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage | 12 |
| 6. Other information | 12 |

Administrative information

1.1. Trade names of the product

| |
|--|
| 18V33CP-PE |
| V33 TRAITEMENT BOIS MULTI-USAGES |
| V33 TRAITEMENT MULTI-USAGES |
| BIGMAT TRAITEMENT BOIS MULTI USAGES |
| ELOS TRAITEMENT BOIS MULTI USAGES |
| PLASTOR TRAITEMENT MULTI-USAGES |
| TRAITEMENT DU BOIS MULTI-USAGES |
| TX203 TRAITEMENT MULTI-USAGES |
| FOXTER TRAITEMENT DU BOIS MULTI-USAGES |
| VARIATECH TRAITEMENT UNIVERSEL |
| WINKO TRAITEMENT DU BOIS UNIVERSEL |
| AXTON TRAITEMENT BOIS UNIVERSEL |
| FLEXELL TRAITEMENT BOIS UNIVERSEL |
| TRAITEMENT DU BOIS EXTERIEUR NUANCE |
| TRAITEMENT MULTI-USAGE NUANCE |

1.2. Authorisation holder

| | | |
|---|-----------------|--------------------------------|
| Name and address of the authorisation holder | Name | V33 |
| | Address | La Muyre 39210 Domblans France |
| Authorisation number | FR-2023-0047 | |
| R4BP 3 asset reference number | FR-0031118-0000 | |
| Date of the authorisation | 21/08/2023 | |
| Expiry date of the authorisation | 20/08/2033 | |

1.3. Manufacturer(s) of the biocidal products

| | |
|--|--------------------------------|
| Name of the manufacturer | V33 |
| Address of the manufacturer | La Muyre 39210 Domblans France |
| Location of manufacturing sites | La Muyre 39210 Domblans France |

1.4. Manufacturer(s) of the active substance(s)

| | |
|--|---|
| Active substance | 1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) |
| Name of the manufacturer | Arysta Lifesciences Benelux Sprl. |
| Address of the manufacturer | Rue de Rénory 26/1 BE-4102 Ougrée Belgium |
| Location of manufacturing sites | D, ½, MIDC - Lote Parshuram Tal. Khed Dist. Ratnagiri 415 722 Maharashtra India |

| | |
|--|---|
| Active substance | 1452 - Penflufen |
| Name of the manufacturer | LANXESS Deutschland GmbH Material Protection Products |
| Address of the manufacturer | Kennedyplatz 1 D-50569 Köln Germany |
| Location of manufacturing sites | Alte Heerstrasse 41538 Dormagen Germany |

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|-------------|------------|----------|------------|-----------|-------------|
|-------------|------------|----------|------------|-----------|-------------|

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|------------------------------|----------------------|-------------|-----------|-------------|
| (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin) | | Active Substance | 52315-07-8 | 257-842-9 | 0,183 |
| Penflufen | | Active Substance | 494793-67-8 | | 0,027 |
| BIT | 1,2-benzisothiazol-3(2H)-one | Non-active substance | 2634-33-5 | | 0,02 |

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

Very toxic to aquatic life with long lasting effects.

Contains 2-methylisothiazolin-3-one and 5-chloro-2-methylisothiazolin-3-one (3:1) (C(M)IT/MIT) and 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction.

Precautionary statements

Read carefully and follow all instructions.

Avoid release to the environment.

Collect spillage.

Dispose of to .

4. Authorised use(s)

4.1 Use description

Use 1 - Preventive application - Professionals

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Hylotrupes bajulus
Common name: House longhorn beetle
Development stage: Larvae

Scientific name: Anobium punctatum
Common name: Common furniture beetle
Development stage: Larvae

Scientific name: Lyctus brunneus
Common name: Powder post beetle
Development stage: Larvae

Scientific name: Reticulitermes
Common name: Subterranean termites
Development stage:

Scientific name: Wood-rotting basidiomycetes
Common name: Brown rot
Development stage:

Scientific name: Wood-rotting basidiomycetes
Common name: White rot
Development stage:

Field(s) of use

Indoor

Outdoor

Preventive treatment - Use-class 1, Use-class 2, Use-class 3

Softwood and hardwood

Application method(s)

Method: Spraying
Detailed description:
-

Method: Brushing
Detailed description:
-

Application rate(s) and frequencies

Application Rate: 200 g of product / m² of wood (equivalent to 200 mL of product / m² of wood)

Dilution (%): -

Number and timing of application:
-

Application Rate: 200 g of product/m² of wood (equivalent to 200 mL of product / m² of wood)

Dilution (%): -

Number and timing of application:
-

Category(ies) of users

Professional

Pack sizes and packaging material

- Steel bottles with internal coating made of phenolic epoxy resins, 0.5, 0.75 and 1 L,

- Steel cans with internal coating made of phenolic epoxy resin, 2.5, 5 and 6 L, 20, 25, 30,

- Steel drums with internal coating made of phenolic epoxy resins, 60 and 215 L

4.1.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3, a top coat has to be applied.

4.1.2 Use-specific risk mitigation measures

- For outdoor in situ treatment by spray, cover the ground with an appropriate impermeable sheet to prevent any emission to the terrestrial compartment

- Wear protective chemical resistant gloves and an impermeable protective coverall (material to be specified by the authorisation holder within the product information) during the application of the product by spraying.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Preventive application – Non professionals

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Hylotrupes bajulus
Common name: House longhorn beetle
Development stage: Larvae

Scientific name: Anobium punctatum
Common name: Common furniture beetle
Development stage: Larvae

Scientific name: Lyctus brunneus
Common name: Powder post beetle
Development stage: Larvae

Scientific name: Reticulitermes
Common name: Subterranean termites
Development stage:

Scientific name: Wood-rotting basidiomycetes
Common name: Brown rot
Development stage:

Scientific name: Wood-rotting basidiomycetes
Common name: White rot
Development stage:

Field(s) of use

Indoor

Outdoor

Preventive treatment - Use-class 1, Use-class 2, Use-class 3

Softwood and hardwood

Application method(s)

Method: Spraying
Detailed description:
-

Method: Brushing
Detailed description:
-

Application rate(s) and frequencies

Application Rate: 200 g of product / m² of wood (equivalent to 200 mL of product / m² of wood)
Dilution (%): -
Number and timing of application:
-

Application Rate: 200 g of product / m² of wood (equivalent to 200 mL of product / m² of wood)
Dilution (%): -
Number and timing of application:
-

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

- Steel bottles with internal coating made of phenolic epoxy resins 0.5, 0.75 and 1 L,
- Steel cans with internal coating made of phenolic epoxy resin, 2.5, 5, 6, 20, 25 and 30 L

4.2.1 Use-specific instructions for use

- For preventive superficial application on wood for use class 3, a top coat has to be applied.

4.2.2 Use-specific risk mitigation measures

- For outdoor in situ treatment by spray and by brushing, cover the ground with an appropriate impermeable sheet to prevent any emission to the terrestrial compartment

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.3 Use description

Use 3 - Curative application - Professionals

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: *Hylotrupes bajulus*
Common name: House longhorn beetle
Development stage: Larvae

Scientific name: *Anobium punctatum*
Common name: Common furniture beetle
Development stage: Larvae

Scientific name: *Lyctus brunneus*
Common name: Powder post beetle
Development stage: Larvae

Scientific name: *Reticulitermes*
Common name: Subterranean termites
Development stage:

| | |
|--|---|
| Field(s) of use | <p>Indoor</p> <p>Outdoor</p> <p>Curative treatment of wood in service</p> <p>Softwood and hardwood</p> |
| Application method(s) | <p>Method: Spraying (indoor only) Detailed description: -</p> <p>Method: Brushing Detailed description: -</p> <p>Method: Injection (in combination with a superficial application) Detailed description: -</p> |
| Application rate(s) and frequencies | <p>Application Rate: For curative treatment by superficial application: 300 g of product / m² of wood (equivalent to 300 mL of product / m² of wood) Dilution (%): - Number and timing of application: -</p> <p>Application Rate: For curative treatment by superficial application: 300 g of product / m² of wood (equivalent to 300 mL of product / m² of wood) Dilution (%): - Number and timing of application: -</p> <p>Application Rate: In combination with injection if need be: 150 g of product / m² of wood (equivalent to 150 mL of product / m² of wood) Dilution (%): - Number and timing of application: -</p> |
| Category(ies) of users | <p>Professional</p> |
| Pack sizes and packaging material | <p>- Steel bottles with internal coating made of phenolic epoxy resins, 0.5, 0.75 and 1 L,</p> <p>- Steel cans with internal coating made of phenolic epoxy resin, 2.5, 5 and 6 L, 20, 25, 30</p> <p>- Steel drums with internal coating made of phenolic epoxy resins 60 and 215 L</p> |

4.3.1 Use-specific instructions for use

- Curative treatments by injection are always performed in combination with a curative treatment by surface application.

4.3.2 Use-specific risk mitigation measures

- Wear protective chemical resistant gloves (material to be specified by the authorisation holder within the product information) during the application by injection.

- Wear protective chemical resistant gloves and an impermeable protective coverall (material to be specified by the authorisation holder within the product information) during the application of the product by spraying.

- For outdoor in situ treatment by brushing, cover the ground with an appropriate impermeable sheet to prevent any emission to the terrestrial compartment

- Curative application by spraying is authorized indoor only.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.4 Use description

Use 4 - Curative application – Non professionals

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | - |
| Target organism(s) (including development stage) | Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae |

Scientific name: Lyctus brunneus
Common name: Powder post beetle
Development stage: Larvae

Scientific name: Reticulitermes
Common name: Subterranean termites
Development stage:

Field(s) of use

Indoor
Outdoor
Curative treatment of wood in service
Softwood and hardwood

Application method(s)

Method: Spraying (indoor only)
Detailed description:
-
Method: Brushing
Detailed description:
-
Method: Injection (in combination with a superficial application)
Detailed description:
-

Application rate(s) and frequencies

Application Rate: For curative treatment by superficial application: 300 g of product / m² of wood (equivalent to 300 mL of product / m² of wood)
Dilution (%): -
Number and timing of application:
-
Application Rate: For curative treatment by superficial application: 300 g of product/m² of wood (equivalent to 300 mL of product / m² of wood)
Dilution (%): -
Number and timing of application:
-
Application Rate: In combination with injection if need be: 150 g of product / m² of wood (equivalent to 150 mL of product / m² of wood)
Dilution (%): -
Number and timing of application:
-

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

- Steel bottles with internal coating made of phenolic epoxy resins, 0.5, 0.75 and 1 L,
- Steel cans with internal coating made of phenolic epoxy resin, 2.5, 5, 6, 20, 25 and 30 L

4.4.1 Use-specific instructions for use

- Curative treatments by injection are always performed in combination with a curative treatment by surface application.

4.4.2 Use-specific risk mitigation measures

- For outdoor in situ treatment by brushing, cover the ground with an appropriate impermeable sheet to prevent any emission to the terrestrial compartment
- Curative application by spraying is authorized indoor only.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use

5.1. Instructions for use

- Inform the registration holder if the treatment is ineffective.
- Comply with the instructions for use

5.2. Risk mitigation measures

- Do not use on wood which may come in direct contact with food, feed and livestock.
- Do not apply where the product can reach surface water during outdoor application.
- Use the treated wood outdoors only when it is protected by a top-coat that does not contain any biocidal substance for wood preservation. This top-coat must be classified as stable according to standard EN 927-2, which limits the leaching of the product to the environment throughout the life cycle of the treated wood.
- Keep uninvolved persons, children and pets away from treated surfaces/areas until dried

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- If medical advice is needed, have product container or label at hand.
- IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.
- IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.
- IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains
- Dispose of unused product, its packaging (...) and all other waste, in accordance with local regulations

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life : 30 months
- Do not store the product at temperature above 40°C
- Keep out of reach of children and non-target animals/pets.

6. Other information

-