

# Summary of product characteristics for a biocidal product

**Product name:** MAMICAMP SELLADOR

**Product type(s):** PT03 - Veterinary hygiene (Disinfectants)

**Authorisation number:** ES/APP(NA)-2023-03-00901

**R4BP 3 asset reference number:** ES-0028632-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

## Administrative information

### 1.1. Trade names of the product

MAMICAMP SELLADOR
-------------------

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	PRODUCTOS QP S.A.
	Address	Ctra. Logroño, km 10'2 50180 UTEBO Spain
<b>Authorisation number</b>	ES/APP(NA)-2023-03-00901	
<b>R4BP 3 asset reference number</b>	ES-0028632-0000	
<b>Date of the authorisation</b>	30/10/2023	
<b>Expiry date of the authorisation</b>	30/10/2028	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	PRODUCTOS QP S.A.
<b>Address of the manufacturer</b>	Ctra. Logroño, km 10'2 50180 UTEBO Spain
<b>Location of manufacturing sites</b>	Ctra. Logroño, km 10'2 50180 UTEBO Spain

### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1349 - Polyvinylpyrrolidone iodine
<b>Name of the manufacturer</b>	Laboratorios Montplet, SLU
<b>Address of the manufacturer</b>	Vía Trajana, 53-55 08020 BARCELONA Spain
<b>Location of manufacturing sites</b>	ISP CHEMICALS LLC AFFILIATE OF ASHLAND 455 N.Main St (HWY 95) KY 42029 Calvert City United States
	BASF Corporation 8404 River Road LA 70734 Geismar United States

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active Substance	25655-41-8		2,5
Glicerina		Non-active substance	56-81-5	200-289-5	5
WATER		Non-active substance	7732-18-5	231-791-2	91,856
Alcohol, C9-11, etoxilado		Non-active substance	68439-46-3	614-482-0	0,394
Xanthan gum		Non-active substance	11138-66-2	234-394-2	0,35

### 2.2. Type of formulation

GW - Water soluble gel
------------------------

## 3. Hazard and precautionary statements

<b>Hazard statements</b>	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
--------------------------	--

### Precautionary statements

Wash thoroughly after handling.

Avoid release to the environment.

Wear protective gloves.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

Dispose of contents to /container as hazardous waste to a registered establishment or undertaking, in accordance with current regulations..

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Use # 1 – Post-milking teat disinfection by dipping

<b>Product type</b>	PT03 - Veterinary hygiene (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Teat disinfection (non-medical) after milking.
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Common name: Bacteria Development stage:</p> <p>Scientific name: Common name: Yeasts Development stage:</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Indoor</p>
<b>Application method(s)</b>	<p>Method: Manual or automatic dipping cups treatment</p> <p>Detailed description: Teat disinfection (non-medical) after milking.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: - Dilution (%): Number and timing of application: Application rate: RTU after milking -daily cows: 4 ml/cow/event -sheep and goats: 2 ml/animal/event</p> <p>Contact time: 5 minutes after milking</p>

	The frequency of application is: 2 events/day for manual milking or 3 events/day for milking systems for dairy cows, and 1 application per day for ewes or goats.
<b>Category(ies) of users</b>	Trained professional Professional
<b>Pack sizes and packaging material</b>	Jerry can: 5L, 10L, 20L and 25L Drum: 60L, 200L IBC (intermediate bulk container): 1000L Material of all packaging: plastic (HDPE)

#### 4.1.1 Use-specific instructions for use

See Directions for use

#### 4.1.2 Use-specific risk mitigation measures

See Directions for use

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use

## 5. General directions for use

### 5.1. Instructions for use

For hygienic reasons it is standard practice to use gloves and protective clothing.

Please read the label or leaflet before use and follow all the instructions provided.

This biocidal product is specially formulated to be applied for disinfection of the udder/teat hole after milking. It is indicated for dairy cows, sheeps, goats and other lactating females.

Apply by dipping cups manually or automatically on animal's teats on the full length of the teat after milking.

Respect the conditions of use of the product (concentration, contact time, temperature, pH, etc.).

After milking, remove all organic debris from teats before applying post-milking teat dipping with a paper or cloth towel.

Post-milking Teat Dipping: Cover the entire teat with dip cup containing 10-20 ml of pure BP (one cup with 20 ml is used for approximately 5-6 cows or 10-12 sheeps and goats). Once the teats are dipped, the operator slightly moves the teats to allow the formation of a droplet on the sphincter at the basis of the teat. This is the crucial place to be protected since it is the entry point of the contaminants. Keep the cows in the milking parlour and let the product dry on the udder, making sure that the animal does not lie down until the product has dried, at least 5 min (contact time).

Inform the registration holder if the treatment is ineffective.

The frequency of application is: 2 events/day for manual milking or 3 events/day for milking systems for dairy cows, and 1 application per day for ewes or goats.

### 5.2. Risk mitigation measures

Wear eye protection when handling the product.

Avoid contact with eyes and skin.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. DO NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTER

Environmental precautions:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.

Avoid spillage into an aqueous medium as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into an aqueous medium notify the relevant authorities.

#### 5.4. Instructions for safe disposal of the product and its packaging

In Spain:

Empty containers, unused product, washing water, containers and other waste generated during the treatment are considered hazardous waste. Deliver those wastes to a registered establishment or undertaking, in accordance with current regulations.

Code the waste according to Decision 2014/955 / EU.

Do not release to soil, ground, surface water or any kind of sewer.

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store it protected from direct sunlight  
Shelf-life: 2 years

#### 6. Other information



Definitions:

Professional: User applying biocidal products in the workplace. This user has some knowledge and skills in the handling of chemicals, and is able to correctly use personal protective equipment (PPE) if necessary.

Trained professional: pest control operators, having received specific training in biocides according to the national legislation in force.