

**ΕΛ**

**ΠΑΡΑΡΤΗΜΑ**

**ΠΕΡΙΛΗΨΗ ΤΩΝ ΧΑΡΑΚΤΗΡΙΣΤΙΚΩΝ ΤΟΥ  
ΠΡΟΪΟΝΤΟΣ ΓΙΑ ΜΙΑ ΟΙΚΟΓΕΝΕΙΑ ΒΙΟΚΤΟΝΩΝ**

**ΤΠ8-0117-ΟΠ**

**Τύπος(οι) προϊόντος**

ΡΤ08: Συντηρητικά ξύλου

**Αριθμός άδειας ΤΠ8-0117-ΟΠ**

**Αριθμός κανονιστικού πόρου R4BP GR-0020417-0000**

---

I. ΠΡΩΤΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ .....	3
1. ΔΙΟΙΚΗΤΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ .....	4
2. ΣΥΝΘΕΣΗ ΚΑΙ ΣΚΕΥΑΣΜΑ ΟΙΚΟΓΕΝΕΙΑΣ ΠΡΟΪΟΝΤΩΝ .....	6
II. ΔΕΥΤΕΡΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ ΜΕΤΑ-SPC .....	7
1. ΜΕΤΑ-SPC 1 ΔΙΟΙΚΗΤΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ .....	8
2. ΣΥΝΘΕΣΗ ΤΗΣ ΜΕΤΑ-SPC 1 .....	9
3. ΔΗΛΩΣΕΙΣ ΕΠΙΚΙΝΔΥΝΟΤΗΤΑΣ ΚΑΙ ΠΡΟΦΥΛΑΞΗΣ ΤΩΝ ΜΕΤΑ-SPC 1 .....	10
4. ΕΓΚΕΚΡΙΜΕΝΗ/-ΕΣ ΧΡΗΣΗ/-ΕΙΣ ΤΩΝ ΜΕΤΑ-SPC .....	11
5. ΓΕΝΙΚΕΣ ΚΑΤΕΥΘΥΝΣΕΙΣ ΓΙΑ ΤΗ ΧΡΗΣΗ ΤΩΝ ΜΕΤΑ-SPC 1 .....	13
6. ΑΛΛΕΣ ΠΛΗΡΟΦΟΡΙΕΣ .....	21
7. ΤΡΙΤΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ: ΜΕΜΟΝΩΜΕΝΑ ΠΡΟΪΟΝΤΑ ΣΤΙΣ ΜΕΤΑ-SPC 1 .....	22

---

**Μέρος Ι.**  
**ΠΡΩΤΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ**

## Κεφάλαιο 1. ΔΙΟΙΚΗΤΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ

### 1.1. Επώνυμο

Όνομασία	ΤΠ8-0117-ΟΠ
----------	-------------

### 1.2. Τύπος(οι) προϊόντος

Τύπος(οι) προϊόντος	PT08: Συντηρητικά ξύλου
---------------------	-------------------------

### 1.3. Κάτοχος άδειας

Επωνυμία και διεύθυνση του κατόχου άδειας	Όνομασία	Akzo Nobel Decorative Coatings B.V.
	Διεύθυνση	Christian Neefstraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam άλλο: Netherlands
Αριθμός άδειας		ΤΠ8-0117-ΟΠ
Αριθ. αναφ. στοιχείου στο μητρώο βιοκτόνων <i>R4BP</i>		GR-0020417-0000
Ημερομηνία έκδοσης της άδειας		13/02/2018
Ημερομηνία λήξης της άδειας		30/10/2025

### 1.4. Παρασκευαστής(ές) του προϊόντος

Επωνυμία παρασκευαστή	Akzo Nobel Decorative Paints SA
Διεύθυνση παρασκευαστή	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire Γαλλία
Τοποθεσία των εγκαταστάσεων παραγωγής	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire Γαλλία

Επωνυμία παρασκευαστή	Akzo Nobel Decorative Coatings Sp.z.o.o.
Διεύθυνση παρασκευαστή	ul. Krakowiaków 48 02-255 Warszawa Πολωνία
Τοποθεσία των εγκαταστάσεων παραγωγής	ul. Przemyslowa 3 08-440 Pilawa Πολωνία

Επωνυμία παρασκευαστή	VIVECHROM S.A.
Διεύθυνση παρασκευαστή	P.O. Box 4 192 00 Elefsis Ελλάδα
Τοποθεσία των εγκαταστάσεων παραγωγής	P.O. Box 4 192 00 Elefsis Ελλάδα

Επωνυμία παρασκευαστή	Akzo Nobel Baltics
Διεύθυνση παρασκευαστή	Tobiase 8 10147 Tallinn Εσθονία
Τοποθεσία των εγκαταστάσεων παραγωγής	Kastani Street 7 79514 Rapla Εσθονία

### 1.5. Παρασκευαστής(-ές) της(των) δραστικής(ών) ουσίας(ών)

Δραστική ουσία	Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)
Επωνυμία παρασκευαστή	TROY Corporation

Διεύθυνση παρασκευαστή	8 Vreeland Road, Florham Park 07932 New Jersey Ηνωμένες Πολιτείες της Αμερικής
Τοποθεσία των εγκαταστάσεων παραγωγής	One Avenue L NJ 07105 Newark Ηνωμένες Πολιτείες της Αμερικής

Δραστική ουσία	Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνόλιο (IPBC)
Επωνυμία παρασκευαστή	TROY Chemical Corporation
Διεύθυνση παρασκευαστή	One Avenue L NJ 07105 Newark Ηνωμένες Πολιτείες της Αμερικής
Τοποθεσία των εγκαταστάσεων παραγωγής	12e Uiverlaan 3145 Maassluis Κάτω Χώρες

## Κεφάλαιο 2. ΣΥΝΘΕΣΗ ΚΑΙ ΣΚΕΥΑΣΜΑ ΟΙΚΟΓΕΝΕΙΑΣ ΠΡΟΪΟΝΤΩΝ

### 2.1. Ποιοτικές και ποσοτικές πληροφορίες για τη σύνθεση της οικογένειας

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμικό 3-ιωδο-2-προπυνύλιο (IPBC)	ιδικό	δραστική ουσία	55406-53-6	259-627-5	0,7 - 0,7 % (β/β)

### 2.2. Τύπο(οι) τυποποίησης

Τύπος(οι) τυποποίησης	ΑΛ Κάθε άλλο υγρό
-----------------------	-------------------

---

**Μέρος II.**  
**ΔΕΥΤΕΡΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ ΜΕΤΑ-SPC**

---

## Κεφάλαιο 1. ΜΕΤΑ-SPC 1 ΔΙΟΙΚΗΤΙΚΕΣ ΠΛΗΡΟΦΟΡΙΕΣ

### 1.1. Μετα-SPC 1 Αναγνωριστικός κωδικός

Αναγνωριστικός κωδικός	Meta SPC: meta SPC
------------------------	--------------------

### 1.2. Επίθημα του αριθμού αδείας

Αριθμός	1-1
---------	-----

### 1.3. Τύπος(οι) προϊόντος

Τύπος(οι) προϊόντος	PT08: Συντηρητικά ξύλου
---------------------	-------------------------



---

## Κεφάλαιο 2. ΣΥΝΘΕΣΗ ΤΗΣ ΜΕΤΑ-SPC 1

### 2.1. Ποιοτικές και ποσοτικές πληροφορίες σχετικά με τη σύνθεση των μετα-SPC 1

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7 - 0,7 % (β/β)

### 2.2. Τύπος(οι) τυποποίησης των μετα-SPC 1

Τύπος(οι) τυποποίησης	AL Κάθε άλλο υγρό
-----------------------	-------------------

### Κεφάλαιο 3. ΔΗΛΩΣΕΙΣ ΕΠΙΚΙΝΔΥΝΟΤΗΤΑΣ ΚΑΙ ΠΡΟΦΥΛΑΞΗΣ ΤΩΝ ΜΕΤΑ-SPC 1

Δηλώσεις επικινδυνότητας	<p>H412: Επιβλαβές για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.</p> <p>EUH066: Παρατεταμένη έκθεση μπορεί να προκαλέσει ξηρότητα δέρματος ή σκάσιμο.</p> <p>EUH208: Περιέχει &lt;name of sensitising substance&gt;. Μπορεί να προκαλέσει αλλεργική αντίδραση.</p>
Δηλώσεις προφύλαξης	<p>P101: Εάν ζητήσετε ιατρική συμβουλή, να έχετε μαζί σας τον περιέκτη του προϊόντος ή την ετικέτα.</p> <p>P102: Μακριά από παιδιά.</p> <p>P262: Να μην έρθει σε επαφή με τα μάτια, με το δέρμα ή με τα ρούχα.</p> <p>P273: Να αποφεύγεται η ελευθέρωση στο περιβάλλον.</p> <p>P312: Καλέστε το το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ εάν αισθανθείτε αδιαθεσία.</p> <p>P501: Διάθεση του περιεχομένου σε local rules.</p> <p>P312: Καλέστε το το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ εάν αισθανθείτε αδιαθεσία.</p> <p>P501: Διάθεση του περιέκτη σε local rules.</p>

## Κεφάλαιο 4. ΕΓΓΕΚΡΙΜΕΝΗ/-ΕΣ ΧΡΗΣΗ/-ΕΙΣ ΤΩΝ ΜΕΤΑ-SPC

### 4.1. Περιγραφή χρήσης 1

**Πίνακας 1. Κατά των μυκήτων αποχρωματισμού του ξύλου**

Τύπος προϊόντος	PT08: Συντηρητικά ξύλου
Ακριβής περιγραφή της εγκεκριμένης χρήσης, εάν απαιτείται	Το συντηρητικό προορίζεται για χρήση σε εξωτερικά ξύλα, τα οποία δεν είναι σε άμεση επαφή με το έδαφος ή με νερό και εκτίθενται στις καιρικές συνθήκες, π.χ. σε παράθυρα, πόρτες (εσωτερικά και εξωτερικά μέρη), υπόστεγα, πέργκολες, παντζούρια και κάγκελα μπαλκονιού. Όχι για χρήση σε ξυλεία που βρίσκεται σε εσωτερικούς χώρους.
Στοχευόμενος(οι) οργανισμός(οί) (συμπεριλαμβανομένου του σταδίου ανάπτυξης)	Επιστημονική ονομασία: <i>Aureobasidium pullulans</i> spp. Κοινή ονομασία: sapstain fungi Στάδιο ανάπτυξης: Κανένα δεδομένο
Πεδίο(α) χρήσης	χρήση σε εσωτερικό χώρο χρήση σε εξωτερικό χώρο
Μέθοδος(οι) εφαρμογής	Μέθοδος: Ανοιχτό σύστημα: εφαρμογή με πινέλο Λεπτομερής περιγραφή: Μη διαθέσιμη
Ποσοστό(ά) και συχνότητα εφαρμογής	Δόση εφαρμογής: 200-250 ml/m <sup>2</sup> Αραίωση (%): - Αριθμός εφαρμογών και χρόνος εφαρμογής: 200-250 g/m <sup>2</sup>
Κατηγορία(ες) χρηστών	επαγγελματίας ; ευρύ κοινό (μη επαγγελματίες)
Μεγέθη συσκευασίας και υλικό συσκευασίας	Δοχείο μεταλλικό 0.75L - 20L (0.75L; 1L; 2.5L; 3L; 5L; 5.5L; 6L; 9L; 9.5L; 10L; 11L; 11.5L; 12L; 20L)

#### 4.1.1. Οδηγίες χρήσης ανά χρήση

Φυλάξτε το μακριά από παιδιά. Να φοράτε προστατευτικά ρούχα και γάντια.

Χρησιμοποιήστε τα βιοκτόνα με ασφάλεια. Να διαβάσετε πάντα την ετικέτα και τις πληροφορίες προϊόντος πριν από τη χρήση

#### 4.1.2. Μέτρα μετριασμού κινδύνου ανά χρήση

-

#### 4.1.3. Στοιχεία των πιθανών άμεσων ή έμμεσων επιπτώσεων, οδηγίες πρώτων βοηθειών και επείγοντα μέτρα για την προστασία του περιβάλλοντος που σχετίζονται με τη χρήση

Σε περίπτωση επαφής με το δέρμα: Βγάλτε αμέσως όλα τα μολυσμένα ρούχα και πλυθείτε αμέσως με πολύ νερό και σαπούνι. Ζητήστε ιατρική συμβουλή εάν τα συμπτώματα επιμένουν.

Σε περίπτωση επαφής με τα μάτια: Πλύνετε τα αμέσως με άφθονο νερό. Ζητήστε ιατρική συμβουλή εάν τα συμπτώματα επιμένουν.

Σε περίπτωση κατάποσης: Μην προκαλέσετε εμετό εκτός αν σας δόθηκαν ρητές οδηγίες από ιατρικό προσωπικό. Αν προκληθεί εμετός θα πρέπει να κρατάτε το κεφάλι χαμηλά ώστε να μην εισέλθει ο εμετός στους πνεύμονες.

Σε περίπτωση εισπνοής: Μεταφέρετε τον παθόντα στον καθαρό αέρα. Διατηρήστε τον ζεστό και αφήστε τον να ξεκουραστεί. Να του παρασχεθεί τεχνητή αναπνοή από εκπαιδευμένο άτομο σε περίπτωση μη κανονικής αναπνοής ή αναπνευστικής δυσχέρειας. Ζητήστε ιατρική συμβουλή εάν τα

---

συμπτώματα είναι σοβαρά ή διαρκούν πολύ. Αν είναι αναισθητος τοποθετήστε τον σε θέση ανάντησης και ζητήστε αμέσως ιατρική βοήθεια..

Τηλ Κέντρου Δηλητηριάσεων: 210 7793777

#### **4.1.4. Οδηγίες για την ασφαλή τελική διάθεση του προϊόντος και της συσκευασίας του που σχετίζονται με τη χρήση**

Το υλικό αυτό και ο περιέκτης του θα πρέπει να διατίθενται με ασφαλή τρόπο.

#### **4.1.5. Συνθήκες αποθήκευσης και διάρκεια ζωής του προϊόντος υπό κανονικές συνθήκες αποθήκευσης που σχετίζονται με τη χρήση**

Αποθηκεύστε το προϊόν στα ερμητικά κλεισμένα αρχικά δοχεία σε θερμοκρασίες μεταξύ 5-30 ° C.

Διάρκεια ζωής έως 36 μήνες

---

## Κεφάλαιο 5. ΓΕΝΙΚΕΣ ΚΑΤΕΥΘΥΝΣΕΙΣ ΓΙΑ ΤΗ ΧΡΗΣΗ ΤΩΝ ΜΕΤΑ-SPC 1

### 5.1. Οδηγίες χρήσης

Sikkens Cetol HLS plus(BP)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Hazel)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Boxwood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Blue)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Ebony)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Teak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Dark Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Oregon)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Colourless)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Olive Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Cedar)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Fir green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Mahogany)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Chestnut)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Light Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Old Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

---

Sikkens Cetol HLS plus (BP) (Larch)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Rosewood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Russian Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

## **5.2. Μέτρα μετριασμού κινδύνου**

Sikkens Cetol HLS plus(BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Hazel)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Boxwood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Blue)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Ebony)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Teak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Oregon)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Colourless)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Olive Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Cedar)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Fir green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Mahogany)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Chestnut)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Light Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Old Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Larch)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Rosewood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Russian Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

## **5.3. Στοιχεία των πιθανών άμεσων ή έμμεσων επιπτώσεων, οδηγίες πρώτων βοηθειών και επείγοντα μέτρα για την προστασία του περιβάλλοντος**

Sikkens Cetol HLS plus(BP)

---

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Hazel)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Boxwood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Blue)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Ebony)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Teak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

---

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Dark Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Oregon)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Colourless)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Olive Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Cedar)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.



---

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Fir green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Mahogany)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Chestnut)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Light Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Old Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Larch)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If

swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Rosewood)

---

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Russian Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

#### **5.4. Οδηγίες για την ασφαλή τελική διάθεση του προϊόντος και της συσκευασίας του**

Sikkens Cetol HLS plus(BP)

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Hazel)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Boxwood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Blue)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Ebony)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Teak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Dark Oak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Pine)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Oregon)

---

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Colourless)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Olive Green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Cedar)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Fir green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Mahogany)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Chestnut)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Light Oak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Old Pine)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Larch)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Rosewood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Russian Green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

## **5.5. Συνθήκες αποθήκευσης και διάρκεια ζωής του προϊόντος υπό κανονικές συνθήκες αποθήκευσης**

Sikkens Cetol HLS plus(BP)

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Hazel)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Boxwood)

---

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Blue)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Ebony)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Teak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Oregon)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Colourless)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Olive Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Cedar)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Fir green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Mahogany)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Chestnut)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Light Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Old Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Larch)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Rosewood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Russian Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

---

## Κεφάλαιο 6. ΑΛΛΕΣ ΠΛΗΡΟΦΟΡΙΕΣ

-

**Κεφάλαιο 7. ΤΡΙΤΟ ΕΠΙΠΕΔΟ ΠΛΗΡΟΦΟΡΙΩΝ: ΜΕΜΟΝΩΜΕΝΑ ΠΡΟΪΟΝΤΑ ΣΤΙΣ ΜΕΤΑ-SPC 1**

**7.1. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος**

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Hazel	περιοχή της αγοράς: DK
	SADOLIN IMPREGNAT CLASSIC HP + Mahoń	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Mahoń	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Mahoń	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Mahoń	περιοχή της αγοράς: PL
	SADOLIN Classic HP (BPR) mahagóńi	περιοχή της αγοράς: HU
Αριθμός άδειας	GR-0020417-0001 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

**7.2. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος**

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Boxwood	περιοχή της αγοράς: DK
Αριθμός άδειας	GR-0020417-0002 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.3. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Blue	περιοχή της αγοράς: DK
Αριθμός άδειας	GR-0020417-0003 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.4. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Ebony	περιοχή της αγοράς: DK
	SADOLIN Classic HP(BPR) paliszander	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Palisander	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Palisander	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Palisander	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Palisander	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Ebenholz	περιοχή της αγοράς: CH
	Xyladecor Holzschutzlasur BPR Ebenholz	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0004 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.5. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Teak	περιοχή της αγοράς: DK
	SADOLIN Classic HP (BPR) teak	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT Classic HP + Tek	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Tek	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Tek	περιοχή της αγοράς: PL
	SADOLIN Classic HP + Tek	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus (BPR) Teak	περιοχή της αγοράς: IT
	Xyladecor Holzschutzlasur BP Teak	περιοχή της αγοράς: AT
	Sikkens Cetol HLS plus (BPR) Teak	περιοχή της αγοράς: CH
Αριθμός άδειας	GR-0020417-0005 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.6. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος



Εμπορική ονομασία	Sikkens Cetol HLS plus (Walnut)	περιοχή της αγοράς: DK
	SADOLIN Classic HP(BPR) dio	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Orzech Wloski	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Orzech Wloski	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Orzech Wloski	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Orzech Wloski	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Nussbaum	περιοχή της αγοράς: CH
	Sikkens Cetol HLS plus(BPR) Noce	περιοχή της αγοράς: IT
	Xyladecor Holzschutzlasur BPR Nussbaum	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0006 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.7. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Dark Oak	περιοχή της αγοράς: DK
-------------------	--	------------------------

	Sikkens Cetol HLS plus(BPR) Eiche Dunkel	περιοχή της αγοράς: CH
	Sikkens Cetol HLS plus(BPR) Quercia Scuro	περιοχή της αγοράς: IT
	Xyladecor Holzschutzlasur BPR Eiche	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0007 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.8. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Pine	περιοχή της αγοράς: DK
	SADOLIN Classic HP (BPR) fenyő	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Piniowy	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Piniowy	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Piniowy	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Piniowy	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Kiefer	περιοχή της αγοράς: CH

	Sikkens Cetol HLS plus(BPR) Pino	περιοχή της αγοράς: IT
	Xyladecor Holzschutzlasur BPR Pinie	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0008 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.9. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Oregon	περιοχή της αγοράς: DK
	Xyladecor Holzschutzlasur BPR Oregon	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0009 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.10. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Colourless	περιοχή της αγοράς: DK
	SADOLIN Classic HP (BPR) színtelen	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Bezbarwny	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT	περιοχή της αγοράς: PL

	CLASSIC + Bezbarwny	
	SADOLIN CLASSIC HP + Bezbarwny	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Bezbarwny	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Farblos	περιοχή της αγοράς: CH
	Sikkens Cetol HLS plus(BPR) Transparente	περιοχή της αγοράς: IT
	Xyladecor Holzschutzlasur BPR Farblos	περιοχή της αγοράς: AT
	Vivexyl Plus Colorless 501	περιοχή της αγοράς: CY
	Vivexyl Plus Colorless 501	περιοχή της αγοράς: BG
	Vivexyl Plus Colorless 501	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0010 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.11. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Olive Green	περιοχή της αγοράς: DK
	SADOLIN IMPREGNAT CLASSIC HP + Akacja	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Akacja	περιοχή της αγοράς: PL

	SADOLIN CLASSIC HP + Akacja	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Akacja	περιοχή της αγοράς: PL
Αριθμός άδειας	GR-0020417-0011 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.12. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Cedar	περιοχή της αγοράς: DK
	Xyladecor Holzschutzlasur BPR Zeder	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0012 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.13. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Fir Green	περιοχή της αγοράς: DK
	Xyladecor Holzschutzlasur BPR Tannengrün	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0013 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-		δραστική ουσία	55406-53-6	259-627-5	0,7

προπυνύλιο (IPBC)					
-------------------	--	--	--	--	--

#### 7.14. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Mahogany	περιοχή της αγοράς: DK
	Xyladecor Holzschutzlasur BPR Mahagoni	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0014 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

#### 7.15. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Chestnut	περιοχή της αγοράς: DK
	Xyladecor Holzschutzlasur BPR Kastanie	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0015 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

#### 7.16. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Light Oak	περιοχή της αγοράς: DK
	SADOLIN Classic	περιοχή της αγοράς: HU

	HP (BPR) vilagostolgy	
	SADOLIN IMPREGNAT CLASSIC HP + Dab jasny	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Dab jasny	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Dab jasny	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Dab jasny	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Eiche Hell	περιοχή της αγοράς: CH
	Sikkens Cetol HLS plus(BPR) Quercia Chiaro	περιοχή της αγοράς: IT
Αριθμός άδειας	GR-0020417-0016 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.17. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Old Pine	περιοχή της αγοράς: DK
	SADOLIN IMPREGNAT CLASSIC HP + Kukurydza	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Kukurydza	περιοχή της αγοράς: PL
	SADOLIN CLASSIC	περιοχή της αγοράς: PL

	HP + Kukurydza	
	SADOLIN CLASSIC + Kukurydza	περιοχή της αγοράς: PL
	Sikkens Cetol HLS plus(BPR) Altkiefer	περιοχή της αγοράς: CH
	Sikkens Cetol HLS plus(BPR) Abete	περιοχή της αγοράς: IT
Αριθμός άδειας	GR-0020417-0017 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.18. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Larch	περιοχή της αγοράς: DK
	SADOLIN Classic HP (BPR) svedvoros	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Szwedzka czerwień	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Szwedzka czerwień	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Szwedzka czerwień	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Szwedzka czerwień	περιοχή της αγοράς: PL



	Xyladecor Holzschutzlasur BPR Lärche	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0018 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.19. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Rosewood	περιοχή της αγοράς: DK
	SADOLIN Classic HP (BPR) rusztikus tolgy	περιοχή της αγοράς: HU
	SADOLIN IMPREGNAT CLASSIC HP + Drzewo wiśniowe	περιοχή της αγοράς: PL
	SADOLIN IMPREGNAT CLASSIC + Drzewo wiśniowe	περιοχή της αγοράς: PL
	SADOLIN CLASSIC HP + Drzewo wiśniowe	περιοχή της αγοράς: PL
	SADOLIN CLASSIC + Drzewo wiśniowe	περιοχή της αγοράς: PL
	Xyladecor Holzschutzlasur BPR Palisander	περιοχή της αγοράς: AT
Αριθμός άδειας	GR-0020417-0019 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-		δραστική ουσία	55406-53-6	259-627-5	0,7

προπυνύλιο (IPBC)					
-------------------	--	--	--	--	--

### 7.20. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Sikkens Cetol HLS plus(BP) Russian Green	περιοχή της αγοράς: DK
Αριθμός άδειας	GR-0020417-0020 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.21. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Oak 502	περιοχή της αγοράς: BG
	Vivexyl Plus Oak 502	περιοχή της αγοράς: CY
	Vivexyl Plus Oak 502	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0021 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.22. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Light Walnut 503	περιοχή της αγοράς: BG
	Vivexyl Plus Light Walnut 503	περιοχή της αγοράς: CY
	Vivexyl Plus Light Walnut 503	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0022 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.23. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Teak 504	περιοχή της αγοράς: BG
	Vivexyl Plus Teak 504	περιοχή της αγοράς: CY
	Vivexyl Plus Teak 504	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0023 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.24. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Mahogany 505	περιοχή της αγοράς: BG
	Vivexyl Plus Mahogany 505	περιοχή της αγοράς: CY
	Vivexyl Plus Mahogany 505	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0024 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.25. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Deep Walnut 506	περιοχή της αγοράς: BG
-------------------	------------------------------	------------------------

	Vivexyl Plus Deep Walnut 506	περιοχή της αγοράς: CY
	Vivexyl Plus Deep Walnut 506	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0025 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.26. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Palisander 507	περιοχή της αγοράς: BG
	Vivexyl Plus Palisander 507	περιοχή της αγοράς: CY
	Vivexyl Plus Palisander 507	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0026 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.27. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Pine 508	περιοχή της αγοράς: BG
	Vivexyl Plus Pine 508	περιοχή της αγοράς: CY
	Vivexyl Plus Pine 508	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0027 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-		δραστική ουσία	55406-53-6	259-627-5	0,7

προπυνύλιο (IPBC)					
-------------------	--	--	--	--	--

### 7.28. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Oregon 509	περιοχή της αγοράς: BG
	Vivexyl Plus Oregon 509	περιοχή της αγοράς: CY
	Vivexyl Plus Oregon 509	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0028 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.29. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Chestnut 510	περιοχή της αγοράς: BG
	Vivexyl Plus Chestnut 510	περιοχή της αγοράς: CY
	Vivexyl Plus Chestnut 510	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0029 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2-προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.30. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Green 511	περιοχή της αγοράς: BG
	Vivexyl Plus Green 511	περιοχή της αγοράς: CY
	Vivexyl Plus Green 511	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0030 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)

Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)	δραστική ουσία	55406-53-6	259-627-5	0,7
---	----------------	------------	-----------	-----

### 7.31. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Blue 512	περιοχή της αγοράς: BG
	Vivexyl Plus Blue 512	περιοχή της αγοράς: CY
	Vivexyl Plus Blue 512	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0031 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7

### 7.32. Εμπορική(ές) ονομασία(ες), αριθμός άδειας και ειδική σύνθεση κάθε μεμονωμένου προϊόντος

Εμπορική ονομασία	Vivexyl Plus Ebony 513	περιοχή της αγοράς: BG
	Vivexyl Plus Ebony 513	περιοχή της αγοράς: CY
	Vivexyl Plus Ebony 513	περιοχή της αγοράς: GR
Αριθμός άδειας	GR-0020417-0032 1-1	

Κοινή ονομασία	Ονομασία κατά IUPAC	Λειτουργία	Αριθμός CAS	Αριθμός ΕΚ	Περιεκτικότητα (%)
Βουτυλοκαρβαμιδικό 3-ιωδο-2- προπυνύλιο (IPBC)		δραστική ουσία	55406-53-6	259-627-5	0,7