Summary of product characteristics for a biocidal product family

Family name: Famille de produits Acide Lactique TP2-TP4 - Pollet

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or

animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: FR-2023-0073

R4BP 3 asset reference number: FR-0021553-0000

Table Of Contents

Part I First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II Second information level - meta SPC(s)	3
1. Meta SPC administrative information - META SPC 1	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	5
5. General directions for use of the meta SPC	26
6. Other information	27
7. Third information level: individual products in the meta SPC	28
1. Meta SPC administrative information - META SPC 2	29
2. Meta SPC composition	30
3. Hazard and precautionary statements of the meta SPC	30
4. Authorised use(s) of the meta SPC	31
5. General directions for use of the meta SPC	48
6. Other information	49
7. Third information level: individual products in the meta SPC	50
1. Meta SPC administrative information - META SPC 3	51
2. Meta SPC composition	51
3. Hazard and precautionary statements of the meta SPC	52
4. Authorised use(s) of the meta SPC	53
5. General directions for use of the meta SPC	71
6. Other information	72
7. Third information level: individual products in the meta SPC	73
1. Meta SPC administrative information - META SPC 4	74
2. Meta SPC composition	74
3. Hazard and precautionary statements of the meta SPC	75

4. Authorised use(s) of the meta SPC	75
5. General directions for use of the meta SPC	99
6. Other information	100
7. Third information level: individual products in the meta SPC	100
1. Meta SPC administrative information - META SPC 5	102
2. Meta SPC composition	102
3. Hazard and precautionary statements of the meta SPC	103
4. Authorised use(s) of the meta SPC	103
5. General directions for use of the meta SPC	129
6. Other information	130
7. Third information level: individual products in the meta SPC	130
1. Meta SPC administrative information - META SPC 6	145
2. Meta SPC composition	146
3. Hazard and precautionary statements of the meta SPC	146
4. Authorised use(s) of the meta SPC	147
5. General directions for use of the meta SPC	173
6. Other information	174
7. Third information level: individual products in the meta SPC	175
1. Meta SPC administrative information - META SPC 7	176
2. Meta SPC composition	177
3. Hazard and precautionary statements of the meta SPC	177
4. Authorised use(s) of the meta SPC	178
5. General directions for use of the meta SPC	202
6. Other information	203
7. Third information level: individual products in the meta SPC	203
1. Meta SPC administrative information - META SPC 8	221
2. Meta SPC composition	222
3. Hazard and precautionary statements of the meta SPC	222
4. Authorised use(s) of the meta SPC	223
5. General directions for use of the meta SPC	233

6. Other information	235
7. Third information level: individual products in the meta SPC	235
1. Meta SPC administrative information - META SPC 9	245
2. Meta SPC composition	246
3. Hazard and precautionary statements of the meta SPC	246
4. Authorised use(s) of the meta SPC	247
5. General directions for use of the meta SPC	259
6. Other information	260
7. Third information level: individual products in the meta SPC	260
1. Meta SPC administrative information - META SPC 10	268
2. Meta SPC composition	268
3. Hazard and precautionary statements of the meta SPC	269
4. Authorised use(s) of the meta SPC	270
5. General directions for use of the meta SPC	272
6. Other information	273
7. Third information level: individual products in the meta SPC	273
	213

Part I.- First information level

1. Administrative information

1.1. Family name

Famille de produits Acide Lactique TP2-TP4 - Pollet

1.2. Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Pollet SA
Address	rue de la grande couture 20 7501 Orcq Belgium

Authorisation number

on number FR-2023-0073

R4BP 3 asset reference number

FR-0021553-0000

Date of the authorisation

on 19/12/2023

Expiry date of the authorisation

18/12/2033

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

ETS POLLET SA

Address of the manufacturer

Rue de la Grande Couture, 20 7501 ORCQ Belgium

Location of manufacturing sites

Rue de la Grande Couture, 20 7501 ORCQ Belgium

1.5. Manufacturer(s) of the active substance(s)

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Corbion Purac Bioquimica sa
Address of the manufacturer	Gran Vial 19-25 08160 MONTMELÓ Spain
Location of manufacturing sites	Gran Vial 19-25 E-08160 MONTMELÓ Spain
	Arkelsedijk 46 NL-4200 GORINCHEM Netherlands
Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Jungbunzlauer S.A
Address of the manufacturer	ZI Portuaire - BP 32 F-67390 Marcklosheim France
Location of manufacturing sites	Jungbunzlauer S.A - ZI Portuaire - BP 32 F-67390 Marcklosheim France

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51 - 30,16

Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0 - 0,011
(EINECS 220-239-6)					

2.2. Type(s) of formulation

SL - Soluble concentrate		
AL - Any other liquid		

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13 - 25,13

Reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) Reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3one

Non-active substance

55965-84-9

611-341-5

0 - 0,011

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Corrosive to the respiratory tract.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Keep only in original packaging.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

If skin irritation or rash occurs:Get medical .

IF ON SKIN: Wash with plenty of .

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying - Professionals -PT2 - Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v

Number and timing of application: At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods 100mL to 2L HDPE/PET Bottle 1L HDPE Bottle with handle 1L LDPE Dosing bottle

1L HDPE Dosing bottle 5L HDPE Jerrican with distributor pump 5 to 30L HDPE Jerrican 60-220L HDPE Drum 1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for us	4.1.1	Use-spe	cific in	structions	for use
--	-------	---------	----------	------------	---------

- For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first	aid
instructions and emergency measures to protect the environment	

-
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-

4.2 Use description

Use 2 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT2 - Soluble concentrate (Use 2)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

Application rate(s) and frequencies

Application Rate: -Dilution (%): 8% v/v

Number and timing of application: At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.
4.2.2 Use-specific risk mitigation measures
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.
For professional bystander:
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.
For General public:
- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

equipment by manual dipping/soaking– Professionals - PT2 isinfectants and algaecides not intended for direct application to humans or Disinfectants)
isinfectants and algaecides not intended for direct application to humans or
isinfectants and algaecides not intended for direct application to humans or
isinfectants and algaecides not intended for direct application to humans or
name: name: Bacteria nent stage:
name: name: Yeasts nent stage:
isinfection in private and public areas: institutions, industries (including and pharmaceutical industries), and health care facilities (excluding the
Dipping/Soaking description: ipping/soaking
on Rate: - %): 8% v/v - 18% v/v and timing of application: perature of 20°C:
ria and yeasts: 18% v/v, 15 minutes.
perature of 40°C:
ria and yeasts: 8% v/v, 15 minutes.
nal

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.3.2 Use-specific risk mitigation measures

- The professional user has to wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Do not immerse hands in the bath.
- Let the equipment soak for the necessary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing without touching the equipment that has remained in the tank.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-	
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
	faces by wiping / mopping / brushing / scrubbing – Professionals -
PT2 – Soluble concentrate (Use Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:
Application rate(s) and frequencies	Application Rate: - Dilution (%): 8% v/v - 18% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 18% v/v, 15 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.4.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.4.2 Use-specific risk mitigation measures

- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities
- A mop/brush with a handle has to be used to apply the in-use solution
- Do not immerse hands in the solution
For professional bystander :
- Do not touch the surface until it is completely dried
For general public :
- Do not touch the surface until it is rinsed and completely dried"
- Children should not be present during disinfection and until the surface is rinsed and dried"
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
instructions and emergency measures to protect the environment 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its
instructions and emergency measures to protect the environment 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -Dilution (%): 8% v/v

Number and timing of application: At a temperature of 40°C:

- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

	1000L HDPE Bulk container (IBC)
4.5.1 Use-specific instruction	ns for use
-	
4.5.2 Use-specific risk mitiga	ition measures
For professional user: wear gloves, prote within the product information) during mix	ective coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander: - Do not be present in the treatment are present, wear same PPE as the profession on touch the surface until it is contained.	
- Do not touch the surface until it is rins	ea during disinfection process by compression sprayer. sed and completely dried. g disinfection and until the surface is rinsed and dried.
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.5.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
1.5.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	

60-220L HDPE Drum

4.6 Use description

Use 6 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) – Professionals - PT4 – Soluble concentrate (Use 10)

1 7 37	
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and	Application Rate: -
frequencies	Dilution (%): 8% v/v Number and timing of application: At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

4.6.1 Use-specific instruction	ns for use
-	
4.6.2 Use-specific risk mitiga	ation measures
For professional user: wear gloves, prote within the product information) during mix	ective coverall and chemical googles (material to be specified by the authorisation holder xing and loading, application and rinsing.
For professional bystander: - Do not be present in the treatment are present, wear same PPE as the professions. - Do not touch the surface until it is con	
- Do not touch the surface until it is rins	ea during disinfection process by compression sprayer. sed and completely dried. g disinfection and until the surface is rinsed and dried.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.6.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.7 Use description	
Use 7 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual dipping/soaking– Professionals -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised	-

use

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Dipping/Soaking Detailed description: Manual dipping/soaking

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v - 18% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 18% v/v, 15 minutes

At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

4.7.1 Use-specific instructions for use
-
4.7.2 Use-specific risk mitigation measures
- The professional user has to wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Do not immerse hands in the bath
- Let the equipment soak for the necessary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing without touching the equipment that has remained in the tank.
4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
1.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.8 Use description

Use 8 - Disinfection of hard surfaces by wiping \prime mopping \prime brushing \prime scrubbing – Professionals - PT4 – Soluble concentrate (Use 12)

, , , , , , , , , , , , , , , , , , , ,	
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Lindage
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:
	-
Application rate(s) and frequencies	Application Rate: - Dilution (%): 8% v/v - 18% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 18% v/v, 15 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	20mL PE+PET Pods
	20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle
	100mL to 2L HDPE/PET Bottle

	5L HDPE Jerrican with distributor pump
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.8.1 Use-specific instruction	ns for use
-	
4.8.2 Use-specific risk mitiga	tion measures
- For professional users: wear gloves, of information) during the mixing and loading	coverall and goggles (material to be specified by the authorisation holder within the product g, the application and the rinsing.
- Pour the solution direct on the surface	e and wipe with a cloth / brush for wiping activities
- A mop/brush with a handle has to be	used to apply the in-use solution
- Do not immerse hands in the solution	
For professional bystander :	
- Do not touch the surface until it is con	npletely dried
For general public :	

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

- Do not touch the surface until it is rins	sed and completely dried"
- Children should not be present during	disinfection and until the surface is rinsed and dried"
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.8.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
1.8.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.9 Use description	
	faces (small surfaces) and equipment by manual spraying using a - PT2 – Soluble concentrate in cartrige (Use 33)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(e) of use	Indoor
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying

Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v - 18% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 18% v/v, 15 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

4.9.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.9.2 Use-specific risk mitigation measures

For professional users:

- Wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, and the rinsing.
- Wear gloves, coverall goggles and a respiratory protective equipment against aerosol (material to be specified by the authorisation holder within the product information) during the application by trigger spray.

For professional bystander :	
- Do not be present in the treatment are and PPE as the professional user.	ea during disinfection process by trigger. If it is necessary to be present, wear same RPE
- Do not touch the surface until it is com	npletely dried
For general public :	
- Do not be present in the treatment are	ea during disinfection process by trigger.
- Do not touch the surface until it is rins	sed and completely dried"
- Children should not be present during	disinfection and until the surface is rinsed and dried"
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.9.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
1.9.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
4.10 Use description	
	rfaces (small surfaces) and equipment by manual spraying using a - PT4 – Soluble concentrate in cartridge (Use 34)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised	-

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v - 18% v/v Number and timing of application:

At a temperature of 20°C:

Bacteria and yeasts: 18% v/v, 15 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

4.10.1 Use-specific instructions for use

4.10.2 Use-specific risk mitigation measures

For professional users:

- Wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, and the rinsing.
- Wear gloves, coverall goggles and a respiratory protective equipment against aerosol (material to be specified by the authorisation holder within the product information) during the application by trigger spray.

For professional bystander:

- Do not be present in the treatment area during disinfection process by trigger. If it is necessary to be present, wear same RPE and PPE as the professional user.
- Do not bouch the surface until it is completely dried

For general public:
- Do not be present in the treatment area during disinfection process by trigger.
- Do not touch the surface until it is rinsed and completely dried*
- Children should not be present during disinfection and until the surface is rinsed and dried*

4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- 4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

- 4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

- 4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and Listeria monocytogenes at 20°C and 40°C and Lactobacillus brevis at 40°C.
- During the product dilution, pour almost all water first, then the product, then the remaining of the water.

5.2. Risk mitigation measures

- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
 IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
 IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
- If medical advice is needed, have product container or label at hand
5.4. Instructions for safe disposal of the product and its packaging
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
.5. Conditions of storage and shelf-life of the product under normal conditions of storage
- Protect from frost.
- Keep away from direct sunlight.
- Do not store above 40°C.
- Shelf-life = 2 years.
- Keep out of reach of children and non-target animals/pets

6. Other information

-		

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Product 1-1 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 1-2- Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 1-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0003 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13 - 25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0 - 0,011

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements	Causes severe skin burns and eye damage.	
	May be corrosive to metals.	
	May cause an allergic skin reaction.	
	Harmful to aquatic life with long lasting effects.	
	Corrosive to the respiratory tract.	
Precautionary statements	Keep only in original packaging.	
·	Do not breathe spray.	
	l l	

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

If skin irritation or rash occurs:Get medical.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying - Professionals -PT2 - Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Method: Spraying

Application method(s)

Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -Dilution (%): 8% v/v

Number and timing of application: At a temperature of 40°C:

- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Industrial

Trained professional

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for use

For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first	aid
instructions and emergency measures to protect the environment	

1.1.4 Where specific to the use, the instructions for safe dispos	
packaging	al of the product and its
-	
.1.5 Where specific to the use, the conditions of storage and sh inder normal conditions of storage	nelf-life of the product

4.2 Use description

Product type

use

Use 2 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT2 - Soluble concentrate (Use 2)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

 $\mbox{\rm PT02}$ - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v

Number and timing of application:

At a temperature of 40°C:

- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.2.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.

- Do not touch the surface until it is con	npletely dried.	
For General public: Do not be present in the treatment area during disinfection process by compression sprayer. Do not touch the surface until it is rinsed and completely dried. Children should not be present during disinfection and until the surface is rinsed and dried.		
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
-		
4.2.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its	
-		
I.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
-		
4.3 Use description		
Use 3 - Disinfection of hard surf - Soluble concentrate (Use3)	faces of equipment by manual dipping/soaking– Professionals - PT2	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Indoor	
Field(s) of use		
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)	

Application method(s)

Method: Dipping/Soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies

Application Rate: -Dilution (%): 8% v/v - 20% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5 to 30L HDPE Jerrican

5-10-20L LDPE/PET Bag in box (cubitainer)

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.1 Use-specific instructions for use

4.3.1 Use-specific instructions for use	
For healthcare settings: clean carefull	ly the surfaces before application of the product.
3.2 Use-specific risk mitiga	ation measures
	oves, coverall and goggles (material to be specified by the authorisation holder within the nd loading, the application and the rinsing.
Do not immerse hands in the bath	
Let the equipment soak for the necessinsing without touching the equipment the	sary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by nat has remained in the tank.
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
3.4 Where specific to the u	se, the instructions for safe disposal of the product and its
3.5 Where specific to the us	se, the conditions of storage and shelf-life of the product storage
4 Use description	
se 4 - Disinfection of hard sur T2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals - e 4)
roduct type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
/here relevant, an exact escription of the authorised	-

use

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action. Detailed description:

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 8% v/v - 20% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5 to 30L HDPE Jerrican

5-10-20L LDPE/PET Bag in box (cubitainer)

60-220L HDPE Drum

.4.1 Use-specific instructions for use
For healthcare settings: clean carefully the surfaces before application of the product.
.4.2 Use-specific risk mitigation measures
For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product nformation) during the mixing and loading, the application and the rinsing.
Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities
A mop/brush with a handle has to be used to apply the in-use solution
Do not immerse hands in the solution
For professional bystander :
Do not touch the surface until it is completely dried
For general public :
Do not touch the surface until it is rinsed and completely dried"
Children should not be present during disinfection and until the surface is rinsed and dried"
.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

1000L HDPE Bulk container (IBC)

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	
-	
4.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.5 Use description	
Use 5 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual liquid spraying – Professionals -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual surface spraying
Application rate(s) and frequencies	Application Rate: - Dilution (%): 8% v/v Number and timing of application: At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.

Category(ies) of users	Professional	
Pack sizes and packaging material	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
4.5.1 Use-specific instruction	ns for use	
-		
4.5.2 Use-specific risk mitiga	tion measures	
For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.	
For professional bystander: - Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user. - Do not touch the surface until it is completely dried.		
For General public: - Do not be present in the treatment area during disinfection process by compression sprayer.		
 Do not touch the surface until it is rinsed and completely dried. Children should not be present during disinfection and until the surface is rinsed and dried. 		
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.5.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its	
-		

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	
-	
4.6 Use description	
•	faces by manual spraying using mural cleaning station (liquid/foam - Soluble concentrate (Use 10)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Γ
Field(s) of use	Indoor Indoors disinfection in agri-food industries (excluding milk industries), food and feed
	areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and	Application Rate: -
frequencies	Dilution (%): 8% v/v Number and timing of application: At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican

	1000L HDPE Bulk container (IBC)
4.6.1 Use-specific instruction	ns for use
-	
4.6.2 Use-specific risk mitiga	tion measures
For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander: Do not be present in the treatment are present, wear same PPE as the professional professiona	
- Do not touch the surface until it is rins	ea during disinfection process by compression sprayer. ed and completely dried. disinfection and until the surface is rinsed and dried.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.6.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
1.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	

60-220L HDPE Drum

4.7 Use description

Use 7 - Disinfection of hard surfaces and equipment by manual dipping/soaking- Professionals - PT4 - Soluble concentrate (Use 11)

•	
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.
Application rate(s) and frequencies	Application Rate: - Dilution (%): 8% v/v - 20% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 20% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle
macona	1L LDPE Dosing bottle

	1 to 5 L HDPE Pouch
	5 to 30L HDPE Jerrican
	5-10-20L LDPE/PET Bag in box (cubitainer)
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.7.1 Use-specific instruction	ns for use
-	
4.7.2 Use-specific risk mitiga	ation measures
	oves, coverall and goggles (material to be specified by the authorisation holder within the nd loading, the application and the rinsing.
- Do not immerse hands in the bath	
- Let the equipment soak for the neces rinsing without touching the equipment to	ssary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by hat has remained in the tank.
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment

1L HDPE Dosing bottle

-	
4.7.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.8 Use description	
Use 8 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action. Detailed description: -
Application rate(s) and frequencies	Application Rate: - Dilution (%): 8% v/v - 20% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 20% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.

Pack sizes and packaging material 100mL to 2L HDPE/PET Bottle 1L LDPE Dosing bottle 1L HDPE Dosing bottle 1 to 5 L HDPE Pouch 5 to 30L HDPE Jerrican 5-10-20L LDPE/PET Bag in box (cubitainer) 60-220L HDPE Drum 1000L HDPE Bulk container (IBC)

4.8.1 Use-specific instructions for use

-

4.8.2 Use-specific risk mitigation measures

- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities.
- A mop/brush with a handle has to be used to apply the in-use solution.
- Do not immerse hands in the solution.

For professional bystander:

- Do not touch the surface until it is completely dried.
For general public :
- Do not touch the surface until it is rinsed and completely dried".
- Children should not be present during disinfection and until the surface is rinsed and dried".
4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
I.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-
5. General directions for use of the meta SPC 5.1. Instructions for use
- Comply with the instructions for use.
 Comply with the instructions for use. Apply only on non porous surfaces.
- Apply only on non porous surfaces.

5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
- IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsi for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic ac formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
5.4. Instructions for safe disposal of the product and its packaging
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
- Protect from frost.
- Keep away from direct sunlight.
- Do not store above 40°C.
- Shelf-life = 2 years.

6. Other information

-		

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Product 2-1 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0004 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 2-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13 - 25,13

Reaction mass of 5-Reaction mass of 5-Non-active chloro-2-methyl-2Hchloro-2-methyl-2H-55965-84-9 611-341-5 0 - 0.011 substance isothiazol-3-one and 2isothiazol-3-one (EINECS 247-500-7) and 2-methylmethyl-2H-isothiazol-3-2H-isothiazol-3-one one (EINECS 220-239-6)

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

May be corrosive to metals.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

Precautionary statements

Keep only in original packaging.

Do not breathe .

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

If skin irritation or rash occurs: Get medical .

IF ON SKIN: Wash with plenty of water.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT2 – Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Scientific name: Common name: Bacteria Development stage:

Target organism(s) (including development stage)

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: - Dilution (%): 6% v/v

Number and timing of application:

At a temperature of 40°C:

- Bacteria and yeasts: 6% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.

Children should not be present during	disinfection and until the surface is rinsed and dried.			
I.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid nstructions and emergency measures to protect the environment				
-				
4.1.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its			
-				
1.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage			
-				
4.2 Use description Use 2 - Disinfection of hard surf spraying) – Professionals - PT2 Product type	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 2) PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:			
	Scientific name: Common name: Yeasts Development stage:			
Field(s) of use	Indoor			
• *	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)			
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.			

Application rate(s) and frequencies

Application Rate: -Dilution (%): 6% v/v Number and timing of application: At a temperature of 40°C:

- Bacteria and yeasts: 6% v/v, 15 minutes.

Category(ies) of users

Pack sizes and packaging material

Professional

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.2.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

1.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid nstructions and emergency measures to protect the environment		
-		
4.2.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its	
-		
4.2.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
-		
4.3 Use description		
Use 3 - Disinfection of hard sur – Soluble concentrate (Use 3)	faces of equipment by manual dipping/soaking– Professionals - PT2	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Indoor	
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)	
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 6% v/v - 20% v/v - 25% v/v Number and timing of application:	

At a temperature of 20°C:

- Bacteria and yeasts: 25% v/v, 15 minutes.
- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 6% v/v, 15 minutes.

Category(ies) of users

Pack sizes and packaging material

Professional

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.1 Use-specific instructions for use

- For healthcare settings: clean carefully	y the surfaces before application of the product.			
4.3.2 Use-specific risk mitiga	tion measures			
- The professional user has to wear glo product information) during the mixing an	ves, coverall and goggles (material to be specified by the authorisation holder within the d loading, the application and the rinsing.			
- Do not immerse hands in the bath	Do not immerse hands in the bath			
- Let the equipment soak for the necess rinsing without touching the equipment th	eary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by at has remained in the tank.			
<u> </u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
-				
4.3.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its			
-				
.3.5 Where specific to the us inder normal conditions of s	e, the conditions of storage and shelf-life of the product torage			
-				
1.4 Use description				
Jse 4 - Disinfection of hard surf PT2 – Soluble concentrate (Use	aces by wiping / mopping / brushing / scrubbing – Professionals - 4)			
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Farget organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:			
	Scientific name:			

Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

-

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 6% v/v - 20% v/v - 25% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 25% v/v, 15 minutes.
- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 6% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

- 1L HDPE Bottle with handle
- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle
- 1 to 5 L HDPE Pouch
- 5L HDPE Jerrican with distributor pump
- 5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

	60-220L HDPE Drum			
	1000L HDPE Bulk container (IBC)			
I.4.1 Use-specific instruction	is for use			
- For healthcare settings: clean carefull	y the surfaces before application of the product.			
I.4.2 Use-specific risk mitiga	tion measures			
- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.				
Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities				
- A mop/brush with a handle has to be used to apply the in-use solution				
- Do not immerse hands in the solution				
For professional bystander :				
- Do not touch the surface until it is completely dried				
For general public :				
- Do not touch the surface until it is rins	Do not touch the surface until it is rinsed and completely dried"			
- Children should not be present during	disinfection and until the surface is rinsed and dried"			

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-				
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging				
-				
I.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage				
-				
4.5 Use description				
Use 5 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual liquid spraying – Professionals - 9)			
Product type	PT04 - Food and feed area (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:			
	Scientific name: Common name: Yeasts Development stage:			
Field(s) of use	Indoor			
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).			
Application method(s)	Method: Spraying Detailed description: Manual surface spraying			
	Annillantian Data.			
Application rate(s) and frequencies	Application Rate: - Dilution (%): 6% v/v Number and timing of application: At a temperature of 40°C:			
	- Bacteria and yeasts: 6% v/v, 15 minutes.			

Category(ies) of users

Pack sizes and packaging material

Professional

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.5.1 Use-specific instructions for use

4.5.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.

- Do not touch the surface until it is com	npletely dried.	
For General public:		
Do not be present in the treatment area during disinfection process by compression sprayer.		
- Do not touch the surface until it is rinsed and completely dried.		
- Children should not be present during disinfection and until the surface is rinsed and dried.		
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
-		
	•	
4.6 Use description		
Use 6 - Disinfection of hard surf spraying) – Professionals - PT4	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 10)	
Product type	PT04 - Food and feed area (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts	

	Development stage:	
Field(s) of use	Indoor	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).	
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 6% v/v Number and timing of application: At a temperature of 40°C:	
	- Bacteria and yeasts: 6% v/v, 15 minutes.	
Category(ies) of users	Professional	
Pack sizes and packaging material	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
4.6.1 Use-specific instructions for use		
-		
4.6.2 Use-specific risk mitigation measures		

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder
within the product information) during mixing and loading, application and rinsing.
For professional bystander:
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.
For General public:
- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.
4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
packaging 1.6.5 Where specific to the use, the conditions of storage and shelf-life of the product
packaging 1.6.5 Where specific to the use, the conditions of storage and shelf-life of the product
packaging 1.6.5 Where specific to the use, the conditions of storage and shelf-life of the product

SUMMARY OF PRODUCT CHARACTERISTICS

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including

development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Dipping/Soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 6% v/v - 20% v/v - 25% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 25% v/v, 15 minutes.
- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 6% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

- 1L HDPE Bottle with handle
- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle

	5L HDPE Jerrican with distributor pump	
	5-10-20L LDPE/PET Bag in box (cubitainer)	
	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
4.7.1 Use-specific instruction	is for use	
-		
4.7.2 Use-specific risk mitigation measures		
product information) during the mixing an	oves, coverall and goggles (material to be specified by the authorisation holder within the and loading, the application and the rinsing.	
 Do not immerse hands in the bath. Let the equipment soak for the necessary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing without touching the equipment that has remained in the tank. 		
4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
-		
4.7.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its	
-		

1 to 5 L HDPE Pouch

4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage				
-				
4.8 Use description				
Use 8 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals - e 12)			
Product type	PT04 - Food and feed area (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:			
	Scientific name: Common name: Yeasts Development stage:			
	Г			
Field(s) of use	Indoor			
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).			
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:			
Application rate(s) and frequencies	Application Rate: - Dilution (%): 6% v/v - 20% v/v - 25% v/v Number and timing of application: At a temperature of 20°C:			
	- Bacteria and yeasts: 25% v/v, 15 minutes.			
	- Bacteria and yeasts: 20% v/v, 30 minutes.			
	At a temperature of 40°C:			
	- Bacteria and yeasts: 6% v/v, 15 minutes.			

Category(ies) of users

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.8.1 Use-specific instructions for use

_				
Г				
ı	_			
ı				
ı				
ı				

4.8.2 Use-specific risk mitigation measures

- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities
- A mop/brush with a handle has to be used to apply the in-use solution
- Do not immerse hands in the solution

For professional bystander :
- Do not touch the surface until it is completely dried.
For general public :
- Do not touch the surface until it is rinsed and completely dried".
- Children should not be present during disinfection and until the surface is rinsed and dried".
4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
1.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-
5. General directions for use of the meta SPC
5.1. Instructions for use
- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and Listeria monocytogenes at 20°C and 40°C and Lactobacillus brevis at 40°C.

=	During the product dilution, pour almost all water first, then the product, then the remaining of the water.
.2	. Risk mitigation measures
-	
ne	. Particulars of likely direct or indirect effects, first aid instructions and emergency easures to protect the environment
	IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. ntinue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
for als	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should o be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid mic acid or propionic acid
	IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce miting. Call 112/ambulance for medical assistance.
ne	IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for edical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
.4	Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
•	Dispose of unused product, its packaging and all other waste in accordance with local regulations.
5.	. Conditions of storage and shelf-life of the product under normal conditions of storage Protect from frost.
='	Flotect noin nost.
-	Keep away from direct sunlight.
-	Shelf-life = 2 years.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Product 3-1 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0006 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 3-2 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0007 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 4

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13 - 25,13

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Corrosive to the respiratory tract.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT2 – Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

-

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	5L HDPE Jerrican with distributor pump
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.1.1 Use-specific instruction	ns for use
- For healthcare settings: clean careful	lly the surfaces before application of the product.
- 1 of Healthcare Settings. Clean careful	ing the surfaces before application of the product.
4.1.2 Use-specific risk mitiga	ation measures
	ective coverall and chemical googles (material to be specified by the authorisation holder
within the product information) during mi	ixing and loading, application and rinsing.
For professional bystander: - Do not be present in the treatment ar present, wear same PPE as the profession	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user.
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is confor General public:	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. mpletely dried.
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is conformed to the present in the treatment are no not touch the surface until it is ring.	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. impletely dried. rea during disinfection process by compression sprayer. sed and completely dried.
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is conformed to the present in the treatment are no not touch the surface until it is ring.	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. mpletely dried. rea during disinfection process by compression sprayer.
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is conformed by the present in the treatment ar Do not be present in the treatment ar Do not touch the surface until it is rins Children should not be present during	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. impletely dried. rea during disinfection process by compression sprayer. sed and completely dried.
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is consoled. For General public: Do not be present in the treatment ar Do not touch the surface until it is rinse. Children should not be present during.	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. Impletely dried. It is necessary to be ional user. It is necessary to be i
For professional bystander: Do not be present in the treatment ar present, wear same PPE as the professi Do not touch the surface until it is conformed by the professi of the professi of the professi of the professi of the present in the treatment are not possible of the present during of the present during of the present during of the present during of the present of the prese	rea during disinfection process by compression/knapsack sprayer. If it is necessary to be ional user. Impletely dried. It is necessary to be ional user. It is necessary to be i

-	
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.2 Use description	
-	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 2)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
	Indoor
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution
Application voto(a) and	Application Rate: -
Application rate(s) and frequencies	Dilution (%): 5% v/v - 12% v/v - 17.5% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 12% v/v, 30 minutes.
	- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.2.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

instructions and emergency measures to protect the environment			
-			
4.2.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its		
-			
4.2.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage		
-			
4.3 Use description			
Use 3 - Disinfection of hard sur – Soluble concentrate (Use 3)	faces of equipment by manual dipping/soaking– Professionals - PT2		
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Yeasts Development stage:		
	Scientific name: Common name: Viruses Development stage:		
	Indoor		
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)		
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.		
	Application Rate: -		

Application rate(s) and frequencies

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v Number and timing of application: At a temperature of 20° C:

- Bacteria and yeasts: 20% v/v, 15 minutes.
- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Pack sizes and packaging material

Professional

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle
- 5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.1 Use-specific instructions for use				
- For healthcare settings: clean careful	ly the surfaces before application of the product.			
4.3.2 Use-specific risk mitiga	ation measures			
- The professional user has to wear glo product information) during the mixing ar	oves, coverall and goggles (material to be specified by the authorisation holder within the nd loading, the application and the rinsing.			
- Do not immerse hands in the bath.				
- Let the equipment soak for the neces rinsing without touching the equipment the	ssary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by hat has remained in the tank.			
<u> </u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
-				
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its			
-				
4.3.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product storage			
4.4 Use description				
Use 4 - Disinfection of hard sur PT2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals - e 4)			
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
usc	Scientific name:			

Target organism(s) (including development stage)

Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v

Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 20% v/v, 15 minutes.
- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

	1L HDPE Dosing bottle					
	5L HDPE Jerrican with distributor pump					
	5 to 30L HDPE Jerrican					
	60-220L HDPE Drum					
	1000L HDPE Bulk container (IBC)					
4.4.1 Use-specific instruction	ns for use					
- For healthcare settings: clean careful	y the surfaces before application of the product.					
4.4.2 Use-specific risk mitiga	tion measures					
- For professional users: wear gloves, (information) during the mixing and loading						
and loading	coverall and goggles (material to be specified by the authorisation holder within the product g, the application and the rinsing.					
	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities					
- Pour the solution direct on the surface	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities					
Pour the solution direct on the surface A mop/brush with a handle has to be	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities					
Pour the solution direct on the surface A mop/brush with a handle has to be	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities					
 Pour the solution direct on the surface A mop/brush with a handle has to be Do not immerse hands in the solution 	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities used to apply the in-use solution					
 Pour the solution direct on the surface A mop/brush with a handle has to be Do not immerse hands in the solution For professional bystander: Do not touch the surface until it is con 	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities used to apply the in-use solution					
 Pour the solution direct on the surface A mop/brush with a handle has to be Do not immerse hands in the solution For professional bystander : 	g, the application and the rinsing. e and wipe with a cloth / brush for wiping activities used to apply the in-use solution					

Children should not be present during	disinfection and until the surface is rinsed and dried"
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.4.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
4.5 Use description Use 5 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual liquid spraying – Professionals - 9)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
	Г
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -Dilution (%): 5% v/v - 12% v/v - 17.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Pack sizes and packaging material

Professional

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle
- 5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.5.1 Use-specific instructions	for use
-	
I.5.2 Use-specific risk mitigatio	on measures
For professional user: wear gloves, protective within the product information) during mixing	re coverall and chemical googles (material to be specified by the authorisation holder gand loading, application and rinsing.
For professional bystander:	
- Do not be present in the treatment area d present, wear same PPE as the professional	during disinfection process by compression/knapsack sprayer. If it is necessary to be I user.
- Do not touch the surface until it is comple	etely dried.
For General public:	
- Do not be present in the treatment area d	during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed a	and completely dried.
- Children should not be present during dis	sinfection and until the surface is rinsed and dried.
	, the particulars of likely direct or indirect effects, first aid easures to protect the environment
-	
I.5.4 Where specific to the use, packaging	, the instructions for safe disposal of the product and its
-	

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage $\,$

-		

4.6 Use description

Use 6 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT4 - Soluble concentrate (Use 10)

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying

Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users	Professional			
Pack sizes and packaging material	5 to 30L HDPE Jerrican			
	60-220L HDPE Drum			
	1000L HDPE Bulk container (IBC)			
4.6.1 Use-specific instruction	ns for use			
-				
4.6.2 Use-specific risk mitigation measures				
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.				
For professional bystander:				
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.				
- Do not touch the surface until it is completely dried.				
For General public:				
- Do not be present in the treatment are	ea during disinfection process by compression sprayer.			
- Do not touch the surface until it is rinsed and completely dried.				
- Children should not be present during disinfection and until the surface is rinsed and dried.				

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
-				
4.6.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its			
-				
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage			
<u>-</u>				
4.7 Use description Use 7 - Disinfection of hard surf PT4 – Soluble concentrate (Use	faces and equipment by manual dipping/soaking– Professionals - 11)			
Product type	PT04 - Food and feed area (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:			
	Scientific name: Common name: Yeasts Development stage:			
	Scientific name: Common name: Viruses Development stage:			
Field(s) of use	Indoor			
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).			
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.			

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 20% v/v, 15 minutes.
- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.7.1 Use-specific instructions for use				
-				
4.7.2 Use-specific risk mitiga	ation measures			
product information) during the mixing ar - Do not immerse hands in the bath	oves, coverall and goggles (material to be specified by the authorisation holder within the nd loading, the application and the rinsing. sary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by			
rinsing without touching the equipment th				
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
-				
4.7.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its			
-				
4.7.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage			
-				
4.8 Use description				
Use 8 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -			
Product type	PT04 - Food and feed area (Disinfectants)			
Where relevant, an exact description of the authorised use	-			
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria			

Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

-

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v

Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 20% v/v, 15 minutes.
- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

	1L HDPE Dosing bottle				
	5L HDPE Jerrican with distributor pump				
	5 to 30L HDPE Jerrican				
	60-220L HDPE Drum				
	1000L HDPE Bulk container (IBC)				
4.8.1 Use-specific instruction	ns for use				
-					
4.8.2 Use-specific risk mitiga	tion measures				
information) during the mixing and loading	and wipe with a cloth / brush for wiping activities				
For professional bystander : - Do not touch the surface until it is com	poletely dried				
For general public :					
Do not touch the surface until it is rinsChildren should not be present during	ed and completely dried" disinfection and until the surface is rinsed and dried				
<u> </u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment				
-					
4.8.4 Where specific to the us	se, the instructions for safe disposal of the product and its				
packaging	in the production of the product with the				

-	
	·
I.8.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.9 Use description	
	faces (small surfaces) and equipment by manual spraying using a - PT2 – Soluble concentrate in cartridge (Use 33)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
	Indoor
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Spraying Detailed description: Manual surface spraying with a trigger sprayer (liquid/foam spraying).
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 20% v/v, 15 minutes.
	- Bacteria and yeasts: 12% v/v, 30 minutes.
	- Virus: 17.5% v/v, 60 minutes.

At a temperature of 40°C: - Bacteria and yeasts: 5% v/v, 15 minutes. Virus: 17.5% v/v, 30 minutes Professional Category(ies) of users 20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle Pack sizes and packaging material 4.9.1 Use-specific instructions for use For healthcare settings: clean carefully the surfaces before application of the product. 4.9.2 Use-specific risk mitigation measures For professional users: - Wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, and the rinsing. Wear gloves, coverall goggles and a respiratory protective equipment against aerosol (material to be specified by the authorisation holder within the product information) during the application by trigger spray.

Do not be present in the treatment area during disinfection process by trigger. If it is necessary to be present, wear same RPE

For professional bystander:

and PPE as the professional user.

For general public :					
- Do not be present in the treatment are	ea during disinfection process by trigger.				
- Do not touch the surface until it is rins	- Do not touch the surface until it is rinsed and completely dried.				
- Children should not be present during	disinfection and until the surface is rinsed and dried.				
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment				
-					
4.9.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its				
-					
1.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage					
-					
4.10 Use description					
	rfaces (small surfaces) and equipment by manual spraying using a PT4 – Soluble concentrate in cartridge (Use 34)				
Product type	PT04 - Food and feed area (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:				
	Scientific name: Common name: Yeasts Development stage:				

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 12% v/v - 17.5% v/v - 20% v/v

Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 20% v/v, 15 minutes.
- Bacteria and yeasts: 12% v/v, 30 minutes.
- Virus: 17.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.
- Virus: 17.5% v/v, 30 minutes

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

4.10.1 Use-specific instructions for use

-		

4.10.2 Use-specific risk mitigation measures

For professional users:

- Wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, and the rinsing.
- Wear gloves, coverall goggles and a respiratory protective equipment against aerosol (material to be specified by the authorisation holder within the product information) during the application by trigger spray.

For professional bystander:

- Do not be present in the treatment area during disinfection process by trigger. If it is necessary to be present, wear same RPE and PPE as the professional user.
- Do not touch the surface until it is completely dried.

For general public:

- Do not be present in the treatment area during disinfection process by trigger.
- Do not touch the surface until it is rinsed and completely dried.

	n and until the surface is rinsed and dried.
.10.3 Where specific to the use, the nstructions and emergency measur	e particulars of likely direct or indirect effects, first aid res to protect the environment
-	
I.10.4 Where specific to the use, the packaging	instructions for safe disposal of the product and its
-	
.10.5 Where specific to the use, the nder normal conditions of storage	conditions of storage and shelf-life of the product
-	
5. General directions for use of th	ne meta SPC
5.1. Instructions for use	
- Comply with the instructions for use.	
Comply with the instructions for use.Apply only on non porous surfaces.	
	neffective.
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, included 	neffective. uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, includisteria monocytogenes at 20°C and 40°C and Lacteria and Murine parvovirus at 40°C. 	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, includisteria monocytogenes at 20°C and 40°C and Lacte and Murine parvovirus at 40°C. 	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, includisteria monocytogenes at 20°C and 40°C and Lacteria and Murine parvovirus at 40°C. During the product dilution, pour almost all water 	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, includisteria monocytogenes at 20°C and 40°C and Lacteria and Murine parvovirus at 40°C. 	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, includisteria monocytogenes at 20°C and 40°C and Lacteriated Murine parvovirus at 40°C. During the product dilution, pour almost all water 	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C
 Apply only on non porous surfaces. Inform the registration holder if the treatment is in Products have been tested against bacteria, including the product of the product and 40°C and Lacterian monocytogenes at 20°C and 40°C and Lacterian Murine parvovirus at 40°C. During the product dilution, pour almost all water 5.2. Risk mitigation measures	uding Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and obacillus brevis at 40°C and against virus including bovine coronavirus at 20°C

SUMMARY OF PRODUCT CHARACTERISTICS

measures to protect the environment

-	IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.
C	ontinue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
- If medical advice is needed, have product container or label at hand.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

-	Protect	from	frost.

- Keep away from direct sunlight.
- Shelf-life = 2 years.
- Keep out of reach of children and non-target animals/pets.

6. Other information

-

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

POLGREEN SANI DES T	Market area: FR
DESINFECT' ECO SANITAIRE T	Market area: FR
ECO DES concentré T	Market area: FR
LAC DES concentré T	Market area: FR
Désinfectant concentré ecocert T	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0008 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13

Trade name(s)

Product 4-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0009 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 5

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16 - 30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0 - 0,011

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Corrosive to the respiratory tract.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

 $\label{lem:index} \mbox{IF ON SKIN (or hair):} \mbox{Take off immediately all contaminated clothing.} \mbox{Rinse skin with }.$

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs:Get medical .

IF ON SKIN: Wash with plenty of water.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying - Professionals -PT2 - Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or

Where relevant, an exact description of the authorised animals (Disinfectants)

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Pack sizes and packaging material

Professional

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment are present, wear same PPE as the profession	ea during disinfection process by compression/knapsack sprayer. If it is necessary to be onal user.
- Do not touch the surface until it is com	npletely dried.
For General public:	
- Do not be present in the treatment are	ea during disinfection process by compression sprayer.
- Do not touch the surface until it is rins	
- Children should not be present during	disinfection and until the surface is rinsed and dried.
_	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.1.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
I.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.2 Use description	
Use 2 - Disinfection of hard surf spraying) – Professionals - PT2	aces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 2)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
· · · · · · · · · · · · · · · · · · ·	·

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying

Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

$\textbf{4.2.1} \ \textbf{Use-specific instructions for use}$

- For healthcare settings: clean carefully the surfaces before application of the product.
4.2.2 Use-specific risk mitigation measures
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.
For professional bystander:
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.
For General public:
- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-		

4.3 Use description

Use 3 - Disinfection of hard surfaces of equipment by manual dipping/soaking- Professionals - PT2 - Soluble concentrate (Use 3)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Dipping/Soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.

Professional

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

4.3.1 Use-specific instructions for use

Category(ies) of users

material

Pack sizes and packaging

- For healthcare settings: clean carefully the surfaces before application of the product.

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.2 Use-specific risk mitigation measures

- The professional user has to wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.

- Do not immerse hands in the bath.	
- Let the equipment soak for the neces: rinsing without touching the equipment th	sary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by nat has remained in the tank.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.3.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.4 Use description	
Use 4 - Disinfection of hard sur PT2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
Field(s) of use	

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

- 1L HDPE Bottle with handle
- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle
- 1 to 5 L HDPE Pouch
- 5L HDPE Jerrican with distributor pump

	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.4.1 Use-specific instruction	ns for use
- For nealthcare settings: clean carefull	y the surfaces before application of the product.
4.4.2 Use-specific risk mitiga	tion measures
- For professional users: wear gloves, of information) during the mixing and loadin	coverall and goggles (material to be specified by the authorisation holder within the product
information) during the mixing and loading	g, the application and the mising.
- Pour the solution direct on the surface	e and wipe with a cloth / brush for wiping activities.
- A mop/brush with a handle has to be	used to apply the in-use solution.
- Do not immerse hands in the solution.	
For professional bystander :	
- Do not touch the surface until it is con	npletely dried.
For general public :	
- Do not touch the surface until it is rins	ed and completely dried.
- Children should not be present during	disinfection and until the surface is rinsed and dried.
L	

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.4.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.5 Use description	
Use 5 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual liquid spraying – Professionals - e 9)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

- 1L HDPE Bottle with handle
- 1L LDPE Dosing bottle
- 1L HDPE Dosing bottle
- 1 to 5 L HDPE Pouch
- 5L HDPE Jerrican with distributor pump
- 5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

I.5.1 Use-specific instructions for use
5.2 Use-specific risk mitigation measures
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holds vithin the product information) during mixing and loading, application and rinsing.
For professional bystander:
Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be resent, wear same PPE as the professional user.
Do not touch the surface until it is completely dried.
or General public:
Do not be present in the treatment area during disinfection process by compression sprayer.
Do not touch the surface until it is rinsed and completely dried.
Children should not be present during disinfection and until the surface is rinsed and dried.
5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aidstructions and emergency measures to protect the environment
.5.4 Where specific to the use, the instructions for safe disposal of the product and its ackaging
-

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-	

4.6 Use description

Use 6 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT4 - Soluble concentrate (Use 10)

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying

Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users	Professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican 60-220L HDPE Drum 1000L HDPE Bulk container (IBC)
4.6.1 Use-specific instruction	s for use
-	
4.6.2 Use-specific risk mitiga	tion measures
For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder ing and loading, application and rinsing.
For professional bystander:	
- Do not be present in the treatment are present, wear same PPE as the profession	ea during disinfection process by compression/knapsack sprayer. If it is necessary to be onal user.
- Do not touch the surface until it is com	pletely dried.
- Do not touch the surface until it is com For General public:	pletely dried.
For General public:	ea during disinfection process by compression sprayer.
For General public:	ea during disinfection process by compression sprayer.

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.6.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.7 Use description	
·	faces and equipment by manual dipping/soaking– Professionals - 11)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
Field(s) of use	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies

Application Rate: -Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

.7.1 Use-specific instruction	ons for use
_	
.7.2 Use-specific risk mitig	ation measures
	ploves, coverall and goggles (material to be specified by the authorisation holder within the and loading, the application and the rinsing.
- Do not immerse hands in the bath.	
 Let the equipment soak for the nece rinsing without touching the equipment 	essary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by that has remained in the tank.
<u>-</u>	use, the particulars of likely direct or indirect effects, first aid y measures to protect the environment
	•
-	
1.7.4 Where specific to the o packaging	use, the instructions for safe disposal of the product and its
-	
.7.5 Where specific to the ι nder normal conditions of	use, the conditions of storage and shelf-life of the product storage
-	
.8 Use description	
-	

Use 8 - Disinfection of hard surfaces by wiping / mopping / brushing / scrubbing - Professionals -PT4 - Soluble concentrate (Use 12)

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

Pack sizes and packaging material

20mL PE+PET Pods
100mL to 2L HDPE/PET Bottle
1L HDPE Bottle with handle
1L LDPE Dosing bottle
1L HDPE Dosing bottle
1 to 5 L HDPE Pouch
5L HDPE Jerrican with distributor pump
5-10-20L LDPE/PET Bag in box (cubitainer)
5 to 30L HDPE Jerrican
60-220L HDPE Drum
1000L HDPE Bulk container (IBC)

4.8.1 Use-specific instructions for use

-		

4.8.2 Use-specific risk mitigation measures

- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.
- Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities
- A mop/brush with a handle has to be used to apply the in-use solution
- Do not immerse hands in the solution

For professional bystander :							
- Do not touch the surface until it is com	Do not touch the surface until it is completely dried						
For general public :							
- Do not touch the surface until it is rinso	ed and completely dried						
- Ciliuren snoula not be present during	disinfection and until the surface is rinsed and dried						
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment						
-							
4.8.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its						
-							
1.8.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage						
-							
4.9 Use description							
	faces (small surfaces) and equipment by manual spraying using a - PT2 – Soluble concentrate in cartridge (Use 33)						
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)						
Where relevant, an exact description of the authorised use	-						
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:						

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v

Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

4.9.1 Use-specific instructions for use

	Use-specific risk mitigation measures
For p	rofessional users:
	ear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the g and loading, and the rinsing.
	lear gloves, coverall goggles and a respiratory protective equipment against aerosol (material to be specified by the prisation holder within the product information) during the application by trigger spray.
For p	rofessional bystander :
	o not be present in the treatment area during disinfection process by trigger. If it is necessary to be present, wear same RPE PPE as the professional user.
- D	o not touch the surface until it is completely dried.
For g	eneral public :
- D	o not be present in the treatment area during disinfection process by trigger.
- D	o not touch the surface until it is rinsed and completely dried
- C	nildren should not be present during disinfection and until the surface is rinsed and dried.
	Where specific to the use, the particulars of likely direct or indirect effects, first aid uctions and emergency measures to protect the environment
	Where specific to the use, the instructions for safe disposal of the product and its aging
-	

For healthcare settings: clean carefully the surfaces before application of the product.

_			

4.10 Use description

Use 10 - Disinfection of hard surfaces (small surfaces) and equipment by manual spraying using a trigger sprayer - Professionals - PT4 - Soluble concentrate in cartridge (Use 34)

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying

Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 4% v/v - 10% v/v - 12.5% v/v

Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 12.5% v/v, 30 minutes.
- Virus: 12.5% v/v, 60 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 10% v/v, 15 minutes.
- Bacteria and yeasts: 4% v/v, 30 minutes.

	l I
Category(ies) of users	Professional
Pack sizes and packaging material	20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle
4.10.1 Use-specific instructio	ons for use
-	
4.10.2 Use-specific risk mitig	ation measures
mixing and loading, and the rinsing Wear gloves, coverall goggles and a r	naterial to be specified by the authorisation holder within the product information) during the respiratory protective equipment against aerosol (material to be specified by the formation) during the application by trigger spray.
For professional bystander: - Do not be present in the treatment are and PPE as the professional user. - Do not touch the surface until it is con	ea during disinfection process by trigger. If it is necessary to be present, wear same RPE npletely dried.
- Do not touch the surface until it is rins	ea during disinfection process by trigger. sed and completely dried. g disinfection and until the surface is rinsed and dried.
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.10.4 Where specific to the upackaging	use, the instructions for safe disposal of the product and its
-	

-	
5. General directions for s	use of the meta SPC
5.1. Instructions for use	
- Comply with the instructions for use	
- Apply only on non porous surfaces.	
- Inform the registration holder if the t	reatment is ineffective.
	bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and 0°C and Lactobacillus brevis at 40°C and against virus including bovine coronavirus and
- During the product dilution, pour alm	nost all water first, then the product, then the remaining of the water.
5.2. Risk mitigation measure	es
-	
	ect or indirect effects, first aid instructions and emergency
	with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. or 15 minutes. Call a POISON CENTRE or a doctor.
for at least 15 minutes. Call 112/ambula	water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing ance for medical assistance. Information to Healthcare personnel/doctor: The eyes should the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acids.
- IF SWALLOWED: Immediately rinse vomiting. Call 112/ambulance for media	e mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce cal assistance.
- IF INHALED: Move to fresh air and medical assistance. If no symptoms: Ca	keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for all a POISON CENTRE or a doctor.
- If medical advice is needed, have pr	roduct container or label at hand

.4. Instructions for safe dis	posal of the product and its pack	aging
Do not discharge unused product on	the ground, into water courses, into pipes (sink,	coilets) nor down the drains.
Dispose of unused product, its packa	ging and all other waste in accordance with local	regulations.
5. Conditions of storage ar	nd shelf-life of the product under	normal conditions of storage
Protect from frost.		
Keep away from direct sunlight.		
Shelf-life = 2 years.		
Keep out of reach of children and no	n-target animals/pets.	
. Other information		
'. Third information level:	individual products in the me	ta SPC
	-	
.1 Trade name(s), authorisa product	tion number and specific compo	sition of each individual
rade name(s)	Product 5-1 - Pollet	Market area: FR
uthorisation number		<u> </u>
4BP 3 asset reference number - National uthorisation)	FR-0021553-0010 1-5	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0011 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0012 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-4 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0013 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-5 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0014 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-6 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0015 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-7 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0016 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-8 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0017 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-9 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0018 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-10 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0019 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-11 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0020 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-12 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0021 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-13 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0022 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-14 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0023 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-15 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0024 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-16 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0025 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-17 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0026 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-18

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0027 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-19 Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0028 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-20- Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0029 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-21- Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0030 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

POLGREEN SANI DES M	Market area: FR
DESINFECT' ECO SANITAIRE M	Market area: FR
SANITAIRE 5 en 1 ULTRA CONCENTRE	Market area: FR
ECO DES concentré M	Market area: FR
LAC DES concentré M	Market area: FR
Désinfectant concentré ecocert M	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0031 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16

Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-	Non-active substance	55965-84-9	611-341-5	0,011
247-500-7) and 2-methyl-	methyl-2H-isothiazol-3-				
2H-isothiazol-3-one	one				
(EINECS 220-239-6)					

POLGREEN SANI DES	Market area: FR
DESINFECT' ECO SANITAIRE	Market area: FR
ECO DES concentré	Market area: FR
LAC DES concentré	Market area: FR
Désinfectant concentré ecocert	Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0032 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-24 Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0033 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-25 Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0034 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 5-26 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0035 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 5-27 Pollet

FR-0021553-0036 1-5

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16

chloro-2-methyl-2H- chl isothiazol-3-one (EINECS iso	eaction mass of 5- nloro-2-methyl-2H- othiazol-3-one and 2- ethyl-2H-isothiazol-3- ne	Non-active substance	55965-84-9	611-341-5	0,011
---	---	----------------------	------------	-----------	-------

Trade name(s)	Product 5-28 Pollet	Market area: FR
Authorisation number (R4BP 3 asset reference number - National Authorisation)	FR-0021553-0037 1-5	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)		Non-active substance	55965-84-9	611-341-5	0,011

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 6

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13 - 25,13

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

May be corrosive to metals.

Causes severe skin burns and eye damage.

Corrosive to the respiratory tract.

Precautionary statements

Keep only in original packaging.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $\label{lem:interpolation} \mbox{IF ON SKIN (or hair):} \mbox{Take off immediately all contaminated clothing.} \mbox{Rinse skin with }.$

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT2 – Soluble concentrate (Use 1)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Professional Professional 20mL PE+PET Pods 100mL to 2L HDPE/PET Bottle 1L LDPE Dosing bottle 1L HDPE Dosing bottle 1 to 5 L HDPE Pouch 5-10-20L LDPE/PET Bag in box (cubitainer) 5 to 30L HDPE Jerrican 60-220L HDPE Drum 1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

-	For professional user: wear	r gloves	, protective	coverall	and chemical	googles	(material	to be	specified	by the	authoris	ation	holder
wi	thin the product information)	during	mixing and	loading,	application ar	nd rinsing							

For professional bystander:

Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be

present, wear same PPE as the profession	onal user.						
- Do not touch the surface until it is com	npletely dried.						
For General public:							
- Do not be present in the treatment are	ea during disinfection process by compression sprayer.						
- Do not touch the surface until it is rins	Do not touch the surface until it is rinsed and completely dried.						
- Children should not be present during	disinfection and until the surface is rinsed and dried.						
4.1.3 Where specific to the us	se, the particulars of likely direct or indirect effects, first aid						
-	measures to protect the environment						
-							
4.1.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its						
-							
I.1.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product torage						
-							
4.2 Use description							
Use 2 - Disinfection of hard surf spraying) – Professionals - PT2	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 2)						
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)						
Where relevant, an exact description of the authorised use	-						
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:						

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

.2.2 l	Jse-specific risk mitigation measures
	professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holde the product information) during mixing and loading, application and rinsing.
or pro	essional bystander:
	ot be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE rofessional user.
Do n	ot touch the surface until it is completely dried.
Genera	public:
Do r	ot be present in the treatment area during disinfection process by spraying.
Do r	ot touch the surface until it is rinsed and completely dried.
Chile	dren should not be present during disinfection and until the surface is rinsed and dried.
	Where specific to the use, the particulars of likely direct or indirect effects, first aid ctions and emergency measures to protect the environment
.2.4 V acka	Where specific to the use, the instructions for safe disposal of the product and its ging
	here specific to the use, the conditions of storage and shelf-life of the product normal conditions of storage
-	

For healthcare settings: clean carefully the surfaces before application of the product.

4.3 Use description

Use 3 - Disinfection of hard surfaces of equipment by manual dipping/soaking- Professionals - PT2 - Soluble concentrate (Use3)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

animas (Distriecianis)

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Dipping/Soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies

Application Rate: -Dilution (%): 5% v/v - 9% v/v Number and timing of application:

At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

SUMMARY OF PRODUCT

CHARACTERISTICS

under normal conditions of storage

-	
4.4.U.s. description	
4.4 Use description	
Use 4 - Disinfection of hard sur PT2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle
20mL PE+PET Pods
100mL to 2L HDPE/PET Bottle
1L LDPE Dosing bottle
1L HDPE Dosing bottle
1 to 5 L HDPE Pouch
5-10-20L LDPE/PET Bag in box (cubitainer)
5 to 30L HDPE Jerrican
60-220L HDPE Drum
1000L HDPE Bulk container (IBC)

4.4.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.4.2 Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.
For professional bystander :
- Do not touch the surface until it is completely dried.
For general public:

- Do not touch the surface until it is rins	ed and completely dried.
- Children should not be present during	disinfection and until the surface is rinsed and dried.
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.4.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
1.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.5 Use description Use 5 - Disinfection of inner sur	faces by CIP – Professionals - PT2 – Soluble concentrate (Use 7)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor Indoors disinfection in industries (including cosmetic and pharmaceutical industries).
Application method(s)	Method: Cleaning-in-place Detailed description:

-

Application rate(s) and frequencies

Application Rate: -Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Pack sizes and packaging material

Professional

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.5.1 Use-specific instructions for use

.5.1 Use-specific instruction	ns for use
5.2 Use-specific risk mitiga	ation measures
For professional user:	
Wear gloves, protective coverall and offormation) during mixing and loading an	chemical googles (material to be specified by the authorisation holder within the product nd maintenance of the circuit system.
	mical googles and a respiratory protective equipment (material to be specified by the formation) during maintenance of the dosing pumps.
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
ackaging	se, the instructions for safe disposal of the product and its
5.5 Where specific to the us nder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
6 Use description	
•	faces and equipment by manual liquid spraying – Professionals -
roduct type	PT04 - Food and feed area (Disinfectants)
/here relevant, an exact escription of the authorised	-

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

4.6.1 Use-specific instructions for use
-
1.6.2 Use-specific risk mitigation measures
- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.
For professional bystander:
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user."
- Do not touch the surface until it is completely dried.
General public:
- Do not be present in the treatment area during disinfection process by spraying.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.
4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid
nstructions and emergency measures to protect the environment
-

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.6.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.7 Use description	
	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 10)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoor Indoors disinfection in agri-food industries (excluding milk industries), food and feed
	areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:

	- Bacteria and yeasts: 5% v/v, 15 minutes.	
Category(ies) of users	Professional	
Pack sizes and packaging naterial	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
1.7.1 Use-specific instruction	ns for use	
-		
1.7.2 Use-specific risk mitiga	tion measures	
For professional user :wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.	
For professional bystander:		
-Do not be present in the treatment area the professional user."	during disinfection process by spraying. If it is necessary to be present, wear same PPE as	
-Do not touch the surface until it is compl	etely dried	
General public:		
-Do not be present in the treatment area during disinfection process by spraying.		
-Do not touch the surface until it is rinsed	and completely dried;	

-Children should not be present during d	isinfection and until the surface is rinsed and dried
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.7.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.7.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.8 Use description	
Use 8 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual dipping/soaking– Professionals - 11)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/soaking Detailed description: Manual dipping/soaking.

Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C: - Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

4.8.1 Use-specific instructions for use

l -			

4.8.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.8.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
I.8.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.9 Use description Use 9 - Disinfection of hard surf PT4 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals - 12)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.9.1 Use-specific instructions for use		
-		
4.9.2 Use-specific risk mitiga	ation measures	
For professional user: wear gloves, prote within the product information) during mix For professional bystander: -Do not touch the surface until it is complete.		
For general public: -Do not touch the surface until it is rinsec -Children should not be present during di	d and completely dried isinfection and until the surface is rinsed and dried	
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.9.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its	
-		
4.9.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage	
-		
4.10 Use description		
Use 10 - Disinfection of inner s	urfaces by CIP – Professionals - PT4 – Soluble concentrate (Use15)	
Product type	PT04 - Food and feed area (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name:	

Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries).

Application method(s)

Method: Cleaning in place Detailed description:

١.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

- Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Industrial

Trained professional

Professional

Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

.10.1 Use-specific instructions	for use
-	
.10.2 Use-specific risk mitigatio	on measures
For professional user:	
-wear gloves, protective coverall and chemica information) during mixing and laoding and ma	al googles (material to be specified by the authorisation holder within the product aintenance of the circuit system.
	oogles and a respiratory protective equipment (material to be specified by the ation) during maintenance of the dosing pumps.
	e, the particulars of likely direct or indirect effects, first aid easures to protect the environment
.10.4 Where specific to the use ackaging	e, the instructions for safe disposal of the product and its
.10.5 Where specific to the use, nder normal conditions of stora	, the conditions of storage and shelf-life of the product age
-	
.11 Use description	

1000L HDPE Bulk container (IBC)

SUMMARY OF PRODUCT CHARACTERISTICS

Use 11 - Disinfection of the inner surfaces of small kitchen appliances without circulation – Professionals – PT4 – Soluble concentrate (Use 35)

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Disinfection of inner surfaces without circulation Detailed description: -
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Trained professional Professional
Pack sizes and packaging material	20mL PE+PET pods
	20mL HDPE cartridges
	1L LDPE Dosing bottle

	1L HDPE Dosing bottle
4.11.1 Use-specific instruction	ons for use
4.11.2 Use-specific risk mitig	ation measures
For professional user:	emical googles (material to be specified by the authorisation holder within the product
information) during mixing and laoding a	nd maintenance of the circuit system.
	al googles and a respiratory protective equipment (material to be specified by the formation) during maintenance of the dosing pumps.
F	gg
-	
4.11.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
-	
1 11 E Whore enecific to the	use the conditions of storogo and shalf life of the product
under normal conditions of s	use, the conditions of storage and shelf-life of the product
	lorage
-	
4.12 Use description	
Use 12 - Disinfection of the inne – Soluble concentrate (Use 36)	er surfaces of small kitchen appliances by CIP – Professionals – PT4
Product type	PT04 - Food and feed area (Disinfectants)
• •	

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Disinfection of inner surfaces with circulation

Detailed description:

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 5% v/v, 15 minutes.

Category(ies) of users

Professional

Pack sizes and packaging material

20mL PE+PET pods

20mL HDPE cartridges

1L LDPE Dosing bottle

1L HDPE Dosing bottle

4.12.1 Use-specific instructions for use
-
4.12.2 Use-specific risk mitigation measures
For professional user:
-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and laoding and maintenance of the circuit system.
-wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.
4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-
5. General directions for use of the meta SPC
5.1. Instructions for use
- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.

	oducts have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni an a monocytogenes at 20°C and 40°C and Lactobacillus brevis at 40°C.
2. F	tisk mitigation measures
	articulars of likely direct or indirect effects, first aid instructions and emergency ares to protect the environment
IF	ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. ue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
or at l also b	N EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing east 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid acid or propionic acid
	SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce ng. Call 112/ambulance for medical assistance.
	NHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for al assistance. If no symptoms: Call a POISON CENTRE or a doctor.
4. lı	nstructions for safe disposal of the product and its packaging
Do	not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
Dis	pose of unused product, its packaging and all other waste in accordance with local regulations.
5 0	onditions of storage and shelf-life of the product under normal conditions of storage
	otect from frost.
Ke	ep away from direct sunlight.
Sh	elf-life = 2 years.
~	her information

-	

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Product 6-1 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13

Trade name(s)	Product 6-2 - Pollet	Market area: FR	
Authorisation number	on number FR-0021553-0039 1-6		
(R4BP 3 asset reference number - National Authorisation)			

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13

Product 6-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0040 1-6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 7

1.2. Suffix to the authorisation number

1-7

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51 - 1,51

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard	statements
	• • • • • • • • • • • • • • • • • • • •

Causes skin irritation.

Causes serious eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Wash hands thoroughly after handling.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

If skin irritation occurs:Get medical.

If eye irritation persists:Get medical .

Take off contaminated clothing. And wash it before reuse.

Wear protective gloves/ protective clothing/ eye protection.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT2 – RTU product (Use 17)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description: Manual surface spraying

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

Contact time:

- Bacteria and yeasts: 15 minutes, 20°C
- Enveloped viruses: 15 min, 20°C
- Virus: 60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

500mL to 1L HDPE/PET Prefilled trigger spray

750mL HDPE Angled bottle

1L HDPE Bottle with handle

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.1.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.

4.1.2 Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during loading, application and rinsing.

For professional bystander:		
-Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as the professional user.		
-Do not touch the surface until it is completely dried		
General public:		
-Do not be present in the treatment area	during disinfection process.	
-Do not touch the surface until it is rinsed	and completely dried	
-Children should not be present during dis	sinfection and until the surface is rinsed and dried	
•	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.1.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its	
-		
I.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
-		
4.2 Use description		
	aces (small surfaces) and equipment by manual liquid spraying sionals - PT2 – RTU product (Use 18)	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying

Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

Contact time:

Bacteria and yeasts: 15 minutes, 20°C

Enveloped viruses: 15 min, 20°C

Virus: 60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

500mL to 1L HDPE/PET Prefilled trigger spray

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

1.2.1 Use-specific instructions for use
- For healthcare settings: clean carefully the surfaces before application of the product.
4.2.2 Use-specific risk mitigation measures
4.2.2 Ose-specific risk minganon measures
For professional user :wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder
within the product information) during application by trigger spray and rinsing
For professional bystander:
-Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as
the professional user.
Do not touch the gurface until it is completely dried
-Do not touch the surface until it is completely dried
General public:
-Do not be present in the treatment area during disinfection process.
-bo not be present in the treatment area during distinection process.
-Do not touch the surface until it is rinsed and completely dried
20 Not today and canada and completely and
-Children should not be present during disinfection and until the surface is rinsed and dried

5L HDPE Jerrican with distributor pump

1000L HDPE Bulk container (IBC)

60-220L HDPE Drum

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
-		
4.2.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its	
-		
4.2.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage	
-		
4.3 Use description		
Use 3 - Disinfection of hard sur PT2 – RTU product (Use19)	faces by wiping / mopping / brushing / scrubbing – Professionals -	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Scientific name: Common name: Viruses Development stage:	
	Indoor	
Field(s) of use		
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)	
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:	

Application rate(s) and frequencies

Application Rate: -Dilution (%): 0

Number and timing of application: Ready to use product.

Contact time:

Bacteria and yeasts: 15 minutes, 20°C

Enveloped viruses: 15 min, 20°C

Virus: 60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

500mL to 1L HDPE/PET Prefilled trigger spray

750mL HDPE Angled bottle

1L HDPE Bottle with handle

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.3.1 Use-specific instructions for use

4.3.2 Use-specific risk mitiga	ation measures
For professional user: wear gloves, prote within the product information) during mix	ective coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander :	
-Do not touch the surface until it is compl	etely dried
For general public:	
-Do not touch the surface until it is rinsed	and completely dried
-Children should not be present during di	sinfection and until the surface is rinsed and dried
•	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.3.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.4 Use description	
Use 4 - Disinfection of toilet bo Professionals - PT2 – RTU prod	wls and sanitary facilities by direct spreading/flooding – uct (Use 20)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

For healthcare settings: clean carefully the surfaces before application of the product.

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

-

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries.

Application method(s)

Method: Spreading / flooding Detailed description: Direct spreading/flooding.

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

Contact time:

- Bacteria and yeasts: 15 minutes, 20°C
- Enveloped viruses: 15 min, 20°C
- Virus: 60 minutes, 20°C

Category(ies) of users

Industrial

Trained professional

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

750mL HDPE Angled bottle

	1L HDPE Bottle with handle	
	5L HDPE Jerrican with distributor pump	
	5-10-20L LDPE/PET Bag in box (cubitainer)	
	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
4.4.1 Use-specific instructions for use		
T.T.I OSC-SPECING INSTRUCTION	13 101 430	
-		
4.4.2 Use-specific risk mitigation measures		
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during pouring and brushing.		
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
-		
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
-		

4.4.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.5 Use description	
Use 5 - Disinfection of hard sur PT4 – RTU product (Use 21)	faces and equipment by manual liquid spraying – Professionals -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Spraying Detailed description: Manual surface spraying
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.
	Contact time:
	- Bacteria and yeasts: 15 minutes, 20°C
	- Enveloped viruses: 15 min, 20°C
	- Virus: 60 minutes, 20°C

Category(ies) of users	Professional
Pack sizes and packaging	100mL to 2L HDPE/PET Bottle
material	500mL to 1L HDPE/PET Prefilled trigger spray
	750mL HDPE Angled bottle
	1L HDPE Bottle with handle
	5L HDPE Jerrican with distributor pump
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
151 Use specific instruction	ne for use
4.5.1 Use-specific instruction	13 101 436

4.5.2 Use-specific risk mitigation measures

For professional user :wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during application by spray and rinsing

For professional bystander:

-Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as the professional user.

-Do not touch the surface until it is completely dried		
General public:		
-Do not be present in the treatment area	during disinfection process.	
-Do not touch the surface until it is rinsed	and completely dried	
-Children should not be present during dis	sinfection and until the surface is rinsed and dried	
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
-		
I.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
-		
4.6 Use description		
Use 6 - Disinfection of hard surfaces (small surfaces) and equipment by manual liquid spraying using a trigger sprayer – Professionals - PT4 – RTU product (Use 22)		
Product type	PT04 - Food and feed area (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)

Method: Spraying Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

Contact time:

- Bacteria and yeasts: 15 minutes, 20°C

- Enveloped viruses: 15 min, 20°C

Virus: 60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

500mL to 1L HDPE/PET Prefilled trigger spray

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

5L HDPE Jerrican with distributor pump

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

	1000L HDPE Bulk container (IBC)
I.6.1 Use-specific instructi	ons for use
-	
162 Uso sposific risk mitie	nation measures
1.6.2 Use-specific risk miti	gation measures
	otective coverall and chemical googles (material to be specified by the authorisation holder
within the product information) during	application by trigger spray and rinsing
For professional bystander:	
r or protocolorial systamach	
	ea during disinfection process by spraying. If it is necessary to be present, wear same PPE as
the professional user.	
-Do not touch the surface until it is cor	npletely dried
General public:	
Do not be present in the treatment or	on during disinfaction process
-Do not be present in the treatment are	ea during distrilection process.
-Do not touch the surface until it is rins	sed and completely dried
-Children should not be present during	g disinfection and until the surface is rinsed and dried
1.6.3 Where specific to the	use, the particulars of likely direct or indirect effects, first aid
	y measures to protect the environment
-	

60-220L HDPE Drum

packaging		
-		
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
-		
4.7 Use description		
Use 7 - Disinfection of hard sur PT4 – RTU product (Use 23)	faces by wiping / mopping / brushing / scrubbing – Professionals -	
Product type	PT04 - Food and feed area (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Scientific name: Common name: Viruses Development stage:	
	Indoor	
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).	
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:	
Annella ettan meta (a) and	Application Rate: -	
Application rate(s) and frequencies	Dilution (%): 0 Number and timing of application: Ready to use product.	
	Contact time:	

	- Enveloped viruses: 15 min, 20°C				
	- Virus: 60 minutes, 20°C				
Category(ies) of users	Professional				
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle				
material	500mL to 1L HDPE/PET Prefilled trigger spray				
	750mL HDPE Angled bottle				
	1L HDPE Bottle with handle				
	5L HDPE Jerrican with distributor pump				
	5-10-20L LDPE/PET Bag in box (cubitainer)				
	5 to 30L HDPE Jerrican				
	60-220L HDPE Drum				
	1000L HDPE Bulk container (IBC)				
471 Use specific instruction	as for use				
4.7.1 Use-specific instruction	15 IUI USE				
-					

- Bacteria and yeasts: 15 minutes, 20°C

4.7.2 Use-specific risk mitigation measures

For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander :	
-Do not touch the surface until it is compl	etely dried
For reportal publica	
For general public:	
-Do not touch the surface until it is rinsed	and completely dried
-Children should not be present during di	sinfection and until the surface is rinsed and dried
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.7.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
I.7.5 Where specific to the us Inder normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.8 Use description	
Use 8 - Disinfection of hard surf PT2 – RTU product (Use 25)	faces by wiping / mopping / brushing / scrubbing – General public -
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	ı

Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Field(s) of use

Indoor

Indoors disinfection in private areas, households.

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

0 101...0

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

Contact time:

- Bacteria and yeasts: 15 minutes, 20°C

- Enveloped viruses: 15 min, 20°C

- Virus: 60 minutes, 20°C

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

500mL to 1L HDPE/PET Prefilled trigger spray

1L HDPE Bottle with handle

5L HDPE Jerrican with distributor pump

10L HDPE Jerrican with distributor pump

-	
4.8.2 Use-specific risk mitigation measures	
For non professional user during loading, application and rinsing :	
-Wash hands after use	
-Avoid contact with eyes and skin	
-Avoid splashes and spills	
-The packaging must be adapted with a child proof closure	
For general public :	
-Do not touch the surface until it is rinsed and totally dried	
-Children should not be present during disinfection and until the surface is rinsed and dry	
1.8.3 Where specific to the use, the particulars of likely direct or nstructions and emergency measures to protect the environme	
1.8.4 Where specific to the use, the instructions for safe dispose backaging	al of the product and its
-	
.8.5 Where specific to the use, the conditions of storage and sh nder normal conditions of storage	nelf-life of the product

4.9 Use description

Use 9 - Disinfection of toilets bowls and sanitary facilities by direct spreading/flooding - General public - PT2 - RTU product (Use 26)

public - PT2 – RTU product (Us	e 26)				
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:				
	Scientific name: Common name: Yeasts Development stage:				
	Scientific name: Common name: Viruses Development stage:				
Field(s) of use	Indoor				
riola(e) or ase	Indoors disinfection in private areas, households.				
Application method(s)	Method: Spreading/flooding Detailed description: Direct spreading/flooding				
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.				
	Contact time:				
	- Bacteria and yeasts: 15 minutes, 20°C				
	- Enveloped viruses: 15 min, 20°C				
	- Virus: 60 minutes, 20°C				
Category(ies) of users	General public (non-professional)				

100mL to 2L HDPE/PET Bottle

Pack sizes and packaging material	750mL HDPE Angled bottle				
	1L HDPE Bottle with handle				
	5L HDPE Jerrican with distributor pump				
	10L HDPE Jerrican with distributor pump				
4.9.1 Use-specific instruction	ns for use				
-					
4.9.2 Use-specific risk mitiga	tion measures				
For non professional user during applicat -Wash hands after use	ion and rinsing :				
-Avoid any contact with eyes and skin -Avoid splashes and spills					
	-Avoid splasnes and spiris -The packaging must be adapted with a child proof closure				
For general public :					
-Do not touch the surface until it is rinsed -Children should not be present during di	and totally dried sinfection and until the surface is rinsed and dry				
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment				
manuchona and emergency	measures to protect the environment				
-					
_					
4.9.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its				

-	
4.9.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
- Keep out of reach of children and nor	n-target animals/pets
4.10 Use description	
Use 10 - Disinfection of hard su PT4 – RTU product (Use 28)	rfaces by wiping / mopping / brushing / scrubbing – General public -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
Field(s) of use	Indoor
riciu(s) oi use	Indoors disinfection in private areas, domestic kitchens.
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.
	Contact time:
	- Bacteria and yeasts: 15 minutes, 20°C
	- Enveloped viruses: 15 min, 20°C

	- Virus: 60 minutes, 20°C			
Category(ies) of users	General public (non-professional)			
Pack sizes and packaging	100mL to 2L HDPE/PET Bottle			
material	500mL to 1L HDPE/PET Prefilled trigger spray			
	1L HDPE Bottle with handle			
	5L HDPE Jerrican with distributor pump			
	10L HDPE Jerrican with distributor pump			
4.10.1 Use-specific instructions for use				
-				
1.10.2 Use-specific risk mitiç	gation measures			
For non professional user during applica	ition and rinsing:			
 -Wash hands after use -Avoid contact with eyes and skin -Avoid splashes and spills -The packaging must be adapted with a 	child proof closure			
For general public: -Do not touch the surface until it is rinsed and totally dried -Children should not be present during disinfection and until the surface is rinsed and dry				
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
-				

4.10.4 Where specific to the use, the instructions for safe disposal of the product and packaging	its
-	
4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	t
- Keep out of reach of children and non-target animals/pets	
5. General directions for use of the meta SPC	
5.1. Instructions for use	
- Comply with the instructions for use.	
- Apply only on non porous surfaces.	
- Inform the registration holder if the treatment is ineffective.	
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jeju Listeria monocytogenes at 20°C against virus including bovine coronavirus, rotavirus and influenza virus at 40°C.	ıni and
5.2. Risk mitigation measures	
-	
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment - IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Ge medical advice.	et
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue for 5 minutes. Call a poison centre or a doctor	: rinsinç
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. C poison centre or a doctor	Call a
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor. If medical advice is needed, have product contained label at hand	· or

5.4. Inst	ructions for safe disp	oosal of the product and its packa	aging
- Do not	discharge unused product on t	the ground, into water courses, into pipes (sink, t	oilets) nor down the drains.
- Dispose	e of unused product, its packaç	ging and all other waste in accordance with local	regulations.
	ditions of storage and	d shelf-life of the product under r	normal conditions of storage
	away from direct sunlight.		
	ife = 2 years.		
6. Othe	r information		
-			
7. Third	l information level:	individual products in the me	ta SPC
7.1 Trad product		tion number and specific compo	sition of each individual
		_	Γ
Trade na	me(s)	Product 7-1 - Pollet	Market area: FR
Authoris	ation number		,
(R4BP 3 asset a	reference number - National	FR-0021553-0041 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0042 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0043 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-4 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0044 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-5 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0045 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-6 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0046 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-7 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0047 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-8 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0048 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-9 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0049 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-10 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0050 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-11 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0051 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-12 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0052 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

POLGREEN SANI DES SPRAY M	Market area: FR
DESINFECT' ECO SANITAIRE PAE M	Market area: FR
Sanitaire 5 en 1	Market area: FR
ECO DES M	Market area: FR

LAC DES M	Market area: FR
Désinfectant ecocert T	Market area: FR
FR-0021553-0053 1-7	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

POLGREEN SANI DES SPRAY	Market area: FR
DESINFECT' ECO SANITAIRE PAE	Market area: FR
ECO DES	Market area: FR
LAC DES	Market area: FR
Désinfectant ecocert	Market area: FR
FR-0021553-0054 1-7	

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-15 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0055 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-16 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0056 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-17 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0057 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-18 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0058 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-19 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0059 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-20 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0060 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-21 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0061 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-22 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0062 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-23 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0063 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-24 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0064 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-25 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0065 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-26 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0066 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-27 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0067 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-28 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0068 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-29 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0069 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-30 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0070 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-31 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0071 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-32- Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0072 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-33 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0073 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Trade name(s)

Product 7-34 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0074 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

Product 7-35 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0075 1-7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	1,51

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 8

1.2. Suffix to the authorisation number

1-8

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28 - 6,28

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Causes severe skin burns and eye damage.

Corrosive to the respiratory tract.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $\label{lem:interpolation} \mbox{IF ON SKIN (or hair):} \mbox{Take off immediately all contaminated clothing.} \mbox{Rinse skin with }.$

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Disinfection of hard surfaces (small surfaces) and equipment by manual liquid spraying using a trigger sprayer - Professionals - PT2 - RTU product (Use 18)

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Scientific name: Common name: Bacteria Development stage:

Target organism(s) (including development stage)

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spraying Detailed description:

Manual surface spraying with a trigger sprayer (liquid/foam spraying).

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

60 minutes, 20°C

60-220L HDPE Drum 1000L HDPE Bulk container (IBC) 4.1.1 Use-specific instructions for use For healthcare settings: clean carefully the surfaces before application of the product. 4.1.2 Use-specific risk mitigation measures For professional user : -wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during loading and rinsing -wear gloves, protective coverall chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during application. For professional bystander: -Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as the professional user. -Do not touch the surface until it is completely dried General public:

500mL to 1L HDPE/PET Prefilled trigger spray

Professional

5 to 30L HDPE Jerrican

Category(ies) of users

material

Pack sizes and packaging

-Do not be present in the treatment area during disinfection process.						
-Do not touch the surface until it is rinsed	and completely dried					
-Children should not be present during disinfection and until the surface is rinsed and dried						
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment					
-						
4.1.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its					
-						
I.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage					
-						
4.2 Use description						
Use 2 - Disinfection of hard sur PT2 – RTU product (Use 19)	faces by wiping / mopping / brushing / scrubbing – Professionals -					
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)					
Where relevant, an exact description of the authorised use	-					
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:					
	Scientific name: Common name: Yeasts Development stage:					
Field(e) of use	Indoor					
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)					

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -Dilution (%): 0

Number and timing of application: Ready to use product.

60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

500mL to 1L HDPE/PET Prefilled trigger spray

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

4.2.1 Use-specific instructions for use

For healthcare settings: clean carefully the surfaces before application of the product.

4.2.2 Use-specific risk mitigation measures

For professional user :

-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during loading, application and rinsing

- Pour the solution direct on the surface and wipe with a cloth / brush

-A mop/brush with a handle has to be use	ed to apply the solution
-Do not immerse hands in the solution	
For professional bystander:	
-Do not touch the surface until it is comple	etely dried
Conoral public	
General public:	
-Do not touch the surface until it is rinsed	and completely dried
-Children should not be present during dis	sinfection and until the surface is rinsed and dried
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.2.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
inder normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.3 Use description	
Use 3 - Disinfection of toilet bov Professionals - PT2 – RTU prode	vls and sanitary facilities by direct spreading/flooding – uct (Use20)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Spreading / flooding Detailed description: Direct spreading/flooding.

Application rate(s) and frequencies

Application Rate: -Dilution (%): 0

Number and timing of application:

Ready to use product.

60 minutes, 20°C

Category(ies) of users

Professional

Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

750mL HDPE Angled bottle

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

- For healthcare settings: clean carefull	y the surfaces before application of the product.						
4.3.2 Use-specific risk mitiga	I.3.2 Use-specific risk mitigation measures						
For professional user :							
	-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during application by pouring and brushing						
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment						
-							
4.3.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its						
-							
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage						
-							
4.4 Use description							
Use 4 - Disinfection of hard sur PT4 – RTU product (Use 23)	faces by wiping / mopping / brushing / scrubbing – Professionals -						
Product type	PT04 - Food and feed area (Disinfectants)						
Where relevant, an exact description of the authorised use	-						
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:						
	Scientific name:						

4.3.1 Use-specific instructions for use

	Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed
	areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description: -
Application rate(s) and	Application Rate: -
requencies	Dilution (%): 0 Number and timing of application: Ready to use product.
	60 minutes, 20°C
Category(ies) of users	Professional
Pack sizes and packaging naterial	100mL to 2L HDPE/PET Bottle
	500mL to 1L HDPE/PET Prefilled trigger spray
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
I.4.1 Use-specific instruction	ns for use
-	

4.4.2 Use-specific risk mitigation measures

For professional user :
-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during loading, application and rinsing
- Pour the solution direct on the surface and wipe with a cloth / brush
-A mop/brush with a handle has to be used to apply the solution
-Do not immerse hands in the solution
For professional bystander:
-Do not touch the surface until it is completely dried
General public:
-Do not touch the surface until it is rinsed and completely dried
-Children should not be present during disinfection and until the surface is rinsed and dried
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-

4.5 Use description

Use 5 - Disinfection of toilets bowls and sanitary facilities by direct spreading/flooding – General public - PT2 – RTU product (Use 26)

public - 1 12 - 1(10 product (03)	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Illudoli
	Indoors disinfection in private areas, households.
Application method(s)	Method: Spreading/flooding Detailed description: Direct spreading/flooding
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.
	60 minutes, 20°C
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle
material	750mL HDPE Angled bottle

4.5.1 Use-specific instructions for use
4.5.2 Use-specific risk mitigation measures
For non professional user during pouring and brushing : -Wash hands after use -Avoid any contact with eyes and skin -Avoid any splashes and spills
For general public : -Do not touch the surface until it is rinsed and totally dried -Children should not be present during disinfection and until the surface is rinsed and dry
4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
- Keep out of reach of children and non-target animals/pets
5. General directions for use of the meta SPC
5.1. Instructions for use
- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency neasures to protect the environment
 IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acformic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
- If medical advice is needed, have product container or label at hand
.4. Instructions for safe disposal of the product and its packaging
- Don't discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
.5. Conditions of storage and shelf-life of the product under normal conditions of storage
- Protect from frost.
- Keep away from direct sunlight.
- Do no store above 40°C.
- Shelf-life = 2 years.

6. Other information

1		
1 -		
1		
1		

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Product 8-1 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0076 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-2 - Pollet Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0077 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0078 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-4 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0079 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-5 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0080 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-6 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0081 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-7 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0082 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-8 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0083 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-9 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0084 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-10 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0085 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-11 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0086 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-12 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0087 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-13 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0088 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-14 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0089 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-15 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0090 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-16 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0091 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-17 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0092 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-18 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0093 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-19 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0094 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Trade name(s)

Product 8-20 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0095 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

Product 8-21 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0096 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	6,28

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 9

1.2. Suffix to the authorisation number

1-9

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04 - 3,04

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard	statements
	010101110

Causes skin irritation.

Causes serious eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

If skin irritation occurs:Get medical.

Take off contaminated clothing. And wash it before reuse.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC

4.1 Use description

Product type

Use 1 - Disinfection of hard surfaces by wiping / mopping / brushing / scrubbing – Professionals - PT2 – RTU product (Use 19)

Where relevant, an exact description of the authorised

use
Target organism(s) (including

Target organism(s) (including development stage)

 $\mbox{\sc PT02}$ - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

Application rate(s) and frequencies

Application Rate: -

Dilution (%): 0

Number and timing of application:

Ready to use product.

60 minutes, 20°C

Category(ies) of users

Professional

100mL to 2L HDPE/PET Bottle

Pack sizes and packaging	
material	1L HDPE Bottle with handle
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.1.1 Use-specific instruction	ns for use
- For healthcare settings: clean carefull	ly the surfaces before application of the product.
4.1.2 Use-specific risk mitiga	
within the product information) during mix	ective coverall and chemical googles (material to be specified by the authorisation holder xing and loading, application and rinsing.
For professional bystander :	
-Do not touch the surface until it is compl	letely dried
For general public:	
-Do not touch the surface until it is rinsed	I and completely dried
	d and completely dried isinfection and until the surface is rinsed and dried
-Children should not be present during di	

4.1.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.2 Use description	
Use 2 - Disinfection of toilet boy Professionals - PT2 – RTU prod	wls and sanitary facilities by direct spreading/flooding – luct (Use20)
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Ladan
Field(s) of use	Indoor
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Spreading / flooding Detailed description: Direct spreading/flooding.
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.
	60 minutes, 20°C

Category(ies) of users	Professional
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle
	750mL HDPE Angled bottle
	1L HDPE Bottle with handle
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.2.1 Use-specific instruction	ns for use
- For healthcare settings: clean carefull	y the surfaces before application of the product.
4.2.2 Use-specific risk mitiga	tion measures
For professional user: wear gloves, prote within the product information) during pou	ctive coverall and chemical googles (material to be specified by the authorisation holder uring and brushing.
•	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.2.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
-		
4.3 Use description		
Use 3 - Disinfection of hard sur PT4 – RTU product (Use23)	faces by wiping / mopping / brushing / scrubbing – Professionals -	
Product type	PT04 - Food and feed area (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Γ	
Field(s) of use	Indoor	
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).	
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.	
	60 minutes, 20°C	
Category(ies) of users	Professional	
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle	

	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
I.3.1 Use-specific instruction	ns for use
-	
I.3.2 Use-specific risk mitiga	tion measures
For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander :	
-Do not touch the surface until it is compl	etely dried
For general public:	
-Do not touch the surface until it is rinsed	and completely dried
-Children should not be present during di	sinfection and until the surface is rinsed and dried
I.3.3 Where specific to the us nstructions and emergency	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	

500mL to 1L HDPE/PET Prefilled trigger spray

5 to 30L HDPE Jerrican

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
-		
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage	
-		
4.4 Use description		
Use 4 - Disinfection of hard sur PT2 – RTU product (Use 25)	faces by wiping / mopping / brushing / scrubbing – General public -	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
Field(s) of use	Indoor	
,	Indoors disinfection in private areas, households	
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.	
	60 minutes, 20°C	

Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle
	500mL to 1L HDPE/PET Prefilled trigger spray
4.4.1 Use-specific instruction	ns for use
-	
4.4.2 Use-specific risk mitiga	ation measures
For non professional user during applica	
-Wash hands after use	
-Avoid contact with eyes and skin	
-Avoid splashes and spills	
-The packaging must be adapted with a	child proof closure
The pastaging most se daupted man d	5.ma p. 55. 5.55a.5
For general public :	
-Do not touch the surface until it is rinsec	d and totally dried
-Children should not be present during d	lisinfection and until the surface is rinsed and dry
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	

1.4.4 Where specific to the use, the instructions for safe disposal of the product and its backaging		
-		
4.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage	
- Keep out of reach of children and non	r-target animals/pets	
4.5 Use description		
Use 5 - Disinfection of toilets be public - PT2 – RTU product (Use	owls and sanitary facilities by direct spreading/flooding – General e 26)	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
Field(s) of use	Indoor	
	Indoors disinfection in private areas, households.	
Application method(s)	Method: Spreading / flooding Detailed description: Direct spreading/flooding	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.	
	60 minutes, 20°C	

Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle 750mL HDPE Angled bottle 1L HDPE Bottle with handle
4.5.1 Use-specific instruction	s for use
-	
4.5.2 Use-specific risk mitiga	tion measures
For non professional user during applicat -Wash hands after use -Avoid contact with eyes and skin -Avoid splashes and spills -The packaging must be adapted with a c	
For general public: -Do not touch the surface until it is rinsed -Children should not be present during dis	and totally dried sinfection and until the surface is rinsed and dry
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.5.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
-	
4.5.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
- Keep out of reach of children and non-ta	

4.6 Use description

Use 6 - Disinfection of hard surfaces by wiping $\it I$ mopping $\it I$ brushing $\it I$ scrubbing – General public - PT4 – RTU product (Use 28)

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Г
Field(s) of use	Indoor
	Indoors disinfection in private areas, domestic kitchens.
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description: -
Application rate(s) and frequencies	Application Rate: - Dilution (%): 0 Number and timing of application: Ready to use product.
	60 minutes, 20°C
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	100mL to 2L HDPE/PET Bottle
	500mL to 1L HDPE/PET Prefilled trigger spray
	1L HDPE Bottle with handle

6.2 Use-specific	risk mitigation measures
For non professional use	r during application and rinsing :
Wash hands after use	
Avoid contact with eyes	and skin
Avoid splashes and spil	s
The packaging must be	adapted with a child proof closure
or general public :	
Do not touch the surface	e until it is rinsed and totally dried
Children should not be រុ	resent during disinfection and until the surface is rinsed and dry
-	fic to the use, the particulars of likely direct or indirect effects, first aid emergency measures to protect the environment
	fic to the use, the instructions for safe disposal of the product and its
ackaging	
	ic to the use, the conditions of storage and shelf-life of the product ditions of storage
iaci ilolillai coll	

5. General directions for use of the meta SPC

5.1. Instructions for use

- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
- IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Get medical advice.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a posion centre or a doctor
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor
- If medical advice is needed, have product container or label at hand
5.4. Instructions for safe disposal of the product and its packaging
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
- Protect from frost.

- Do not store above 40°C.			
- Shelf-life = 2 years.			
6. Other information			
-			
7 Third information lovely	individual products in the me	to SDC	
7. Third information level:	individual products in the me	ld SPC	
7.1 Trade name(s), authorisa			
product	tion number and specific compos	sition of each individual	
product	tion number and specific compos	sition of each individual	
	Product 9-1 - Pollet	sition of each individual Market area: FR	
product Trade name(s) Authorisation number			
Trade name(s)			
Trade name(s) Authorisation number (R4BP 3 asset reference number - National	Product 9-1 - Pollet		
Trade name(s) Authorisation number (R4BP 3 asset reference number - National	Product 9-1 - Pollet		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0098 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0099 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-4 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0100 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-5 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0101 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-6 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0102 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-7 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0103 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-8 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0104 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-9 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0105 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-10 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0106 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-11 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0107 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-12 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0108 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-13 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0109 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Product 9-14 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0110 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Trade name(s)

Product 9-15 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0111 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

Tra	de	na	me	(s)
	u			10

Product 9-16 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0112 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,04

1. Meta SPC administrative information

1.1. Meta SPC identifier

META SPC 10

1.2. Suffix to the authorisation number

1-10

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16 - 30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011 - 0,011

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

3. Hazard and precautionary statements of the meta SPC

Hazard	statements
nazaru	Statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Corrosive to the respiratory tract.

Precautionary statements

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs:Get medical.

IF ON SKIN:Wash with plenty of water.

Avoid release to the environment.

Dispose of to .

4. Authorised use(s) of the meta SPC						
4.1 Use description						
Use 1 - Disinfection of hard surf PT4 – Soluble concentrate (Use	faces and equipment by manual dipping/soaking– Professionals - 11)					
Product type	PT04 - Food and feed area (Disinfectants)					
Where relevant, an exact description of the authorised use	-					
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:					
	Scientific name: Common name: Yeasts Development stage:					
Field(s) of use	Indoor					
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).					
Application method(s)	Method: Dipping, soaking Detailed description: Manual dipping/soaking.					
	Application Date:					
Application rate(s) and frequencies	Application Rate: - Dilution (%): 20% v/v Number and timing of application: At a temperature of 40°C:					
	- Bacteria and yeasts: 20% v/v, 15 minutes.					
Category(ies) of users	Professional					
Pack sizes and packaging material	20mL PE+PET Pods					
	100mL to 2L HDPE/PET Bottle					

1L LDPE Dosing bottle

	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.1.1 Use-specific instruction	ns for use
-	
4.1.2 Use-specific risk mitiga	ation measures
	s, coverall and goggles (material to be specified by the authorisation holder within the dolading, the application and the rinsing.
-Do not immerse hands in the bath	
-Let the equipment soak for the necessar without touching the equipment that has	ry time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing remained in the tank
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.1.4 Where specific to the u	se, the instructions for safe disposal of the product and its

1L HDPE Dosing bottle

-
1.1.5 Where specific to the use, the conditions of storage and shelf-life of the product
under normal conditions of storage
5. General directions for use of the meta SPC
3. General directions for use of the meta SPC
5.1. Instructions for use
- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and
Listeria and Lactobacillus brevis at 40°C.
- During the product dilution, pour almost all water first, then the product, then the remaining of the water.
5.2. Risk mitigation measures
_
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency
measures to protect the environment
- IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should
also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid,
formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce
vomiting. Call 112/ambulance for medical assistance.

- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

			\neg
4. Instructions for safe dis	posal of the product and its	packaging	
Do not discharge unused product on	the ground, into water courses, into pipe	s (sink, toilets) nor down the drains.	
· Dispose of unused product, its packa	ging and all other waste in accordance w	ith local regulations.	
5. Conditions of storage ar	nd shelf-life of the product u	nder normal conditions of storag	 je
Protect from frost.			
Keep away from direct sunlight.			
- Do not store above 40°C.			
- Shelf-life = 2 years.			
. Other information			
_			\neg
. Third information level:	individual products in th	e meta SPC	
.1 Trade name(s), authorisa product	tion number and specific co	omposition of each individual	
rade name(s)	Product 10-1 - Pollet	Market area: FR	
uthorisation number			
t4BP 3 asset reference number - National uthorisation)	FR-0021553-0113 1-10		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 10-2 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0114 1-10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 10-3 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0115 1-10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 10-4 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0116 1-10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Trade name(s)

Product 10-5 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0117 1-10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

Product 10-6 - Pollet

Market area: FR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

FR-0021553-0118 1-10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	30,16
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011