

Summary of product characteristics for a biocidal product

Product name: VICTOR GEL HORMIGAS

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: ES/APP(NA)-2018-18-00481

R4BP 3 asset reference number: ES-0009318-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	4
5.1. Instructions for use	4
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	6

Administrative information

1.1. Trade names of the product

VICTOR GEL HORMIGAS

1.2. Authorisation holder

Name and address of the authorisation holder	Name	ADAMA Agriculture España S.A.
	Address	Príncipe de Vergara 110-5 28002 MADRID Spain
Authorisation number	ES/APP(NA)-2018-18-00481	
R4BP 3 asset reference number	ES-0009318-0000	
Date of the authorisation	05/04/2018	
Expiry date of the authorisation	31/12/2025	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	ADAMA Celsius, B.V. Amsterdam (NL)
Address of the manufacturer	ADAMA Group - Spitalstrasse, 5 8200 Schaffhausen Switzerland
Location of manufacturing sites	MYLVA, S.A.- San Galderic 23 - San Pol de Mar 08395 Barcelona Spain
	COMERCIAL QUIMICA MASSÓ, S.A. -P.I. San Pere Molanta - Avda. del Cadí 7-14 08799 Olerdola (Barcelona) Spain

1.4. Manufacturer(s) of the active substance(s)

Active substance	37 - imidacloprid
Name of the manufacturer	BAYER CROPSCIENCE AG
Address of the manufacturer	Industrial Operations - Alfred Nobel-Strasse 50 D-40789 Monheim am Rhein Germany
Location of manufacturing sites	Industrial Operations - Alfred-Nobel-Strabe 50 40789 Monheim Germany
Active substance	37 - imidacloprid
Name of the manufacturer	ADAMA AGRICULTURE ESPAÑA, S.A
Address of the manufacturer	Calle Méndez Álvaro, 20 -5 28045 Madrid Spain
Location of manufacturing sites	Adama Makhteshim Ltd. - Neot-Hovav Eco-Industrial Park 84100, Beer Sheva Israel
	Jiangsu Yangnong Chemicals Group Co. Ltd -39 Wenfeng Road 225009 Yangzhou China

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
imidacloprid	(2E)-1-[(6-chloropyridin-3-yl) methyl]-N-nitroimidazolidin-2-imine	Active Substance	138261-41-3	428-040-8	0,01

2.2. Type of formulation

Gel bait (Ready to use) (RB)

3. Hazard and precautionary statements

Hazard statements	Toxic to aquatic life with long lasting effects.
--------------------------	--

Precautionary statements

Keep out of reach of children.

Read carefully and follow all instructions.

Avoid release to the environment.

Collect spillage.

Dispose of contents to contents/containers in accordance with local regulations..

4. Authorised use(s)**4.1 Use description**

Use 1 - Use 1 – Gel bait applied as bait station –Trained professional, professional and general public.

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Insecticide against
Target organism(s) (including development stage)	Scientific name: Lasius niger Common name: black garden ant Development stage: Adults
Field(s) of use	Indoor Outdoor Indoors. Residential and commercial buildings. Around buildings. Outdoors. Terraces and paved
Application method(s)	Method: In bait boxes Detailed description: Closed application by bait station.
Application rate(s) and frequencies	Application Rate: 5g (1 bait station) / 22m2 (or 1 bait station/room). Dilution (%): Number and timing of application: Dose: 5g (1 bait station) / 22m2 (or 1 bait station/room). If the nest is located, apply 1 bait station/12m2 near it (it is assumed that the range of action of a nest is 12m2). Frequency of application: after 14 days, replace the traps if the infestation persists. Frequency of treatment: Three months after the infestation's end, treatment may be repeated.
Category(ies) of users	Trained professional Professional

Pack sizes and packaging material

General public (non-professional)

Bait station made of of HIPS with 5 grams of gel bait.

4.1.1 Use-specific instructions for use

See section Directions for use

4.1.2 Use-specific risk mitigation measures

See section Directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section Directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See section Directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section Directions for use

5. General directions for use

5.1. Instructions for use

Protect the bait station from sun and rain.
Read carefully the label before use the product.
Remove alternative food source that may be in competition from near areas.

5.2. Risk mitigation measures

The bait stations should not be open or handle.
Never introduce the fingers through the holes in the bait station.
Hazardous to bees.
The areas of product handling must be well-ventilated, with natural or exhausted ventilation.
Keep away from heat, open and sparks.
Keep out of the reach of children.
This product should be used in alternation with other products not containing the same a.s. to avoid resistant populations.
The product should be reapplied when finished only until the pest is controlled.
Use products at recommended doses and intervals.
Trained professional uses:
- The product cannot be applied on surfaces where feed or feedingstuff is prepared, served, consumed or stored.
- The product will be applied in the food industry in absence of foodstuff except in storerooms where the product is kept properly packaged.
- Proper measures must be taken in order to ensure that food, equipment or any utensil handled in sites previously treated with the product do not contain residues of the active substance.
Professional and non-professional uses:
- Keep away from feed or foodstuff, eating utensils or food contact surfaces.
- Place bait inaccessible to children, companion animals and non-target animals.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Basic First aid procedures:

If contact in eyes, rinse with plenty of water for at least 15 minutes. Do NOT forget to remove the contact lenses
If contact on skin, wash with soap and plenty of water, without rubbing

Medical advice for doctors and sanitary staff

Symptomatic and supportive treatment

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTER

Emergency measures to protect the environment:
Environmental Precautions:
Avoid contamination of drains, surface and groundwater as well as soil.
Do not discharge into the environment.
If the product enters sewers or public waters, notify to the authorities.
Methods for cleaning up:
Adsorb the spilled product by sand or adsorbent inert materials. Deposit it in closed packages and manage it following the legislation for industrial residues. In case of great spill, use dikes of inert materials. Make sure the total decontamination of the tools and equipment used in the cleaning works. The recovered product must be disposed according with local law. Contact with the competent authorities if the situation cannot be controlled

5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container in accordance with current regulations. (P501).

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 33 months.
Keep only in the original container.

Store in dry, cool and well-ventilated place.

Avoid direct sun.
Keep away from water, food and animal feeding-stuffs.

6. Other information

Trained professional: pest control operators, having received specific training in insecticide control according to the national legislation in force.

Professional: User applying biocidal products in the workplace. This user has some knowledge and skills in the handling of chemicals, and is able to correctly use personal protective equipment (PPE) if necessary.

General public (non-professional user): Users who are not professionals and who apply the product in the context of their private life.