Summary of product characteristics for a biocidal product

Product name: FLYBUSTER POWDER

Product type(s): PT19 - Repellents and attractants (Pest control)

PT19 - Repellents and attractants (Pest control)

Authorisation number: FR-2022-0047

R4BP 3 asset reference number: EU-0026700-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	8
1.3. Manufacturer(s) of the biocidal products	8
1.4. Manufacturer(s) of the active substance(s)	9
2. Product composition and formulation	9
2.1. Qualitative and quantitative information on the composition of the biocidal product	9
2.2. Type of formulation	10
3. Hazard and precautionary statements	10
4. Authorised use(s)	10
5. General directions for use	14
5.1. Instructions for use	14
5.2. Risk mitigation measures	14
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	14
5.4. Instructions for safe disposal of the product and its packaging	15
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	15
6. Other information	15

Administrative information

1.1. Trade names of the product

FLYTRAP
FLYBUSTER POUDRE
FLYBUSTER POLVO
FLYBUSTER POLVERE
FLYBUSTER PULVER
FLYBUSTER PROSZEK
FLYBUSTER PULBERE
FLYBUSTER PRÁŠOK
FLYBUSTER PRÁŠEK
FLYBUSTER PO'
FLYBUSTER PURRAL
FLYBUSTER POEDER
FLYTRAP POWDER
FLYTRAP POUDRE
FLYTRAP POWDER
FLYTRAP POLVERE
FLYTRAP PULVER
FLYTRAP PROSZEK
FLYTRAP PULBERE
FLYTRAP PRÁŠOK
FLYTRAP PRÁŠEK
FLYTRAP PO'
FLYTRAP PURRAL
FLYTRAP POEDER
FLYBUSTER TRAP
FLYBUSTER PIEGE
FLYBUSTER TRAMPA
FLYBUSTER TRAPPOLA
FLYBUSTER FLIEGENFALLE
FLYBUSTER PULAPKA
FLYBUSTER CAPCANA

FLYBUSTER PASCA FLYBUSTER PAST FLYBUSTER ARMADILHA FLYBUSTER LÉGYCSAPDA FLYBUSTER VIEGLENVAL FLYBUSTER ESCA SUPER TRAP MOSCHE SUPER MOSCHE ESCA SUPER TRAP MOSCHE ESCA PROTEMAX TRAPPOLA MOSCHE PROTEMAX ESCA MOSCHE STM TRAPPOLA MOSCHE STM ESCA MOSCHE ZAPIBUSTER ESCA MOSCHE ZAPIBUSTER TRAPPOLA MOSCHE ZAPIBUSTER TRAP ZAPIBUSTER PWD KNOCK OFF FLYNIP VLIEGENVAL KNOCK OFF FLYNIP FLIEGENFALLE KNOCK OFF FLYNIP PIEGE A MOUCHES KNOCK OFF FLYNIP NAVULLING KNOCK OFF FLYNIP REFILL KNOCK OFF FLYNIP NACHFÜLLING KNOCK OFF FLYNIP VLIEGENVAL XL KNOCK OFF FLYNIP FLYTRAP KNOCK OFF FLYNIP VLIEGENLOKSTOF KNOCK OFF FLYNIP FLYBAIT KNOCK OFF FLYNIP FLIEGENKÖDER KNOCK OFF FLYNIP APPÂT À MOUCHES KNOCK OFF FLYNIP VLIEGENZAK KNOCK OFF FLYNIP FLYBAG KNOCK OFF FLYNIP FLIEGENSACK KNOCK OFF FLYNIP SAC À MOUCHES RESOLUUT FLYNIP VLIEGENVAL

RESOLUUT FLYNIP VLIEGENLOKSTOF

MOSC'APPAT **BIOCINOV ATTRACTIF SPECIAL MOUCHES HBM ANTI MOUCHES** HBM ANTI MOUCHES RECHARGES SPECIALES PIEGE A MOUCHES HBM ANTI MOUCHES PIEGE A MOUCHES AVEC RECHARGE OR BRUN PAIZIBLE ATTRACTIF POUR PIEGE A MOUCHE OR BRUN PAIZIBLE PIEGE A MOUCHE MUCH-EX TRAP MUCH-EX TRAP POWDER **TOPTRAC** MUSCA TRAP FT-2C MT-2C ESC100 **FLUXERO** FT-MASTER TOP FLIEGENFALLE **FLYSQUIM** FLYSQUIM POLVO **FLYGEN TRAP FLYGEN DUST** LETAL TRAMPA MOSCAS LETAL FLY PWD APPÂTS POUR BOÎTE ET SAC A MOUCHES MUSCADO FLY MOUCHES SAC AVEC APPÂTS MUSCADO FLY MOUCHES RECHARGE POUR SAC A MOUCHES MUSCADO FLY SAC A MOUCHES MUSCADO FLY **BOÎTE A MOUCHES MUSCADO FLY** MUSCADO FLY SEAU A MOUCHES MUSCADO FLY RECHARGE POUR SEAU A MOUCHES MUSCADO FLY RECHARGE MUSCA FLY MUSCADO RECHARGE FLY RECHARGE MUSCA

SO MOUCHES 100MOSCAS MOSQUIERO ZEROMOSCAS MOSCONTROL **MOSCARIA** MASSOFLY BIGTRAP SUMIN PULAPKA – WOREK NA MUCHY SUMIN PULAPKA NA MUCHY FLY DROP TRAP DROP TRAP FLY DROP POWDER DROP POWDER FLY SUSPEND TRAP FLY SUSPEND POWDER FD TRAP FD POWDER FLY CUT TRAP FLY CUT POWDER BYE FLY TRAP BYE FLY POWDER FLY DROP PIEGE **DROP PIEGE** FLY DROP POUDRE DROP POUDRE FLY SUSPEND PIEGE FLY SUSPEND POUDRE FD PIEGE FD POUDRE FLY CUT PIEGE FLY CUT POUDRE BYE FLY PIEGE BYE FLY POUDRE FLY DROP TRAMPA **DROP TRAMPA**

FLY DROP POLVO DROP POLVO FLY SUSPEND TRAMPA FLY SUSPEND POLVO FD TRAMPA FD POLVO FLY CUT TRAMPA FLY CUT POLVO BYE FLY TRAMPA BYE FLY POLVO FLY DROP TRAPPOLA DROP TRAPPOLA FLY DROP POLVERE DROP POLVERE FLY SUSPEND TRAPPOLA FLY SUSPEND POLVERE FD TRAPPOLA FD POLVERE FLY CUT TRAPPOLA FLY CUT POLVERE BYE FLY TRAPPOLA BYE FLY POLVERE FLY DROP FLIEGENFALLE DROP FLIEGENFALLE FLY DROP PULVER DROP PULVER FLY SUSPEND FLIEGENFALLE FLY SUSPEND PULVER FD FLIEGENFALLE FD PULVER FLY CUT FLIEGENFALLE FLY CUT PULVER BYE FLY FLIEGENFALLE BYE FLY PULVER FLY DROP PULAPKA

DROP PULAPKA FLY DROP PROSZEK DROP PROSZEK FLY SUSPEND PULAPKA FLY SUSPEND PROSZEK FD PULAPKA FD PROSZEK FLY CUT PULAPKA FLY CUT PROSZEK BYE FLY PULAPKA BYE FLY PROSZEK FLY DROP CAPCANA DROP CAPCANA FLY DROP PULBERE DROP PULBERE FLY SUSPEND CAPCANA FLY SUSPEND PULBERE FD CAPCANA FD PULBERE FLY CUT CAPCANA FLY CUT PULBERE BYE FLY CAPCANA BYE FLY PULBERE FLY DROP PASCA DROP PASCA FLY DROP PRASOK DROP PRASOK FLY SUSPEND PASCA FLY SUSPEND PRASOK FD PASCA FD PRASOK FLY CUT PASCA FLY CUT PRASOK BYE FLY PASCA BYE FLY PRASOK

FLY DROP PAST DROP PAST FLY DROP PRASEK DROP PRASEK FLY SUSPEND PAST FLY SUSPEND PRASEK FD PAST FD PRASEK FLY CUT PAST FLY CUT PRASEK BYE FLY PAST BYE FLY PRASEK FLY DROP ARMADILHA DROP ARMADILHA FLY DROP PO' DROP PO' FLY SUSPEND ARMADILHA FLY SUSPEND PO' FD ARMADILHA FD PO' FLY CUT ARMADILHA FLY CUT PO' BYE FLY ARMADILHA BYE FLY PO' FLY DROP LEGYCSAPDA DROP LEGYCSAPDA FLY DROP PURRAL DROP PURRAL FLY SUSPEND LEGYCSAPDA FLY SUSPEND PURRAL FD LEGYCSAPDA FD PURRAL FLY CUT LEGYCSAPDA FLY CUT PURRAL BYE FLY LEGYCSAPDA

BYE FLY PURRAL
FLY DROP VIEGLENVAL
DROP VIEGLENVAL
FLY DROP POEDER
DROP POEDER
FLY SUSPEND VIEGLENVAL
FLY SUSPEND POEDER
FD VIEGLENVAL
FD POEDER
FLY CUT VIEGLENVAL
FLY CUT POEDER
BYE FLY VIEGLENVAL
BYE FLY POEDER

1.2. Authorisation holder

Name and address of the	Name ZAPI S.p.A.			
authorisation holder	Address	via Terza Strada 12 35026 Conselve Italy		
Authorisation number	FR-2022-0047			
R4BP 3 asset reference number	EU-0026700-0000			
Date of the authorisation	19/05/2022			
Expiry date of the authorisation	18/05/2032			

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	ZAPI S.p.A.
Address of the manufacturer	Via Terza Strada 12 35026 Conselve (PD) Italy
Location of manufacturing sites	Via Terza Strada 12 35026 Conselve (PD) Italy

1.4. Manufacturer(s) of the active substance(s)

Active substance	2329 - Saccharomyces cerevisiae (yeast)
Name of the manufacturer	Société Industrielle Lesaffre
Address of the manufacturer	137, Rue Gabriel Péri – BP 3029 59703 Marcq-en-Baroeul Cedex France
Location of manufacturing sites	137, Rue Gabriel Péri – BP 3029 59703 Marcq-en-Baroeul Cedex France
Active substance	2328 - Powdered egg
Name of the manufacturer	Baltic egg production, KB
Address of the manufacturer	Birutės skg. 5, Macenių k. LT-90100 Plungės r. Lithuania
Location of manufacturing sites	Birutės skg. 5, Macenių k. LT-90100 Plungės r. Lithuania

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Saccharomyces cerevisiae (yeast)		Active Substance	68876-77-7		39,9
Powdered egg		Active Substance			59,85

2.2. Type of formulation	
WP - Wettable powder	
3. Hazard and precautiona	ry statements
Hazard statements	
Precautionary statements	
4. Authorised use(s)	
4.1 Use description	
Use 1 - Outdoor use - rural and	zootechnical environments
Product type	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Musca domestica Common name: House fly Development stage: Adults
	Scientific name: Stomoxys calcitrans Common name: Stable flies Development stage: Adults
	Scientific name: Lucilia sericata Common name: Green bottle flies Development stage: Adults
	Outloo
Field(s) of use	Outdoor
	Outdoor - In zootechnical and rural environments
Application method(s)	Method: Bait application Detailed description: In traps after dilution of the product in water

Application rate(s) and frequencies

Application Rate: 20 g of powder diluted in 500 ml of water

Dilution (%): 4% w/v

Number and timing of application:
4% w/v (e.g: 20 g of powder diluted in 500 ml of water) per trap each 10-15 m
The product is effective for up to 7 weeks.

Category(ies) of users

Trained professional

Professional

General public (non-professional)

Pack sizes and packaging material

LDPE Bottle (240 g to 1 kg),

HDPE Bottle (240 g to 1kg),

PP Bucket (1 kg to 10 kg),

20 g PVOH water soluble sachet contained in:

- PET trap bottle containing 1 sachet
- LDPE bottle containing from 1 to 4 sachets
- HDPE bottle containing from 1 to 4 sachets
- PP trap bottle containing from 1 to 2 sachets
- LDPE bag containing from 1 to 4 sachets
- PET/PET-MET/LDPE containing from 1 to 4 sachets

4.1.1 Use-specific instructions for use

	the ambient temperature, the product starts to exert its attractive power within 24 hours and tion is about 35 days. The trap is effective for up to 7 weeks.
4.1.2 Use-specific risk mitiga	ation measures
-	
<u> </u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.1.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.2 Use description Use 2 - Outdoor use – residenti	al environments
Product type	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Musca domestica Common name: House fly Development stage: Adults
Field(s) of use	Outdoor Outdoor - in residential environments
Application method(s)	Method: Bait application Detailed description: In traps after product dilution in water
	Application Rate: 20 g of powder diluted in 500 ml of water

Application rate(s) and frequencies

Dilution (%): 4% w/v

Number and timing of application:

4% w/v (e.g: 20 g of powder diluted in 500 ml of water) per trap each 10-15 m

Category(ies) of users

Trained professional

Professional

General public (non-professional)

Pack sizes and packaging material

LDPE Bottle (240 g to 1 kg),

HDPE Bottle (240 g to 1kg),

PP Bucket (1 kg to 10 kg),

20 g PVOH water soluble sachet contained in:

- PET trap bottle containing 1 sachet
- LDPE bottle containing from 1 to 4 sachets
- HDPE bottle containing from 1 to 4 sachets
- PP trap bottle containing from 1 to 2 sachets
- LDPE bag containing from 1 to 4 sachets
- PET/PET-MET/LDPE containing from 1 to 4 sachets

4.2.1 Use-specific instructions for use

- After dilution in water, depending on the ambient temperature, the product starts to exert its attractive power within 24 hours and the time delay of action to control infestation is about 7 days. The trap is effective for up to 7 weeks.

4.2.2 Use-specific risk mitigation measures

-
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
-
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
-
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-
5. General directions for use 5.1. Instructions for use - Comply with the instruction for use - Inform the registration holder if the treatment is ineffective It is recommended to apply the product at temperature above 25°C When the product is no longer active or once the trap is full of dead flies, dispose of it according to the instructions.
 Make sure that the trap does not dry out In case of low capture of insects, change location of the trap. The diluted product should be thoroughly mixed before application.
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
 IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor. IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor. IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor. IF INHALED: If symptoms occur call a POISON CENTRE or a doctor. If medical advice is needed, have product container or label at hand

5.4	. Instructions for safe disposal of the product and its packaging
-	
5.5.	Conditions of storage and shelf-life of the product under normal conditions of storage
	Keep out of reach of children and non-target animals/pets. The product should not be stored at temperatures higher than 25 °C. Shelf life: 2 years. Protect from frost. Protect from light. Protect from the humidity.
6. (Other information
-	