Summary of product characteristics for a biocidal product

Product name: Peracetic Acid 5%

Product type(s):

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or

animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0028970-0000

R4BP 3 asset reference number: EU-0028970-0004

Table Of Contents

Administrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	2
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
5. General directions for use	16
5.1. Instructions for use	40
5.2. Risk mitigation measures	16
J.Z. Nisk Hilligation measures	17
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	17
5.4. Instructions for safe disposal of the product and its packaging	18
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	18
6. Other information	18

Administrative information

1.1. Trade names of the product

Peracetic Acid 5%
PERSAN S5
Perasan
Clusterflush
Cleanline Clusterflush
Pro-Dis CIP
Acidic Sanitiser
Virodox
Perosan 5
PERACLEANSE
Oxysan 5
Percid 5
Peraguard
QC 5% Peracetic Acid
Crystel QUARTZ
AGRI-PER 5%
Biokill
Talogen 5
Tomahawk
ASL-Multikill 5
nu-Peracid 5
Thunderbird

1.2. Authorisation holder

Name and address of the authorisation holder

Name	Rigest Trading (Ireland) Limited
Address	Mullingar Heifer Beef, Nolagh N91W896 Ballinalack Ireland

Authorisation number	
	EU-0028970-0000 1-2

R4BP 3 asset reference number

EU-0028970-0004

Date of the authorisation

12/07/2023

Expiry date of the authorisation

30/06/2033

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Airedale Chemical Company Ltd	
Address of the manufacturer	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom	
Location of manufacturing sites	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom	

1.4. Manufacturer(s) of the active substance(s)

Active substance	1340 - Peracetic acid
Name of the manufacturer	Airedale Chemical Company Ltd
Address of the manufacturer	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom
Location of manufacturing sites	Airedale Mills, Skipton Road, Cross Hills BD20 7BX Keighley United Kingdom

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	5
HEDP	etidronic acid	Non-active substance	2809-21-4	220-552-8	0,99
Hydrogen peroxide	Hydrogen Peroxide	Non-active substance	7722-84-1	231-765-0	23,513
Acetic Acid	Acetic Acid	Non-active substance	64-19-7	200-580-7	8,453

2.2. Type of formulation

SL - Soluble concentrate

3. Hazard and precautionary statements

Hazard statements

Heating may cause a fire.

May be corrosive to metals.

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep only in original packaging.

Do not breathe vapours.

Do not breathe spray.

Wash exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves.

Wear protective clothing.

Wear eye protection.

Wear face protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER.

Immediately call a doctor.

Wash contaminated clothing before reuse.

Collect spillage.

Store in a well-ventilated place. Keep container tightly closed.

Store at temperatures not exceeding 30 °C/86 °F.

Dispose of contents to a licensed hazardous-waste collection point.

Dispose of container to a licensed hazardous-waste collection point.

4. Authorised use(s)

4.1 Use description

Use 1 - CIP including in pharmaceutical and cosmetic industry

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: -Common name: Bacteria Development stage: -

Scientific name: -Common name: Yeasts Development stage: -

Scientific name: -Common name: Fungi Development stage: -

Scientific name: -Common name: Viruses Development stage: -

Field(s) of use

Indoor

General (including pharmaceutical and cosmetic industry)

Disinfection of hard and non-porous surfaces by CIP procedures (with circulation)

Application method(s)

Method: CIP - Manual or automated dosing Detailed description:

The diluted product shall be transferred to equipment by manual dosing or automated

dosing.
Final rinsing (with potable water) is mandatory: after the disinfection procedure, treated

	surfaces must be rinsed with water and the water must be drained into the sewer system.	
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts 0,02% PAA (e.g. 0,4% product with 5% PAA, that is 4 ml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 2% product with 5% PAA, that is 20 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 0,4-3 % Number and timing of application: 1-2 applications per day	
Category(ies) of users	Industrial	
	Professional	
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres	
4.1.1 Use-specific instruction	ons for use	
See general directions for use		
4.1.2 Use-specific risk mitig	gation measures	
See general directions for use		
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
See general directions for use		
4.1.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its	
See general directions for use		

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use		

4.2 Use description

Use 2 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) including in pharmaceutical and cosmetic industries

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Scientific name: -Common name: Bacteria Development stage: -

Target organism(s) (including development stage)

Scientific name: -Common name: Yeasts Development stage: -

Scientific name: -Common name: Fungi Development stage: -

Scientific name: -Common name: Viruses Development stage: -

Field(s) of use

Indoor

General (including pharmaceutical and cosmetic industry)
Disinfection of hard and non-porous surfaces by spraying or pouring

Application method(s)

Method: Spraying or pouring (followed by wiping for a homogenous distribution) Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution).

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

. Dilution (%): 3 %

Number and timing of application:

1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes	and	packaging
material		

HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres 4.2.1 Use-specific instructions for use See general directions for use 4.2.2 Use-specific risk mitigation measures See general directions for use 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment See general directions for use 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging See general directions for use 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage See general directions for use 4.3 Use description Use 3 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) for veterinary hygiene PT03 - Veterinary hygiene (Disinfectants) **Product type** Where relevant, an exact description of the authorised

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

Scientific name: -Common name: Bacteria Development stage: -

Target organism(s) (including

development stage)

Scientific name: -Common name: Yeasts Development stage: -

Scientific name: -Common name: Viruses Development stage: -

Field(s) of use

Indoor

WITH prior cleaning

By spraying: On hard and non-porous and porous surfaces By pouring: ONLY on hard/non-porous surfaces

Application method(s)

Method: Spraying or pouring (followed by wiping for homogenous distribution) Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for homogenous distribution).

Cleaning of the surface prior to disinfection is mandatory.

Do not use equipment and surfaces, or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.

Application rate(s) and frequencies

Application Rate: at +10°C for 5 minutes contact time • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. 4% product with 5% PAA, that is 40 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 4 %

Number and timing of application:

Disinfection of animal housing takes place once animals have been moved out and the building has been cleaned and cleared of objects not to be disinfected, maximum 1-2 times per day.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.3.1 Use-specific instructions for use			
See general directions for use			
4.3.2 Use-specific risk mitiga	ition measures		
See general directions for use			
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment		
See general directions for use			
4.3.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its		
See general directions for use			
See general directions for use 4.4 Use description	se, the conditions of storage and shelf-life of the product storage		
Use 4 - Disinfection by dipping	for veterinary hygiene		
Product type	PT03 - Veterinary hygiene (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: - Common name: Bacteria Development stage: -		
	Scientific name: - Common name: Yeasts Development stage: -		
	Scientific name: - Common name: Viruses Development stage: -		

Field(s) of use

	Indoor
	Disinfection of equipment (hard and non-porous and porous surfaces by dipping), WITH prior cleaning
Application method(s)	Method: Dipping Detailed description:
	The equipment to be disinfected must be placed in a dipping bath.
	Cleaning prior to use is mandatory.
Application rate(s) and frequencies	Application Rate: at +10°C for 5 min contact time • Active against bacteria, yeasts and viruses: 0,2% PAA (e.g. 4% product with 5% PAA, that is 40 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 4 % Number and timing of application: 1-2 applications per day maximum
Category(ies) of users	Industrial
	Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres
·	
4.4.1 Use-specific instruction	ns for use

See general directions for use

4.4.2 Use-specific risk mitigation measures

See general directions for use

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use					
4.4.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its				
See general directions for use					
1.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage				
See general directions for use					
4.5 Use description					
•	dans (table visus and filling matrices). No OB is facility of				
Use 5 - Disinfection of inner sui feed industry	rfaces (tanks, pipes, vessels, filling machines,) by CIP in food and				
Product type	PT04 - Food and feed area (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	Scientific name: - Common name: Bacteria Development stage: -				
	Scientific name: - Common name: Yeasts Development stage: -				
	Scientific name: - Common name: Fungi Development stage: -				
	Scientific name: - Common name: Viruses Development stage: -				
Field(s) of use	Indoor				
	In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood) Disinfection of hard and non-porous surfaces by CIP procedures (with circulation)				
Application method(s)	Method: Manual or automated dosing Detailed description:				
	The diluted product shall be transferred to equipment by manual dosing or automated dosing. For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory. For all industries, final rinsing (with potable water) is mandatory: after the disinfection				

	procedure, treated surfaces must be rinsed with water and the water must be drained into the sewer system.
Application rate(s) and frequencies	Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria and yeasts: 0,02% PAA (e.g. ,.4% product with 5% PAA, that is 4 mLml product/litre) • Active against bacteria, yeasts and fungi: 0,1% PAA (e.g. 2% product with 5% PAA, that is 20 ml product/litre) • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA. Dilution (%): 0,4-3 % Number and timing of application: 1-2 applications per day
Category(ies) of users	Industrial
	Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres
materiai	HDPE IBC with HDPE screw cap: 1000 litres
4.5.1 Use-specific instruction See general directions for use	ns for use
4.5.2 Use-specific risk mitiga	ation measures
See general directions for use	
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use	
4.5.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
See general directions for use	

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use		

4.6 Use description

Use 6 - Surface disinfection by spraying or pouring (followed by wiping for a homogenous distribution) in food and feed industry

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: -Common name: Bacteria Development stage: -

Scientific name: -Common name: Yeasts Development stage: -

Scientific name: -Common name: Fungi Development stage: -

Scientific name: -Common name: Viruses Development stage: -

Field(s) of use

Indoor

In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood)

Disinfection of hard and non-porous surfaces by spraying or pouring

Application method(s)

Method: Spraying or pouring (followed by wiping for a homogenous distribution) Detailed description:

The diluted product shall be placed in and sprayed with a trigger spray bottle or poured onto the equipment or surface to be disinfected (followed by wiping for a homogenous distribution).

For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 3 %

Number and timing of application:

1-2 applications per day

Category(ies) of users	Industrial
3 , 7	Professional
Pack sizes and packaging material	HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres HDPE drum with PP bung: 200 litres HDPE IBC with HDPE screw cap: 1000 litres
4.6.1 Use-specific instruction	ns for use
See general directions for use	
4.6.2 Use-specific risk mitiga	ation measures
See general directions for use	
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use	
4.6.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
See general directions for use	
I.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product
See general directions for use	
4.7 Use description	
Use 7 - Disinfection by dipping	So to advand to ad Sodicator
	in tood and teed industry

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

-

Scientific name: -Common name: Bacteria Development stage: -

Scientific name: -Common name: Yeasts Development stage: -

Scientific name: -Common name: Fungi Development stage: -

Scientific name: -Common name: Viruses Development stage: -

Field(s) of use

Indoor

In food/feed industry including dairies, breweries, beverage and soft drinks industry, food processing and meat industries (except in slaughterhouses and other processes with blood)

Disinfection of equipment (hard and non-porous surfaces) by dipping

Application method(s)

Method: Dipping Detailed description:

The equipment to be disinfected shall be placed in a dipping bath.

For uses in dairy industries, cleaning prior to the disinfection procedure is mandatory.

Application rate(s) and frequencies

Application Rate: at room temperature, for 15 minutes contact time • Active against bacteria, yeasts, fungi and viruses: 0,15% PAA (e.g. 3% product with 5% PAA, that is 30 ml product/litre) The dilution instructions in brackets must be adapted when using a product with a different concentration of PAA.

Dilution (%): 3 %

Number and timing of application:

1-2 applications per day

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

HDPE bottle/pail with HDPE screw cap: 5 litres, 25 litres, 30 litres

HDPE drum with PP bung: 200 litres

HDPE IBC with HDPE screw cap: 1000 litres

4.7.1 Use-specific instructions for use

See general directions for use
4.7.2 Use-specific risk mitigation measures
See general directions for use
4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use
4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
See general directions for use
4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use
5. General directions for use
5.1. Instructions for use

Disinfection cycle (for surface disinfection ONLY):

- the surfaces to be disinfected must be cleaned before the disinfection procedure, and the user must thoroughly clean, rinse and drain the cleaning liquids from the surfaces to be disinfected;
- products must be diluted in potable water before use.

Dilution rate and contact time depends on the use considered. Please refer to the description of application method related to each use.

- · Disinfection procedures by CIP:
- final rinsing step (with potable water).

After the disinfection procedure, CIP vessels (pipework and tanks) are drained and rinsed with water under closed system conditions

- Disinfection procedures by dipping:
- the solution shall not be re-used.

Use only once a day after production and replace it with a fresh solution daily.

- Disinfection procedures by spraying:
- wet the surface completely

(application rate > 20 ml/m² but maximum 100ml/m²) in order to keep the surface wet during the required contact time.

- do not use equipment until product is completely absorbed to the surface or air dried.

For PT3 uses:

- do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.
- the products shall not be used for the disinfection of animal transport vehicles.

5.2. Risk mitigation measures

- Wear chemical goggles consistent with European Standard EN 16321 or equivalent, protective clothing chemically resistant to the biocidal product, and chemical resistant gloves classified under European Standard EN 374 or equivalent. Goggles, protective clothing and glove material (preferably butyl rubber) to be specified by the authorisation holder within the product information. This is without prejudice to the application of Council Directive 98/24/EC and other Union legislation in the area of health and safety at work. See section 6 for the full titles of the EN standards and legislation.
- Use with adequate ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. Atmospheric levels shall be maintained below the exposure guideline. For all wiping and spraying application, a ventilation rate of at least 10 air changes/hour is required in the rooms where the application takes place.
- When respiratory protection is required (that is when the concentration of PAA and/or hydrogen peroxide are above their respective Acute Exposure Concentration (AEC)inhalation (0,5 mg/m3 and 1,25 mg/m3 respectively), use an approved air-purifying or positive-pressure supplied-air respirator depending on the potential airborne concentration.
- Do not use equipment and surfaces or allow animals/poultry to enter the treated area until product is completely absorbed to the surface or air dried.
- Keep out of reach of children and non-target animals and pets.
- Re-entrance into treated area is only allowed once the levels of peracetic acid and hydrogen peroxide in the air are below the AEC inhalation (respectively 0,5 mg/m3 for PAA & 1,25 mg/m3 for hydrogen peroxide)
- No bystanders are allowed in treated area during the application phase.
- Animals shall be removed before treatment takes place

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF ON SKIN: Immediately wash skin with plenty of water. Take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. After washing the skin: Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Initiate life support measures, thereafter call a POISON CENTRE
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Immediately call 112/ambulance for medical assistance.
- Information to healthcare personnel/doctor: Immediately initiate life support measures, thereafter call a POISON CENTRE.
- If symptoms: Call 112/ambulance for medical assistance.
- If no symptoms: Call a POISON CENTRE or a doctor.
- Information to healthcare personnel/doctor: Initiate life support measures if needed, thereafter call a POISON CENTRE.

5.4. Instructions for safe disposal of the product and its packaging

- This biocidal product, when being disposed of in its unused and uncontaminated state, should be treated as a hazardous waste in accordance with Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. Do not dump into any sewers, on the ground, or into any body of water. Avoid release to the environment. High-temperature incineration is an acceptable practice.
- Containers are non-refillable. Do not reuse or refill the containers. Containers should be triple or pressure rinsed with water promptly after they are emptied. They can then be offered for recycling or reconditioning for biocidal products, or they can be punctured and disposed of in a sanitary landfill or by other procedures approved by national and local authorities. Send waste liquid from rinsing of used containers to an approved waste handling facility.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Store between 0°C and 30°C
- Store in dark conditions
- Keep in a well-ventilated place. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted.
- Do not store in and avoid contact with aluminium, carbon steel, copper, mild steel, iron.
- Avoid contact with amines, ammonia, strong acids, strong bases, strong oxidizers.
- Shelf-life: Meta-SPC 2 (5% PAA): 6 months

6. Other information

With respect to the "Category (ies) of users" note:

Professionals (including industrial users) means trained professionals, if this is required by national legislation.

Full titles of EN standards and legislation referred to in section 5.2:

EN 16321- Eye and face protection for occupational users - Part 1: general requirements.

EN 374 – Protective gloves against dangerous chemicals and micro-organisms. Part 1: terminology and performance requirements for chemical risks.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, (OJ L 312, 22.11.2008, p. 3).

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) (OJ L 131, 5.5.1998, p. 11.