

Summary of product characteristics for a biocidal product family

Family name: Moth Gel Family

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: NL-0019053-0000

R4BP 3 asset reference number: NL-0019053-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - Meta SPC 1	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	7
6. Other information	8
7. Third information level: individual products in the meta SPC	8
1. Meta SPC administrative information - Meta SPC 2	9
2. Meta SPC composition	9
3. Hazard and precautionary statements of the meta SPC	10
4. Authorised use(s) of the meta SPC	10
5. General directions for use of the meta SPC	13
6. Other information	15
7. Third information level: individual products in the meta SPC	15

Part I.- First information level

1. Administrative information

1.1. Family name

Moth Gel Family

1.2. Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	SC Johnson Europe Sàrl
Address	Z.A. la Piece 8 1180 Rolle Switzerland

Authorisation number

NL-0019053-0000

R4BP 3 asset reference number

NL-0019053-0000

Date of the authorisation

05/11/2021

Expiry date of the authorisation

05/11/2031

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

SC Johnson Europe Sàrl

Address of the manufacturer

Z.A. la Piece 8 1180 Rolle Switzerland

Location of manufacturing sites

Zobe Holding S.p.A, Via Fersina, 4 38123 Trento Italy

Name of the manufacturer	SC Johnson Europe Sàrl
Address of the manufacturer	Z.A. la Piece 8 1180 Rolle Switzerland
Location of manufacturing sites	IGO Srl 24061 Albano S.A Italy

Name of the manufacturer	SC Johnson Europe Sàrl
Address of the manufacturer	Z.A. la Piece 8 1180 Rolle Switzerland
Location of manufacturing sites	Packaging Imolese S.p.A, Via F.Turati, 22 40026 Imola Italy

1.5. Manufacturer(s) of the active substance(s)

Active substance	1404 - Transfluthrin
Name of the manufacturer	BAYER SAS (formerly BAYER Environmental Science)
Address of the manufacturer	16 rue Jean Marie Leclair, CS 90106, 69266 Lyon, Cedex 09 France
Location of manufacturing sites	Bayer Vapi Private Limited, Plot No 306/3, II Phase, GIDC Vapi 396 195 Gujarat India

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	0,16 - 0,16
p-menthan-8-yl acetate		Non-active substance	58985-18-5		20 - 33
linalool		Non-active substance	78-70-6	201-134-4	6,5 - 13

Linalyl acetate	Non-active substance	115-95-7	204-116-4	1,26 - 13
Cineole	Non-active substance	470-82-6		0,072 - 6,5

2.2. Type(s) of formulation

VP - Vapour releasing product

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	0,16 - 0,16
p-menthan-8-yl acetate		Non-active substance	58985-18-5		20 - 33
linalool		Non-active substance	78-70-6	201-134-4	6,5 - 13

Linalyl acetate	Non-active substance	115-95-7	204-116-4	6,5 - 13
Cineole	Non-active substance	470-82-6		0,65 - 6,5

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

VP - Vapour releasing product

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read carefully and follow all instructions.
 IF ON SKIN:Wash with plenty of soap and water.
 If skin irritation or rash occurs:Get medical advice.
 IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists:Get medical advice.
 Wash hands thoroughly after handling.
 Avoid release to the environment.
 Collect spillage.
 Dispose of contents to in accordance with local/regional/national/international regulation.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - General Public (non-professional)

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Insecticide
Target organism(s) (including development stage)	Scientific name: Tineola bisselliella Common name: Cloth moth Development stage: Larvae Scientific name: Tineola bisselliella Common name: Cloth moth Development stage: Adults
Field(s) of use	Indoor Insecticide for use in confined spaces with limited permeability, e.g. drawers, storage totes with lids, suitcases.
Application method(s)	Method: Open system: diffusion Detailed description: Passive diffusion from cartridge.
Application rate(s) and frequencies	Application Rate: 2 units per a space of 0.018 m ³ (that is equal to 18 dm ³ or 18 litres). Dilution (%): 0 Number and timing of application: Use 2 units per 0.018 m ³ (that is equal to 18 dm ³ or 18 litres) Product is effective up to 12 weeks against adult moths and up to 4 weeks against larvae. Allow 2 weeks for maximum effect.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Blister, Plastic pack (PET) Blister is sealed with a permeable plastic (PE-PP) membrane. The membrane is covered with a polyester coated Aluminium foil, which can be removed to activate the product. Multi packs or standard packs with two or more cartridges/blister packs.

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Use directions:

(Instruction icon will be included)

Comply with the instructions for use.

Adapt the number of units according to the volume of the treated space (e.g., drawer, storage tote with lid, suitcase).

Inform the registration holder if the treatment is ineffective.

Keep drawers (or treated space) closed for optimal efficacy. Allow 2 weeks for maximum effect. Wash hands thoroughly after handling.

DUO PACK ONLY

Separate the units. Open backing card of unit without removing it completely.

Remove aluminum foil completely. Avoid making contact with the gel membrane.

Fold the backing card, ensuring it does not cover the gel membrane.

Place 2 units in a space of 0.018 m³ (18 litres).

MULTIPACK ONLY

Remove aluminum foil completely. Avoid making contact with the gel membrane.

Place 2 units in a space of 0.018 m³ (18 litres).

5.2. Risk mitigation measures

Avoid direct contact of the permeable membrane with clothes, fabrics and plastics.

Use only as directed.

Do not use near food, drink and animal feedingstuffs.

Use only in positions inaccessible to children and animals, in particular cats.

No application in rooms, where fish tanks and terrariums are present.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

No adverse effects expected when used as directed.

Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container in accordance with local regulations.

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Do not store near food, drink and animal feedingstuffs.

Store at room temperature (not above 40°C).

The product has a shelf-life of 4 years in the packaging (PET blister coated with a permeable plastic (PE-PP) membrane, covered by polyester coated aluminium foil).

Keep out of reach of children and non-target animals/pets.

6. Other information

Linalool, linalyl acetate, p-menthan-8-yl acetate and cineole need to be declared based on the assigned H-statements according to Art 18(3) CLP.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Raid Moth Gel Lavender

Market area: NL

Baygon Moth Gel Lavender

Market area: NL

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

NL-0019053-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	0,16
p-menthan-8-yl acetate		Non-active substance	58985-18-5		29,9
linalool		Non-active substance	78-70-6	201-134-4	7,36
Linalyl acetate		Non-active substance	115-95-7	204-116-4	7,78
Cineole		Non-active substance	470-82-6		1,12

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	0,16 - 0,16

p-menthan-8-yl acetate	Non-active substance	58985-18-5		27,3 - 27,3
linalool	Non-active substance	78-70-6	201-134-4	9,22 - 9,22
Linalyl acetate	Non-active substance	115-95-7	204-116-4	1,26 - 1,26
Cineole	Non-active substance	470-82-6		0,072 - 0,072

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

VP - Vapour releasing product

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes skin irritation.
 Causes serious eye irritation.
 Very toxic to aquatic life with long lasting effects.
 May cause an allergic skin reaction.

Precautionary statements

Read carefully and follow all instructions.
 If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice.
 Wash hands thoroughly after handling.
 Dispose of contents to in accordance with local/regional/national/international regulation.
 IF ON SKIN: Wash with plenty of soap and water.
 If skin irritation or rash occurs: Get medical advice.
 Avoid release to the environment.
 Collect spillage.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - General Public (non-professional)

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Insecticide
Target organism(s) (including development stage)	Scientific name: Tineola bisselliella Common name: Cloth moth Development stage: Larvae Scientific name: Tineola bisselliella Common name: Cloth moth Development stage: Adults
Field(s) of use	Indoor Insecticide for use in confined spaces with limited permeability, e.g. drawers, storage totes with lids, suitcases.
Application method(s)	Method: Open system: diffusion Detailed description: Passive diffusion from cartridge.
Application rate(s) and frequencies	Application Rate: Use 2 units per 0.018 m ³ (that is equal to 18 dm ³ or 18 litres) Dilution (%): 0 Number and timing of application: Use 2 units per 0.018 m ³ (that is equal to 18 dm ³ or 18 litres) Product is effective up to 12 weeks against adult moths and up to 4 weeks against larvae. Allow 2 weeks for maximum effect.
Category(ies) of users	

Pack sizes and packaging material

General public (non-professional)

Blister, Plastic pack (PET)
Blister is sealed with a permeable plastic (PE-PP) membrane.
The membrane is covered with a polyester coated Aluminium foil, which can be removed to activate the product.
Multi packs or standard packs with two or more cartridges/blister packs.

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use of the meta SPC

5.1. Instructions for use

Use directions:

(Instruction icon will be included)
Comply with the instructions for use.
Adapt the number of units according to the volume of the treated space (e.g., drawer, storage tote with lid, suitcase).

Inform the registration holder if the treatment is ineffective.
Keep drawers (or treated space) closed for optimal efficacy. Allow 2 weeks for maximum effect. Wash hands thoroughly after handling.

DUO PACK ONLY

Separate the units. Open backing card of unit without removing it completely.
Remove aluminum foil completely. Avoid making contact with the gel membrane.
Fold the backing card, ensuring it does not cover the gel membrane.
Place 2 units in a space of 0.018 m³ (18 litres).

MULTIPACK ONLY

Remove aluminum foil completely. Avoid making contact with the gel membrane.
Place 2 units in a space of 0.018 m³ (18 litres).

5.2. Risk mitigation measures

Avoid direct contact of the permeable membrane with clothes, fabrics and plastics.
Use only as directed.
Do not use near food, drink and animal feedingstuffs.
Use only in positions inaccessible to children and animals, in particular cats.
No application in rooms, where fish tanks and terrariums are present.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

No adverse effects expected when used as directed
Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container in accordance with local regulations.

Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Do not store near food, drink and animal feedingstuffs.

Store at room temperature (not above 40°C).

The product has a shelf-life of 4 years in the packaging (PET blister coated with a permeable plastic (PE-PP) membrane, covered by polyester coated aluminium foil.

Keep out of reach of children and non-target animals/pets.

6. Other information

Linalool, linalyl acetate and p-menthan-8-yl acetate need to be declared based on the assigned H-statements according to Art 18(3) CLP.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Raid Moth Gel Cedar	Market area: NL
	Baygon Moth Gel Cedar	Market area: NL
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	NL-0019053-0002 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	0,16
p-menthan-8-yl acetate		Non-active substance	58985-18-5		27,3
linalool		Non-active substance	78-70-6	201-134-4	9,22
Linalyl acetate		Non-active substance	115-95-7	204-116-4	1,26
Cineole		Non-active substance	470-82-6		0,072