Summary of product characteristics for a biocidal product family

Family name: Lyso IPA Surface Disinfection

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or

animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0023860-0000

R4BP 3 asset reference number: EU-0023860-0000

Table Of Contents

Part I First information level	1
1. Administrative information	1
2. Product family composition and formulation	4
Part II Second information level - meta SPC(s)	4
1. Meta SPC administrative information - meta-SPC1 perform IPA liquid	5
2. Meta SPC composition	5
3. Hazard and precautionary statements of the meta SPC	5
4. Authorised use(s) of the meta SPC	6
5. General directions for use of the meta SPC	14
6. Other information	15
7. Third information level: individual products in the meta SPC	16
1. Meta SPC administrative information - meta-SPC 2 perform wipes IPA	16
2. Meta SPC composition	17
3. Hazard and precautionary statements of the meta SPC	17
4. Authorised use(s) of the meta SPC	18
5. General directions for use of the meta SPC	22
6. Other information	23
7. Third information level: individual products in the meta SPC	23
1. Meta SPC administrative information - meta-SPC 3 mikrozid liquid	24
2. Meta SPC composition	24
3. Hazard and precautionary statements of the meta SPC	25
4. Authorised use(s) of the meta SPC	25
5. General directions for use of the meta SPC	34
6. Other information	35
7. Third information level: individual products in the meta SPC	35
1. Meta SPC administrative information - meta-SPC 4 mikrozid wipes	36
2. Meta SPC composition	36
3. Hazard and precautionary statements of the meta SPC	37
	٠.

4. Authorised use(s) of the meta SPC	
5. General directions for use of the meta SPC	37
6. Other information	41
7. Third information level: individual products in the meta SPC	42
Meta SPC administrative information - meta-SPC 5 kodan wipes IPA pro	43
2. Meta SPC composition	43
3. Hazard and precautionary statements of the meta SPC	44
4. Authorised use(s) of the meta SPC	44
5. General directions for use of the meta SPC	45
6. Other information	49
7. Third information level: individual products in the meta SPC	50
Meta SPC administrative information - meta-SPC6 kodan wipes IPA	50
2. Meta SPC composition	51
Hazard and precautionary statements of the meta SPC	51
	52
4. Authorised use(s) of the meta SPC5. General directions for use of the meta SPC	52
	56
6. Other information	57
7. Third information level: individual products in the meta SPC	58
1. Meta SPC administrative information - meta-SPC7-AntiLy SD	58
2. Meta SPC composition	59
3. Hazard and precautionary statements of the meta SPC	59
4. Authorised use(s) of the meta SPC	60
5. General directions for use of the meta SPC	67
6. Other information	68
7. Third information level: individual products in the meta SPC	68
1. Meta SPC administrative information - meta-SPC8- AntiLy SD wipes	72
2. Meta SPC composition	72
3. Hazard and precautionary statements of the meta SPC	73
4. Authorised use(s) of the meta SPC	74
5. General directions for use of the meta SPC	77

6. Other information	
	78

78

7. Third information level: individual products in the meta SPC

Part I.- First information level

1. Administrative information

1.1. Family name

Lyso IPA Surface Disinfection

1.2. Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Schuelke & Mayr GmbH
Address	Robert-Koch-Str. 2 22851 Norderstedt Germany

Authorisation number

EU-0023860-0000

R4BP 3 asset reference number

EU-0023860-0000

Date of the authorisation

08/07/2021

Expiry date of the authorisation

30/11/2030

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Lysoform Dr. Hans Rosemann GmbH

Address of the manufacturer

Kaiser-Wilhelm-Straße 133 12247 Berlin Germany

Location of manufacturing sites

Kaiser-Wilhelm-Straße 133 12247 Berlin Germany

Name of the manufacturer	A.F.P. GmbH	
Address of the manufacturer	Otto Brenner Straße 16 21337 Lüneburg Germany	
Location of manufacturing sites	Otto Brenner Straße 16 21337 Lüneburg Germany	
Name of the manufacturer	Sterisol AB	
Address of the manufacturer	Kronoängsgatan 3 592 23 Vadstena Sweden	
Location of manufacturing sites	Kronoängsgatan 3 592 23 Vadstena Sweden	
Name of the manufacturer	Rudolf Dankwardt GmbH	
Address of the manufacturer	Gutenbergring 50-52 22848 Norderstedt Germany	
Location of manufacturing sites	Gutenbergring 50-52 22848 Norderstedt Germany	
	Lagerstr. 15 19249 Jessenitz - Werk / Lübtheen Germany	
Name of the manufacturer	Schülke und Mayr GmbH	
Address of the manufacturer	Robert-Koch-Str. 2 22851 Norderstedt Germany	
Location of manufacturing sites	Robert-Koch-Str. 2 22851 Norderstedt Germany	
Name of the manufacturer	BOCHEMIE a.s.	
Address of the manufacturer	Lidická 326 Lidická 326 Bohumín Czech Republic	

Lidická 326 735 95 Bohumín Czech Republic

Location of manufacturing sites

Name of the manufacturer	Imeco	
Address of the manufacturer	Boschstr. 5 63768 Hösbach Germany	
Location of manufacturing sites	Boschstr. 5 63768 Hösbach Germany	
	Neue Straße 2-4 09471 Köningswalde Germany	
Name of the manufacturer	Tristel Solutions Limited	
Address of the manufacturer	Lynx Business Park, Fordham Road, Snailwell CB8 7NY Cambridgeshire United Kingdom	
Location of manufacturing sites	Lynx Business Park, Fordham Road, Snailwell CB8 7NY Cambridgeshire United Kingdom	
Name of the manufacturer	Techtex	
Address of the manufacturer	Units 7&8 Rhodes Bus. Park Silburn Way M24 4NE Middleton United Kingdom	
Location of manufacturing sites	Units 7&8 Rhodes Bus. Park Silburn Way M24 4NE Middleton United Kingdom	
Name of the manufacturer	Innovate GmbH	
Address of the manufacturer	Am Hohen Stein 11 06618 06618 Germany	

Am Hohen Stein 11 06618 Naumburg (Saale) Germany

1.5. Manufacturer(s) of the active substance(s)

Location of manufacturing sites

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Ineos Solvents Germany GmbH (formerly Sasol)
Address of the manufacturer	Römerstraße 733 47443 Moers Germany
Location of manufacturing sites	Römerstraße 733 47443 Moers Germany
	Shamrockstr. 88 44643 Herne Germany
Active substance	1355 - Propan-2-ol
Name of the manufacturer	Shell Chemicals Europe B.V.
Address of the manufacturer	Postbus 2334 3000 CH Rotterdam Netherlands
Location of manufacturing sites	Shell Nederland Raffinaderij B.V., Vondelingenweg 601 3196 KK Rotterdam-Pernis Netherlands

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation

Any other liquid (AL), ready-to-use

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC1 perform IPA liquid

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - spraying

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

'ajantifia nama: Dad

Target organism(s) (including development stage)

Scientific name: Bacteria Common name: -Development stage: - Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection after each production and cleaning process or when required according to standard operating procedure (SOP)

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: high-density polyethylene (HDPE), surlyn/polypropylene (PP)

closure material is either: PP, polyoxymethylene (POM), low-density polyethylene (LDPE), HDPE, polyethylene (PE), ethylene-vinyl acetate (EVA), stainless steel, polybutylene terephthalate (PBT), (LD)PE, exp. polytetrafluoroethylene (PTFE), linear low density polyethylene (LLDPE), expanded PE (EXPPE), Co Polymer PP

canister: 5-10 L

packaging material: HDPE.

closure material is either: HDPE/LDPE

Revolver BAG: 1 L packaging material: EVA closure material: PP/Silicone/EVA

4.1.1 Use-specific instruction	is for use				
Spray ready-to-use product on the surface and allow to take effect at room temperature (20± 2°C) for at least 1 minute.					
4.1.2 Use-specific risk mitiga	ation measures				
The following personal risk mitigation me organisational measures: Wear eye prote	easure can be applied for refilling procedure unless it can be replaced by technical and/or ection during handling of the product.				
<u> </u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment				
See general directions for use.					
4.1.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its				
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage				
See general directions for use.					
4.2 Use description Use 2 - disinfection of surfaces	- wiping				
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	· · · · · · · · · · · · · · · · · · ·				

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection after each production and cleaning process or when required according to

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.

canister: 5-10 L

packaging material: HDPE.

closure material is either: HDPE/LDPE

Revolver BAG: 1 L packaging material: EVA

closure material: PP/Silicone/EVA.

4.2.1 Use-specific instructions for use

Spray or pour ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature (20± 2°C). 4.2.2 Use-specific risk mitigation measures The following personal risk mitigation measure can be applied for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product. 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment See general directions for use. 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage See general directions for use. 4.3 Use description Use 3 - disinfection of surfaces with food and feed contact - spraying PT04 - Food and feed area (Disinfectants) **Product type** Where relevant, an exact description of the authorised Scientific name: Bacteria Common name: -Development stage: -Target organism(s) (including development stage) Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection after each production and cleaning process or when required according to SOP .

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.

canister: 5-10 L packaging material: HDPE.

closure material is either: HDPE/LDPE

Revolver BAG: 1 L packaging material: EVA closure material: PP/Silicone/EVA.

4.3.1 Use-specific instructions for use

Spray ready-to-use product on the surfac yeasticidal activity) or 2 minutes (virucida	ce and allow to take effect at room temperature (20± 2°C) for at least 1 (bactericidal and al activity).
I.3.2 Use-specific risk mitiga	ation measures
	easure can be applied for disinfection of food processing machinery and for refilling echnical and/or organisational measures: Wear eye protection during handling of the
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
I.3.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
.3.5 Where specific to the us nder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
l.4 Use description	
Jse 4 - disinfection of surfaces	with food and feed contact - wiping
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact lescription of the authorised ise	-
Farget organism(s) (including levelopment stage)	Scientific name: Bacteria Common name: - Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%):

Number and timing of application:

Disinfection after each production and cleaning process or when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP.

canister: 5-10 L

packaging material: HDPE.

closure material is either: HDPE/LDPE

Revolver BAG: 1 L packaging material: EVA

closure material: PP/Silicone/EVA.

4.4.1 Use-specific instructions for use

Spray ready-to-use product on the surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or pouring
and thereafter wipe the surface. Allow to take effect for at least 5 minutes at room temperature ($20\pm2^{\circ}$ C).

4.4.2 Use-specific risk mitigation measures

The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directi	ons for use.			
4.4.4 Where spackaging	pecific to the use, the ins	structions for sa	fe disposal of the proc	duct and its

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.		

5. General directions for use of the meta SPC

5.1. Instructions for use

Clean the surface carefully before use. Remove excess water from the surface before disinfection, if appropriate. Do not apply more than 25 ml/m².

Make sure to wet surfaces completely.

Used wipes must be disposed in a closed container.

5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Apply a funnel for refilling.

Keep out of reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

5.4. Instructions	for s	safe d	lisposal	of the	product	and its	packag	ing
-------------------	-------	--------	----------	--------	---------	---------	--------	-----

=		

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 36 months Keep container tightly closed. Store in a well-ventilated place. Protect from sunlight.

Store at room temperature in the original container.

6. Other information

The product contains propan-2-ol (CAS No.: 67-63-0), for which a European reference value of 129,28 mg/m3 for the professional user was agreed and used for the risk assessment of the product.

7. Third information leve	: individual	products	in the met	a SPC	
7.1 Trade name(s), authoris product	ation number	and spec	ific compos	ition of each in	dividual
Trade name(s)	Schülke® 6			Market area: EU	
Authorisation number (R4BP 3 asset reference number - National Authorisation)	EU-0023860-000	01 1-1			
Common name IUPAC na	ne Fun	nction	CAS number	EC number	Content (%)
Propan-2-ol	Activ	ve Substance	67-63-0	200-661-7	63,1
1. Meta SPC administrati	ve informatio	on			
1.1. Meta SPC identifier					
meta-SPC 2 perform wipes IF	PA				
1.2. Suffix to the authorisation	number				
1-2					

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

3. Hazard and precautionary statements of the meta SPC

Hazard	statements
ı ıazaı u	Statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - wiping

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: Disinfection after each production and cleaning process or when required according to SOP.
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	Soft pack: 1-200 wipes
	Packaging material: LDPE/Alu/PET; LDPE/PET; biaxially oriented polypropylene (BOPP) + cast polypropylene (CPP)
	Pouch: 10-200 wipes Packaging material: LDPE/PET
	Tub: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385
4.1.1 Use-specific instruction	
Thoroughly wipe the surface with the wip	e and allow to take effect for at least 5 minutes at room temperature (20±2°C).
4.1.2 Use-specific risk mitiga	tion measures

See general directions for use.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment					
See general directions for use.					
4.1.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its				
4.1.5 Where specific to the usunder normal conditions of some specific to the usual conditions of some specific to the usual conditions of	se, the conditions of storage and shelf-life of the product storage				
4.2 Use description Use 2 - disinfection of surfaces	with food and feed contact - wiping				
Product type	PT04 - Food and feed area (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: - Development stage: -				
	Scientific name: Yeast Common name: - Development stage: -				
	Scientific name: Viruses Common name: - Development stage: -				
	Indoor				
Field(s) of use	Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)				
Application method(s)	Method: Wiping Detailed description: Product will be wiped directly on the surface.				

Application rate(s) and frequencies	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application: Disinfection after each production and cleaning process or when required according to SOP.
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP
	Pouch: 10-200 wipes Packaging material: LDPE/PET
	Tub: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385
4.2.1 Use-specific instruction	
Thoroughly wipe the surface with the wip	e and allow to take effect for at least 5 minutes at room temperature (20± 2°C).

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.2 Use-specific risk mitigation measures

See general directions for use.

See general directions for use.	
4.2.4 Where specific to the use, the instructions for safe disposal of the product and packaging	its
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	t
See general directions for use.	

5. General directions for use of the meta SPC

5.1. Instructions for use

Clean the surface carefully before use.

Remove excess water from the surface before disinfection, if appropriate.

Make sure to wet surfaces completely.

Used wipes must be disposed in a closed container.

5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Keep out of reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

5.4. Instructions for safe disposal of the product and its packaging					
-					
5.5. Conditions of storage and	d shelf-life of the product under r	normal conditions of storage			
Shelf-life: 24 months					
Keep container tightly closed.					
Store in a well-ventilated place.					
Protect from sunlight.					
Store at room temperature in the original	container.				
6. Other information					
The product contains propan-2-ol (CAS Nuser was agreed and used for the risk as:	No.: 67-63-0), for which a European reference val sessment of the product.	ue of 129,28 mg/m3 for the professional			
7. Third information level:	individual products in the me	ta SPC			
	tion number and specific compos				
Trade name(s)	- · · · · · · · -				
	Schülke® 7	Market area: EU			
Authorisation number	EU-0023860-0002 1-2				
(R4BP 3 asset reference number - National Authorisation)					

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC 3 mikrozid liquid

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - spraying

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria incl. Mycobacterium tuberculosis Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT,

(LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L

packaging material: HDPE.

closure material is either: HDPE/LDPE

	Revolver BAG: 1 L packaging material: EVA Closure : PP/Silicone/EVA
	Closure : FF/Sillcone/EVA
4.1.1 Use-specific instructio	ns for use
Spray ready-to-use product on the surfa	ce and allow to take effect at room temperature (20± 2°C) for at least 1 minute.
4.1.2 Use-specific risk mitiga	ation measures
The following personal risk mitigation moorganisational measures: Wear eye prof	easure can be applied for refilling procedure unless it can be replaced by technical and/or ection during handling of the product.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.1.4 Where specific to the upackaging	se, the instructions for safe disposal of the product and its
4.1.5 Where specific to the u	se, the conditions of storage and shelf-life of the product

4.2 Use description

See general directions for use

under normal conditions of storage

Use 2 - disinfection of surfaces - wiping

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria incl. Mycobacterium tuberculosis

Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m2.

Dilution (%):

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT,

(LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L

packaging material: HDPE.

closure material is either: HDPE/LDPE

	Revolver BAG: 1 L packaging material: EVA
	Closure : PP/Silicone/EVA
4.2.1 Use-specific instruction	ns for use
Spray or pour ready-to-use product on th	e surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or
	Allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.2.2 Use-specific risk mitiga	tion measures
ooo opoomo nok mitigu	
The following personal risk mitigation me organisational measures: Wear eye prote	asure can be applied for refilling procedure unless it can be replaced by technical and/or ection during handling of the product.
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.2.4 Where specific to the us	se, the instructions for safe disposal of the product and its
packaging	er, me mentenene ier eme enepeem er me product and no
	se, the conditions of storage and shelf-life of the product
under normal conditions of s	torage

See general directions for use

4.3 Use description

Use 3 - disinfection of surfaces with food and feed contact - spraying

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including

development stage)

Scientific name: Bacteria incl. Mycobacterium tuberculosis

Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

packaging material: HDPE, surlyn/PP

closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT,

(LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP

canister: 5-10 L

packaging material: HDPE.

	Revolver BAG: 1 L packaging material: EVA Closure : PP/Silicone/EVA
4.3.1 Use-specific instruction	ns for use
Spray ready-to-use product on the surface yeasticidal activity) or 2 minutes (virucidate)	ce and allow to take effect at room temperature (20± 2°C) for at least 1 (bactericidal and al activity).
4.3.2 Use-specific risk mitiga	ation measures
	easure can be applied for disinfection of food processing machinery and for refilling echnical and/or organisational measures: Wear eye protection during handling of the
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage

closure material is either: HDPE/LDPE

ee general directions for use	

4.4 Use description

Use 4 - disinfection of surfaces with food and feed contact - wiping

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Scientific name: Bacteria incl. Mycobacterium tuberculosis Common name: -Development stage: -

Target organism(s) (including development stage)

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Wiping

Detailed description:

Product will be sprayed or poured on the surface and wiped afterwards or the wipe will be wetted by spraying or pouring with the product and thereafter the product should be wiped on surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 250-1000 ml

	closure material is either: PP, POM, LDPE, HDPE, PE, EVA, stainless steel, PBT, (LD)PE, exp. PTFE, LLDPE, EXPPE, Co Polymer PP
	canister: 5-10 L packaging material: HDPE. closure material is either: HDPE/LDPE
	Revolver BAG: 1 L packaging material: EVA Closure : PP/Silicone/EVA
	ns for use ne surface and wipe afterwards or wet a wipe with the ready-to-use product by spraying or Allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.4.2 Use-specific risk mitiga	ation measures
	easure can be applied for disinfection of food processing machinery and for refilling echnical and/or organisational measures: Wear eye protection during handling of the
	ise, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.4.4 Where specific to the upackaging	se, the instructions for safe disposal of the product and its

packaging material: HDPE, surlyn/PP

.4.5 Where specific to the use, the conditions of storage and shelf-life of the product nder normal conditions of storage
See general directions for use
i. General directions for use of the meta SPC
5.1. Instructions for use
Clean the surface carefully before use. Remove excess water from the surface before disinfection, if appropriate. Do not apply more than 25 ml/m². Make sure to wet surfaces completely. Used wipes must be disposed in a closed container.
2.2. Risk mitigation measures
The product must only be applied for disinfection of small surfaces. Ensure adequate ventilation to prevent the formation of explosive atmospheres. Avoid contact with eyes. Apply a funnel for refilling. Keep out of reach of children and pets. Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.
3.3. Particulars of likely direct or indirect effects, first aid instructions and emergency neasures to protect the environment
First aid: In case of accident: Call a poison centre or a doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If on skin: Wash with water. If skin irritation occurs: Get medical advice. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
i.4. Instructions for safe disposal of the product and its packaging
-

Shelf-life: 36 months		
eep container tightly closed.		
tore in a well-ventilated place.		
Protect from sunlight.		
Store at room temperature in the origin	nal container.	
. Other information		
Other information		
	S No.: 67-63-0), for which a European reference ve	alue of 129,28 mg/m3 for the professional
iser was agreed and used for the risk	assessment of the product.	
user was agreed and used for the risk	assessment of the product.	
user was agreed and used for the risk	assessment of the product.	
		eta SPC
. Third information leve	: individual products in the me	
. Third information leve .1 Trade name(s), authoris		
. Third information leve .1 Trade name(s), authoris	: individual products in the me	
. Third information leve .1 Trade name(s), authoris	: individual products in the me	
. Third information leve .1 Trade name(s), authoris roduct	: individual products in the me	
. Third information leve .1 Trade name(s), authoris roduct rade name(s)	: individual products in the me	sition of each individual
. Third information leve .1 Trade name(s), authoris roduct rade name(s)	: individual products in the me	sition of each individual
	: individual products in the me sation number and specific compo Schülke® 8	sition of each individual

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC 4 mikrozid wipes

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant ..

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - wiping

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Scientific name: Bacteria incl. Mycobacterium tuberculosis Common name: -

Target organism(s) (including development stage)

Scientific name: Yeast Common name: -Development stage: -

Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%): -

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Soft pack: 1-200 wipes

Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes

Packaging material: LDPE/PET

Tub: 50-200 wipes
Packaging material: HDPE
closure material is either PP, PE3385

4.1.1 Use-specific instructions for use
Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.1.2 Use-specific risk mitigation measures
See general directions for use.
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use.
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use.
4.2 Use description

Use 2 - disinfection of surfaces with food and feed contact - wiping

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria incl. Mycobacterium tuberculosis Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%):

Number and timing of application:

Disinfection when required according to SOP.

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Soft pack: 1-200 wipes

Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes

Packaging material: LDPE/PET

Tub: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385

5.2. Risk mitigation measures
The product must only be applied for disinfection of small surfaces. Ensure adequate ventilation to prevent the formation of explosive atmospheres. Avoid contact with eyes. Keep out of reach of children and pets. Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.
i.3. Particulars of likely direct or indirect effects, first aid instructions and emergency neasures to protect the environment
First aid: In case of accident: Call a poison centre or a doctor.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If on skin: Wash with water. If skin irritation occurs: Get medical advice.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
s.4. Instructions for safe disposal of the product and its packaging
-
5. Conditions of storage and shelf-life of the product under normal conditions of storage
Shelf-life: 24 months Keep container tightly closed. Store in a well-ventilated place. Protect from sunlight. Store at room temperature in the original container.
6. Other information

The product contains propan-2-ol (CAS No.: 67-63-0), for which a European reference value of 129,28 mg/m3 for the professional user was agreed and used for the risk assessment of the product.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Schülke® 9	Market area: EU
Authorisation number	EU-0023860-0004 1-4	
(R4BP 3 asset reference number - National Authorisation)	20 0023000 0004 1 4	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC 5 kodan wipes IPA pro

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

3. Hazard and precautionary statements of the meta SPC

Hazard	statements	

 $\label{thm:liquid} \mbox{Highly flammable liquid and vapour.}$

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant ..

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - wiping

_	-		
Pro	odı	uct	tvpe

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

|-

Target organism(s) (including development stage)

Scientific name: Bacteria incl. Mycobacterium tuberculosis

Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%):

Number and timing of application:

-

Category(ies) of users	Industrial		
	Professional		
Pack sizes and packaging material	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP		
material			
	Pouch: 10-200 wipes Packaging material: LDPE/PET		
	Tub: 50-200 wipes Packaging material: HDPE		
	closure material is either PP, PE3385		
4.1.1 Use-specific instruction	ns for use		
-			
Thoroughly wipe the surface with the wip	e and allow to take effect for at least 5 minutes at room temperature (20± 2°C).		
4.1.2 Use-specific risk mitiga	tion measures		
See general directions for use.			
/ 1.3 Where specific to the us	se, the particulars of likely direct or indirect effects, first aid		
	measures to protect the environment		
See general directions for use.			
4.1.4 Where specific to the us	se, the instructions for safe disposal of the product and its		
packaging	,		

<u></u>					
I.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage					
See general directions for use.					
4.2 Use description					
Use 2 - disinfection of surfaces	with food and feed contact - wiping				
Product type	PT04 - Food and feed area (Disinfectants)				
Where relevant, an exact description of the authorised use	-				
Target organism(s) (including development stage)	Scientific name: Bacteria incl. Mycobacterium tuberculosis Common name: - Development stage: -				
	Scientific name: Yeast Common name: - Development stage: -				
	Scientific name: Viruses Common name: - Development stage: -				
Field(s) of use	Indoor				
	Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)				
Application method(s)	Method: Wiping Detailed description: Product will be wiped directly on the surface.				
Application rate(s) and frequencies	Application Rate: Ready-to-use wipes Dilution (%): - Number and timing of application:				
	-				
Category(ies) of users	Industrial				
	Professional				

Pack sizes and packaging material	Soft pack: 1-200 wipes Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP			
	Pouch: 10-200 wipes Packaging material: LDPE/PET			
	Tub: 50-200 wipes Packaging material: HDPE closure material is either PP, PE3385			
4.2.1 Use-specific instruction	ns for use			
Thoroughly wipe the surface with the wip	e and allow to take effect for at least 5 minutes at room temperature (20± 2°C).			
4.2.2 Use-specific risk mitiga	tion measures			
See general directions for use.				
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment			
See general directions for use.				
4.2.4 Where specific to the upackaging	se, the instructions for safe disposal of the product and its			
4.2.5 Where specific to the us	se, the conditions of storage and shelf-life of the product			
under normal conditions of s				

	general directions for use.
_	

5. General directions for use of the meta SPC

5.1. Instructions for use

Clean the surface carefully before use.

Remove excess water from the surface before disinfection, if appropriate.

Make sure to wet surfaces completely.

Used wipes must be disposed in a closed container.

5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Keep out of reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTE	ER or doctor/physician if you feel unwell.	
5.4. Instructions for safe disp	oosal of the product and its packa	aging
-		
_	d shelf-life of the product under r	normal conditions of storage
Shelf-life: 24 months Keep container tightly closed. Store in a well-ventilated place. Protect from sunlight. Store at room temperature in the original	container.	
6. Other information		
The product contains propan-2-ol (CAS Nuser was agreed and used for the risk as:	lo.: 67-63-0), for which a European reference val sessment of the product.	ue of 129,28 mg/m3 for the professional
7. Third information level:	individual products in the me	ta SPC
7.1 Trade name(s), authorisa product	tion number and specific compos	sition of each individual
Trade name(s)	Schülke® 10	Market area: EU
Authorisation number	EU-0023860-0005 1-5	
(R4BP 3 asset reference number - National Authorisation)	20 002000 0000 10	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC6 kodan wipes IPA

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - wiping

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria incl Mycobacterium tuberculosis Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%): -

Number and timing of application:

-

Category(ies) of users

Industrial

Professional

General public (non-professional)

Pack sizes and packaging material

Soft pack: 1-200 wipes

Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes

Packaging material: LDPE/PET

Tub: 50-200 wipes

4.1.1 Use-specific instruction	ns for use
Thoroughly wipe the surface with the wipe	e and allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.1.2 Use-specific risk mitiga	tion measures
See general directions for use.	
<u>-</u>	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.1.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
See general directions for use.	_

Packaging material: HDPE closure material is either PP, PE3385

4.2 Use description

Use 2 - disinfection of surfaces with food and feed contact - wiping

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including

development stage)

Scientific name: Bacteria incl Mycobacterium tuberculosis

Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%): -

Number and timing of application:

-

Category(ies) of users

Industrial

Professional

General public (non-professional)

Pack sizes and packaging material

Soft pack: 1-200 wipes

Packaging material: LDPE/Alu/PET; LDPE/PET; BOPP+CPP

Pouch: 10-200 wipes

Packaging material: LDPE/PET

Tub: 50-200 wipes
Packaging material: HDPE
closure material is either PP, PE3385

4.2.1 Use-specific instructions for use
Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.2.2 Use-specific risk mitigation measures
See general directions for use.
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use.
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use.

SUMMARY OF PRODUCT CHARACTERISTICS

5. General directions for use of the meta SPC

5.1. Instructions for use

Clean the surface carefully before use.

Remove excess water from the surface before disinfection, if appropriate.

Make sure to wet surfaces completely.

Used wipes must be disposed in a closed container.

5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Keep out of the reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

5.4. Instructions for	safe dis	posal of the	product and	its	packaging

-		

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

6. Other information

The product contains propan-2-ol (CAS No.: 67-63-0), for which a European reference value of 129,28 mg/m3 for the professional user was agreed and used for the risk assessment of the product.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Schülke® 11	Market area: EU
Authorisation number	EU-0023860-0006 1-6	
(R4BP 3 asset reference number - National Authorisation)		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC7-AntiLy SD

1.2. Suffix to the authorisation number

1-7

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use

3. Hazard and precautionary statements of the meta SPC

	_			
Haza	ırd e	tata	mai	1tc

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire:Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - spraying

_				
Pro	du	ıct	tvi	эe

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

|-

Target organism(s) (including development stage)

Scientific name: Bacteria Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%):

Number and timing of application:

-

Category(ies) of users	Industrial
	Professional
Pack sizes and packaging material	Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP; Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel); Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)
4.1.1 Use-specific instructio	ons for use
-	
Spray ready-to-use product onto the sur	rfaces and allow to take effect for at least 1 minute at room temperature (20±2 °C).
4.1.2 Use-specific risk mitig	ation measures
The following personal risk mitigation m	neasure can be applied for refilling procedure unless it can be replaced by technical and/or
organisational measures: Wear eye pro	
<u>-</u>	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.1.4 Where specific to the upackaging	use, the instructions for safe disposal of the product and its
<u>-</u>	se, the conditions of storage and shelf-life of the product
under normal conditions of	storage
See general directions for use.	

4.2 Use description

Use 2 - disinfection of surfaces - wiping

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Scientific name: Bacteria Common name: -Development stage: -

Target organism(s) (including development stage)

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product is applied on wipes by pouring, spraying or soaking and the surface is thoroughly wiped with the soaked wipe afterwards (wet-wiping).

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP

Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel);

Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

Canister: 5-30 L

packaging material: HDPE closure material: HDPE

.2.1 Use-specific instru	ctions for use
	wipes by pouring, spraying or soaking and wipe the surface thoroughly with the wet wipe (weteast 5 minutes at room temperature (20±2 °C).
.2.2 Use-specific risk m	itigation measures
	on measure can be applied for refilling procedure unless it can be replaced by technical and/or e protection during handling of the product.
	he use, the particulars of likely direct or indirect effects, first aid ncy measures to protect the environment
See general directions for use.	
.2.4 Where specific to t ackaging	he use, the instructions for safe disposal of the product and its
2.5 Where specific to the conditions	ne use, the conditions of storage and shelf-life of the product of storage
See general directions for use.	
.3 Use description	
se 3 - disinfection of surf	aces with food and feed contact - spraying
roduct type	PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

-

Scientific name: Bacteria Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Spraying Detailed description:

Product will be sprayed directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

-

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP

Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel)

Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

•	4.3.1 Use-specific instructions for use	Ì
-1	Chroy roady to use product onto the surface and allow	,

Spray ready-to-use product onto the surf yeasticidal activity) or 2 minutes (virucida	face and allow to take effect at room temperature (20 \pm 2 °C) for at least 1 (bactericidal and al activity).
1.3.2 Use-specific risk mitiga	ation measures
	easure can be applied for disinfection of food processing machinery and for refilling echnical and/or organisational measures: Wear eye protection during handling of the
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
.3.5 Where specific to the us	se, the conditions of storage and shelf-life of the product storage
See general directions for use.	
1.4 Use description	
Jse 4 - disinfection of surfaces	with food and feed contact - wiping
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
	Scientific name: Bacteria
	ı

Target organism(s) (including development stage)

Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product is applied on wipes by pouring, spraying or soaking and the surface is thoroughly wiped with the soaked wipe afterwards (wet-wiping).

Application rate(s) and frequencies

Application Rate: Ready-to-use. Do not apply more than 25 ml/m².

Dilution (%): -

Number and timing of application:

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Bottle: 125-1000 ml packaging material: HDPE Clack cap material: PP

Fine mist-sprayer: complex system (PE-LD, PP, PBT, POM, EVA, stainless steel);

Spray head: complex system (PP, PE, POM, Synthetic oil, Silicon oil)

Canister: 5-30 L

packaging material: HDPE closure material: HDPE

Apply the ready-to-use product on wipes by pouring, spraying or soaking and wipe the surface thoroughly with the wet wipe (wet wiping). Allow to take effect for at least 5 minutes at room temperature (20 ±2°C).	
4.4.2 Use-specific risk mitigation measures	
The fellowing result is the management of the distinction of food processing machiners and for refilling	
The following personal risk mitigation measure can be applied for disinfection of food processing machinery and for refilling procedure unless it can be replaced by technical and/or organisational measures: Wear eye protection during handling of the product.	
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	
See general directions for use.	
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	
·	
·	
under normal conditions of storage	
	_
under normal conditions of storage	
See general directions for use.	_

2. Risk mitigation measures	
The product must only be applied for disinfection of small surfaces. Ensure adequate ventilation to prevent the formation of explosive atmospheres. Avoid contact with eyes. Apply a funnel for refilling. Eeep out of reach of children and pets. Eeep out of reach of children and pets. Eeep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation enter treated rooms. This does not apply to hospital patient rooms.	on before children and pets
3. Particulars of likely direct or indirect effects, first aid instructions a easures to protect the environment	and emergency
irst aid: n case of accident: Call a poison centre or a doctor. FINHALED: Remove person to fresh air and keep comfortable for breathing. on skin: Wash with water. If skin irritation occurs: Get medical advice. FIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea ye irritation persists: Get medical advice/attention. SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	sy to do. Continue rinsing. If
4. Instructions for safe disposal of the product and its packaging	
helf-life: 36 months eep container tightly closed.	nditions of storage
helf-life: 36 months eep container tightly closed. tore in a well-ventilated place. rotect from sunlight.	nditions of storage
Shelf-life: 36 months (seep container tightly closed. Store in a well-ventilated place. Protect from sunlight. Store at room temperature in the original container.	nditions of storage

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

$7.1\ Trade\ name(s),\ authorisation\ number\ and\ specific\ composition\ of\ each\ individual\ product$

Superficid®	Market area: EU
Desocid rapid	Market area: EU
Neoseptin rapid	Market area: EU
Novosept rapid	Market area: EU
Novoseptin rapid	Market area: EU
Lyorthol rapid	Market area: EU
Cosmo rapid	Market area: EU
Fordesin rapid	Market area: EU
Saltero rapid	Market area: EU
Prop70 rapid	Market area: EU
Aldovet rapid	Market area: EU
Vetfarm rapid	Market area: EU
MDI rapid	Market area: EU
Antiseptica rapid	Market area: EU
•	

Sterisol Surface	Market area: EU
MENNO® I-QUICK plus	Market area: EU
AntiLy 5	Market area: EU
EU-0023860-0007 1-7	

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

Superficid® pure	Market area: EU
Desocid rapid pure	Market area: EU
Neoseptin rapid pure	Market area: EU
Novosept rapid pure	Market area: EU
Novoseptin rapid pure	Market area: EU
Lyorthol rapid pure	Market area: EU

Cosmo rapid pure	Market area: EU
Fordesin rapid pure	Market area: EU
Saltero rapid pure	Market area: EU
Prop70 rapid pure	Market area: EU
Aldovet rapid pure	Market area: EU
Vetfarm rapid pure	Market area: EU
MDI rapid pure	Market area: EU
Antiseptica rapid pure	Market area: EU
Sterisol Surface pure	Market area: EU
BTS 6000	Market area: EU
MENNO® I-QUICK	Market area: EU
EWA® DES ready	Market area: EU
Kiehl-Rapinol	Market area: EU
Des A	Market area: EU
AntiLy 6	Market area: EU

EU-0023860-0008 1-7

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta-SPC8- AntiLy SD wipes

1.2. Suffix to the authorisation number

1-8

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1 - 63,1

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

Any other liquid (AL), ready-to-use, wipes impregnated with disinfectant formulation

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid breathing vapours.

Avoid breathing spray.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor if you feel unwell.

If eye irritation persists:Get medical advice.

If eye irritation persists:Get medical attention.

In case of fire: Use alcohol-resistant foam, carbon dioxide or water mist to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents to /container to an approved waste disposal plant.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - disinfection of surfaces - wiping

P	r۸	dı	ıct	tv	ре
	ıv	uu	ıυι	ιγ	Ŋσ

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Bacteria Common name: -Development stage: -

Scientific name: Yeast Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces such as small work surfaces in medical and non-medical areas as well as surfaces in cleanrooms (class A/B)

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%): -

Number and timing of application:

_

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Can: 100-150 wipes Packaging: HDPE Closure material: HDPE

Pack Pack	k: 100-150 wipes kaging: PET/PE		

4.1.1 Use-sp	ecific	instru	ctions	for	use
--------------	--------	--------	--------	-----	-----

Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20± 2°C).
4.1.2 Use-specific risk mitigation measures
See general directions for use.
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use.
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use.
4.2 Use description

Use 2 - disinfection of surfaces with food and feed contact - wiping

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Scientific name: Bacteria Common name: -Development stage: -

Target organism(s) (including development stage)

Scientific name: Yeast Common name: -Development stage: -

Scientific name: Viruses Common name: -Development stage: -

Field(s) of use

Indoor

Disinfection of clean non-porous surfaces in kitchens and food industry including cleanrooms (class A/B) $\,$

Application method(s)

Method: Wiping Detailed description:

Product will be wiped directly on the surface.

Application rate(s) and frequencies

Application Rate: Ready-to-use wipes

Dilution (%):

Number and timing of application:

-

Category(ies) of users

Industrial

Professional

Pack sizes and packaging material

Can: 100-150 wipes Packaging: HDPE Closure material: HDPE

Pack: 100-150 wipes Packaging: PET/PE

4.2.1 Use-specific instructions for use	
Thoroughly wipe the surface with the wipe and allow to take effect for at least 5 minutes at room temperature (20±	± 2°C).
1.2.2 Use-specific risk mitigation measures	
See general directions for use.	
1.2.3 Where specific to the use, the particulars of likely direct or indirect effect nstructions and emergency measures to protect the environment	ts, first aid
See general directions for use.	
1.2.4 Where specific to the use, the instructions for safe disposal of the produ backaging	ct and its
.2.5 Where specific to the use, the conditions of storage and shelf-life of the punder normal conditions of storage	oroduct
See general directions for use.	
	_
5. General directions for use of the meta SPC	
5.1. Instructions for use	
Clean the surface carefully before use.	
Remove excess water from the surface before disinfection, if appropriate. Make sure to wet surfaces completely. Used wipes must be disposed in a closed container.	

5.2. Risk mitigation measures

5.2. Risk mitigation measures

The product must only be applied for disinfection of small surfaces.

Ensure adequate ventilation to prevent the formation of explosive atmospheres.

Avoid contact with eyes.

Keep out of reach of children and pets.

Keep children and pets away from rooms where disinfection is taking place. Provide adequate ventilation before children and pets enter treated rooms. This does not apply to hospital patient rooms.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First aid:

In case of accident: Call a poison centre or a doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on skin: Wash with water. If skin irritation occurs: Get medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

5.4.	Instructions	for safe	disposa	I of the	product	and its	packaging

l _		

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Keep container tightly closed.

Store in a well-ventilated place.

Protect from sunlight.

Store at room temperature in the original container.

6. Other information

The product contains propan-2-ol (CAS No.: 67-63-0), for which a European reference value of 129,28 mg/m3 for the professional user was agreed and used for the risk assessment of the product.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Market area: EU		
Market area: EU		

Antiseptica Tücher	Market area: EU		
Antiseptica wipes	Market area: EU		
MENNO®WIP	Market area: EU		
Descorapid® wipes	Market area: EU		
Desocid wipes	Market area: EU		
Neoseptin wipes	Market area: EU		
Novosept wipes	Market area: EU		
Novoseptin wipes	Market area: EU		
Lyorthol wipes	Market area: EU		
Cosmo wipes	Market area: EU		
Fordesin wipes	Market area: EU		
Saltero wipes	Market area: EU		
Prop70 wipes	Market area: EU		
Manosafe wipes	Market area: EU		
Dermoguard wipes	Market area: EU		
Dermosafe wipes	Market area: EU		

Aldovet wipes	Market area: EU
Vetfarm wipes	Market area: EU
MDI wipes	Market area: EU
AntiLy 5 wipes	Market area: EU
Antiseptica wipes	Market area: EU
EU-0023860-0009 1-8	

(R4BP 3 asset reference number - National Authorisation)

EU-0023860-0009 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

Superficid® pure wipes	Market area: EU
Desocid rapid pure wipes	Market area: EU
Neoseptin rapid pure wipes	Market area: EU
Novosept rapid pure wipes	Market area: EU

Novoseptin rapid pure wipes	Market area: EU
Lyorthol rapid pure wipes	Market area: EU
Cosmo rapid pure wipes	Market area: EU
Fordesin rapid pure wipes	Market area: EU
Saltero rapid pure wipes	Market area: EU
Prop70 rapid pure wipes	Market area: EU
Aldovet rapid pure wipes	Market area: EU
Vetfarm rapid pure wipes	Market area: EU
MDI rapid pure wipes	Market area: EU
Antiseptica rapid pure wipes	Market area: EU
AntiLy 6 wipes	Market area: EU

(R4BP 3 asset reference number - National Authorisation)

EU-0023860-0010 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,1

SUMMARY OF PRODUCT CHARACTERISTICS