

# Summary of product characteristics for a biocidal product family

**Family name:** Hydrogen Peroxide Family 1

**Product type(s):** PT01 - Human hygiene (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

**Authorisation number:** EU-0024303-0000

**R4BP 3 asset reference number:** IS-0029305-0000

## Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	11
Part II.- Second information level - meta SPC(s)	12
1. Meta SPC administrative information - <b>META SPC 1</b>	12
2. Meta SPC composition	12
3. Hazard and precautionary statements of the meta SPC	13
4. Authorised use(s) of the meta SPC	13
5. General directions for use of the meta SPC	21
6. Other information	22
7. Third information level: individual products in the meta SPC	22
1. Meta SPC administrative information - <b>META SPC 2</b>	23
2. Meta SPC composition	24
3. Hazard and precautionary statements of the meta SPC	24
4. Authorised use(s) of the meta SPC	24
5. General directions for use of the meta SPC	32
6. Other information	33
7. Third information level: individual products in the meta SPC	33
1. Meta SPC administrative information - <b>META SPC 3</b>	34
2. Meta SPC composition	34
3. Hazard and precautionary statements of the meta SPC	35
4. Authorised use(s) of the meta SPC	36
5. General directions for use of the meta SPC	40
6. Other information	41
7. Third information level: individual products in the meta SPC	41
1. Meta SPC administrative information - <b>META SPC 4</b>	41
2. Meta SPC composition	42
3. Hazard and precautionary statements of the meta SPC	42

4. Authorised use(s) of the meta SPC	43
5. General directions for use of the meta SPC	45
6. Other information	45
7. Third information level: individual products in the meta SPC	46
1. Meta SPC administrative information - <b>META SPC 5</b>	47
2. Meta SPC composition	47
3. Hazard and precautionary statements of the meta SPC	48
4. Authorised use(s) of the meta SPC	48
5. General directions for use of the meta SPC	71
6. Other information	72
7. Third information level: individual products in the meta SPC	72
1. Meta SPC administrative information - <b>META SPC 6</b>	73
2. Meta SPC composition	74
3. Hazard and precautionary statements of the meta SPC	74
4. Authorised use(s) of the meta SPC	75
5. General directions for use of the meta SPC	78
6. Other information	79
7. Third information level: individual products in the meta SPC	79
1. Meta SPC administrative information - <b>META SPC 7</b>	80
2. Meta SPC composition	80
3. Hazard and precautionary statements of the meta SPC	81
4. Authorised use(s) of the meta SPC	81
5. General directions for use of the meta SPC	91
6. Other information	92
7. Third information level: individual products in the meta SPC	92
1. Meta SPC administrative information - <b>META SPC 8</b>	93
2. Meta SPC composition	94
3. Hazard and precautionary statements of the meta SPC	94
4. Authorised use(s) of the meta SPC	94
5. General directions for use of the meta SPC	100

6. Other information	101
7. Third information level: individual products in the meta SPC	101
1. Meta SPC administrative information - <b>META SPC 9</b>	102
2. Meta SPC composition	102
3. Hazard and precautionary statements of the meta SPC	103
4. Authorised use(s) of the meta SPC	104
5. General directions for use of the meta SPC	117
6. Other information	118
7. Third information level: individual products in the meta SPC	118
1. Meta SPC administrative information - <b>META SPC 10</b>	120
2. Meta SPC composition	120
3. Hazard and precautionary statements of the meta SPC	121
4. Authorised use(s) of the meta SPC	121
5. General directions for use of the meta SPC	123
6. Other information	124
7. Third information level: individual products in the meta SPC	124
1. Meta SPC administrative information - <b>META SPC 11</b>	125
2. Meta SPC composition	125
3. Hazard and precautionary statements of the meta SPC	126
4. Authorised use(s) of the meta SPC	126
5. General directions for use of the meta SPC	136
6. Other information	137
7. Third information level: individual products in the meta SPC	137
1. Meta SPC administrative information - <b>META SPC 12</b>	138
2. Meta SPC composition	139
3. Hazard and precautionary statements of the meta SPC	139
4. Authorised use(s) of the meta SPC	140
5. General directions for use of the meta SPC	143
6. Other information	144
7. Third information level: individual products in the meta SPC	144

## Part I.- First information level

### 1. Administrative information

#### 1.1. Family name

Hydrogen Peroxide Family 1

#### 1.2. Product type(s)

PT01 - Human hygiene (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

PT04 - Food and feed area (Disinfectants)

#### 1.3. Authorisation holder

**Name and address of the authorisation holder**

Name	Ecolab Deutschland GmbH
Address	Ecolab Allee 1 40789 Monheim am Rhein Germany

**Authorisation number**

EU-0024303-0000

**R4BP 3 asset reference number**

IS-0029305-0000

**Date of the authorisation**

15/09/2022

**Expiry date of the authorisation**

31/08/2032

#### 1.4. Manufacturer(s) of the biocidal products



<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Richtistrasse 7 8304 Wallisellen Switzerland
<b>Location of manufacturing sites</b>	A.F.P. GmbH Otto-Brenner-Straße 16 21337 Lüneburg Germany
	ACIDEKA S.A. Edificio Feria. Capuchinos de Basurto 6, 4a planta 48013 Bilbao. Bizkaia Spain
	ADIEGO HNOS CTRA DE VALENCIA, KM 5,900 50410 CUARTE DE HUERVA (ZARAGOZA) 50410 Zaragoza Spain
	ALLIED PRODUCTS Allied Hygiene Unit 11, Belvedere Industrial Estate Fishers Way DA17 6BS Belvedere, Kent United Kingdom
	Arkema GmbH Morschheimer Strasse 19 D-67292 Krichheimbolanden Germany
	AZELIS DENMARK Lundtoftegårdsvej 95 2800 Kgs. 2800 Kgs Lyngby Denmark
	Belinka Zasavska Cesta 95 1001 Ljubljana Slovenia
	BENTUS LABORATORIES LTD. RUSSIA, 105005, MOSCOW, RADIO STREET, 24 BLD.1 105005 Moscow Russian Federation
	BIO PRODUCTIONS 72 VICTORIA ROAD, VICTORIA INDUSTRIAL ESTATE, BURGESS HILL, WEST SUSSEX RH159LH Burgess Hill United Kingdom
	BIOXAL SA Route des Varennes - Secteur A – BP 30072 71103 Chalon sur Saône Cedex France
	Bores Srl Via Pioppa, 179 44020 Pontegradella Italy
	BRENNTAG ARDENNES Route de Tournes CD n 2 FR-08090 FR-08090 Cliron France
	BRENNTAG CEE - GUNTRAMSDORF Brenntag CEE GmbH Mixing / Blending Bahnstr. 13 A-2353 Guntramsdorf Austria
	BRENNTAG Duisburg/Glauchau/Hamburg/Heilbronn Brenntag GmbH Humboldttring 15 45472 Muehlheim Germany
	BRENNTAG Kaiserslautern Brenntag Merkurstr. 47 67663 Kaiserslautern Germany
	BRENNTAG Kleinkarlbach/Lohfelden Brenntag GmbH Humboldttring 15 45472 Muehlheim Germany
	BRENNTAG Nordic - HASLEV Høsten Teglværksvej 47 4690 Haslev Denmark
	Brenntag Nordic, Strandgade 35 7100 Vejle Denmark
	BRENNTAG Normandy Brenntag Normandie 12 Sente des Jumelles - BP 11 76710 76710 Montville France
	BRENNTAG PL -Zgierz ul. Kwasowa 5 95-100 Zgierz Poland

<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Richtistrasse 7 8304 Wallisellen Switzerland
<b>Location of manufacturing sites</b>	Brenntag Quimica S.A. - Madrid. Calle Gutemberg nº 22, Poligono Industrial El Lomo 28906 Madrid Spain
	BRENNTAG Schweizerhall Brenntag Schweizerhall AG Elsaesserstr. 231 CH-4056 Basel Switzerland
	Budich International GmbH Dieselstrasse 10 32120 Hiddenhause Germany
	Caldic Deutschland Chemie B.V Caldic Deutschland GmbH & Co.Kg Am Karlshof 10 D 40231 Duesseldorf Germany
	Carbon Chemicals Group Ltd, Ringaskiddy P43 R772 County Cork Ireland
	COLEP BAD SCHMIEDEBERG ColepCCL Bad Schmiedeberg GmbH Kemberger Str. 3 06905 Bad Schmiedeberg Germany
	COMERCIAL FARMACEUTICA CASTEL: LANA, S.A. "COFARCAS" Condado de Treviño, 46 P.I. Villalonquejar 09080 – BURGOS 09080 Burgos Spain
	COMERCIAL GODO França, 13 08700 – IGUALADA (BARCELONA) 08700 BARCELONA Spain
	COURTOIS SARL ZA SOUS LE BEER Route de Pacy 27730 BUEIL France
	DAN MOR (DR WIPE) DAN-MOR Natural Products and Chemicals Ltd. Or Akiva Industrial Zone 30600 Akiva Industrial Zone Israel
	Denteck BV Heliumstraat 8 2718 SL ZOETERMEER Netherlands
	DETERGENTS BURGUERA DETERGENTS BURGUERA, S.L. Joan Ballester 50 07630 CAMPOS (ILLES BALEARES) Spain
	ECL Biebesheim NLC Biebesheim Justus-von-Liebig-Straße 11 64584 Biebesheim am Rhein Germany
	ECL Celra NALCO - Celra C/ Tramuntana s/n Poligona Industrial Celra 17460 Girona Spain
	ECL Châlons AVENUE DU GENERAL PATTON 51000 CHALONS EN CHAMPAGNE France
	ECL Cisterna Nalco Italiana Manufacturing Srl.Via Ninfina II 04012 Cisterna di Latina Italy
	ECL Fawley NLC Fawley Cadland Road, Hythe, SO45 3NP Southampton, Hampshire United Kingdom
	ECL Leeds ECOLAB Lotherton Way Garforth Leeds LS25 2JY LS25 2JY Leeds United Kingdom
	ECL Mandra 25TH KM OLD NATIONAL ROAD OF ATHENS TO THIVA, GR 19600 GR 19600 ATHENS Greece
	ECL Maribor Vajngerlova 4, SI-2001 Maribor SI-2001 Maribor Slovenia



<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Richtistrasse 7 8304 Wallisellen Switzerland
<b>Location of manufacturing sites</b>	ECL MICROTEK BV MICROTEK MEDICAL B.V. GESINKKAMPSTRAAT 19, 7051 HR, VARSSEVELD 7051 HR VARSSEVELD Netherlands
	ECL MICROTEK MOSTA SORBONNE CENTRE, F20 MOSTA TECHNOPARK, MOSTA MST 3000 MOSTA Malta
	ECL Mullingar Ecolab Ltd. Forrest Park Zone C Mullingar Industrial Estate Mullingar Co. Westmeath Westmeath Ireland
	ECL Nieuwegein BRUGWAL 11 A, 3432 NZ NIEUWEGEIN 3432 NZ NIEUWEGEIN Netherlands
	ECL Rovigo EsoformEsoform S.p.A. Laboratorio Chimico Farmaceutico Viale del Lavoro 10 45100 Rovigo Italy
	ECL Rozzano Via A. Grandi, 20089 Rozzano MI 20089 Rozzano Italy
	ECL Tesjoki NLC Tesjoki Kivikumuntie 1, Tesjoki 07955 Tesjoki Finland
	ECL Tessenderlo INDUSTRIEZONE RAVENSHOUT 4 3980 Tessenderlo Belgium
	ECL Weavergate NLC Weavergate Northwich, Cheshire West and Chester CW8 4EE Northwich United Kingdom
	Ecolab Ltd Baglan/Swindon, Plot 7a Baglan Energy Park, Baglan, Port Talbot SA11 2HZ Port Talbot United Kingdom
	EXTRUPLAST ZI Fief du Passage 56 rue Robert Geffré 17000 La Rochelle France
	Ferdinand Eimermacher GmbH & Co. KG Westring 24 48356 Nordwalde Germany
	F.E.L.T. BP 64 10 rue du Vertuquet 59531 NEUVILLE EN FERRAIN France
Gallows Green Services Ltd. Cod Beck Mill Industrial Estate Dalton Lane YO7 3HR Thirsk North Yorkshire United Kingdom	
GERDISA GERMAN RGUEZ DROGAS IND Gerdisa Polígono Industrial Miralcampo parc.37 19200 Azuqueca de Henares Guadalajara Spain	
GIRASOL NATURAL PRODUCTS BV De Veldoven 12-14 3342 GR Hendrik-Ido-Ambacht 3342 GR Hendrik-Ido-Ambacht Netherlands	
HENKEL ENGELS Henkel Engels 413116 Engels Prospekt StroiTel ei Russia 413116 Engels Russian Federation	
Imeco GmbH & Co. KG Boschstraße 5 D-63768 Hösbach Germany	
INTERFILL LLC-TOSNO INTERFILL LLC 187000, Moskovskoye shosse 1 187000 Tosno - Leningradskaya Russian Federation	
JODEL - PRODUCTOS QUIMICOS Jodel Zona Industrial 2050 Aveiras de Cima 2050 Aveiras de Cima Portugal	

<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Richtistrasse 7 8304 Wallisellen Switzerland
<b>Location of manufacturing sites</b>	Kleinmann GmbH Am Trieb 13 72820 Sonnenbühl Germany
	Kompak Nederland B.V. Ambachtsweg 4, 4854 MK, Bavel Netherlands
	La Antigua Lavandera SL      LA ANTIGUA LAVANDERA, S.L. Ctra. Antigua Sevilla-Alcalá Km.1,5 (SE-410) Apartado de Correos, 58 41500 Sevilla Spain
	LABORATOIRES ANIOS Pavé du moulin 59260 Lille-Hellemmes France
	LABORATOIRES ANIOS 3330 Rue de Lille 59262 Sainghin-en-Mélantois France
	LICHTENHELDT GmbH      Lichtenheldt Industriestrasse 7-9 23812 Wahlstedt Germany
	Lonza GmbH Morianstr.32 42103 Wuppertal Germany
	McBride SA Polígono Industrial L'Illa C / Ramon Esteve, 20- 22 08650 Sallent Spain
	Multifill BV Constructieweg 25-A 3641 SB Mijdrecht 3641 Mijdrecht Netherlands
	NOPA NORDISK PARFUMERIVARE Nordisk Parfumerivarefabrik A/S Hvedevej 2-22 DK-8900 Randers Denmark
	PAL INTERNATIONAL LTD      Pal International Ltd. Sandhurst Street, Oadby Leicester Leicester United Kingdom
	Planol GmbH Maybachstr. 17 63456 Hanau Germany
	Plum A/S Frederik Plums Vej 2 DK 5610 Assens Denmark
	PRODUCTOS LC LA CORBERANA, S.L. Ctra. Corbera – Polinyá 46612 Valencia Spain
	THE PROTON GROUP LTD Ripley Drive, Normanton Industrial Estate WF6 1QT Wakefield United Kingdom
	QUIMICAS MORALES, S.L. Misiones, 11 - Urb. El Sebadal 05005 LAS PALMAS DE GRAN CANARIA Spain
	RNM PRODUCTOS QUIMICOSRNM - Produtos Quimicos, Lda Rua da Fabrica, 123 4765-080 Segade Portugal
	ROQUETTE & BARENTZ      Roquette Freres Route De La Gorgue F-62136 Lestrem France
	RUTPEN LTD MEMBURY AIRFIELD RG16 7TJ LAMBOURN United Kingdom
	SOLIMIX Solimix Montseny 17-19 Pol. Ind. Sant Pere Molanta 08799 Barcelona Spain

<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Richtistrasse 7 8304 Wallisellen Switzerland
<b>Location of manufacturing sites</b>	Staub & Co. – Silbermann GmbH , Industriestraße 3 D-86456 Gablingen Germany
	Stockmeier Chemie Eilenburg GmbH & Co. KG Gustav-Adolf-Ring 5 04838 Eilenburg Germany
	SYNERLOGIC BV ( - IN2FOOD) Synerlogic BV afd. L.J. Costerstraat 5 6827 ARNHEM Netherlands
	Univar Ltd, Argyle House, Epsom Avenue SK9 3RN Wilmslow United Kingdom
	Univar SPA Via Caldera 21 20-153 Milano Milano Italy
	van Dam Bodegraven B.V Postbus 48 NL 2410 AA Bodegraven Netherlands
	Laboratoires Prodene Klint Rue Denis Papin, 2 Z.I. Mitry Compans F-77290 Mitry Mory F-77290 Mitry Mory France
	Simagec Z.I. de Rousset / Peynier, 54 Avenue de la Plaine 13790 Rousset France
INNOVATE GmbH, Innovate GmbH Am Hohen Stein 11 06618 Naumburg Germany	

#### 1.5. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Evonik Degussa Antwerpen NV
<b>Address of the manufacturer</b>	Tijsmanstunnel West 2040 Antwerpen Belgium
<b>Location of manufacturing sites</b>	Tijsmanstunnel West 2040 Antwerpen Belgium

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Evonik Degussa GmbH
<b>Address of the manufacturer</b>	Untere Kanalstr. 3 79618 Rheinfelden Germany
<b>Location of manufacturing sites</b>	Untere Kanalstr. 3 79618 Rheinfelden Germany

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Evonik Peroxid GmbH
<b>Address of the manufacturer</b>	Industriestraße 1 9721 Weißenstein Austria
<b>Location of manufacturing sites</b>	Industriestraße 1 9721 Weißenstein Austria

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Evonik Peroxide Netherlands BV
<b>Address of the manufacturer</b>	Oosterhorn 14 9936 HD Farmsum Netherlands
<b>Location of manufacturing sites</b>	Oosterhorn 14 9936 HD Farmsum Netherlands

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Belinka Perkemija D.O.O
<b>Address of the manufacturer</b>	Zasavska cesta 95 1231 Ljubljana-Črnuče Slovenia
<b>Location of manufacturing sites</b>	Zasavska cesta 95 1231 Ljubljana-Črnuče Slovenia

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chemie SA
<b>Address of the manufacturer</b>	Rue Solvay 39 B-5190 Jemeppe-sur-Sambre Belgium
<b>Location of manufacturing sites</b>	Rue Solvay 39 B-5190 Jemeppe-sur-Sambre Belgium

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chimica Italia S.p.A
<b>Address of the manufacturer</b>	Via Piave 6 I-57013 Rosignano Solvay LI Italy
<b>Location of manufacturing sites</b>	Via Piave 6 I-57013 Rosignano Solvay LI Italy

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chemicals GmbH
<b>Address of the manufacturer</b>	Köthensche Strasse 1-3 D-06406 Bernburg Germany
<b>Location of manufacturing sites</b>	Köthensche Strasse 1-3 D-06406 Bernburg Germany

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Interlox Limited
<b>Address of the manufacturer</b>	Baronet Road WA4 6HB Warrington Cheshire United Kingdom
<b>Location of manufacturing sites</b>	Baronet Road WA4 6HB Warrington Cheshire United Kingdom

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chemicals Finland OY
<b>Address of the manufacturer</b>	Yrjonojantie 2 45910 Voikkaa Finland
<b>Location of manufacturing sites</b>	Yrjonojantie 2 45910 Voikkaa Finland

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Interlox Produtos Peroxidados SA
<b>Address of the manufacturer</b>	Rua Eng. Clement Dumoulin P-2625-106 Povia de Santa Iria Portugal
<b>Location of manufacturing sites</b>	Rua Eng. Clement Dumoulin P-2625-106 Povia de Santa Iria Portugal

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Kemira Rotterdam BV
<b>Address of the manufacturer</b>	Moezelweg 151 3198 LS Europoort Rotterdam Netherlands
<b>Location of manufacturing sites</b>	Moezelweg 151 3198 LS Europoort Rotterdam Netherlands

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Kemira Chemical Oy
<b>Address of the manufacturer</b>	Typpitie PL 171 90101 Oulu Finland
<b>Location of manufacturing sites</b>	Typpitie PL 171 90101 Oulu Finland

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Kemira Kemi AB
<b>Address of the manufacturer</b>	Industrigatan 83 25109 Helsingborg Sweden
<b>Location of manufacturing sites</b>	Industrigatan 83 25109 Helsingborg Sweden

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	ARKEMA France – USINE DE JARRIE
<b>Address of the manufacturer</b>	Route National 85, BP 1 38560 JARRIE France
<b>Location of manufacturing sites</b>	Route National 85, BP 1 38560 JARRIE France

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	ARKEMA GMBH – NIEDERLASSUNG LEUNA
<b>Address of the manufacturer</b>	Am Haupttor, Bau 2410 06237 LEUNA Germany
<b>Location of manufacturing sites</b>	Am Haupttor, Bau 2410 06237 LEUNA Germany

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Ecolab Europe GmbH
<b>Address of the manufacturer</b>	Ecolab-Allee 1 40789 Monheim am Rhein Germany
<b>Location of manufacturing sites</b>	Ecolab-Allee 1 40789 Monheim am Rhein Germany

## 2. Product family composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1 - 36,75
N-propanol	Propan-1-ol	Non-active substance	71-23-8	200-746-9	0 - 17,5
Citric acid monohydrate	2-hydroxypropane -1,2,3-tricarboxylic acid	Non-active substance	5949-29-1	201-069-1	0 - 0,9
Phenoxyethanol	2-Phenoxyethanol	Non-active substance	122-99-6	204-589-7	0 - 0,9
Sodium lauryl Sulphate	Sodium dodecyl sulphate	Non-active substance	151-21-3	205-788-1	0 - 3,88
L-Glutamic acid, N-coco acyl derivs., monosodium salts	Sodium;(4S)-4-amino-5-hydroxy-5-oxopentanoate	Non-active substance	68187-32-6	269-087-2	0 - 2
Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts (Texapon ALS)	Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts	Non-active substance	90583-11-2	292-209-0	0 - 1,12
Phosphoric acid	Orthophosphoric acid	Non-active substance	7664-38-2	231-633-2	0 - 1,5
Nitric acid	Nitric acid	Non-active substance	7697-37-2	231-714-2	0 - 3,71
Alcohol EO phosphate ester	Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Non-active substance	68130-47-2		0 - 14,625
Alkylpolyglycoside C8-C10	(3R,4S,5S,6R)-2-decoxy-6-(hydroxymethyl)oxane-3,4,5-triol	Non-active substance	68515-73-1	500-220-1	0 - 6,35
Alcohols, C10-C16 ethoxylated propoxylated (Dehydol 980)	Alcohols, C10-C16 ethoxylated propoxylated	Non-active substance	69227-22-1		0 - 3
Capryleth-9 Carboxylic acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(octyloxy)- (4-11 EO)	Non-active substance	53563-70-5		0 - 2,15

Hexeth-4 Carboxylic Acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(hexyloxy)- (3 EO)	Non-active substance	105391-15-9	0 - 0,62
---	--	----------------------	-------------	----------

## 2.2. Type(s) of formulation

AL - Any other liquid
GW - Water soluble gel
SL - Soluble concentrate

## Part II.- Second information level - meta SPC(s)

### 1. Meta SPC administrative information

#### 1.1. Meta SPC identifier

META SPC 1
------------

#### 1.2. Suffix to the authorisation number

1-1
-----

#### 1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
--

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	6 - 6,6



## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.

Precautionary statements

Wash hands thoroughly after handling.

Wear eye protection.

Wear face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

If eye irritation persists: Get medical attention.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of life sciences cleanrooms by spraying using trigger sprayer and dry wipe

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Viruses  
Common name: Viruses

	<p>Development stage:</p> <p>Scientific name: Bacterial spores Common name: Bacterial spores Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Spraying using trigger sprayer and dry wipe Detailed description:</p> <p>Disinfection of small surfaces, materials and equipment in life sciences cleanrooms, classified as grade A to D according to Good Manufacturing Practice (GMP) EU classification, and supporting environments.</p> <p>Contact times for spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 15 min for bacteria and fungi;</li> <li>- 5 min for yeasts;</li> <li>- 60 min for viruses and bacterial spores.</li> </ul> <p>Contact times for spraying and wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 60 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup> Dilution (%): Ready to use (RTU) product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding High Density Poly Ethylene (HDPE) Bottle, 1-5L</p> <p>Light precluding Polypropylene and Polyethylene (PP+PE) spray bottle, 1-5L</p>

#### 4.1.1 Use-specific instructions for use

For optimum results, hold the bottle upright and spray from a distance of 10 cm to 20 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

**4.1.2 Use-specific risk mitigation measures**

The use of eye protection while handling the product is mandatory.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 1.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 1.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 1.

**4.2 Use description**

**Use 2 - Disinfection of life sciences cleanrooms by mopping using flat mop and bucket**

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Viruses Common name: Viruses

	<p>Development stage:</p> <p>Scientific name: Bacterial spores Common name: Bacterial spores Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using a flat mop and bucket Detailed description: Disinfection of floors in life sciences cleanrooms, classified as grade A to D according to Good Manufacturing Practice (GMP) EU classification, and supporting environments.</p> <p>Contact times for mopping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 60 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 1-5L

#### 4.2.1 Use-specific instructions for use

Apply to surfaces by mopping and let air dry.

#### 4.2.2 Use-specific risk mitigation measures

The use of eye protection while handling the product is mandatory.  
Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory for professionals applying the product and for other professionals present in the treated area. An air purifying respirator with helmet/hood/mask (TH1/TM1), or a half/full mask with combination filter gas/P2 is at least required (filter type (code letter, colour) to be specified by the authorisation holder within the product information). For repeated application or re-entry into the room, the professional needs to follow the same risk mitigation measures as for the first application in the room.

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 1.

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 1.

**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 1.

**4.3 Use description**

**Use 3 - Disinfection of life sciences cleanrooms by wiping using impregnated RTU wipes**

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Viruses Common name: Viruses Development stage:  Scientific name: Bacterial spores Common name: Bacterial spores Development stage:

**Field(s) of use**

<b>Application method(s)</b>	<p>Indoor</p> <p>Method: Wiping using impregnated RTU wipes Detailed description: Disinfection of small surfaces, materials and equipment in life sciences cleanrooms, classified as grade A to D according to Good Manufacturing Practice (GMP) EU classification, and supporting environments.</p> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 60 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponds to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bucket with 100 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 200x200 mm).</p> <p>Light precluding PP Pouch with 10-100 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 200x200 mm).</p>

#### 4.3.1 Use-specific instructions for use

Allow surface to air dry after using the product. Close container when not in use. Do not use wipes which have become dehydrated. Used wipes must be disposed of in a closed container.

#### 4.3.2 Use-specific risk mitigation measures

Avoid hand to eye transfer.

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 1.

**4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 1.

**4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 1.

**4.4 Use description**

**Use 4 - Disinfection of life sciences cleanrooms by mopping using impregnated RTU mop wipes**

**Product type**

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

**Field(s) of use**

<b>Application method(s)</b>	<p>Indoor</p> <p>Method: Mopping using impregnated RTU mop wipes  Detailed description:  Disinfection of floors in life sciences cleanrooms, classified as grade A to D according to Good Manufacturing Practice (GMP) EU classification, and supporting environments.</p> <p>Contact times for mopping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 60 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponds to 10 mL/m<sup>2</sup>)  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bucket with 100 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 420x250 mm).  Light precluding PP Pouch with 10-100 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 420x250 mm).</p>

#### 4.4.1 Use-specific instructions for use

Allow surface to air dry after using the product. Close container when not in use. Do not use wipes which have become dehydrated. Used wipes must be disposed of in a closed container.

#### 4.4.2 Use-specific risk mitigation measures

Avoid hand to eye transfer.  
Use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory for professionals applying the product and for other professionals present in the treated area. An air purifying respirator with helmet/hood/mask (TH1/TM1), or a half/full



mask with combination filter gas/P2 is at least required (filter type (code letter, colour) to be specified by the authorisation holder within the product information). For repeated application or re-entry into the room, the professional needs to follow the same risk mitigation measures as for the first application in the room.

#### **4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 1.

#### **4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 1.

#### **4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 1.

### **5. General directions for use of the meta SPC**

#### **5.1. Instructions for use**

Always read the label or leaflet before use and follow all the instructions. Clean surface before applying the product. Product should be applied to a clean dry surface. Wet surface completely using the product. Do not rinse after use. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass.

#### **5.2. Risk mitigation measures**

See use-specific risk mitigation measures of meta SPC 1.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

In case of skin contact: Rinse with plenty of water.

If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-35°C

Shelf life: 24 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

**Trade name(s)**

Klercide Sporicidal Low Residue Peroxide	Market area: EU
Klerwipe Sporicidal Low Residue Peroxide	Market area: EU
ANIOS H2O2 6% IP STERILE	Market area: EU
IS-0029305-0001 1-1	

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	6

---

---

**1. Meta SPC administrative information****1.1. Meta SPC identifier**

META SPC 2

**1.2. Suffix to the authorisation number**

1-2

**1.3 Product type(s)**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1 - 1

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

**Use 1 - Disinfection of small and/or large surfaces in industry (e.g. dining areas, bathrooms) by spraying using trigger sprayer and dry wipe and/or by mopping using flat mop and bucket**

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Spraying using trigger sprayer and dry wipe  
Detailed description:

Disinfection of small surfaces in industry.  
Contact times for spraying at 20°C in dirty conditions:

- 5 min for bacteria and yeasts;
- 1 5 min for fungi;
- 60 min for mycobacteria.

Method: Mopping using flat mop and bucket  
Detailed description:  
Disinfection of large surfaces in industry.  
Contact times for mopping at 20 ° C in dirty conditions:

- 5 min for bacteria and yeasts;
- 1 5 min for fungi;
- 60 min for mycobacteria.

Method: Spraying using trigger sprayer and dry wipe and mopping using flat mop and bucket.  
Detailed description:

Disinfection of small and large surfaces in industry.  
Contact times for spraying and mopping at 20 ° C in dirty conditions:

- 5 min for bacteria and yeasts;
- 1 5 min for fungi;
- 60 min for mycobacteria.

## Application rate(s) and frequencies

Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency for trigger spraying: up to 10 times per day per room

Application Rate: Application rate for mopping: 20 mL/m<sup>2</sup>  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency for mopping: up to twice per day per room

Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency for combined trigger spraying and mopping: once per day per room.

## Category(ies) of users

Professional

## Pack sizes and packaging material

Light precluding HDPE Container, 1-100L  
Light precluding HDPE Jerry can, 1-100L  
Light precluding HDPE Intermediate bulk container (IBC), 600-1000L  
Light precluding HDPE Drum, 60-220L  
Light precluding HDPE Bottle, 0,1-5L

Light precluding HDPE; PE Spray bottle, 0,5-1L

### 4.1.1 Use-specific instructions for use

Spraying: For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto the surface, wait for 5 minutes and then wipe the surface with a clean, dry wipe or let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

Mopping: Remove excess water using a dry floor mop. Fill the bucket with ready-to use product and distribute across floor using flat mop. Wait 5 minutes, then wipe the surface with a clean, dry mop or let air dry.

### 4.1.2 Use-specific risk mitigation measures

For spraying of large surface areas the following applies: The area of the surface to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.  
For spraying of small surface areas the above specific risk mitigation measure does not apply.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 2.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 2.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 2.

### 4.2 Use description

#### Use 2 - Disinfection of small surfaces (floors) in industry [(e.g. dining areas, bathrooms)] by mopping using flat mop and bucket

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Mycobacteria Common name: Mycobacteria Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Mopping using flat mop and bucket Detailed description: Disinfection of small surfaces (floors) in industry plants

	<p>Contact times for mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria and yeasts;</li> <li>- 15 min for fungi;</li> <li>- 60 min for mycobacteria.</li> </ul>
<p><b>Application rate(s) and frequencies</b></p>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup>  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<p><b>Category(ies) of users</b></p>	<p>Professional</p>
<p><b>Pack sizes and packaging material</b></p>	<p>Light precluding HDPE Container, 1-100L  Light precluding HDPE Jerry can, 1-100L  Light precluding HDPE IBC, 600-1000L  Light precluding HDPE Drum, 60-220L  Light precluding HDPE Bottle, 0,1-5L</p>

**4.2.1 Use-specific instructions for use**

Fill the bucket with ready-to-use product and distribute across floor using flat mop, afterwards wipe the surface with a clean, dry mop or let air dry.

**4.2.2 Use-specific risk mitigation measures**

None

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 2.

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 2



**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 2

**4.3 Use description**

**Use 3 - Disinfection of small food contact surfaces in food and beverage industry by spraying using trigger sprayer and dry wipe**

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: Bacteria Development stage:</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage:</p> <p>Scientific name: Fungi Common name: Fungi Development stage:</p> <p>Scientific name: Mycobacteria Common name: Mycobacteria Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Spraying using trigger sprayer and dry wipe Detailed description: Disinfection of small surfaces in food processing plants.</p> <p>Contact time for spraying at 20 ° C in dirty conditions: - 5 min for bacteria and yeasts.</p> <p>Contact times for spraying and wiping at 20 ° C in dirty conditions: - 5 min for bacteria and yeasts; - 15 min for fungi; - 60 min for mycobacteria.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to 10 times per day per room</p>

<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Container, 1-100L Light precluding HDPE Jerry can, 1-100L Light precluding HDPE IBC, 600-1000L Light precluding HDPE Drum, 60-220L Light precluding HDPE Bottle, 0,1-5L  Light precluding HDPE; PE Spray bottle, 0,5-1L

#### 4.3.1 Use-specific instructions for use

For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto the surface, leave for the required contact time and then either remove excess liquid with dry wipe or let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.3.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surfaces until dried. Do not use directly on or near food, feed or drinks.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 2.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 2.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 2.

#### 4.4 Use description

##### Use 4 - Disinfection of food contact surfaces in food and beverage industry by spraying using fixed installed sprayer

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Fixed installed spraying Detailed description: Automated disinfection application in industrial process equipment.  Contact time for spraying at 20 °C in dirty conditions:  - 5 min for bacteria and yeasts.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 300L maximum per application Dilution (%): RTU product Number and timing of application: Application frequency: once per week
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Container, 1-100L Light precluding HDPE Jerry can, 1-100L Light precluding HDPE IBC, 600-1000L Light precluding HDPE Drum, 60-220L Light precluding HDPE Bottle, 0,1-5L

#### 4.4.1 Use-specific instructions for use

#### 4.4.1 Use-specific instructions for use

Use outside food production time, once per week.

#### 4.4.2 Use-specific risk mitigation measures

Application only after the working shift/overnight application.  
During spraying application, no person shall be present.  
To determine the appropriate re-entry time after application of the product, workplace release measurements using suitable measurement equipment shall be performed upon implementation of the fixed installed spraying, and at regular intervals thereafter (annual intervals recommended), and after any change in relevant boundary conditions. The national regulations for workplace measurements shall be followed. In case of unscheduled maintenance tasks during spraying application, use of respiratory protective equipment (RPE) providing a protection factor of 10 is mandatory.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 2.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 2.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 2.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Do not rinse after use. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass.

#### 5.2. Risk mitigation measures

See use-specific risk mitigation measures of meta SPC 2.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse with plenty of water.  
In case of skin contact: Rinse with plenty of water.  
If swallowed: Rinse mouth. Seek medical attention if symptoms occur.  
If inhaled: Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.  
Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-35 °C

Shelf life: 24 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	DrySan Oxy	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0029305-0002 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 3

### 1.2. Suffix to the authorisation number

1-3

### 1.3 Product type(s)

PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	35 - 36,75

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

May intensify fire; oxidiser  
Harmful if swallowed.  
Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.  
Harmful to aquatic life with long lasting effects.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep away from clothing and other combustible materials.  
Avoid breathing vapours.  
Avoid breathing spray.  
Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Avoid release to the environment.  
Wear eye protection.  
Wear face protection.  
Wear protective gloves.  
IF SWALLOWED: Call a POISON CENTER if you feel unwell.  
Rinse mouth.  
IF ON SKIN: Wash with plenty of water.  
If skin irritation occurs: Get medical advice.  
If skin irritation occurs: Get medical attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER.

Immediately call a doctor.

Specific treatment (see first aid instruction on this label).

Take off contaminated clothing. And wash it before reuse.

In case of fire: Use water to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents to in accordance with national regulations.

Dispose of container to in accordance with national regulations.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of food contact surfaces in food and beverage industry by automated dipping or spraying in closed system

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Automated dipping or spraying in closed system  
Detailed description:  
Disinfection of packaging (aseptic filling) by fully automated dipping and spraying (closed process).  
Packaging disinfection in food, beverage and feed manufacturing (dip and spray application).  
Contact time for dipping and spraying at 60°C in clean conditions:  
- 1 min for bacteria, yeasts, fungi and bacterial spores.



**Application rate(s) and frequencies**

Application Rate: Application rate: constant automated dosing  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency: constant automated dosing

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding HDPE Bulk delivery container, > 1L - bulk  
Light precluding HDPE Jerry can, 1-100L  
Light precluding HDPE IBC, 600-1000L  
Light precluding HDPE Drum, 60-220L  
  
Light precluding HDPE Bottle, 0,1-5L.

**4.1.1 Use-specific instructions for use**

Packaging disinfection in food, beverage and feed manufacturing (spraying or dipping application):

- Dosing of product directly into the packaging to disinfect or applied into additional steam
- Continuous use of the product
- Application temperature: 60°C
- Application takes place in a closed and vented system.

Do not rinse after use. After sterilisation, blow-dry the packaging with hot sterile air.

**4.1.2 Use-specific risk mitigation measures**

Do not breathe vapours/spray.  
During operation, ensure adequate ventilation along the machines Local exhaust ventilation (LEV) and in the industrial halls (technical ventilation).  
During manual maintenance tasks, ensure adequate ventilation inside the machine (LEV) before opening the doors of the aseptic area.

1. The product shall only be transferred in closed pipes after mixing and loading. Open product and waste water flows are not allowed.
2. Workplace release measurements using suitable measurement equipment shall be performed upon implementation of the aseptic packaging plant, and at regular intervals thereafter (annual intervals recommended), and after any change in relevant boundary conditions. The national regulations for workplace measurements shall be followed.
3. In case of maintenance of the aseptic packaging plant (e.g. manual cleaning, technical incidents or repair) appropriate PPE (including respiratory protective equipment, chemical protective gloves, chemical protective coverall, eye protection) is required. The type of RPE, the filter type (code letter, colour) and glove material are to be specified by the authorisation holder within the product information.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 3.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 3.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 3.

### 4.2 Use description

#### Use 2 - Disinfection of food contact surfaces in food and beverage industry by Clean-in-place (CIP)

##### Product type

PT04 - Food and feed area (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

##### Field(s) of use

Indoor

##### Application method(s)

Method: CIP  
Detailed description:

Disinfection in food and beverage industry (food contact).  
Contact times for closed systems at 60°C in clean conditions:  
- 5 min for bacteria and yeasts;  
- 15 min for fungi.

##### Application rate(s) and frequencies

Application Rate: Application rate: automated dosing  
Dilution (%): RTU product  
Number and timing of application:

	Application frequency: once per day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bulk delivery container, &gt; 1L - bulk          Light precluding HDPE Jerry can, 1-100L          Light precluding HDPE IBC, 600-1000L          Light precluding HDPE Drum, 60-220L</p> <p>Light precluding HDPE Bottle, 0,1-5L.</p>

#### 4.2.1 Use-specific instructions for use

Before disinfection, system should be washed. Disinfection of CIP tanks, CIP pumps, pipe work and internal system of the processing equipment for food, beverage and feed, including milking machine hygiene (MMH) (closed systems). Rinse with water after treatment.

#### 4.2.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until rinsed off with water.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 3.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 3.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 3.

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

See use-specific instruction for use of meta SPC 3.

### 5.2. Risk mitigation measures

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

The use of eye protection while handling the product is mandatory.

The process of dilution shall be carried out using an automatic dosing system.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

In case of skin contact: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Seek medical attention if irritation develops and persists.

If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Remove person to fresh air. Treat symptomatically. Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0 - 35 °C

Shelf life: 24 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	Oxypak D	Market area: EU
	Oxypak S	Market area: EU
	Oxypak S10	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0029305-0003 1-3	

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	35

---

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

## META SPC 4

### 1.2. Suffix to the authorisation number

1-4

### 1.3 Product type(s)

PT03 - Veterinary hygiene (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,4 - 1,61
Citric acid monohydrate	2-hydroxypropane -1,2,3-tricarboxylic acid	Non-active substance	5949-29-1	201-069-1	0,9 - 0,9
Phenoxyethanol	2-Phenoxyethanol	Non-active substance	122-99-6	204-589-7	0,9 - 0,9
Sodium lauryl Sulphate	Sodium dodecyl sulphate	Non-active substance	151-21-3	205-788-1	3,88 - 3,88
L-Glutamic acid, N-coco acyl derivs., monosodium salts	Sodium;(4S)-4-amino-5-hydroxy-5-oxopentanoate	Non-active substance	68187-32-6	269-087-2	2 - 2
Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts (Texapon ALS)	Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts	Non-active substance	90583-11-2	292-209-0	1,12 - 1,12

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

**Precautionary statements**

May be corrosive to metals.

Causes serious eye irritation.

Keep only in original packaging.

Wash hands thoroughly after handling.

Wear eye protection.

Wear face protection.

Absorb spillage to prevent material damage.

Store in a corrosion-resistant container with a resistant inner liner.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

If eye irritation persists: Get medical advice.

**4. Authorised use(s) of the meta SPC**

**4.1 Use description**

**Use 1 - Teat dips for pre-milking disinfection**

**Product type**

PT03 - Veterinary hygiene (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Manual dipping using a dip/foam cup (pre-milking disinfection)

Detailed description:

Pre-milking teat disinfection by manual dipping using a dip/foam cup.

Contact time for dipping at 30°C in clean conditions:

- 60 seconds for bacteria and yeasts.

**Application rate(s) and frequencies**

Application Rate: Application rate: 4 mL of product per application (i.e. 1 mL per teat therefore 4 mL product for animals with four teats)  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency: up to twice per day

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding HDPE Jugs, 1-100L  
Light precluding HDPE Jerry can, 1-100L  
Light precluding HDPE IBC, 600-1000L  
Light precluding HDPE Drum, 60-220L  
Light precluding HDPE Bottle, 0,1-5L  
  
Light precluding HDPE; PE Pouch, 0,5-100L

**4.1.1 Use-specific instructions for use**

See general directions for use of meta SPC 4.

**4.1.2 Use-specific risk mitigation measures**

See general directions for use of meta SPC 4.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 4.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 4.



#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 4.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied pre-milking by use of a dipping/foam cup. The product must be brought to room temperature before use.  
Clean teat with a dry wipe, fill foam cup with product and press foam cup until foam is generated. Dip teat into the cup. Apply foam for 60 seconds on the teat. Wipe the product away with a clean towel. Do not rinse after use.

#### 5.2. Risk mitigation measures

Avoid splashes and spills.  
Avoid hand to eye transfer.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

##### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

In case of skin contact: Rinse with plenty of water.

If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Seek medical attention if symptoms occur.

##### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

#### 5.4. Instructions for safe disposal of the product and its packaging

Product : Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging : Dispose of container in accordance with national regulations.

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-25°C

Shelf life: 18 months

### 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	OxyFoamPlus	Market area: EU
	MEPA Foampro D	Market area: EU
	Predip PLUS	Market area: EU
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)	IS-0029305-0004 1-4	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,4
Citric acid monohydrate	2-hydroxypropane -1,2,3-tricarboxylic acid	Non-active substance	5949-29-1	201-069-1	0,9
Phenoxyethanol	2-Phenoxyethanol	Non-active substance	122-99-6	204-589-7	0,9
Sodium lauryl Sulphate	Sodium dodecyl sulphate	Non-active substance	151-21-3	205-788-1	3,88
L-Glutamic acid, N-coco acyl derivs., monosodium salts	Sodium;(4S)-4-amino-5-hydroxy-5-oxopentanoate	Non-active substance	68187-32-6	269-087-2	2
Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts (Texapon ALS)	Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts	Non-active substance	90583-11-2	292-209-0	1,12

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 5

### 1.2. Suffix to the authorisation number

1-5

### 1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)  
PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5 - 1,5

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

### 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

### 4. Authorised use(s) of the meta SPC

#### 4.1 Use description

#### Use 1 - Disinfection of life sciences cleanrooms by spraying using trigger sprayer and dry wipe

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

Field(s) of use

Indoor

Application method(s)

Method: Spraying using trigger sprayer and dry wipe  
Detailed description:

	<p>Disinfection of surfaces, materials and equipment in life sciences cleanrooms A - D and supporting environments (e.g. pharmaceutical industry). Transfer disinfection or disinfection of small surfaces.</p> <p>Contact times for spraying and wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for spraying and wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul> <p>Contact times for spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 30 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup></p> <p>Dilution (%): RTU product</p> <p>Number and timing of application:</p> <p>Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Light precluding Polyethylene terephthalate (PET) Spray bottle, 0,25-1L</p> <p>Light precluding HDPE Bottle, 1-5L</p>

#### 4.1.1 Use-specific instructions for use

When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 10 cm to 20 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5

### 4.2 Use description

#### Use 2 - Disinfection of life sciences cleanrooms by mopping using flat mop and bucket

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

	<p>Scientific name: Viruses  Common name: Viruses  Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using a flat mop and bucket  Detailed description:</p> <p>Disinfection of floors in life sciences cleanrooms and supporting environments (e.g. pharmaceutical industry).</p> <p>Contact times for mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for mopping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup>  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 1-5L

#### 4.2.1 Use-specific instructions for use

When used under clean conditions: clean surface before applying the product. Apply to surfaces by mopping.

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5

#### 4.3 Use description

##### Use 3 - Disinfection of small and/or large non-food contact surfaces in healthcare applications by spraying using trigger sprayer and dry wipe

###### Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

###### Where relevant, an exact description of the authorised use

-

###### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:



<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Spraying using trigger spray and dry wipe Detailed description: Routine and non-routine disinfection of small and large surfaces in hospital rooms and medical practices. Contact times for spraying at 20°C in dirty conditions: - 1 min for bacteria and yeasts; - 5 min for fungi; - 15 min for mycobacteria.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 10 mL/m <sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding PET Spray bottle, 0,25-1L Light precluding HDPE Jerry can, 1-5L

#### 4.3.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.

Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities). The product is intended for one-step cleaning and disinfection. For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto the surface, then wipe surface with a clean, dry wipe and leave to dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.3.2 Use-specific risk mitigation measures

The area of the surfaces to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5.

### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5.

### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5.

## 4.4 Use description

### Use 4 - Disinfection of small and/or large non-food contact surfaces in healthcare applications by spraying using trigger sprayer and dry wipe

#### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

#### Where relevant, an exact description of the authorised use

-

#### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Spraying using trigger spray and dry wipe Detailed description:</p> <p>Routine and non-routine disinfection of small and large surfaces in hospital rooms and medical practices.</p> <p>Contact times for spraying and wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for spraying and wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul> <p>Contact times for spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 30 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L Light precluding PET Spray bottle, 0,25-1L Light precluding HDPE Jerry can, 1-5L</p>

#### 4.4.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).

The product is intended for one-step cleaning and disinfection. When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray product onto the surface, then wipe surface with a clean, dry wipe and leave to dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.4.2 Use-specific risk mitigation measures

The area of the surface to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5

#### 4.5 Use description

##### Use 5 - Disinfection of small and/or large non-food contact surfaces in healthcare applications by wiping using clean single-use cloth/wipe and bucket

###### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

###### Where relevant, an exact description of the authorised use

-

###### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Wiping using cloth/wipe and bucket Detailed description: Routine and non-routine disinfection of small and large surfaces in hospital rooms and medical practices. Contact times for wiping at 20°C in dirty conditions: - 1 min for bacteria and yeasts; - 5 min for fungi; - 15 min for mycobacteria.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 10 mL/m <sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Jerry can, 1-5L

#### 4.5.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).  
The product is intended for one-step cleaning and disinfection. Pour product into a clean bucket and distribute across surface using single-use cloth/wipe and let air dry. Used wipes must be disposed of in a closed container.

#### 4.5.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5.

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5.

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5.

#### 4.6 Use description

##### Use 6 - Disinfection of small and/or large non-food contact surfaces in healthcare applications by wiping using clean single-use cloth/wipe and bucket

###### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

###### Where relevant, an exact description of the authorised use

-

###### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

###### Field(s) of use

Indoor

<b>Application method(s)</b>	<p>Method: Wiping using cloth/wipe and bucket  Detailed description:  Routine and non-routine disinfection of small and large surfaces in hospital rooms and medical practices.  Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup>  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L  Light precluding HDPE Jerry can, 1-5L</p>

#### 4.6.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).  
The product is intended for one-step cleaning and disinfection. When used under clean conditions: clean surface before applying the product. Pour product into a clean bucket and distribute across surface using single-use cloth/wipe and let air dry. Used wipes must be disposed of in a closed container.

#### 4.6.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

**4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 5

**4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 5.

**4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 5

**4.7 Use description**

**Use 7 - Disinfection of large non-food contact surfaces in healthcare applications by mopping using mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses



	Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using mop and bucket  Detailed description:  Non-routine disinfection of larger surfaces in hospital room.</p> <p>Contact times for mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for mopping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup>  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L  Light precluding HDPE Jerry can, 1-5L</p>

#### 4.7.1 Use-specific instructions for use

Non routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities). The product is intended for one-step cleaning and disinfection. When used under clean conditions: clean surface before applying the product. Fill the bucket with ready to use product and distribute across floor using mop and let air dry.

#### 4.7.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

**4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 5

**4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 5

**4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 5

**4.8 Use description**

**Use 8 - Disinfection of large non-food contact surfaces in healthcare applications by mopping using mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses

	Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using mop and bucket Detailed description:</p> <p>Non-routine disinfection of larger surfaces in medical practices. Contact times for mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for mopping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L Light precluding HDPE Jerry can, 1-5L</p>

#### 4.8.1 Use-specific instructions for use

Non routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities). The product is intended for one-step cleaning and disinfection. When used under clean conditions: clean surface before applying the product. Fill the bucket with ready to use product and distribute across floor using mop, wipe the surface with a clean, dry mop and let air dry.

#### 4.8.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

**4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 5.

**4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 5

**4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 5

**4.9 Use description**

**Use 9 - Disinfection of small and/or large non-food contact surfaces in healthcare applications by spraying the surface and then wiping with a clean cloth/wipe or spraying liquid onto a wipe and then wiping the surface, or by having the disinfectant in a bucket and wiping with a single-use clean cloth/wipe, and non-routine disinfection of larger surfaces by mopping using mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Spraying using trigger sprayer and dry wipe and mopping using mop and bucket

Detailed description:

Non-routine disinfection of smaller and larger surfaces in hospital rooms and medical practices.

Contact times for spraying and wiping, mopping at 20°C in dirty conditions:

- 1 min for bacteria and yeasts;
- 5 min for fungi and mycobacteria;
- 60 min for bacterial spores;
- 30 min for viruses.

Contact times for spraying and wiping, mopping at 20°C in clean conditions:

- 5 min for *Clostridium difficile* spores;
- 30 min for bacterial spores.

Contact times for spraying at 20°C in clean conditions:

- 5 min for bacteria, yeasts and fungi;
- 30 min for viruses and bacterial spores.

Method: Wiping using cloth/wipe and bucket and mopping using mop and bucket

Detailed description:

Non-routine disinfection of smaller and larger surfaces in hospital rooms and medical practices.

Contact times for wiping and mopping at 20°C in dirty conditions:

- 1 min for bacteria and yeasts;
- 5 min for fungi and mycobacteria;
- 60 min for bacterial spores;
- 30 min for viruses.

Contact times for wiping and mopping at 20°C in clean conditions:

- 5 min for *Clostridium difficile* spores;
- 30 min for bacterial spores.

**Application rate(s) and frequencies**

Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>

Dilution (%): RTU product

Number and timing of application:

Application frequency for combined trigger spraying and mopping: up to twice per day per room

Application Rate: Application rate for wiping: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>

Dilution (%): RTU product

Number and timing of application:

Application frequency for combined wiping and mopping: up to twice per day per room

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding HDPE Bottle, 1-5L  
Light precluding PET Spray bottle, 0,25-1L  
Light precluding HDPE Jerry can, 1-5L

#### 4.9.1 Use-specific instructions for use

The product is intended for one-step cleaning and disinfection. When used under clean conditions: clean surface before applying the product.

Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).

Spraying using trigger sprayer and wiping using a dry wipe: For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

Mopping using mop and bucket: Fill the bucket with ready to use product and distribute across floor using mop, wipe the surface with a clean, dry mop and let air dry.

Wiping using cloth/wipe and bucket: Pour product into a clean bucket and distribute across surface using single-use cloth/wipe, wipe the surface with clean cloth/wipe and let air dry. Used wipes must be disposed of in a closed container.

#### 4.9.2 Use-specific risk mitigation measures

For spraying: The area of the surfaces to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

#### 4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

#### 4.9.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5.

**4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 5

**4.10 Use description**

**Use 10 - Disinfection of small non-food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer and dry wipe**

<b>Product type</b>	PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: Bacteria Development stage:</p> <p>Scientific name: Mycobacteria Common name: Mycobacteria Development stage:</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage:</p> <p>Scientific name: Fungi Common name: Fungi Development stage:</p> <p>Scientific name: Bacterial spores Common name: Bacterial spores Development stage:</p> <p>Scientific name: Clostridium difficile Common name: Bacterial spores Development stage:</p> <p>Scientific name: Viruses Common name: Viruses Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Spraying using trigger spray and dry wipe Detailed description:</p> <p>Routine disinfection of small surfaces in small non-food areas (e.g. bathrooms).</p> <p>Contact times for spraying and wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> </ul>

	<ul style="list-style-type: none"> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for spraying and wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul> <p>Contact times for spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 30 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup>  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L  Light precluding PET Spray bottle, 0,25-1L</p>

#### 4.10.1 Use-specific instructions for use

When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.10.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5.

#### 4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5



**4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 5.

**4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 5

**4.11 Use description**

**Use 11 - Disinfection of small food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer and dry wipe**

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

**Field(s) of use**

Indoor

Method: Spraying using trigger spray and dry wipe

<b>Application method(s)</b>	<p>Detailed description:</p> <p>Routine disinfection of small surfaces in small food areas (e.g. kitchens).</p> <p>Contact times for spraying and wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 1 min for bacteria and yeasts;</li> <li>- 5 min for fungi and mycobacteria;</li> <li>- 60 min for bacterial spores;</li> <li>- 30 min for viruses.</li> </ul> <p>Contact times for spraying and wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul> <p>Contact times spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts and fungi;</li> <li>- 30 min for viruses and bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup></p> <p>Dilution (%): RTU product</p> <p>Number and timing of application:</p> <p>Application frequency: up to 10 times per day per room.</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 1-5L</p> <p>Light precluding PET Spray bottle, 0,25-1L</p>

#### 4.11.1 Use-specific instructions for use

When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

#### 4.11.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5.

#### 4.11.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5.

#### 4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Do not rinse after use. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass.

#### 5.2. Risk mitigation measures

-

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

##### FIRST AID MEASURES

In case of eye contact: Rinse with plenty of water.  
In case of skin contact: Rinse with plenty of water.  
If swallowed: Rinse mouth. Seek medical attention if symptoms occur.  
If inhaled: Seek medical attention if symptoms occur.

##### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.  
Consider the provision of containment around storage vessels.

#### 5.4. Instructions for safe disposal of the product and its packaging

**Product:** Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

**Contaminated packaging:** Dispose of container in accordance with national regulations.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-35 °C. Protect from frost.

Shelf life: 18 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

**Trade name(s)**

Incidin OxyFoam

Market area: EU

**Authorisation number**

IS-0029305-0005 1-5

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5

**Trade name(s)**

Incidin OxyFoam S	Market area: EU
Klercide Sporicidal Enhanced Peroxide	Market area: EU
KitchenPro Oxy Foam S	Market area: EU
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)  IS-0029305-0006 1-5	

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5

---

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 6

### 1.2. Suffix to the authorisation number

1-6

### 1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	2 - 2,3
N-propanol	Propan-1-ol	Non-active substance	71-23-8	200-746-9	17,5 - 17,5

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Flammable liquid and vapour.  
Causes serious eye damage.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical equipment.  
Use explosion-proof ventilating equipment.  
Use explosion-proof lighting equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Wear eye protection.  
Wear face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

Immediately call a POISON CENTER.

In case of fire: Use water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents to in accordance with national regulations.

Dispose of container to in accordance with national regulations.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of small surfaces in industry (e.g. dining areas, bathrooms) by spraying using trigger sprayer

**Product type**

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
 Common name: Bacteria  
 Development stage:

Scientific name: Yeasts  
 Common name: Yeasts  
 Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Spraying using trigger sprayer and dry wipe  
 Detailed description:  
 Disinfection of small surfaces in industry (e.g. dining areas, bathrooms).  
 Contact time for spraying at 10°C and 20°C in dirty conditions:  
 - 5 min for bacteria and yeasts.  
 Contact time for spraying at 10°C in clean conditions:  
 - 1 min for bacteria and yeasts.

**Application rate(s) and frequencies**

Application Rate: Application rate: 10 mL/m<sup>2</sup>  
 Dilution (%): RTU product  
 Number and timing of application:  
 Application frequency: up to 3 times per day

<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Container, 1-100L Light precluding HDPE Jerry can, 1-100L Light precluding HDPE IBC, 600-1000L Light precluding HDPE Drum, 60-220L Light precluding HDPE Bottle, 0,1-5L  Light precluding HDPE Spray bottle, up to 1L

#### 4.1.1 Use-specific instructions for use

See general directions of use of meta SPC 6.

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 6.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 6.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 6.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 6.



## 4.2 Use description

### Use 2 - Disinfection of food contact surfaces in food and beverage industry by spraying using trigger sprayer

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Spraying using trigger sprayer and dry wipe Detailed description: Disinfection of small surfaces in food processing plants. Contact time for spraying at 10°C and 20°C in dirty conditions: - 5 min for bacteria and yeasts.  Contact time for spraying at 10°C in clean conditions: - 1 min for bacteria and yeasts.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 10 mL/m <sup>2</sup> Dilution (%): RTU product Number and timing of application: Application frequency: up to 4 times per day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Container, 1-100L Light precluding HDPE Jerry can, 1-100L Light precluding HDPE IBC, 600-1000L Light precluding HDPE Drum, 60-220L Light precluding HDPE Bottle, 0,1-5L  Light precluding HDPE Spray bottle, up to 1L

#### 4.2.1 Use-specific instructions for use

See general directions for use of meta SPC 6.

#### 4.2.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 6.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 6.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 6.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. When used under clean conditions: clean surface before applying the product. The product should be applied to a dry surface. For optimum results, hold the bottle upright and spray from a distance of 10 cm to 20 cm. Spray the product onto the surface, wipe the surface with a clean, dry wipe or let air dry. Always close the nozzle after use. Wet surface completely using the product. Do not rinse after use. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass. Used wipes must be disposed of in a closed container.

#### 5.2. Risk mitigation measures

The use of eye protection while handling of the product is mandatory.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

In case of skin contact: Rinse with plenty of water.

If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Remove person to fresh air. Treat symptomatically. Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

**Product:** Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

**Contaminated packaging:** Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers. Keep away from heat and sources of ignition. Keep in a cool, well ventilated place. Keep away from oxidizing agents.

Storage temperature: 0-30°C

Shelf life: 24 months

### 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

### 7. Third information level: individual products in the meta SPC

#### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	OxyDes Rapid	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0029305-0007 1-6	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	2
N-propanol	Propan-1-ol	Non-active substance	71-23-8	200-746-9	17,5

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 7

### 1.2. Suffix to the authorisation number

1-7

### 1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)  
PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	4,95 - 5,45
Capryleth-9 Carboxylic acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(octyloxy)- (4-11 EO)	Non-active substance	53563-70-5		2,15 - 2,15
Hexeth-4 Carboxylic Acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(hexyloxy)- (3 EO)	Non-active substance	105391-15-9		0,62 - 0,62

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SL - Soluble concentrate

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe spray.  
Do not breathe vapours.  
Wash hands thoroughly after handling.  
Wear eye protection.  
Wear face protection.  
Wear protective gloves.  
Wear protective clothing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
Immediately call a POISON CENTER.  
Immediately call a doctor.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Specific treatment (see first aid instruction on this label).  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents in accordance with national regulations.  
Dispose of container in accordance with national regulations.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Disinfection of non-food contact surfaces in healthcare applications by mopping using flat mop and bucket

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Mopping using flat mop and bucket Detailed description: Routine and non-routine disinfection of floors in hospital rooms and medical practices that are frequently touched by people and that are not frequently touched by people.  Contact times for mopping at 20°C in clean conditions: - 5 min for bacteria and yeasts (10 % dilution); - 15 min for bacteria (7,5 % dilution).
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 20 mL/m <sup>2</sup> Dilution (%): Dilution (%): 7,5-10 Number and timing of application: Application frequency: up to 10 times per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 0,5-5L Light precluding HDPE Canister, 1-100L Light precluding HDPE Pouch, 0,01-1L  Light precluding HDPE Jug, 0,5-5L

#### 4.1.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).  
The product is intended for one-step cleaning and disinfection. Clean surface before applying the product. Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with clean, dry floor mop and let air dry. Do not rinse after use.

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7.

#### 4.2 Use description

**Use 2 - Disinfection of small and/or large non-food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer and dry wipe and/or by mopping using flat mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Spraying using trigger sprayer and dry wipe

Detailed description:

Routine disinfection of small surfaces in small non-food areas (e.g. bathrooms).

Contact times for spraying at 20°C in clean conditions:

- 5 min for bacteria and yeasts (10 % dilution);
- 15 min for bacteria (7,5 % dilution).

Contact times for spraying at 20°C in dirty conditions:

- 5 min for bacteria (10 % dilution);
- 5 min for yeasts (15 % dilution);
- 15 min for bacteria (7,5 % dilution).

Method: Mopping using flat mop and bucket

Detailed description:

Routine disinfection of large surfaces in small non-food areas (e.g. bathrooms).

Contact times for mopping at 20°C in clean conditions:

- 5 min for bacteria and yeasts (10 % dilution);
- 15 min for bacteria (7,5 % dilution).

Method: Spraying using trigger sprayer and dry wipe and mopping using flat mop and bucket

Detailed description:

Routine disinfection of small and large surfaces in small non-food areas (e.g. bathrooms).

Contact times for spraying and mopping at 20°C in clean conditions:

- 5 min for bacteria and yeasts (10 % dilution);
- 15 min for bacteria (7,5 % dilution).

Contact times for spraying at 20°C in dirty conditions:

- 5 min for bacteria (10 % dilution);
- 5 min for yeasts (15 % dilution);
- 15 min for bacteria (7,5 % dilution).

**Application rate(s) and frequencies**

Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>

Dilution (%): Dilution (%): 7,5-15

Number and timing of application:

Application frequency for trigger spraying: up to 10 times per day per room

Application Rate: Application rate for mopping: 20 mL/m<sup>2</sup>

Dilution (%): Dilution (%): 7,5-10

Number and timing of application:

Application frequency for mopping: up to twice per day per room

Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>

Dilution (%): Dilution (%): 7,5-15

Number and timing of application:

Application frequency for combined trigger spraying and mopping: once per day per room.

**Category(ies) of users**

Professional



## Pack sizes and packaging material

Light precluding HDPE Bottle, 0,5-5L  
Light precluding HDPE Canister, 1-100L  
Light precluding HDPE Pouch, 0,01-1L  
  
Light precluding HDPE jug, 0,5-5L

### 4.2.1 Use-specific instructions for use

Do not rinse after use.  
Spraying: When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 10 cm to 20 cm. Spray the diluted product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.  
  
Mopping: The product is intended for one-step cleaning and disinfection. Clean surface before applying the product. Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with clean, dry mop and let air dry.

### 4.2.2 Use-specific risk mitigation measures

Do not breathe vapours/spray.  
For spraying: The area of the surfaces to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7.

### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7.

### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7.

### 4.3 Use description

#### Use 3 - Disinfection of large non-food contact surfaces in institutional/commercial buildings by mopping using flat mop and bucket

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Mopping using flat mop and bucket Detailed description: Routine disinfection of large surfaces in large non-food areas. Contact time for mopping at 20°C in clean conditions: <ul style="list-style-type: none"><li>- 5 min for bacteria and yeasts (10 % dilution);</li><li>- 15 min for bacteria (7,5 % dilution).</li></ul>
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 20 mL/m <sup>2</sup> Dilution (%): Dilution (%): 7,5-10 Number and timing of application: Application frequency: up to 10 times per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 0,5-5L Light precluding HDPE Canister, 1-100L Light precluding HDPE Pouch, 0,01-1L  Light precluding HDPE Jug, 0,5-5L

#### 4.3.1 Use-specific instructions for use

The product is intended for one-step cleaning and disinfection. Clean surface before applying the product. Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with a clean, dry floor mop and let air dry. Do not rinse after use.

#### 4.3.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7.

### 4.4 Use description

#### Use 4 - Disinfection of large non-food contact surfaces in institutional/commercial buildings by spraying using wall-mounted device

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

##### Field(s) of use

	Indoor
<b>Application method(s)</b>	<p>Method: Spraying with a wall-mounted device  Detailed description:  Routine disinfection of large surfaces in large non-food and food areas.  Contact times for spraying at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria and yeasts (10 % dilution);</li> <li>- 15 min for bacteria (7,5 % dilution).</li> </ul> <p>Contact times for spraying at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria (10 % dilution);</li> <li>- 5 min for yeasts (15 % dilution);</li> <li>- 15 min for bacteria (7,5 % dilution).</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 180 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 7,5-15  Number and timing of application:  Application frequency: once per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 0,5-5L  Light precluding HDPE Canister, 1-100L  Light precluding HDPE Pouch, 0,01-1L</p> <p>Light precluding HDPE Jug, 0,5-5L</p>

#### 4.4.1 Use-specific instructions for use

Apply product via wall-mounted device. When used under clean conditions: clean surface before applying the product. Rinse after application.

#### 4.4.2 Use-specific risk mitigation measures

Do not breathe vapours/spray.  
Ensure technical ventilation with at least 15 air exchanges/hour.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7.

### 4.5 Use description

#### Use 5 - Disinfection of large food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer

##### Product type

PT04 - Food and feed area (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

##### Field(s) of use

Indoor

##### Application method(s)

Method: Spraying using trigger sprayer and dry wipe  
Detailed description:  
Routine disinfection of large surfaces in large food areas (e.g. kitchens).  
Contact time for spraying at 20°C in clean conditions:  
- 5 min for bacteria and yeasts (10 % dilution);  
- 15 min for bacteria (7,5 % dilution).  
Contact times for spraying at 20°C in dirty conditions:  
- 5 min for bacteria (10 % dilution);  
- 5 min for yeasts (15 % dilution);  
- 15 min for bacteria (7,5 % dilution).

##### Application rate(s) and frequencies

Application Rate: Application rate: 10 mL/m<sup>2</sup>  
Dilution (%): Dilution (%): 7,5-15

	Number and timing of application: Application frequency: up to 10 times per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 0,5-5L Light precluding HDPE Canister, 1-100L Light precluding HDPE Pouch, 0,01-1L  Light precluding HDPE Jug, 0,5-5L

#### 4.5.1 Use-specific instructions for use

When used under clean conditions: clean surface before applying the product. For optimum results, hold the bottle upright and spray from a distance of 10 cm to 20 cm. Spray the diluted product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Do not rinse after use. Used wipes must be disposed of in a closed container.

#### 4.5.2 Use-specific risk mitigation measures

Do not breathe vapours/spray.  
Keep food, feed or beverages away from treated surfaces until dried. Do not use directly on or near food, feed or drinks.  
The area of the surfaces to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7.

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7.

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7.

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass.

Dilution instruction (7.5%): to produce 1L of diluted surface disinfectant, add 75 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (10%): to produce 1L of diluted surface disinfectant, add 100 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (15%): to produce 1L of diluted surface disinfectant, add 150 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

### 5.2. Risk mitigation measures

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

The use of eye protection while handling the product is mandatory.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

In case of skin contact: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Seek medical attention immediately.

If swallowed: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

If inhaled: Remove person to fresh air. Treat symptomatically. Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.  
 Storage temperature: 0-25 °C. Protect from frost.  
 Shelf life: 18 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	Incidin OxyConcentrate	Market area: EU
	UltraSan Floor	Market area: EU
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)	IS-0029305-0008 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	4,95
Capryleth-9 Carboxylic acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(octyloxy)- (4-11 EO)	Non-active substance	53563-70-5		2,15
Hexeth-4 Carboxylic Acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(hexyloxy)- (3 EO)	Non-active substance	105391-15-9		0,62



**Trade name(s)**

KitchenPro Oxy Des Super Concentrate	Market area: EU
Incidin OxyConcentrate FF	Market area: EU
CidalSan Large Area	Market area: EU
IS-0029305-0009 1-7	

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	4,95
Capryleth-9 Carboxylic acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(octyloxy)- (4-11 EO)	Non-active substance	53563-70-5		2,15
Hexeth-4 Carboxylic Acid (mixture of alkyl ether carboxylic acid)	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(hexyloxy)- (3 EO)	Non-active substance	105391-15-9		0,62

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 8

### 1.2. Suffix to the authorisation number

1-8

### 1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)  
PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1 - 1

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

Use 1 - Disinfection of surfaces in industry (e.g. dining areas, bathrooms) by wiping using impregnated RTU wipes

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Wiping using impregnated RTU wipes  
Detailed description:

Disinfection of surfaces in industry (e.g. dining areas, bathrooms).

Contact time for wiping at 10°C in dirty conditions:

- 5 min for bacteria and yeasts.

Contact times for wiping at 20°C in dirty conditions:

- 2 min for bacteria;
- 5 min for yeasts;
- 15 min for fungi;
- 60 min for mycobacteria.

**Application rate(s) and frequencies**

Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>)  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency: up to 10 times per day per room

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding PP Bucket with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm).

Light precluding PP Pouch with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm).

#### 4.1.1 Use-specific instructions for use

See general directions for use of meta SPC 8.

#### 4.1.2 Use-specific risk mitigation measures

-

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 8.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 8.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 8.

#### 4.2 Use description

##### Use 2 - Disinfection of small food contact surfaces in food and beverage industry by wiping using impregnated RTU wipes

###### Product type

PT04 - Food and feed area (Disinfectants)

###### Where relevant, an exact description of the authorised use

-

###### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi

	<p>Development stage:</p> <p>Scientific name: Mycobacteria Common name: Mycobacteria Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Wiping using impregnated RTU wipes Detailed description:</p> <p>Disinfection of small surfaces in food processing plant.</p> <p>Contact time for wiping at 10°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria and yeasts.</li> </ul> <p>Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 2 min for bacteria;</li> <li>- 5 min for yeasts;</li> <li>- 15 min for fungi;</li> <li>- 60 min for mycobacteria.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding PP Bucket with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm).</p> <p>Light precluding PP Pouch with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm).</p>

#### 4.2.1 Use-specific instructions for use

See general directions for use of meta SPC 8.

#### 4.2.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 8.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 8.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 8.

### 4.3 Use description

#### Use 3 - Disinfection of small non-food contact surfaces in healthcare applications by wiping using impregnated RTU wipes

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

##### Field(s) of use

<b>Application method(s)</b>	<p>Indoor</p> <p>Method: Wiping using impregnated RTU wipes Detailed description: Routine disinfection of smaller surfaces in hospital rooms and medical practices that are not frequently touched by people.</p> <p>Contact time for wiping at 10°C in dirty conditions: - 5 min for bacteria and yeasts. Contact times for wiping at 20°C in dirty conditions: - 15 min for bacteria, yeasts and fungi; - 60 min for mycobacteria.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Light precluding PP Bucket with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm). Light precluding PP Pouch with 10-5000 impregnated 60% polyester / 40% lyocell blend or non-woven 100% polypropylene wipes (wipe size: 200x250 mm or 200x200 mm).</p>

#### 4.3.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes on a regular basis to reduce the risk of transmission of such organisms via surfaces.

#### 4.3.2 Use-specific risk mitigation measures

-

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 8.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 8.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 8.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

The product is intended for one-step cleaning and disinfection. Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Allow surface to air dry after using the product. Do not rinse after use. Close container when not in use. Do not use wipes which have become dehydrated. Dispose of the container when empty. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass. Used wipes must be disposed of in closed container.

#### 5.2. Risk mitigation measures

-

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

##### FIRST AID MEASURES

In case of eye contact: Rinse with plenty of water.  
In case of skin contact: Rinse with plenty of water.  
If swallowed: Rinse mouth. Seek medical attention if symptoms occur.  
If inhaled: Seek medical attention if symptoms occur.

##### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.  
Consider the provision of containment around storage vessels.

#### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.



--

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.  
Storage temperature: 0-35 °C. Protect from frost.

Shelf life: 6 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	DrySan Oxy Wipes	Market area: EU
	IncidinOxyWipe	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0029305-0010 1-8	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 9

### 1.2. Suffix to the authorisation number

1-9

### 1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	7 - 7,7
Phosphoric acid	Orthophosphoric acid	Non-active substance	7664-38-2	231-633-2	1,5 - 1,5
Nitric acid	Nitric acid	Non-active substance	7697-37-2	231-714-2	3,71 - 3,71
Alcohol EO phosphate ester	Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Non-active substance	68130-47-2		14,625 - 14,625
Alkylpolyglycoside C8-C10	(3R,4S,5S,6R)-2-decoxy-6-(hydroxymethyl)oxane-3,4,5-triol	Non-active substance	68515-73-1	500-220-1	6,35 - 6,35

## 2.2. Type(s) of formulation of the meta SPC

### Formulation(s)

SL - Soluble concentrate

## 3. Hazard and precautionary statements of the meta SPC

### Hazard statements

May be corrosive to metals.  
Causes severe skin burns and eye damage.

### Precautionary statements

Keep only in original packaging.  
Wash hands thoroughly after handling.  
Do not breathe vapours.  
Do not breathe spray.  
Wear face protection.  
Wear protective gloves.  
Wear eye protection.  
Wear protective clothing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
Immediately call a doctor.  
Immediately call a POISON CENTER.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Specific treatment (see first aid instruction on this label).  
Wash contaminated clothing before reuse.  
Absorb spillage to prevent material damage.  
Store in a corrosion-resistant container with a resistant inner liner.  
Store locked up.  
Dispose of contents to in accordance with national regulations.  
Dispose of container to in accordance with national regulations.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of small non-food contact surfaces in healthcare applications by wiping using clean single-use cloth/wipe and bucket

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Viruses Common name: Viruses Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Wiping using cloth/wipe and bucket Detailed description: Routine and non-routine disinfection of smaller surfaces in hospital rooms and medical practices that are frequently touched by people and that are not frequently touched by people.  Contact times for wiping at 20°C in dirty conditions: - 5 min for bacteria (5 % dilution); - 5 min for yeasts (3 % dilution); - 5 min for fungi (4 % dilution); - 50 min for viruses (5 % dilution).
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 10 mL/m <sup>2</sup> Dilution (%): Dilution (%): 3-5 Number and timing of application: Application frequency: up to 10 times per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 0,5-5 L Light precluding HDPE Jug, 0,5-5 L

Light precluding HDPE Pouch, 0,01-1L

#### 4.1.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces which might be contaminated with pathogens during medical or nursing processes, on a regular basis, to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).  
The product is intended for one-step cleaning and disinfection. Pour diluted product into a clean bucket and distribute across surface using a single-use cloth/wipe, wipe the surface with a clean cloth/wipe and let air dry. Do not rinse after use. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass. Used wipes must be disposed of in a closed container.

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 9.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

#### 4.2 Use description

**Use 2 - Disinfection of large non-food contact surfaces in healthcare applications by mopping using flat mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Mopping using flat mop and bucket  
Detailed description:  
Routine and non-routine disinfection of larger surfaces in hospital rooms and medical practices that are frequently touched by people and that are not frequently touched by people.  
Contact times for mopping at 20°C in dirty conditions:  
- 5 min for bacteria (5 % dilution);  
- 5 min for yeasts (3 % dilution);  
- 5 min for fungi (4 % dilution);  
- 50 min for viruses (5 % dilution).

**Application rate(s) and frequencies**

Application Rate: Application rate: 20 mL/m<sup>2</sup>  
Dilution (%): Dilution (%): 3-5  
Number and timing of application:  
Application frequency: up to 10 times per day per room

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding HDPE Bottle, 0,5-5 L  
Light precluding HDPE Jug, 0,5-5 L  
Light precluding HDPE Pouch, 0,01-1 L

#### 4.2.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.  
Non-routine disinfection: Disinfection in specific risk situations (unless differently regulated by national public health authorities).  
The product is intended for one-step cleaning and disinfection. Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with a clean, dry mop and let air dry. Do not rinse after use.

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 9.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

#### 4.3 Use description

**Use 3 - Disinfection of small and/or large non-food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer and dry wipe or by wiping using single-use cloth and bucket, and/or floors by mopping using flat mop and bucket**

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Spraying using trigger sprayer and dry wipe

Detailed description:

Routine disinfection of small surfaces in small non-food areas (e.g. bathrooms).

Contact times for spraying and wiping at 20°C in dirty conditions:

- 5 min for bacteria (5% dilution);
- 5 min for yeasts (3% dilution);
- 5 min for fungi (4% dilution);
- 50 min for viruses (5% dilution).

Method: Wiping using single-use cloth/wipe and bucket

Detailed description:

Routine disinfection of small surfaces in small non-food areas (e.g. bathrooms).

Contact times for wiping at 20°C in dirty conditions:

- 5 min for bacteria (5% dilution);
- 5 min for yeasts (3% dilution);
- 5 min for fungi (4% dilution);
- 50 min for viruses (5% dilution).

Method: Mopping using flat mop and bucket

Detailed description:

Routine disinfection of large surfaces in small non-food areas (e.g. bathrooms).

Contact times for mopping at 20°C in dirty conditions:

- 5 min for bacteria (5% dilution);
- 5 min for yeasts (3% dilution);
- 5 min for fungi (4% dilution);
- 50 min for viruses (5% dilution).

Method: Spraying using trigger sprayer and dry wipe and mopping using flat mop and bucket

Detailed description:

Routine disinfection of small and large surfaces in small non-food areas (e.g. bathrooms).

Contact times for spraying and wiping, mopping at 20°C in dirty conditions:

- 5 min for bacteria (5% dilution);
- 5 min for yeasts (3% dilution);
- 5 min for fungi (4% dilution);
- 50 min for viruses (5% dilution).

Method: Wiping using cloth/wipe and bucket and mopping using flat mop and bucket

Detailed description:

Routine disinfection of small and large surfaces in small non-food areas (e.g.



	<p>bathrooms).</p> <p>Contact times for wiping and mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria (5% dilution);</li> <li>- 5 min for yeasts (3% dilution);</li> <li>- 5 min for fungi (4% dilution);</li> <li>- 50 min for viruses (5% dilution).</li> </ul>
<p><b>Application rate(s) and frequencies</b></p>	<p>Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency for trigger spraying: up to 10 times per day per room</p> <p>Application Rate: Application rate for wiping: 10 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency for wiping: up to 10 times per day per room</p> <p>Application Rate: Application rate for mopping: 20 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency for mopping: up to twice per day per room</p> <p>Application Rate: Application rate for spraying: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency for combined trigger spraying and mopping: once per day per room.</p> <p>Application Rate: Application rate for wiping: 10 mL/m<sup>2</sup>; Application rate for mopping: 20 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency for combined wiping and mopping: once per day per room</p>
<p><b>Category(ies) of users</b></p>	<p>Professional</p>
<p><b>Pack sizes and packaging material</b></p>	<p>Light precluding HDPE Bottle, 0,5-5 L  Light precluding HDPE Jug, 0,5-5 L</p> <p>Light precluding HDPE Pouch, 0,01-1L</p>

### 4.3.1 Use-specific instructions for use

Do not rinse after use.

Spraying: For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the diluted product onto a dry wipe and wipe small surfaces such as worktops and equipment, or spray the diluted product onto the surface, wipe the surface with a clean, dry wipe or let air dry. Always close the nozzle after use. Used wipes must be disposed of in a closed container.

Wiping: Pour diluted product into a clean bucket and distribute across surface using single-use cloth/wipe, wipe the surface with a clean cloth/wipe and let air dry. Used wipes must be disposed of in a closed container.

Mopping: Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with a clean, dry mop and let air dry.

### 4.3.2 Use-specific risk mitigation measures

Do not breathe vapours/spray.

For spraying: The area of the surface to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

## 4.4 Use description

### Use 4 - Disinfection of large non-food contact surfaces in institutional/commercial buildings by mopping using flat mop and bucket

#### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

#### Where relevant, an exact description of the authorised use

-

#### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

	<p>Scientific name: Viruses  Common name: Viruses  Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using flat mop and bucket  Detailed description:  Routine disinfection of large surfaces in large non-food areas.</p> <p>Contact times for mopping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria (5% dilution);</li> <li>- 5 min for yeasts (3% dilution);</li> <li>- 5 min for fungi (4% dilution);</li> <li>- 50 min for viruses (5% dilution).</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 20 mL/m<sup>2</sup>  Dilution (%): Dilution (%): 3-5  Number and timing of application:  Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 0,5-5 L  Light precluding HDPE Jug, 0,5-5 L  Light precluding HDPE Pouch, 0,01-1L</p>

#### 4.4.1 Use-specific instructions for use

Fill the bucket with diluted product and distribute across floor using flat mop, wipe the surface with a clean, dry mop and let air dry.  
Do not rinse after use.

#### 4.4.2 Use-specific risk mitigation measures

Ensure technical ventilation with at least 15 air exchanges/hour.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

### 4.5 Use description

#### Use 5 - Disinfection of large non-food contact surfaces in institutional/commercial buildings by spraying using wall- mounted device

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

##### Field(s) of use

Indoor

##### Application method(s)

Method: Spraying with a wall- mounted device  
Detailed description:  
Routine disinfection of large surfaces in large non-food and food areas.

Contact time for spraying at 20°C in dirty conditions:  
- 5 min for bacteria and yeasts (3% dilution).

Contact times for spraying at 20°C in clean conditions:  
- 5 min for bacteria (1,5 % dilution);  
- 15 min for yeasts (2% dilution).

**Application rate(s) and frequencies**

Application Rate: Application rate: 180 mL/m<sup>2</sup>  
Dilution (%): Dilution (%): 1,5-3  
Number and timing of application:  
Application frequency: once per day per room

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding HDPE Bottle, 0,5-5 L  
Light precluding HDPE Jug, 0,5-5 L  
  
Light precluding HDPE Pouch, 0,01-1 L

**4.5.1 Use-specific instructions for use**

When used under clean conditions: clean surface before applying the product. Apply product via wall-mounted device. Rinse after application.

**4.5.2 Use-specific risk mitigation measures**

Do not breathe vapours/spray.  
Ensure technical ventilation with at least 15 air exchanges/hour.

**4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 9.

**4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 9.

**4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 9.

--

#### 4.6 Use description

##### Use 6 - Disinfection of large food contact surfaces in institutional/commercial buildings by spraying using trigger sprayer and dry wipe

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Viruses Common name: Viruses Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Spraying using trigger spray and dry wipe Detailed description: Routine disinfection of large surfaces in large food areas (e.g. kitchens).  Contact times for spraying and wiping at 20°C in dirty conditions: - 5 min for bacteria (5% dilution); - 5 min for yeasts (3% dilution); - 5 min for fungi (4% dilution); - 50 min for viruses (5% dilution).
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 10 mL/m <sup>2</sup> Dilution (%): Dilution (%): 3-5 Number and timing of application: Application frequency: up to 10 times per day per room
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Bottle, 0,5-5 L Light precluding HDPE Jug, 0,5-5 L  Light precluding HDPE Pouch, 0,01-1 L



#### 4.6.1 Use-specific instructions for use

For optimum results, hold the bottle upright and spray from a distance of 30 cm. Spray the diluted product onto a dry wipe and wipe small surfaces such as worktops and equipment or spray the diluted product onto the surface, wipe the surface with a clean, dry wipe and let air dry. Always close the nozzle after use. Do not rinse after use. Used wipes must be disposed of in a closed container.

#### 4.6.2 Use-specific risk mitigation measures

Do not breathe vapours/spray.  
Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.  
The area of the surface to be disinfected (in m<sup>2</sup>) must not be larger than 1/10 of the room volume (in m<sup>3</sup>) e.g. in a room of 120 m<sup>3</sup> volume, the maximum surface to be disinfected is 12 m<sup>2</sup>.

#### 4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

#### 4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

#### 4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

#### 4.7 Use description

Use 7 - Disinfection of large food contact surfaces in institutional/commercial buildings by wiping using single-use cloth and bucket

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: Bacteria Development stage:</p> <p>Scientific name: Yeasts Common name: Yeasts Development stage:</p> <p>Scientific name: Fungi Common name: Fungi Development stage:</p> <p>Scientific name: Viruses Common name: Viruses Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Wiping using single-use cloth/wipe and bucket Detailed description: Routine disinfection of large surfaces in large food areas (e.g. kitchens).</p> <p>Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria (5% dilution);</li> <li>- 5 min for yeasts (3% dilution);</li> <li>- 5 min for fungi (4% dilution);</li> <li>- 50 min for viruses (5% dilution).</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 10 mL/m<sup>2</sup> Dilution (%): Dilution (%): 3-5 Number and timing of application: Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding HDPE Bottle, 0,5-5 L Light precluding HDPE Jug, 0,5-5 L Light precluding HDPE Pouch, 0,01-1 L</p>



#### 4.7.1 Use-specific instructions for use

Pour diluted product into a clean bucket and distribute across surface using single-use cloth/wipe, wipe the surface with a clean cloth/wipe and let air dry. Do not rinse after use. Used wipes must be disposed of in a closed container.

#### 4.7.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9.

#### 4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9.

#### 4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass.

Dilution instruction (1,5 %): to produce 1L of diluted surface disinfectant, add 15 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (2%): to produce 1L of diluted surface disinfectant, add 20 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (3%): to produce 1L of diluted surface disinfectant, add 30 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (4%): to produce 1L of diluted surface disinfectant, add 40 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

Dilution instruction (5%) : to produce 1L of diluted surface disinfectant, add 50 mL of the concentrated product to approximately 500 mL of distilled water or water of equal quality (e.g. demineralised), mix and fill up to 1L with distilled water or water of equal quality.

## 5.2. Risk mitigation measures

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).  
The use of eye protection while handling the product is mandatory.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

In case of skin contact: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse. Seek medical attention immediately.

If swallowed: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

If inhaled: Remove person to fresh air. Treat symptomatically. Seek medical attention if symptoms occur.

### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels.

## 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-25 °C. Protect from frost.

Shelf life: 18 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

**Trade name(s)**

KitchenPro Oxy Des Concentrate	Market area: EU
Incidin OxyPro	Market area: EU
<b>Authorisation number</b> (R4BP 3 asset reference number - National Authorisation) IS-0029305-0011 1-9	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	7
Phosphoric acid	Orthophosphoric acid	Non-active substance	7664-38-2	231-633-2	1,5
Nitric acid	Nitric acid	Non-active substance	7697-37-2	231-714-2	3,71
Alcohol EO phosphate ester	Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Non-active substance	68130-47-2		14,625
Alkylpolyglycoside C8-C10	(3R,4S,5S,6R)-2-decoxy-6-(hydroxymethyl)oxane-3,4,5-triol	Non-active substance	68515-73-1	500-220-1	6,35
Alcohols, C10-C16 ethoxylated propoxylated (Dehydol 980)	Alcohols, C10-C16 ethoxylated propoxylated	Non-active substance	69227-22-1		3

**Trade name(s)**

Oasis Pro Oxy Des	Market area: EU
Maxx Oxy Des 2	Market area: EU
<b>Authorisation number</b> (R4BP 3 asset reference number - National Authorisation) IS-0029305-0012 1-9	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	7
Phosphoric acid	Orthophosphoric acid	Non-active substance	7664-38-2	231-633-2	1,5
Nitric acid	Nitric acid	Non-active substance	7697-37-2	231-714-2	3,71
Alcohol EO phosphate ester	Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Non-active substance	68130-47-2		14,625
Alkylpolyglycoside C8-C10	(3R,4S,5S,6R)-2-decoxy-6-(hydroxymethyl)oxane-3,4,5-triol	Non-active substance	68515-73-1	500-220-1	6,35
Alcohols, C10-C16 ethoxylated propoxylated (Dehydol 980)	Alcohols, C10-C16 ethoxylated propoxylated	Non-active substance	69227-22-1		3

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 10

### 1.2. Suffix to the authorisation number

1-10

### 1.3 Product type(s)

PT01 - Human hygiene (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,4 - 1,61
Citric acid monohydrate	2-hydroxypropane -1,2,3-tricarboxylic acid	Non-active substance	5949-29-1	201-069-1	0,9 - 0,9
Phenoxyethanol	2-Phenoxyethanol	Non-active substance	122-99-6	204-589-7	0,9 - 0,9
Sodium lauryl Sulphate	Sodium dodecyl sulphate	Non-active substance	151-21-3	205-788-1	3,88 - 3,88
L-Glutamic acid, N-coco acyl derivs., monosodium salts	Sodium;(4S)-4-amino-5-hydroxy-5-oxopentanoate	Non-active substance	68187-32-6	269-087-2	2 - 2
Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts (Texapon ALS)	Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts	Non-active substance	90583-11-2	292-209-0	1,12 - 1,12

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

May be corrosive to metals.  
Causes serious eye irritation.

Precautionary statements

Keep only in original packaging.  
Wash hands thoroughly after handling.  
Wear eye protection.  
Wear face protection.  
Absorb spillage to prevent material damage.  
Store in a corrosion-resistant container with a resistant inner liner.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical attention.  
If eye irritation persists: Get medical advice.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Hygienic hand wash

<b>Product type</b>	PT01 - Human hygiene (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Direct application onto skin Detailed description: Antimicrobial hand soap, intended only as hygienic hand wash for food and beverage industry. Contact time at 20°C in dirty conditions: - 60 seconds for bacteria and yeasts.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 3 mL of product per application Dilution (%): RTU product Number and timing of application: Application frequency: 1-10 times/day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding HDPE Jug, 1-100L Light precluding HDPE Jerry can, 1-100L Light precluding HDPE IBC, 600-1000L Light precluding HDPE Drum, 60-220L Light precluding HDPE Bottle, 0,1-5L  Light precluding HDPE Pouch, 0,5-100L

#### 4.1.1 Use-specific instructions for use

See general directions for use of meta SPC 10.

#### **4.1.2 Use-specific risk mitigation measures**

See general directions for use of meta SPC 10.

#### **4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 10.

#### **4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 10.

#### **4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 10.

### **5. General directions for use of the meta SPC**

#### **5.1. Instructions for use**

Apply approximately 3 mL of product to wet hands and rub for 60 seconds . Rinse thoroughly with running tap water for about 30 seconds.

#### **5.2. Risk mitigation measures**

Avoid splashes and spills.  
Avoid hand to eye transfer.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

##### **FIRST AID MEASURES**

In case of eye contact: Rinse with water.  
In case of skin contact: Rinse with water.  
If swallowed: Rinse mouth. Seek medical attention if symptoms occur.  
If inhaled: Seek medical attention if symptoms occur.

##### **ENVIRONMENTAL EMERGENCY MEASURES**

Do not allow contact with soil, surface or ground water.  
Consider the provision of containment around storage vessels.

#### 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.  
Storage temperature: 0-25°C  
Shelf life: 18 months

#### 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

#### 7. Third information level: individual products in the meta SPC

##### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	Manosan Oxy	Market area: EU
<b>Authorisation number</b> <small>(R4BP 3 asset reference number - National Authorisation)</small>	IS-0029305-0013 1-10	



Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,4
Citric acid monohydrate	2-hydroxypropane -1,2,3-tricarboxylic acid	Non-active substance	5949-29-1	201-069-1	0,9
Phenoxyethanol	2-Phenoxyethanol	Non-active substance	122-99-6	204-589-7	0,9
Sodium lauryl Sulphate	Sodium dodecyl sulphate	Non-active substance	151-21-3	205-788-1	3,88
L-Glutamic acid, N-coco acyl derivs., monosodium salts	Sodium;(4S)-4-amino-5-hydroxy-5-oxopentanoate	Non-active substance	68187-32-6	269-087-2	2
Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts (Texapon ALS)	Sulfuric acid, mono-C12-14-alkyl esters, ammonium salts	Non-active substance	90583-11-2	292-209-0	1,12

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

**META SPC 11**

### 1.2. Suffix to the authorisation number

**1-11**

### 1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5 - 1,5

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Precautionary statements

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Disinfection of life sciences cleanrooms by wiping using impregnated RTU wipes

Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Viruses  
Common name: Viruses  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Wiping using impregnated RTU wipes  
Detailed description:  
Disinfection of small surfaces, materials and equipment in life sciences cleanrooms and supporting environments (e.g. pharmaceutical industry) and transfer disinfection.  
Contact times for wiping at 20°C in dirty conditions:  
- 5 min for bacteria, yeasts, fungi and mycobacteria;  
- 30 min for viruses;  
- 60 min for bacterial spores.  
Contact times for wiping at 20°C in clean conditions:  
- 5 min for *Clostridium difficile* spores;  
- 30 min for bacterial spores.

**Application rate(s) and frequencies**

Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>)  
Dilution (%): RTU product  
Number and timing of application:  
Application frequency: up to twice per day per room

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Light precluding PET Bucket with 10-5000 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 420x250 mm or 200x200 mm).

**4.1.1 Use-specific instructions for use**

See general directions for use of meta SPC 11.

**4.1.2 Use-specific risk mitigation measures**

-

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 11.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 11.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 11.

**4.2 Use description**

**Use 2 - Disinfection of life sciences cleanrooms by mopping using impregnated RTU mop wipes**

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Viruses Common name: Viruses Development stage:  Scientific name: Bacterial spores Common name: Bacterial spores Development stage:  Scientific name: Clostridium difficile Common name: Bacterial spores

	<p>Development stage:</p> <p>Scientific name: Mycobacteria  Common name: Mycobacteria  Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Mopping using impregnated RTU mop wipes  Detailed description:</p> <p>Disinfection of floors in life sciences cleanrooms and supporting environments (e.g. pharmaceutical industry).  Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for bacteria, yeasts, fungi and mycobacteria;</li> <li>- 30 min for viruses;</li> <li>- 60 min for bacterial spores.</li> </ul> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 5 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>)  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding PET Bucket with 10-5000 impregnated 45% polyester / 55% cellulose blend wipes (wipe size: 420x250 mm or 200x200 mm).

#### 4.2.1 Use-specific instructions for use

See general directions for use of meta SPC 11.

#### 4.2.2 Use-specific risk mitigation measures

-

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 11.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 11.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 11.

### 4.3 Use description

#### Use 3 - Disinfection of small non-food contact surfaces in health care applications by wiping using impregnated RTU wipes

##### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores  
Development stage:

Scientific name: Clostridium difficile  
Common name: Bacterial spores  
Development stage:

Scientific name: Viruses  
Common name: Viruses

	Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Wiping using impregnated RTU wipes Detailed description:</p> <p>Routine disinfection of smaller surfaces in hospital rooms and medical practices that are not frequently touched by people.</p> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 15 min for <i>Clostridium difficile</i>;</li> <li>- 30 min for bacterial spores, mycobacteria and viruses.</li> </ul> <p>Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 15 min for bacteria and yeasts;</li> <li>- 30 min for fungi, mycobacteria and viruses.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to twice per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding pre-printed pouch with 10-100 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET canister with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET bucket with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET pouch with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p>

#### 4.3.1 Use-specific instructions for use

Routine disinfection: Disinfection of surfaces, which might be contaminated with pathogens during medical or nursing processes, on a regular basis to reduce the risk of transmission of such organisms via surfaces.

#### 4.3.2 Use-specific risk mitigation measures

-

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 11.

**4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 11.

**4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 11.

**4.4 Use description**

**Use 4 - Disinfection of small non-food contact surfaces in institutional/commercial buildings by wiping using impregnated RTU wipes**

<b>Product type</b>	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Fungi Common name: Fungi Development stage:  Scientific name: Mycobacteria Common name: Mycobacteria Development stage:  Scientific name: Bacterial spores Common name: Bacterial spores Development stage:  Scientific name: Clostridium difficile Common name: Bacterial spores



	<p>Development stage:</p> <p>Scientific name: Viruses Common name: Viruses Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Wiping using impregnated RTU wipes Detailed description:</p> <p>Routine disinfection of small surfaces in small non-food areas (e.g. bathrooms).</p> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 15 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores, mycobacteria and viruses.</li> </ul> <p>Contact times for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 2 min for bacteria;</li> <li>- 15 min for yeasts;</li> <li>- 30 min for fungi, mycobacteria and viruses.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding pre-printed pouch with 10-100 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm). Light precluding PET canister with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm). Light precluding PET bucket with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET pouch with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p>

#### 4.4.1 Use-specific instructions for use

See general directions for use of meta SPC 11.

#### 4.4.2 Use-specific risk mitigation measures

-

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 11.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 11.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 11.

#### 4.5 Use description

**Use 5 - Disinfection of small food contact surfaces in institutional/commercial buildings by wiping using impregnated RTU wipes**

**Product type**

PT04 - Food and feed area (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

Scientific name: Fungi  
Common name: Fungi  
Development stage:

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage:

Scientific name: Bacterial spores  
Common name: Bacterial spores

	<p>Development stage:</p> <p>Scientific name: Clostridium difficile Common name: Bacterial spores Development stage:</p> <p>Scientific name: Viruses Common name: Viruses Development stage:</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	<p>Method: Wiping using impregnated RTU wipes Detailed description:</p> <p>Routine disinfection of small surfaces in small food areas (e.g. kitchens).</p> <p>Contact times for wiping at 20°C in clean conditions:</p> <ul style="list-style-type: none"> <li>- 15 min for <i>Clostridium difficile</i> spores;</li> <li>- 30 min for bacterial spores, mycobacteria and viruses.</li> </ul> <p>Contact time for wiping at 20°C in dirty conditions:</p> <ul style="list-style-type: none"> <li>- 2 min for bacteria;</li> <li>- 15 min for yeasts;</li> <li>- 30 min for fungi, mycobacteria and viruses.</li> </ul>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>) Dilution (%): RTU product Number and timing of application: Application frequency: up to 10 times per day per room</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Light precluding pre-printed pouch with 10-100 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET canister with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET bucket with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p> <p>Light precluding PET pouch with 10-1000 impregnated 60% polyester / 40% lyocell blend wipes (wipe size: 420x250 mm or 200x200 mm).</p>

#### 4.5.1 Use-specific instructions for use

See general directions for use of meta SPC 11.

#### 4.5.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 11.

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 11.

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 11.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

The product is intended for one-step cleaning and disinfection. Always read the label or leaflet before use and follow all the instructions. When used under clean conditions: clean surface before applying the product. Apply product to a dry surface. Wet surface completely using the product. Allow surface to air dry. Do not rinse after use. Close container when not in use. Do not use wipes which have become dehydrated. Dispose of the container when empty. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass. Used wipes must be disposed of in a closed container.

#### 5.2. Risk mitigation measures

-

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### FIRST AID MEASURES

In case of eye contact: Rinse with plenty of water.  
In case of skin contact: Rinse with plenty of water.  
If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Seek medical attention if symptoms occur.

#### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.  
Consider the provision of containment around storage vessels.

### 5.4. Instructions for safe disposal of the product and its packaging

**Product:** Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

**Contaminated packaging:** Dispose of container in accordance with national regulations.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers.

Storage temperature: 0-35 °C. Protect from frost.

Shelf life: 18 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Klerwipe Sporicidal Enhanced Peroxide

Market area: EU

Authorisation number

IS-0029305-0014 1-11

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5

### Trade name(s)

Incidin OxyWipe S	Market area: EU
KitchenPro Oxy Wipes S	Market area: EU
<b>Authorisation number</b> (R4BP 3 asset reference number - National Authorisation) IS-0029305-0015 1-11	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	1,5

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 12

### 1.2. Suffix to the authorisation number

1-12

### 1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)  
PT04 - Food and feed area (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	2 - 2,3
N-propanol	Propan-1-ol	Non-active substance	71-23-8	200-746-9	17,5 - 17,5

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Flammable liquid and vapour.  
Causes serious eye damage.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical equipment.  
Use explosion-proof ventilating equipment.  
Use explosion-proof lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Wear eye protection.

Wear face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER.

Immediately call a doctor.

In case of fire: Use water to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents to in accordance with national regulations.

Dispose of container to in accordance with national regulations.

#### 4. Authorised use(s) of the meta SPC

##### 4.1 Use description

##### Use 1 - Disinfection of surfaces in industry (e.g. dining areas, bathrooms) by wiping using impregnated RTU wipes

**Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:

Scientific name: Yeasts  
Common name: Yeasts  
Development stage:

**Field(s) of use**

Indoor

**Application method(s)**

Method: Wiping using impregnated RTU wipes  
Detailed description:  
Disinfection of surfaces in industry (e.g. dining areas, bathrooms).



	<p>Contact time for wiping at 10°C and 20°C in dirty conditions:  - 5 min for bacteria and yeasts.</p>
<p><b>Application rate(s) and frequencies</b></p>	<p>Application Rate: Application rate: 1 wipe per m<sup>2</sup> (corresponding to 10 mL/m<sup>2</sup>)  Dilution (%): RTU product  Number and timing of application:  Application frequency: up to 3 times per day</p>
<p><b>Category(ies) of users</b></p>	<p>Professional</p>
<p><b>Pack sizes and packaging material</b></p>	<p>Light precluding PP Bucket with 10-5000 impregnated non-woven, 100% polypropylene wipes (wipe size: 200x250 mm).   Light precluding PE Pouch with 10-5000 impregnated non-woven, 100% polypropylene wipes (wipe size: 200x250 mm).</p>

**4.1.1 Use-specific instructions for use**

See general directions for use of meta SPC 12.

**4.1.2 Use-specific risk mitigation measures**

See general directions for use of meta SPC 12.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use of meta SPC 12.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use of meta SPC 12.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use of meta SPC 12.

## 4.2 Use description

### Use 2 - Disinfection of food contact surfaces in food and beverage industry by wiping using impregnated RTU wipes

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Wiping using impregnated RTU wipes Detailed description: Disinfection of small surfaces in food processing plants.  Contact time for wiping at 10°C and 20°C in dirty conditions: - 5 min for bacteria and yeasts.
<b>Application rate(s) and frequencies</b>	Application Rate: Application rate: 1 wipe per m <sup>2</sup> (corresponding to 10 mL/m <sup>2</sup> ) Dilution (%): RTU product Number and timing of application: Application frequency: up to 4 times per day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Light precluding PP Bucket with 10-5000 impregnated non-woven, 100% polypropylene wipes (wipe size: 200x250 mm). Light precluding PE Pouch with 10-5000 impregnated non-woven, 100% polypropylene wipes (wipe size: 200x250 mm).

#### 4.2.1 Use-specific instructions for use

See general directions for use of meta SPC 12.

#### 4.2.2 Use-specific risk mitigation measures

Keep food, feed or beverages away from treated surface until dried. Do not use directly on or near food, feed or drinks.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 12.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 12.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 12.

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions. The product should be applied to a dry surface. Wet surface completely using the product. Allow surface to air dry after using the product. Do not rinse after use. Close container when not in use. Do not use wipes which have become dehydrated. Dispose of the container when empty. Do not use on surfaces sensitive to oxidative agents such as marble, copper or brass. Used wipes must be disposed of in closed container.

#### 5.2. Risk mitigation measures

Avoid hand to eye transfer.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency

## measures to protect the environment

### FIRST AID MEASURES

In case of eye contact: Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

In case of skin contact: Rinse with plenty of water.

If swallowed: Rinse mouth. Seek medical attention if symptoms occur.

If inhaled: Remove person to fresh air. Treat symptomatically. Seek medical attention if symptoms occur.

### ENVIRONMENTAL EMERGENCY MEASURES

Do not allow contact with soil, surface or ground water.

Consider the provision of containment around storage vessels

## 5.4. Instructions for safe disposal of the product and its packaging

Product: Where possible, recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with national regulations. Dispose of waste in an approved waste disposal facility.

Contaminated packaging: Dispose of container in accordance with national regulations.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children. Keep container tightly closed. Store in suitable, labelled containers. Keep away from heat and sources of ignition. Keep in a cool, well ventilated place. Keep away from oxidizing agents.

Storage temperature: 0-30°C.

Shelf life: 12 months

## 6. Other information

The product contains hydrogen peroxide (CAS No.: 7722-84-1), for which a European reference value of 1.25 mg/m<sup>3</sup> for the professional user was agreed and used for the risk assessment of the product.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

OxyDes Maxi Wipes

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National  
Authorisation)

IS-0029305-0016 1-12

---

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	2
N-propanol	Propan-1-ol	Non-active substance	71-23-8	200-746-9	17,5

---