

Summary of product characteristics for a biocidal product

Product name: Aidol Holzschutz-Creme

Product type(s): PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

Authorisation number: CH-2012-0039

R4BP 3 asset reference number: CH-0019960-0001

Table Of Contents

| | |
|---|----|
| Administrative information | 1 |
| 1.1. Trade names of the product | 1 |
| 1.2. Authorisation holder | 1 |
| 1.3. Manufacturer(s) of the biocidal products | 1 |
| 1.4. Manufacturer(s) of the active substance(s) | 1 |
| 2. Product composition and formulation | 2 |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product | 2 |
| 2.2. Type of formulation | 3 |
| 3. Hazard and precautionary statements | 3 |
| 4. Authorised use(s) | 4 |
| 5. General directions for use | 8 |
| 5.1. Instructions for use | 8 |
| 5.2. Risk mitigation measures | 9 |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment | 10 |
| 5.4. Instructions for safe disposal of the product and its packaging | 12 |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage | 12 |
| 6. Other information | 13 |

Administrative information

1.1. Trade names of the product

| |
|------------------|
| Holzschutz-Creme |
|------------------|

1.2. Authorisation holder

| | | |
|---|------------------|--|
| Name and address of the authorisation holder | Name | Remmers GmbH |
| | Address | Bernhard-Remmers-Str. 13 D - 49624 Lönigen Germany |
| Authorisation number | CH-2012-0039 1-1 | |

| | |
|---|-----------------|
| R4BP 3 asset reference number | CH-0019960-0001 |
| Date of the authorisation | 25/03/2015 |
| Expiry date of the authorisation | 30/10/2025 |

1.3. Manufacturer(s) of the biocidal products

| | |
|--|--|
| Name of the manufacturer | Remmers GmbH |
| Address of the manufacturer | Bernhard-Remmers-Straße 13 49624 Lönigen Germany |
| Location of manufacturing sites | Bernhard-Remmers-Straße 13 49624 Lönigen Germany |

1.4. Manufacturer(s) of the active substance(s)

| | |
|--|---|
| Active substance | 39 - 3-iodo-2-propynylbutylcarbamate (IPBC) |
| Name of the manufacturer | Troy Chemical Company BV |
| Address of the manufacturer | Uiverlaan 12e 3140 AC Maassluis Netherlands |
| Location of manufacturing sites | Uiverlaan 12e 3140 AC Maassluis Netherlands |

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--|--|------------------|------------|-----------|-------------|
| 3-iodo-2-propynylbutylcarbamate (IPBC) | | Active Substance | 55406-53-6 | 259-627-5 | 0,944 |
| White spirit | Naphtha (petroleum), hydrodesulfurized heavy | | 64742-82-1 | 265-185-4 | 29,1 |
| White spirit (Varsol 60) | Naphtha (petroleum), hydrodesulfurized heavy | | 64742-82-1 | 265-185-4 | 38,3 |
| Polyphase AF3 (non-active ingredients) - function: co-formulants of a.i. | | | 25498-49-1 | 247-045-4 | 2,1899 |
| WorléeKyd L 7904 (preparation) - function: binder | | | | | 19,99 |
| Soja-Lecithin STA - function: surfactant | | | 8002-43-5 | 232-307-2 | 0,2 |
| Luwax V Schuppen (preparation) - function: water-repellent agent | | | | | 0,05 |
| Solvent 254 | Distillates (petroleum), hydrotreated light | | 64742-47-8 | 265-149-8 | 15 |
| Disponil A 4065 (preparation) - function: emulsifier | | | 00000-00-0 | 000-000-0 | 1,799 |
| Water | | | 7732-18-5 | 231-791-2 | 19,499 |
| Sicoflush-L-Gelb 1916 (preparation) | | | 00000-00-0 | 000-000-0 | 0,01 |
| Addipast Black 508 | | | 00000-00-0 | 000-000-0 | 0,01 |
| Kronos Titanium Dioxide (all types) | Titanium Dioxide | | 13463-67-7 | 236-675-5 | 0,01 |

| | | | | |
|---|---|------------|-----------|------|
| Sicotrans rot L 2715 D | | 1309-37-1 | 215-168-2 | 0,01 |
| Octa-Soligen 69 (preparation) - fuction: drier | | | | 1 |
| ShellSol A 100 | Solvent naphtha (petroleum), light arom. | 64742-95-6 | 265-199-0 | 0,15 |
| Stobi-Skin 100 - function: anti-skinning agent | | 96-29-7 | 202-496-6 | 0,3 |
| WorléeKyd L 7904 (preparation) - function: binder | | 00-00-0 | 000-000-0 | 20 |
| Polyphase AF3 (non- active ingedients) - function: co-formulants of a.i. | | 00-00-0 | 000-000-0 | 3,5 |
| Soja-Lecithin STA - function: surfactant | | 8002-43-5 | 232-307-2 | 0,2 |
| Octa-Soligen 69 (preparation) - fuction: drier | | 00-00-0 | 000-000-0 | 1 |
| Luwax V Schuppen (preparation) - function: water-repellent agent | | 00-00-0 | 000-000-0 | 0,05 |
| Disponil A 4065 (preparation) - function: emulsifier | | 00-00-0 | 000-000-0 | 1,8 |
| Addipast Black 508 LH | | 00000-00-0 | 000-000-0 | 0 |

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

Causes serious eye irritation.

Causes damage to organs central nervous system through prolonged or repeated exposure .

Harmful to aquatic life with long lasting effects.

Causes skin irritation.

Contains IPBC. May produce an allergic reaction.

May cause an allergic skin reaction.

Causes damage to organs central nervous systems through prolonged or repeated exposure .

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Do not breathe vapours.

Wear protective clothing.

Avoid release to the environment.

IF SWALLOWED:Immediately call a POISON CENTER.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN:Wash with plenty of .

If skin irritation or rash occurs:Get medical advice.

If eye irritation persists:Get medical advice.

Dispose of contents to in original container in compliance with valid regulations.

IF SWALLOWED:Immediately call a POISON CENTER.

Dispose of contents to in original container in compliance with valid regulations..

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

4. Authorised use(s)

4.1 Use description

Use 1 - preventive protection against blue-staining fungi - use by general public and professional users

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | Target organisms: blue stain fungi Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of product application: outdoors, partly in situ Users: General Public, Professionals |
| Target organism(s) (including development stage) | Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae |
| Field(s) of use | Indoor Outdoor Target organism: preventive protection againstblue-staining fungi in UC 2 and 3 according to EN 335 |
| Application method(s) | Open system: brush treatment - Target organisms: blue stain fungi Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of product application: outdoors, partly in situ Users: General Public and Professionals |

Application rate(s) and frequencies

200 - 250 ml/m² - 100 -
Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher

Category(ies) of users

Trained professional
Professional
General public (non-professional)

Pack sizes and packaging material

Can /Tin, coated tin plate , 0.75 L, 2,5 L, 5L, 10L, 20 L

coated tin plate

Maximum package size for consumer use: 5 L

4.1.1 Use-specific instructions for use

For application by brushing: apply at least 2 subsequent coats

4.1.2 Use-specific risk mitigation measures

no use-specific risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

4.2 Use description

Use 2 - preventive protection against wood-destroying and blue-staining fungi

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | - |
| Target organism(s) (including development stage) | Scientific name: Aureobasidium pullulans spp. Common name: Blue stain fungi Development stage: Hyphae Scientific name: Basidiomycetes: Common name: Wood rotting basidiomycetes Development stage: Hyphae |
| Field(s) of use | Outdoor Preventive protection against wood-destroying and blue-staining fungi in UC 2 and 3 according to EN 335 |
| Application method(s) | Open system: brush treatment - Target organisms: wood rotting fungi, blue stain fungi Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of product application: outdoors, partly in situ Users: (trained) Professionals and General Public |
| Application rate(s) and frequencies | 200-250 ml/m ² - 100 - Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher |
| Category(ies) of users | Professional General public (non-professional) Trained professional |
| Pack sizes and packaging material | Can /Tin, coated tin plate , 0.75 L, 2.5 L, 5 L, 10 L, 20 L |

4.2.1 Use-specific instructions for use

no use-specific instructions for use

4.2.2 Use-specific risk mitigation measures

no use-specific risk mitigation measures

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

4.3 Use description

Use 3 - preventive protection against wood-destroying and blue-staining fungi - professional use only

| | |
|---|---|
| Product type | PT08 - Wood preservatives (Preservatives) |
| Where relevant, an exact description of the authorised use | concentration of a.i. IPBC: 1.50 % |
| Target organism(s) (including development stage) | Scientific name: <i>Aureobasidium pullulans</i> spp. Common name: Blue stain fungi Development stage: Hyphae Scientific name: Basidiomycetes Common name: Wood rotting basidiomycetes Development stage: Hyphae |
| Field(s) of use | Outdoor Target organism: preventive protection against wood-destroying and blue-staining fungi in UC 2 and 3 according to EN 335 |
| Application method(s) | Open system: brush treatment - Target organisms: wood rotting fungi, blue stain fungi Field of use: Use Phase of treated Wood in Use Classes 2 and 3 acc. to EN 335, site of product application: outdoors, partly in situ Users: (trained) Professionals and General Public |
| Application rate(s) and frequencies | 200-250 ml/m ² - 100 - Apply at least 2 subsequent coats. Drying-time brushing: Approximately 12 hours at 20° |

| | |
|--|---|
| | C/65% rel. humidity (increased drying time with lower temperature and higher humidity.) |
| Category(ies) of users | Professional Trained professional |
| Pack sizes and packaging material | Can /Tin, coated tin plate , 0.75 L, 2.5 L, 5 L, 10 L, 20 L |

4.3.1 Use-specific instructions for use

no use-specific instructions for use

4.3.2 Use-specific risk mitigation measures

Only to be used by professional operators

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

no use-specific particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

no use-specific instructions for safe disposal of the product and its packaging

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

no use-specific conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use

5.1. Instructions for use

Holzschutz-Creme
Manner and area of use:
Target organisms: blue stain fungi
Application method: brush treatment
Field of use: outdoor use
Users: General public, (trained) professionals
Function: Inhibition of metabolism
Application aim: Preventive .
Application rate by brushing 200-250 ml/m² (180-225 g/m²).

Aidol Holzschutz-Creme
Manner and area of use:
Target organisms: wood rotting fungi, blue stain fungi
Application method: brush treatment
Field of use: outdoor use
Users: Professionals and non-professionals
Function: Inhibition of metabolism
Application aim: Preventive .
Application rate by brushing 200-250 ml/m² (180-225 g/m²).

Holzschutz-Creme Plus - clear
Manner and area of use:
Target organisms: blue stain fungi , Wood rotting fungi
Application method: brush treatment
Field of use: outdoor use
Users: (trained) professionals
Function: Inhibition of metabolism
Application aim: Preventive .
Application rate by brushing 200-250 ml/m² (180-225 g/m²).

5.2. Risk mitigation measures

Holzschutz-Creme
Maximum Package Size for DIY-use: 5 L
Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher humidity.)
Clean tool immediately after use with a thinner
Use only in well ventilated areas
Do not use indoor
Do not use on wood than comes in direct contact with food or feed.
Open and handle with care
Do not eat, drink or smoke while working
Apply solvent-resistant skin protection cream before working
Avoid contact with eyes and skin
Keep away from food, beverages and animal feed
Wash hands before pauses and after work
Do not inhale gases/vapours
Keep ignition sources away. – do not smoke
Protect against electrostatic charges
Fumes can combine with air to form an explosive mixture
Aidol Holzschutz-Creme
Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher humidity.)
Clean tool immediately after use with a thinner
Use only in well ventilated areas
Do not use indoor
Do not use on wood than comes in direct contact with food or feed.
Open and handle with care
Do not eat, drink or smoke while working
Apply solvent-resistant skin protection cream before working
Avoid contact with eyes and skin
Keep away from food, beverages and animal feed
Wash hands before pauses and after work
Do not inhale gases/vapours
Keep ignition sources away. – do not smoke
Protect against electrostatic charges
Fumes can combine with air to form an explosive mixture
Holzschutz-Creme Plus - clear
May only be used by professionals or industrial use.
Drying-time brushing: Approximately 12 hours at 20°C/65% rel. humidity (increased drying time with lower temperature and higher humidity.)
Clean tool immediately after use with a thinner
Use only in well ventilated areas
Do not use indoor
Do not use on wood than comes in direct contact with food or feed.
Open and handle with care
Do not eat, drink or smoke while working
Apply solvent-resistant skin protection cream before working
Avoid contact with eyes and skin
Keep away from food, beverages and animal feed
Wash hands before pauses and after work
Do not inhale gases/vapours
Keep ignition sources away. – do not smoke
Protect against electrostatic charges
Fumes can combine with air to form an explosive mixture

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Holzschutz-Creme

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport.

Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

Prevent from spreading (e.g. by confining or oil barrier). This product may not be allowed to reach surface water because it is toxic to aquatic environments.

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Aidol Holzschutz-Creme

Hazard warnings: Irritating to eyes and skin

Safety phrases: Keep out of reach of children

Keep away from food, beverages and animal feed

Avoid contact with skin and eyes

First aid measures:

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport.

Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate Ventilation.

Holzschutz-Creme Plus - clear

General information:

When symptoms occur or in case of doubt, seek medical advice. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest, provide artificial respiration.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After skin contact:

Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness bring patient into stable side position for transport.

Information for doctor:

Treatment: Symptomatic treatment

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil..

Measures for environmental protection:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

Prevent from spreading (e.g. by confining or oil barrier). This product may not be allowed to reach surface water because it is toxic to aquatic environments.

Measures for cleaning/collecting in case of spillage:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure

adequate ventilation.

5.4. Instructions for safe disposal of the product and its packaging

Holzschutz-Creme

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue: 03 02 02 organochlorinated wood preservatives

Uncleaned packaging:

Disposal must be made according to official regulations. Only completely empty containers may be recycled.

Aidol Holzschutz-Creme

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue: 03 02 02 organochlorinated wood preservatives

Uncleaned packaging:

Disposal must be made according to official regulations. Only completely empty containers may be recycled.

Holzschutz-Creme Plus - clear

Disposal must be made according to official regulations. Do not allow product to reach sewage system.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue: 03 02 02 organochlorinated wood preservatives

Uncleaned packaging:

Disposal must be made according to official regulations. Only completely empty containers may be recycled.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Holzschutz-Creme

Store in cool location.

Store away from food.

Store cool and dry in tightly closed containers.

Store container in a well-ventilated position.

Protect from frost.

Protect from heat and direct sunlight.

Shelf life: 12 months from date of manufacture.

Aidol Holzschutz-Creme

Store in cool location.

Store away from food.

Store cool and dry in tightly closed containers.

Store container in a well-ventilated position.

Protect from frost.

Protect from heat and direct sunlight.

Shelf life: 12 months from date of manufacture.

Holzschutz-Creme Plus - clear

Store in cool location.

Store away from food.

Store cool and dry in tightly closed containers.

Store container in a well-ventilated position.

Protect from frost.

Protect from heat and direct sunlight.

Shelf life: 12 months from date of manufacture.

6. Other information

Holzschutz-Creme, DK