Summary of product characteristics for a biocidal product

Product name: Peracetique 2,5% Hydra

Product type(s):

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or

animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: CZ-0027425-0000

R4BP 3 asset reference number: CZ-0027425-0001

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	13
5.1. Instructions for use	13
5.2. Risk mitigation measures	13
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	13
5.4. Instructions for safe disposal of the product and its packaging	14
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	14
6. Other information	14

Administrative information

1.1. Trade names of the product

DETERQUAT CIP OXY 2,5
HYDREX 7103
ELGALITE DO3

1.2. Authorisation holder

Name and address of the authorisation holder

Name	Hydrachim
Address	ZA du piquet 35370 Etrelles France

Authorisation number

CZ-0027425-0000 1-1

R4BP 3 asset reference number

CZ-0027425-0001

Date of the authorisation

01/11/2021

Expiry date of the authorisation

10/08/2030

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

OUARON SAS

Address of the manufacturer

3 Rue de la Buhotière 35091 Rennes France

Location of manufacturing sites

3 Rue de la Buhotière 35091 Rennes France

1.4. Manufacturer(s) of the active substance(s)

Active substance	1340 - Peracetic acid
Name of the manufacturer	QUARON SAS
Address of the manufacturer	3 Rue de la Buhotière 35091 Rennes France
Location of manufacturing sites	3 Rue de la Buhotière 35091 Rennes France

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Peracetic acid		Active Substance	79-21-0	201-186-8	2,6
Hydrogen peroxide		Non-active substance	7722-84-1	231-765-0	25
Acetic acid		Non-active substance	64-19-7	200-580-7	5
Sulphuric acid		Non-active substance	7664-93-9		0,96
Ethoxylated fatty acid		Non-active substance			0

2.2. Type of formulation

SL - Soluble concentrate

3. Hazard and precautionary statements

Hazard statements

May be corrosive to metals.

Harmful if swallowed.Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects. Keep only in original packaging. Avoid release to the environment. Wear protective gloves. Wear protective clothing. Wear eye protection. Wear face protection. IF SWALLOWED:Rinse mouth.Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with IF INHALED:Remove person to fresh air and keep comfortable for breathing. IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. Do not breathe dust. Do not breathe fume. Do not breathe gas. Do not breathe mist. Do not breathe vapours. Do not breathe spray.

4. Authorised use(s)

Precautionary statements

4.1 Use description

Use 1 - Disinfection of wasted water, leachates and liquid laboratory waste in closed systems in medical biology laboratories

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Fungi/yeasts Development stage:

Scientific name: Common name: Viruses Development stage: Indoor Field(s) of use Indoors disinfection of wasted water, leachates and liquid laboratory waste in closed systems in medical biology laboratories. Method: Closed system Application method(s) Detailed description: The concentrate solution is automatically diluted in the waste water to treat at 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi system according to use instructions of the proper application equipment. The product is applied at ambient temperature with a contact time with liquid waste and surfaces of 30 minutes. The product can be applied on dirty surfaces of the equipment to disinfect them. The treated surfaces are rinsed with drinking water after the indicated contact time. The treated liquid waste, and the rinse water are discharged in sewers to be treated in a STEP. Application Rate: The application is continuous during the time of treatment. Application rate(s) and Dilution (%): 0.1 to 4 (v/v) frequencies Number and timing of application: The product is used once a day, 220 days per year. Trained professional Category(ies) of users 0.25-1-5-10-20-200-1000L HDPE Pack sizes and packaging material 4.1.1 Use-specific instructions for use 4.1.2 Use-specific risk mitigation measures

Scientific name: Common name: Mycobacteria Development stage:

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid

instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging			
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product		
4.2 Use description			
·	irculation circuits for cleaning in place in private and public		
pharmaceutical and cosmetic in			
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Fungi/yeasts Development stage:		
	Scientific name: Common name: Mycobacteria Development stage:		
	Scientific name: Common name: Viruses Development stage:		
Field(s) of use	Indoor Outdoor		
	Indoors and outdoors disinfection of closed circulation circuits for cleaning in place pharmaceutical and cosmetic industries and institutions.		
Application method(s)	Method: Closed system Detailed description: The concentrate solution is diluted in tap water from 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi system. The product is then applied automatically and continuously during the time of treatment in closed systems for cleaning-in-place. The diluted product is applied at ambient temperature with a contact time with surfaces of 5 to 30 minutes. The product should be applied on clean surfaces. The treated surfaces are rinsed with drinking water after the indicated contact time.		
Application rate(s) and frequencies	Application Rate: The application is continuous during the time of treatment. Dilution (%): 0.1 to 4 (v/v)		

	Number and timing of application: The product is used once a day, 220 days per year.
Category(ies) of users	Trained professional
Pack sizes and packaging material 0,25-1-5-10-20-200-1000L HDPE	
4.2.1 Use-specific instruction	ons for use
4.2.2 Use-specific risk mitig	gation measures
	use, the particulars of likely direct or indirect effects, first aid by measures to protect the environment
4.2.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
4.2.5 Where specific to the under normal conditions of	use, the conditions of storage and shelf-life of the product f storage
4.3 Use description	
Use 3 - Surface disinfection b	y manual spraying in agri-food industry
Product type	PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Fungi/yeasts Development stage:
	Scientific name: Common name: Viruses Development stage:
	Scientific name: Common name: Spores Development stage:
	Scientific name: Common name: Biofilms Development stage:
Field(s) of use	Indoor
	Indoors disinfection of open surfaces, materials or equipments, walls or floors by manual spraying in agri-food industry.
Application method(s)	Method: Spraying Detailed description: The concentrate solution is diluted in tap water from 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi system and then applied manually by spraying on surfaces. The diluted product is then applied at ambient temperature with a contact time with surfaces of 5 to 30 minutes. The product should be applied on clean surfaces. The treated surfaces are rinsed with drinking water after the indicated contact time.
Application rate(s) and frequencies	Application Rate: The application dose is 20mL/m². Dilution (%): 0.1 to 4 (v/v) Number and timing of application: The product is used once a day, 220 days per year.
Category(ies) of users	Trained professional
Pack sizes and packaging material	0.25-1-5-10-20-200-1000L HDPE
4.3.1 Use-specific instruction	ns for use

4.3.2 Use-specific risk mitigation measures			
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment			
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its		
4.3.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage		
4.4 Use description			
Use 4 - Disinfection of closed c	irculation circuits for cleaning in place in agri food industry		
Product type	PT04 - Food and feed area (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Fungi/yeasts Development stage:		
	Scientific name: Common name: Viruses Development stage:		
	Scientific name: Common name: Spores Development stage:		
	Scientific name: Common name: Biofilms Development stage:		

Field(s) of use

	Indoor	
	Indoors disinfection of closed circulation circuits for cleaning in place in agri-food industry.	
Application method(s)	Method: Closed system Detailed description: The concentrate solution is diluted in tap water from 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi systen. The product is then applied automatically and continuously during the time of treatment in closed systems for cleaning-in-place. The diluted product is applied at ambient temperature with a contact time with surfaces of 5 to 30 minutes. The product should be applied on clean surfaces. The treated surfaces are rinsed with drinking water after the indicated contact time.	
Application rate(s) and frequencies	Application Rate: The application is continuous during the time of treatment. Dilution (%): 0.1 to 4 (v/v) Number and timing of application: The product is used once a day, 220 days per year.	
Category(ies) of users	Trained professional	
Pack sizes and packaging material	0.25-1-5-10-20-200-1000L HDPE	
4.4.1 Use-specific instruction	ns for use	
4.4.2 Use-specific risk mitigation measures		
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage			
under normal conditions of s	torage		
4.5 Use description			
Use 5 - Surfaces disinfection by	y manual dipping in agri-food industry.		
Product type	PT04 - Food and feed area (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Fungi/yeasts Development stage:		
	Scientific name: Common name: Viruses Development stage:		
	Scientific name: Common name: Spores Development stage:		
	Scientific name: Common name: Biofilms Development stage:		
	Indoor		
Field(s) of use	maoor		
	Indoors disinfection of surfaces by manual dipping in agri-food industry. This use also includes a foot bath disinfection		
Application method(s)	Method: Open system: dip treatment Detailed description: The concentrate solution is diluted in tap water from 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi system and then applied manually by dipping on surfaces. The diluted product is applied at ambient temperature with a contact time with surfaces of 5 to 30 minutes. The product should be applied on clean surfaces. The treated surfaces are rinsed with drinking water after the indicated contact time.		
Amplication vata(a) and	Application Rate: -		
Application rate(s) and frequencies	Dilution (%): 0.1 to 4 (v/v) Number and timing of application: The product is used once a day, 220 days per year.		
Category(ies) of users	Trained professional		
3 % ,			

Pack sizes and packaging material	5-10-20-200-1000L HDPE
4.5.1 Use-specific instruction	ns for use
4.5.2 Use-specific risk mitiga	ation measures
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
4.5.4 Where specific to the upackaging	se, the instructions for safe disposal of the product and its
4.5.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
4.6 Use description	
Use 6 - Disinfection by automat industry and institutions, and ir	ed spraying in closed professional washing machines in agri food nstitutional kitchens
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name:

	Scientific name: Common name: Biofilms Development stage:	
Field(s) of use	Indoor	
iola(e) of use	Indoors disinfection of materials and small equipments in closed professionnal washing machines in agri-food industry and institutions, and institutional kitchens.	
Application method(s)	Method: Closed system Detailed description: The concentrate solution is diluted in tap water from 0.1% to 4% (v/v), via a proportional automatic dosage system or a venturi system. The product is then applied automatically and continuously during the time of treatment in closed professional washing machines. The diluted product is applied at ambient temperature with a contact time with surfaces of 5 minutes. The product should be applied on clean surfaces. The treated surfaces are rinsed with drinking water after the indicated contact time.	
Application rate(s) and requencies	Application Rate: The application is continuous during the time of treatment. Dilution (%): 0.1 to 4 (v/v) Number and timing of application: The product is used once a day, 220 days per year.	
Category(ies) of users	Trained professional	
Pack sizes and packaging naterial	0.25-1-5-10-20-200-1000L HDPE	
I.6.1 Use-specific instructions for use		
1.6.2 Use-specific risk mitigation measures		
1.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid nstructions and emergency measures to protect the environment		

Common name: Fungi/yeasts Development stage:

Scientific name: Common name: Viruses Development stage:

Scientific name: Common name: Spores Development stage:

4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product
under normal conditions of storage
5. General directions for use
5.1. Instructions for use
Please refer to the authorised uses.
5.2. Risk mitigation measures
1) For Automatic pumping/mixing and loading applications for PT2 and 4: gloves, a protective coat, a face shield and a Full mask

- 1) For Automatic pumping/mixing and loading applications for PT2 and 4: gloves, a protective coat, a face shield and a Full mask (P2 type) is required.
- 2) For manual spraying for PT 4 applications in agri-food industries: gloves, a protective coat and a half-mask (P1 type) is required.
- 3) For manual spraying application in slaughter houses and for manual dipping for all PT 4 applications: gloves and a protectiove coat are required. No respiratory protective equipment (RPE) is necessary.
- 4) For manual rinsing and manual draining for PT 2 and PT 4 applications: no personal protective equipment (PPE) and RPE is required.
- 5) In order to protect the environment, a thiosulfate neutralization can be performed in order to decompose peracetic acid and hydrogen peroxide that could potentially persist after treatment. For this neutralization, sodium thiosulfate as a powder (technical Na2S2O3 5H2O, purity > 98.5%) can be directly added in the water. This neutralization could be required when the product is applied for waste disinfection (Use 1).

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect effects:
 May be corrosive to metals. Harmful if swallowed or inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation.
- Very toxic to aquatic life with long lasting effects.
First aid instructions:
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Emergency measures to protect the environment:
 Avoid release to the environment Keep only in original container
 5.4. Instructions for safe disposal of the product and its packaging Avoid release to the environment. Keep only in original container.
- Avoid release to the environment Keep only in original container. 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
 Avoid release to the environment. Keep only in original container.
- Avoid release to the environment Keep only in original container. 5. Conditions of storage and shelf-life of the product under normal conditions of storage Store at ambient temperature. Shelf-life under normal conditions of storage: 2 years.
- Avoid release to the environment Keep only in original container. 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage Store at ambient temperature.
- Avoid release to the environment Keep only in original container. 5. Conditions of storage and shelf-life of the product under normal conditions of storage Store at ambient temperature. Shelf-life under normal conditions of storage: 2 years.
- Avoid release to the environment Keep only in original container. 5. Conditions of storage and shelf-life of the product under normal conditions of storage Store at ambient temperature. Shelf-life under normal conditions of storage: 2 years.