

# Summary of product characteristics for a biocidal product

**Product name:** TX201 TRAITEMENT MEUBLES PARQUETS

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** FR-2018-0050

**R4BP 3 asset reference number:** FR-0014277-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	10
5.1. Instructions for use	10
5.2. Risk mitigation measures	11
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	11
5.4. Instructions for safe disposal of the product and its packaging	11
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	11
6. Other information	11

## Administrative information

### 1.1. Trade names of the product

TX201 TRAITEMENT MEUBLES PARQUETS
AXTON TRATAMIENTO PLUS MUEBLES Y PARQUES
AXTON TRATAMENTO PLUS MOVEIS E PARQUET
AXTON TRATTAMENTO ANTITARLO MOBILI INTERNO
ΑΧΤΟΝ ΘΕΡΑΠΕΙΑ ΓΙΑ ΞΥΛΙΝΑ ΔΑΠΕΔΑ ΚΑΙ ΕΠΙΠΛΑ

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	V33
	Address	La Muyre 39210 Domblans France
<b>Authorisation number</b>	FR-2018-0050	
<b>R4BP 3 asset reference number</b>	FR-0014277-0000	
<b>Date of the authorisation</b>	14/09/2018	
<b>Expiry date of the authorisation</b>	13/09/2028	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	V33
<b>Address of the manufacturer</b>	La Muyre 39210 Domblans France
<b>Location of manufacturing sites</b>	La Muyre 39210 Domblans France

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1342 - Permethrin
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Koln Germany
<b>Location of manufacturing sites</b>	Bayer Vapi Private Limited Plot # 306/3 II Phase, GIDC, Vapi 396 195 Gujarat India
<b>Active substance</b>	1342 - Permethrin
<b>Name of the manufacturer</b>	Tagros Chemicals India Ltd.
<b>Address of the manufacturer</b>	"Jhaver Centre", Rajah Annamalai Building, IV Floor, 72, Marshalls Road, Egmore 600 008 Chennai India
<b>Location of manufacturing sites</b>	A4/1&2 Sipcot Industrial Complex, Pachayankuppam 607 005 Cuddalore India

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Permethrin		Active Substance	52645-53-1	258-067-9	0,7
ShellSol D60	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		64742-48-9		99,25

### 2.2. Type of formulation

AL - Any other liquid

## 3. Hazard and precautionary statements

### Hazard statements

May be fatal if swallowed and enters airways.  
Very toxic to aquatic life.

**Precautionary statements**

Very toxic to aquatic life with long lasting effects. Contains permethrin. May produce an allergic reaction. Repeated exposure may cause skin dryness or cracking.
IF SWALLOWED: Immediately call a POISON CENTER. Do NOT induce vomiting. Store locked up. Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Avoid release to the environment. Collect spillage.

**4. Authorised use(s)**

**4.1 Use description**

**Use 1 - Preventive treatment by brushing**

**Product type**

PT08 - Wood preservatives (Preservatives)
---

**Where relevant, an exact description of the authorised use**

Preventive treatment for wood on use class 1
--

**Target organism(s) (including development stage)**

Scientific name: <i>Hylotrupes bajulus</i> Common name: House longhorn beetle Development stage: Larvae
Scientific name: <i>Anobium punctatum</i> Common name: Common furniture beetle Development stage: Larvae
Scientific name: <i>Lyctus brunneus</i> Common name: Powder post beetles Development stage: Larvae
Scientific name: <i>Reticulitermes</i> sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs
Scientific name: <i>Coptotermes</i> Common name: Asian subterranean termite Development stage: workers, soldiers, and nymphs
Scientific name: <i>Heterotermes</i> sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs

**Field(s) of use**

<b>Application method(s)</b>	<p>Indoor</p> <p>Indoor use, on softwood and hardwood.</p> <hr/> <p>Superficial application / brush -  The product is a ready-to-use product.  The application is performed by brushing  Application rate is in the analytical zone:</p> <p>UC1: 200 mL/m<sup>2</sup> of wood</p>
<b>Application rate(s) and frequencies</b>	<p>200 mL/m<sup>2</sup> of wood - 0 -  -</p>
<b>Category(ies) of users</b>	<p>Professional</p> <p>General public (non-professional)</p>
<b>Pack sizes and packaging material</b>	<p>Bottles of 0.5-0.75-1L made of steel without varnish inside  Containers of 2.5-5L made of steel without varnish inside  Barrels of 25L made of steel without varnish inside</p>

**4.1.1 Use-specific instructions for use**

-

**4.1.2 Use-specific risk mitigation measures**

For professionals, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during application of the product by brushing.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.2 Use description**

**Use 2 - Curative treatment by brushing and brushing combined with injection**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Curative treatment for wood in service.
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae</p> <p>Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae</p> <p>Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae</p> <p>Scientific name: Reticulitermes sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs</p> <p>Scientific name: Coptotermes sp. Common name: Asian subterranean termite Development stage: workers, soldiers and nymphs</p> <p>Scientific name: Heterotermes sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Curative treatment for wood in service (indoor).</p>
<b>Application method(s)</b>	<p>Superficial application / brush - The product is ready to use.</p> <p>The application is performed by brushing. The application rate is : - 300 mL of product / m<sup>2</sup> of wood</p> <p>Injection (combined with a superficial treatment) - The product is ready to use.</p> <p>When the application is performed by injection (combined with a superficial application), the application rate is : 150 mL of product / m<sup>2</sup> of wood (+ 300 mL of product / m<sup>2</sup> of wood).</p>

<b>Application rate(s) and frequencies</b>	<p>300 mL of product / m<sup>2</sup> of wood - 0 -</p> <p>-</p> <p>150 mL of product / m<sup>2</sup> of wood (+ 300 mL of product / m<sup>2</sup> of wood). - 0 -</p> <p>-</p>
<b>Category(ies) of users</b>	<p>Professional</p> <p>General public (non-professional)</p>
<b>Pack sizes and packaging material</b>	<p>Bottles of 0.5-0.75-1L made of steel without varnish inside</p> <p>Containers of 2.5-5L made of steel without varnish inside</p> <p>Barrels of 25L made of steel without varnish inside.</p>

#### 4.2.1 Use-specific instructions for use

Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

#### 4.2.2 Use-specific risk mitigation measures

For professionals:

- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during brush application.
- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during brush application combined with injection application.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-



**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.3 Use description**

**Use 3 - Preventive treatment by spraying for non professionals**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Preventive treatment for wood on use class 1
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae</p> <p>Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae</p> <p>Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae</p> <p>Scientific name: Reticulitermes sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs</p> <p>Scientific name: Coptotermes Common name: Asian subterranean termite Development stage: workers, soldiers, and nymphs</p> <p>Scientific name: Heterotermes sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Indoor use, on softwood and hardwood.</p>
<b>Application method(s)</b>	<p>Superficial application / spray -</p> <p>The product is ready to use</p> <p>The application is performed by spraying Application rate is in the analytical zone :</p> <p>UC1: 200 mL/m<sup>2</sup> of wood.</p>
<b>Application rate(s) and frequencies</b>	<p>200 mL/m<sup>2</sup> of wood - 0 -</p> <p>-</p>

**Category(ies) of users**

General public (non-professional)

**Pack sizes and packaging material**

Bottles of 0.5-0.75-1L made of steel without varnish inside  
Containers of 2.5-5L made of steel without varnish inside  
Barrels of 25L made of steel without varnish inside.

**4.3.1 Use-specific instructions for use**

-

**4.3.2 Use-specific risk mitigation measures**

-

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.4 Use description**

Use 4 - Curative treatment by spraying and spraying combined with injection for non professionals

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Curative treatment for wood in service.
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae</p> <p>Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae</p> <p>Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae</p> <p>Scientific name: Reticulitermes sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs</p> <p>Scientific name: Coptotermes sp. Common name: Asian subterranean termite Development stage: workers, soldiers and nymphs</p> <p>Scientific name: Heterotermes sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Curative treatment for wood in service (indoor).</p>
<b>Application method(s)</b>	<p>Superficial application / spray - The product is ready to use.</p> <p>The application is performed by brushing. The application rate is : - 300 mL of product / m<sup>2</sup> of wood</p> <p>Injection (combined with a superficial treatment) - The product is ready to use.</p> <p>When the application is performed by injection (combined with a superficial application), the application rate is : 150 mL of product / m<sup>2</sup> of wood (+ 300 mL of product / m<sup>2</sup> of wood).</p>
<b>Application rate(s) and frequencies</b>	<p>300 mL of product / m<sup>2</sup> of wood - 0 - -</p> <p>150 mL of product / m<sup>2</sup> of wood (+ 300 mL of product / m<sup>2</sup> of wood) - 0 - -</p>
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	<p>Bottles of 0.5-0.75-1L made of steel without varnish inside Containers of 2.5-5L made of steel without varnish inside Barrels of 25L made of steel without varnish inside.</p>

#### 4.4.1 Use-specific instructions for use

Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

#### 4.4.2 Use-specific risk mitigation measures

-

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 5. General directions for use

#### 5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

## 5.2. Risk mitigation measures

- Avoid contact with skin.
- Wash hands thoroughly after handling.
- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- Keep out of reach of the children.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately. Do not give fluids or induce vomiting.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with soap and water. Contact poison treatment specialist if symptoms occur.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Keep the container or label available.

## 5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets, ...) or down the drains.
- Dispose of unused product, its packaging and any other waste in accordance with local regulations.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 50 months.

## 6. Other information

Treated wood should not be intended for uses involving contact with food, feed or livestock.