Summary of product characteristics for a biocidal product

Product name: Kenolac SD

Product type(s): PT03 - Veterinary hygiene (Disinfectants)

Authorisation number: EU-0027740-0000

R4BP 3 asset reference number: EU-0027740-0010

Table Of Contents

1
1
1
2
2
3
3
3
4
4
5
5
6
6
6
6
6

Administrative information

1.1. Trade names of the product

Kenolac SD
HCP Spray
Lactospray
Zitzentop
Lactosilk
Milchsäure Spray Bühning
Lacto SP
Stalosan Lac Spray
MIROX Spray Lac
Milchsäure Sprühe
Lactocid Spray
Milcho Spray
GAHERLAC SPRAY
Lactispray
Lacticoop Spray
Lactactiv Spray
Laktotop Spray
Superlac Spray
Robolac
MEPA Lac SD
Eco Lac SD
Lely Quaress Circum
BluGard Spray
Blu-Gard Spray

1.2. Authorisation holder

Name and address of the authorisation holder

Name	CID LINES NV
Address	Waterpoortstraat 2 8900 leper Belgium

Authorisation number	EU-0027740-0000 1-9	
R4BP 3 asset reference number	EU-0027740-0010	
Date of the authorisation	01/09/2022	
Expiry date of the authorisation	31/08/2032	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	CID LINES NV
Address of the manufacturer	Waterpoortstraat 2 8900 leper Belgium
Location of manufacturing sites	Waterpoortstraat 2 8900 leper Belgium

1.4. Manufacturer(s) of the active substance(s)

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Purac Biochem bv
Address of the manufacturer	Arkelsedijk 46 4206 Gorinchem Netherlands
Location of manufacturing sites	Arkelsedijk 46 4206 Gorinchem Netherlands

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Jungbunzlauer S.A.
Address of the manufacturer	Z.I. et Portuaire, B.P. 32 67390 Marckolsheim France
Location of manufacturing sites	Z.I. et Portuaire, B.P. 32 67390 Marckolsheim France

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	3,6
Sodium Lauryl sulphate	Sulfuric acid, mono-C12- 14-alkyl esters, sodium salts	Non-active substance	85586-07-8	287-809-4	1,3
Sodium lauryl ether sulfate	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Non-active substance	68891-38-3	500-234-8	0
Sulfonic acids, C14-17- sec-alkane, sodium salts	Sulfonic acids, C14-17- sec-alkane, sodium salts	Non-active substance	97489-15-1	307-055-2	0
C6 alkyl glucoside	Hexyl D-Glucoside	Non-active substance	54549-24-5	259-217-6	0
Isopropanol	Propan-2-ol	Non-active substance	67-63-0	200-661-7	3
Methanesulfonic acid	Methanesulfonic acid	Non-active substance	75-75-2	200-898-6	0
Sulphuric acid	Sulphuric acid	Non-active substance	7664-93-9	231-639-5	0
Butyldiglycol	2-(2- butoxyethoxy)ethanol	Non-active substance	112-34-5	203-961-6	0

2.2. Type of formulation

AL - Any	other liquid							
----------	--------------	--	--	--	--	--	--	--

3. Hazard and precautionary statements

Hazard statements

Causes serious eye damage.

Precautionary statements

Wear eye/face protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

4. Authorised use(s)

4.1 Use description

Use 1 - Teat disinfection after milking by spraying or dipping

Product type

PT03 - Veterinary hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other: bacteria Common name: Bacteria Development stage:

Scientific name: other yeast Common name: Yeasts Development stage:

Field(s) of use

Indoor

Veterinary field:

RTU spray or dip for teat disinfection, after milking, without prior cleaning

Application method(s)

Method: by spraying or dipping Detailed description: By spraying or dipping

Application rate(s) and frequencies

Application Rate: Active against bacteria and yeasts: RTU In five minutes contact time.

The product must "return" to RT before use.

Dilution (%):

Number and timing of application:

Active against bacteria and yeasts:

RTU (with 3.6 - 7.5 % Lactic acid depending on the product considered)

In five minutes contact time

The product must return to Room temperature before use

Category(ies) of users	Professional					
Pack sizes and packaging material	1 L, 5 L, 10 L, 20 L, 25 L, 30 L, 60 L, 200 L, 220 L, 600 L, 1000 L, 1100 L 1 kg, 5 kg, 10 kg, 20 kg, 25 kg, 30 kg, 60 kg, 200 kg, 220 kg, 600 kg, 1000 kg, 1100 kg HDPE (High Density Polyethylene)					
4.1.1 Use-specific instruction	ns for use					
see general directions for use for Meta S	SPC 9					
4.1.2 Use-specific risk mitiga	ation measures					
see general directions for use for Meta S	SPC 9					
-	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment					
see general directions for use for Meta S	SPC 9					
4.1.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its					
see general directions for use for Meta S	SPC 9					
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage					
see general directions for use for Meta S	SPC 9					

5. General directions for use

5.1. Instructions for use

Apply the product immediately after each milking, two or three times per day. Ensure that the teat is completely covered to three quarter of its length. Fill the dipping cup or spraying flacon with the desired amount of the product, but do not use more fluid that necessary. Assume 5 mL per cow per treatment. Respect a contact time of five minutes. The product must be brought to a temperature above 20°C before use. In order to ensure optimal teat disinfection, the animals should be kept standing for at least five minutes.
5.2. Risk mitigation measures
Chemical goggles need to be worn.
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call 112/ambulance for medical assistance. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
5.4. Instructions for safe disposal of the product and its packaging
The packing and content must be eliminated as dangerous waste product under the full responsibility of the possessor of this waste product. Do not throw wastes into sewers and watercourses. Dispose in a safe manner in accordance with local/national regulations.
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage
Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. The shelf-life of the products is two years.
6. Other information