

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Cuprinol Woodworm Killer (WB)

Product type(s)

PT08: Wood preservatives

Authorisation number: 2017-06-26-B02

R4BP asset number: MT-0017418-0000

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	Cuprinol Woodworm Killer (WB)
---------------	-------------------------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Akzo Nobel Decorative Coatings B.V.
	Address	Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam Netherlands
Authorisation number	2017-06-26-B02	
<i>R4BP asset number</i>	MT-0017418-0000	
Date of the authorisation	19/06/2017	
Expiry date of the authorisation	19/06/2027	

1.3. Manufacturer(s) of the product

Name of manufacturer	Akzo Nobel Manufacturing
Address of manufacturer	Ashwood Business Park, Oakwood Way NE63 0XF Ashington United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Ashwood Business Park, Oakwood Way NE63 0XF Ashington United Kingdom of Great Britain and Northern Ireland (the)

Name of manufacturer	Akzo Nobel Decorative Paints France SA
Address of manufacturer	Z.I. "Les Bas Prés" C.S. 70113 60761 Montataire Cedex France
Location of manufacturing sites	Z.I. "Les Bas Prés" C.S. 70113 60761 Montataire Cedex France

Name of manufacturer	Akzo Nobel Decorative Coatings SP.z.o.o.
Address of manufacturer	ul. Krakowiakow 48 02-255 Warszawa Poland
Location of manufacturing sites	il. Przemyslowa 3 08-440 Pilawa Poland

Name of manufacturer	Akzo Nobel Baltics
Address of manufacturer	Tobiase 8 10147 Tallinn Estonia
Location of manufacturing sites	Kastani Street 7 79514 Rapla Estonia

1.4. Manufacturer(s) of the active substance(s)

Active substance	(RS)- α -cyano-3phenoxybenzyl-(1RS)- cis, trans-3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate (Cypermethrin)
Name of manufacturer	Arysta LifeScience Benelux SPRL (formerly Agriphar S.A.)

Address of manufacturer	Rue Renory 26/1 4102 Ougrée Belgium
Location of manufacturing sites	Tal. Ked Dist. Ratnagiri 415 722 Maharashtra India Steanard Lane WF14 8HZ Mirfield, West Yorkshire United Kingdom of Great Britain and Northern Ireland (the)

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis,trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		active substance	52315-07-8	257-842-9	0,1

2.2. Type(s) of formulation

Water Based Ready-for-Use

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects. EUH208: Contains 2-Methyl-1,2-benzothiazol-3(2H)-one; [MBIT]. May produce an allergic reaction.
Precautionary statements	P391: Collect spillage. P501: Dispose of contents to In accordance with national regulations.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Non-Professional Use

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Wood preservative for preventative treatment against wood destroying insects. Also for curative treatment against woodworm. Authorisation is granted for Use Class 1.
Target organism(s) (including development stage)	Scientific name: Anobium punctatum De Geer Common name: common furniture beetle Development stage: All Scientific name: Hylotrupes bajulus L. Common name: house longhorn beetle Development stage: larvae Scientific name: Isoptera: Isoptera: Common name: termites Development stage: All
Field(s) of use	indoor use IV.1.1 Use Class 1
Application method(s)	Method: Brush Detailed description: -
Application rate(s) and frequency	Application rate: 2-3 coats equal to 200 ml/m ² Number and timing of application: -
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	0.5 – 5 L Tin plate can fitted with HDPE screw cap

4.1.1. Use-specific instructions

Wood surfaces must be clean and dry before treating.

Handle product and dry freshly treated wood in areas with good ventilation.

Wood that has been wood-stained, painted or varnished should be stripped back to bare wood and treated as bare wood.

When treating roof joists, first remove insulation and do not relay for at least 36 hours or until treatment is dry. Protect electrical sockets, fuse boxes etc.

Ensure ground is covered during application and until treated surfaces are dry.

Do not use on antique furniture or other water sensitive items.

Treat bare wood by flooding surfaces with 2 or 3 brush coats. Pay particular attention to end grain, corners, joints, crevices etc. Retreat any surfaces cut after treatment and all replacement timber.

Apply 2-3 coats up to 200ml/m².

This product may cause darkening of some timbers. If colour is critical, apply a test area first and allow to dry fully to ensure final appearance is acceptable. Most decorative finishes such as solvent based or water based paints, wood stains, varnishes, polishes etc. can be applied after

the fluid dried. Rough sawn timber will absorb up to twice as much as planed wood.

Ensure timber is fully dry (allow 3 days) before laying plastic floor tiles, foam or rubber backed carpet, underlay, insulation in lofts, etc.

After full drying, most glues, fillers and knotting solutions can be used as normal. The treatment will dry in 1 - 3 days. Drying time may be extended in confined areas such as under floors and in roof spaces.

After use remove as much product as possible from equipment before cleaning with water.

Do not use or store in extremes of temperature.

The stain is ready-to-use. Do not thin.

Shake slightly before use.

Reseal container after use.

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

For use on wood in:

- Use class 1 (situation in which the wood-based product is under cover, not exposed to the weather and wetting)

Keep out of reach of children.

Keep away from food, drink and animal feeding stuffs.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Wash hands and exposed skin before meals and after use.

Keep in a safe place.

Keep away from treated surfaces until dry.

Remove or cover all fish tanks or bowls before application.

Cover all water storage tanks before application.

Hazardous to bees.

Do not use on beehives and beekeeping equipment.

All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

This material and its container must be disposed of in a safe way.

Dispose of contents/container to an approved waste disposal plant.

Do not empty into drains.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

If medical advice is needed, have product container or label at hand.

After skin contact: Take off immediately all contaminated clothing/shoes and wash immediately with plenty of water and soap. Do not use solvents or thinners.

After contact with eyes: Check for and remove any contact lenses. Immediately flush with running water for at least 15 minutes, keeping eyelids open. Seek immediately medical attention.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Seek medical attention.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and seek medical attention immediately. In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to sewer unless fully compliant with the requirements of all authorities with jurisdiction.

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in accordance with local regulations.
Store the product in tightly closed original containers at temperatures about 5 - 30°C.
Shelf-life up to 24 months at room temperature.

4.2. Use description

Table 2. Professional Use

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Wood preservative for preventative treatment against wood destroying insects. Also for curative treatment against woodworm. Authorisation is granted for Use Class 1.
Target organism(s) (including development stage)	Scientific name: Anobium punctatum De Geer Common name: common furniture beetle Development stage: All Scientific name: Hylotrupes bajulus L. Common name: house longhorn beetle Development stage: larvae Scientific name: Isoptera: Isoptera: Common name: termites Development stage: All
Field(s) of use	indoor use IV.1.1 Use Class 1
Application method(s)	Method: Brush Detailed description: -
Application rate(s) and frequency	Application rate: 2-3 coats equal to 200 ml/m ² Number and timing of application: -
Category(ies) of users	professional
Pack sizes and packaging material	0.5 – 5 L Tin plate can fitted with HDPE screw cap

4.2.1. Use-specific instructions

Wood surfaces must be clean and dry before treating.

Handle product and dry freshly treated wood in areas with good ventilation.

Wood that has been wood-stained, painted or varnished should be stripped back to bare wood and treated as bare wood.

When treating roof joists, first remove insulation and do not relay for at least 36 hours or until treatment is dry. Protect electrical sockets, fuse boxes etc.

Ensure ground is covered during application and until treated surfaces are dry.

Do not use on antique furniture or other water sensitive items.

Treat bare wood by flooding surfaces with 2 or 3 brush coats. Pay particular attention to end grain, corners, joints, crevices etc. Retreat any surfaces cut after treatment and all replacement timber.

Apply 2-3 coats up to 200ml/m².

This product may cause darkening of some timbers. If colour is critical, apply a test area first and allow to dry fully to ensure final appearance is acceptable. Most decorative finishes such as solvent based or water based paints, wood stains, varnishes, polishes etc. can be applied after

the fluid dried. Rough sawn timber will absorb up to twice as much as planed wood.

Ensure timber is fully dry (allow 3 days) before laying plastic floor tiles, foam or rubber backed carpet, underlay, insulation in lofts, etc.

After full drying, most glues, fillers and knotting solutions can be used as normal.

The treatment will dry in 1 - 3 days. Drying time may be extended in confined areas such as under floors and in roof spaces.

After use remove as much product as possible from equipment before cleaning with water.

Do not use or store in extremes of temperature.

The stain is ready-to-use. Do not thin.

Shake slightly before use.

Reseal container after use.

4.2.2. Use-specific risk mitigation measures

4.2.3. Use-specific risk mitigation measures

For use on wood in:

- Use class 1 (situation in which the wood-based product is under cover, not exposed to the weather and wetting)

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Avoid excessive contamination of coveralls

Keep out of reach of children.

Keep away from food, drink and animal feeding stuffs.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Wash hands and exposed skin before meals and after use.

Keep in a safe place.

Keep away from treated surfaces until dry.

Remove or cover all fish tanks or bowls before application.

Cover all water storage tanks before application.

Hazardous to bees.

Do not use on beehives and beekeeping equipment.

All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

This material and its container must be disposed of in a safe way.

Dispose of contents/container to an approved waste disposal plant.

Do not empty into drains.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

4.2.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

If medical advice is needed, have product container or label at hand.

After skin contact: Take off immediately all contaminated clothing/shoes and wash immediately with plenty of water and soap. Do not use solvents or thinners.

After contact with eyes: Check for and remove any contact lenses. Immediately flush with running water for at least 15 minutes, keeping eyelids open. Seek immediately medical attention.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Seek medical attention.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and seek medical attention immediately.

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

4.2.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Waste should not be disposed of untreated to sewer unless fully compliant with the requirements of all authorities with jurisdiction.

4.2.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in accordance with local regulations.

Store the product in tightly closed original containers at temperatures about 5 - 30°C.

Shelf-life up to 24 months at room temperature.

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

See Section 4.1.1. or 4.2.1.

5.2. Risk mitigation measures

See Section 4.1.2. or 4.2.2.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Section 4.1.3. or 4.2.3.

5.4. Instructions for safe disposal of the product and its packaging

See Section 4.1.4. or 4.2.4.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

See Section 4.1.5. or 4.2.5.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

6. OTHER INFORMATION