

Summary of product characteristics for a biocidal product

Product name: Cuprinol Exterior Wood Preserver (BP)

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: 2010-04-15-B01b

R4BP 3 asset reference number: MT-0002529-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	4
5. General directions for use	4
5.1. Instructions for use	4
5.2. Risk mitigation measures	4
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	4
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5

Administrative information

1.1. Trade names of the product

Cuprinol Exterior Wood Preserver(BP)

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Dulux Paints Ireland Ltd.
	Address	Commons Road P.O. Box 45 000 Cork Ireland
Authorisation number	2010-04-15-B01b	
R4BP 3 asset reference number	MT-0002529-0000	
Date of the authorisation	24/04/2013	
Expiry date of the authorisation	31/03/2020	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	ICI Paints Akzo Nobel
Address of the manufacturer	Eltringham Works, Northumberland NE42 6LP Prudhoe United Kingdom
Location of manufacturing sites	Eltringham Works, Northumberland NE42 6LP Prudhoe United Kingdom

1.4. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Chemical Corporation
Address of the manufacturer	One Avenue L NJ 07105 Newark United States
Location of manufacturing sites	Troy Chemical Company BV, 12e Uiverlaan 3145 Maassluis Netherlands
Active substance	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of the manufacturer	Syngenta CropProtection AG (supplier: Lanxess Deutschland GmbH)
Address of the manufacturer	confidential CH - 4058 (supplier: D - 50569) Basel (supplier: Cologne) Switzerland
Location of manufacturing sites	confidential CH - 1870 Monthey Switzerland

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.95
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.24

2.2. Type of formulation

Water based liquid wood preservative stain

3. Hazard and precautionary statements

Hazard statements

Toxic to aquatic life with long lasting effects.

Contains Propiconazole, IPBC, Isothiazolinone preparation and microbiocidal preparation. May produce an allergic reaction.

Precautionary statements

Keep out of reach of children.

If medical advice is needed, have product container or label at hand.

Do not get in eyes, on skin, or on clothing.

Call a POISON CENTER if you feel unwell.

Dispose of container to local waste disposal collection point.

4. Authorised use(s)

4.1 Use description

Use 1 - Preventive efficacy against blue stain and wood rotting fungi for use class 2 and 3

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

For all outside wood which is not in direct contact to soil or surface water and not stressed statically

Target organism(s) (including development stage)

Aureobasidium pullulans spp.-Sapstain fungi-

Basidiomycetes:-Wood rotting basidiomycetes-Spores and spore producing structures

Field(s) of use

Outdoor

Application method(s)

Manual application -
Brushing

Application rate(s) and frequencies

wood discoloring fungi minimum application rate: 120.2 g/m²; wood rotting fungi minimum application rate: 167.8 g/m² - 0 -
Apply 2 coats.

Category(ies) of users

Professional

General public (non-professional)

Pack sizes and packaging material

Can /Tin - Metal: - 2.5L; 5L; 25L

4.1.1 Use-specific instructions for use

Wood surfaces must be clean and dry before treating. Additional information see point 5.1 - Instructions for use

4.1.2 Use-specific risk mitigation measures

Keep out of reach of children. Additional information see point 5.2 - Risk mitigation measures

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Take off immediately all contaminated clothing and wash immediately with plenty of water and soap. Obtain medical attention. Additional information see point 5.3 - Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

This material and its container must be disposed of in a safe way. Do not empty into drains. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store the product in tightly closed original containers at temperatures about 5 - 30°C. Shelf-life up to 3 years.

5. General directions for use

5.1. Instructions for use

Wood surfaces must be clean and dry before treating. Handle product and freshly treated wood in areas with good ventilation. Keep freshly treated wood roofed or otherwise protected against rain until complete dryness. Do not breathe sanding dust. The stain is ready-to-use. Do not thin. Stir well before use. Apply by brush. Reseal container after use. Processing temperature is 5 - 35°C.

5.2. Risk mitigation measures

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Wash immediately with plenty of water and soap and rinse thoroughly.
After eye contact: Rinse thoroughly with plenty of water for at least 10 minutes while holding eyelids open. Seek medical attention if symptoms persist.
After swallowing: Rinse mouth and drink plenty of water.

5.4. Instructions for safe disposal of the product and its packaging

This material and its container must be disposed of in a safe way. Do not empty into drains. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store the product in tightly closed original containers at temperatures about 5 - 30°C. Shelf-life up to 3 years.

6. Other information

Use biocides safely. Always read the label and product information before use.