

# Summary of product characteristics for a biocidal product

**Product name:** SALVESAFE G15

**Product type(s):** PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Authorisation number:** EU-0021241-0000

**R4BP 3 asset reference number:** EU-0021241-0018

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6. Other information	7

## Administrative information

### 1.1. Trade names of the product

SALVESAFE G15
bubble b - Nettoyant désinfectant multi-surface
bubble b - Multi surface disinfectant cleaner
bubble b - Nettoyant désinfectant pour tétines et biberons
bubble b - Baby bottle and teat disinfectant cleaner
bubble b - Nettoyant désinfectant salle de bain
bubble b - Bathroom disinfectant cleaner

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	SALVECO S.A.S.
	Address	Avenue Pierre Mendès-France Z.A. Hellieule 4 F 88100 SAINT DIE DES VOSGES France
<b>Authorisation number</b>	EU-0021241-0000 1-1	
<b>R4BP 3 asset reference number</b>	EU-0021241-0018	
<b>Date of the authorisation</b>	28/10/2019	
<b>Expiry date of the authorisation</b>	28/10/2029	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	SALVECO SAS
<b>Address of the manufacturer</b>	Avenue Pierre Mendès-France, Z.I. Hellieule 4 F 88100 SAINT DIE DES VOSGES France
<b>Location of manufacturing sites</b>	Avenue Pierre Mendès-France, Z.I. Hellieule 4 F 88100 SAINT DIE DES VOSGES France

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1421 - Lactic acid
<b>Name of the manufacturer</b>	JUNGBUNGZLAUER S.A
<b>Address of the manufacturer</b>	Z.I Portuaire BP 32 67390 Marckolsheim France
<b>Location of manufacturing sites</b>	Z.I Portuaire BP 32 67390 Marckolsheim France

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Lactic acid		Active Substance		200-018-0	2,38

### 2.2. Type of formulation

Ready-to-use water based liquids
----------------------------------

### 3. Hazard and precautionary statements

Hazard statements

Precautionary statements

### 4. Authorised use(s)

#### 4.1 Use description

#### Use 1 - Disinfectants for all washable hard surfaces - Spraying or foaming application

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)  
PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Ready to use multi-purpose disinfectants with bactericidal efficacy, yeasticidal efficacy and virucidal efficacy only against enveloped viruses for non-porous hard surfaces in contact and without contact with food and feed in domestic, institutional and industrial area.

Target organism(s) (including development stage)

Scientific name: Bacteria  
Common name: Bacteria  
Development stage:  
  
Scientific name: Yeasts  
Common name: Yeasts  
Development stage:  
  
Scientific name: Enveloped viruses  
Common name: Enveloped viruses  
Development stage:

Field(s) of use

Indoor  
Outdoor

Application method(s)

Method: spraying and foaming  
Detailed description:  
Trigger spray - Apply the product by spraying (apply approx.17 sprays/1m<sup>2</sup>) and make sure to wet uniformly the surface by mopping or wiping.  
  
Foaming - Apply the product by foaming and make sure to wet uniformly the surface by mopping or wiping.

**Application rate(s) and frequencies**

Application Rate: Approximately 20 mL/m<sup>2</sup>  
Dilution (%): Ready-to-use product  
Number and timing of application:  
Apply once. Repeat the application if necessary.

**Category(ies) of users**

Industrial  
Professional  
General public (non-professional)

**Pack sizes and packaging material**

Bottle with spray/foam trigger (HDPE, LDPE, PET, PE, PP): 0.15-1 L  
Doypack (PE): 1L

**4.1.1 Use-specific instructions for use**

Trigger spray - Apply the product by spraying (apply approx.17 sprays/1m<sup>2</sup>) and make sure to wet uniformly the surface by mopping or wiping. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

Foaming - Apply the product by foaming and make sure to wet uniformly the surface by mopping or wiping. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

In food and feed area – after disinfection rinse thoroughly with clean water.

**4.1.2 Use-specific risk mitigation measures**

Section 5.2

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Section 5.3

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

Section 5.4

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

## 4.2 Use description

### Use 2 - Disinfectants for all washable hard surfaces – pouring and mopping for product distribution

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)  PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Ready to use multi-purpose disinfectants with bactericidal efficacy, yeasticidal efficacy and virucidal efficacy only against enveloped viruses for non-porous hard surfaces in contact and without contact with food and feed in domestic, institutional and industrial area
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage:  Scientific name: Yeasts Common name: Yeasts Development stage:  Scientific name: Enveloped viruses Common name: Enveloped viruses Development stage:
<b>Field(s) of use</b>	Indoor  Outdoor
<b>Application method(s)</b>	Method: Pouring Detailed description: Pour directly on the surface, and ensure that the surface is fully wet by mopping or wiping.
<b>Application rate(s) and frequencies</b>	Application Rate: 20 mL/m <sup>2</sup> Dilution (%): Ready-to-use product Number and timing of application: Apply once. Repeat the application if necessary.
<b>Category(ies) of users</b>	Industrial  Professional  General public (non-professional)
<b>Pack sizes and packaging material</b>	Bottle (HDPE, LDPE, PET, PE, PP): 0.1-2 L (industrial, professional, non-professional users) Doypack (PE): 1L (industrial, professional, non professional users) Can / Tin (HDPE, LDPE, PET, PE, PP): 0.1-1 L (industrial, professional, non-professional users) Jerry can (HDPE, LDPE): 1-80 L (industrial, professional)

Drum (HDPE): 10-220 L (industrial, professional)

IBC (HDPE): 1000L (industrial and professional)

#### 4.2.1 Use-specific instructions for use

Pour product onto the surface to be disinfected. Uniform distribution of the biocidal product should be ensured by mopping or wiping. Ensure that surface is completely wet. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

In food and feed area – after disinfection rinse thoroughly with clean water.

#### 4.2.2 Use-specific risk mitigation measures

Section 5.2

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Section 5.4

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5

### 5. General directions for use

#### 5.1. Instructions for use



Please see section "Use-specific instructions for use"

## 5.2. Risk mitigation measures

For non-professional users: If medical advice is needed, have product container or label at hand. Keep out of reach of children.  
For industrial and professional users: Safety data sheet available on request.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of skin contact: Wash with plenty of water.  
If swallowed: Rinse mouth. Do not induce vomiting. If symptoms occurs: Get medical advice/attention.  
If inhaled: Get medical attention if symptoms occur.

## 5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container to in accordance with national regulation.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container at room temperature. Protect from direct sun light. Protect from frost. Shelf-life: 2 years.

## 6. Other information

Not intended for medical area (PT2), milk and meat industry (PT4)