### Summary of product characteristics for a biocidal product

Product name: Sikkens Cetol HLS plus (BP) (Pine)

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: 2248-2

**R4BP 3 asset reference number:** BG-0014791-0008

### **Table Of Contents**

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	4
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	35
5.1. Instructions for use	35
5.2. Risk mitigation measures	36
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	37
5.4. Instructions for safe disposal of the product and its packaging	40
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	42
6. Other information	44

### **Administrative information**

### 1.1. Trade names of the product

Sikkens Cetol HLS plus(BP) Pine

SADOLIN Classic HP (BPR) fenyő

SADOLIN IMPREGNAT CLASSIC HP + Piniowy

SADOLIN IMPREGNAT CLASSIC + Piniowy

SADOLIN CLASSIC HP + Piniowy

SADOLIN CLASSIC + Piniowy

Sikkens Cetol HLS plus(BPR) Kiefer

Sikkens Cetol HLS plus(BPR) Pino

Xyladecor Holzschutzlasur BPR Pinie

### 1.2. Authorisation holder

Name and address of the authorisation holder

Name	Akzo Nobel Decorative Coatings B.V.
Address	Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam Netherlands

**Authorisation number** 

R4BP 3 asset reference number

Date of the authorisation

Expiry date of the authorisation

BG-0014791-0008
22/06/2015
31/07/2025

### 1.3. Manufacturer(s) of the biocidal products

2248-2 1-1

Name of the manufacturer	Akzo Nobel Decorative Paints
Address of the manufacturer	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France
Location of manufacturing sites	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

### 1.4. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Corporation
Address of the manufacturer	8 Vreeland Road, Florham Park 07932 New Jersey United States
Location of manufacturing sites	One Avenue L NJ 07105 Newark United States
Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Chemical Corporation
Address of the manufacturer	One Avenue L NJ 07105 Newark United States
Location of manufacturing sites	12e Uiverlaan 3145 Maassluis Netherlands

### 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2- propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7

2-butanonoxime         Non-active substance         96-29-7         0,388           Alkyd solition         Alkyd solition         Substance         35,86           Linseed oil         Non-active substance         8001-26-1         2,5           Organic bentonite         Non-active substance         88983-58-2         0,571           Relined soy lecitini         Non-active substance         8002-43-5         0,067           Calcium preparation         Non-active substance         22464-99-9         1,994           Zirconium preparation         Non-active substance         22464-99-9         1,994           Manganese preparation         Non-active substance         15596-58-8         0,1           sillcon-free polymer         Non-active substance         9011-05-6         1,5           magnesium sulphate helpalinytati         Non-active substance         10034-99-8         0,14           magnesium sulphate helpalinytati         Non-active substance         12751-917-9         0,2           substance of the hypothypiansh         Non-active substance         12751-917-9         0,2           substance of the hypothylanyl-herothypiansh         Non-active substance         12751-917-9         0,6           cli pigment carbon black         Non-active substance         1309-37-1         0,06 <th>Dearomatised hydrocarbon</th> <th></th> <th>Non-active substance</th> <th>64742-47-8</th> <th>22,042</th>	Dearomatised hydrocarbon		Non-active substance	64742-47-8	22,042
Linseed oil Substance 8001-26-1 2,5  Crganic bentonite Non-active substance 8001-26-1 2,5  Refined soy lecithin Non-active substance 8002-43-5 0,057  Calcium preparation Non-active substance 8851-41-7 1,99  Zirconium preparation Non-active substance 22464-99-9 1,994  Manganese preparation Non-active substance 15956-58-8 0,1  Manganese preparation Non-active substance 9011-05-6 1,5  methylen diaminomethyl polycondensate substance 9011-05-6 1,5  magnesium sulphate heptahydrat substance 10034-99-8 0,14  Component of polyphase Ar3  water Non-active substance 7732-18-5 28,02  Substance of the hydrolyphenyl-benzoriazole 40-20-40-40-40-40-40-40-40-40-40-40-40-40-40	2-butanonoxime			96-29-7	0,388
Circle of Interest of Interest of Entropy (Companie bentonite)         Substance with stance with stance with stance with stance with stance of the highly play (Companie bentonite)         8001-26-1         2.5           Calcium preparation         Non-active substance with stance	Alkyd solition	Alkyd solution			35,86
Substance   Sep5-3-8-2   C.5/1	Linseed oil			8001-26-1	2,5
Substance   Subs	Organic bentonite			68953-58-2	0,571
Substance   Subs	Refined soy lecithin			8002-43-5	0,057
Zirconium preparation         substance         22464-99-9         1,994           Manganese preparation         Non-active substance         15956-58-8         0,1           silicon-free polymer         Non-active substance         64741-65-7         0,2           methylen diaminomethyl polycondensate         Non-active substance         9011-05-6         1,5           magnesium sulphate heptalydrat         Non-active substance         10034-99-8         0,14           component of polyphase AF3         Non-active substance         7732-18-5         28,02           water         Non-active substance         127519-17-9         0,2           substance of the hydrolyphenyl-benzotriazole         Non-active substance         129757-67-1         0,1           decanediodic acid         Non-active substance         96556-05-7         0,67           1,4,7 trimethyl-1,4,7 osv         Non-active substance         1333-86-4         0           Cl pigment carbon black 7         Non-active substance         1309-37-1         0,06           Cl pigment yellow 42         Non-active substance         20344-49-4         1,271           Cl pigment white 6         Non-active substance         13463-67-7         0           Cl pigment blue 15:4         Non-active substance         147-14-8         0	Calcium preparation			68551-41-7	1,99
Mangariese preparation         Substance         19990-98-8         0,1           silicon-free polymer         Non-active substance         64741-65-7         0,2           methylen diaminomethyl polycondensate         Non-active substance         9011-05-6         1,5           magnesium sulphate heptahydrate         Non-active substance         10034-99-8         0,14           component of polyphase AF3         Non-active substance         7732-18-5         28,02           water         Non-active substance         127519-17-9         0,2           substance of the hydrolyphenyl-benzotriazole         Non-active substance         129757-67-1         0,1           decanediodic acid         Non-active substance         96556-05-7         0,67           1,4,7 trimethyl-1,4,7 osv         Non-active substance         1333-86-4         0           Cl pigment carbon black 7         Non-active substance         1309-37-1         0,06           Cl pigment red 101         Non-active substance         20344-49-4         1,271           Cl pigment white 6         Non-active substance         13463-67-7         0           Cl pigment blue 15:4         Non-active substance         147-14-8         0	Zirconium preparation			22464-99-9	1,994
substance         64/41-65-7         0,2           methylen diaminomethyl polycondensate         Non-active substance         9011-05-6         1,5           magnesium sulphate heptahydrat         Non-active substance         10034-99-8         0,14           component of polyphase AF3         Non-active substance         7732-18-5         28,02           substance of the hydrolyphenyl-benzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment white 6         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0	Manganese preparation			15956-58-8	0,1
polycondensate         substance         3011-03-0         1.3           magnesium sulphate heptahydrat         Non-active substance         10034-99-8         0,14           component of polyphase AF3         Non-active substance         1,633           water         Non-active substance         7732-18-5         28.02           substance of the hydrolyphenyl-benzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0	silicon-free polymer			64741-65-7	0,2
heptahydrat         substance         10034-99-8         0,14           component of polyphase AF3         Non-active substance         1,633           water         Non-active substance         7732-18-5         28,02           substance of the hydrolyphenyl-benzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         20344-49-4         1,271           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0				9011-05-6	1,5
AF3         substance         1,033           water         Non-active substance         7732-18-5         28,02           substance of the hydrolyphenyl-benzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0				10034-99-8	0,14
substance         7732-18-5         28,02           substance of the hydrolyphenyl-benzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0					1,633
hydrolyphenylbenzotriazole         Non-active substance         127519-17-9         0,2           decanediodic acid         Non-active substance         129757-67-1         0,1           1,4,7 trimethyl-1,4,7 osv         Non-active substance         96556-05-7         0,67           CI pigment carbon black 7         Non-active substance         1333-86-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0	water			7732-18-5	28,02
1,4,7 trimethyl-1,4,7 osv       Non-active substance       96556-05-7       0,67         CI pigment carbon black 7       Non-active substance       1333-86-4       0         CI pigment red 101       Non-active substance       1309-37-1       0,06         CI pigment yellow 42       Non-active substance       20344-49-4       1,271         CI pigment white 6       Non-active substance       13463-67-7       0         CI pigment blue 15:4       Non-active substance       147-14-8       0         CI pigment red 122       Non-active substance       980-26-7       0	hydrolyphenyl-			127519-17-9	0,2
1,4,7 trimetryl-1,4,7 osv       substance       96556-05-7       0,67         CI pigment carbon black 7       Non-active substance       1333-86-4       0         CI pigment red 101       Non-active substance       1309-37-1       0,06         CI pigment yellow 42       Non-active substance       20344-49-4       1,271         CI pigment white 6       Non-active substance       13463-67-7       0         CI pigment blue 15:4       Non-active substance       147-14-8       0	decanediodic acid			129757-67-1	0,1
7         substance         1333-80-4         0           CI pigment red 101         Non-active substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0           CI pigment red 122         Non-active substance         980-26-7         0	1,4,7 trimethyl-1,4,7 osv			96556-05-7	0,67
CI pigment red 101         substance         1309-37-1         0,06           CI pigment yellow 42         Non-active substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0           CI pigment red 122         Non-active substance         980-26-7         0				1333-86-4	0
CI pigment yellow 42         substance         20344-49-4         1,271           CI pigment white 6         Non-active substance         13463-67-7         0           CI pigment blue 15:4         Non-active substance         147-14-8         0           CI pigment red 122         Non-active 980-26-7         0	CI pigment red 101			1309-37-1	0,06
CI pigment write 6 substance 13463-67-7 0  CI pigment blue 15:4 Non-active substance 147-14-8 0  CI pigment red 122 Non-active 980-26-7 0	CI pigment yellow 42			20344-49-4	1,271
CI pigment blue 15:4 substance 147-14-8 0  Non-active 980-26-7 0	CI pigment white 6			13463-67-7	0
C.I. DIGMENT FEG. 127 980-26-7 U	CI pigment blue 15:4			147-14-8	0
	CI pigment red 122			980-26-7	0

CI pigment green 7	Non-active substance	1328-53-6	0
C.I. pigment violet 23	Non-active substance	6358-30-1	0

### 2.2. Type of formulation

AL - Any other liquid

### 3. Hazard and precautionary statements

#### **Hazard statements**

Harmful to aquatic life with long lasting effects.

Repeated exposure may cause skin dryness or cracking.

Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime. May produce an allergic reaction.

### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Do not get in eyes, on skin, or on clothing.

Avoid release to the environment.

Call a POISON CENTER if you feel unwell.

Dispose of contents to local rules.

Call a POISON CENTER if you feel unwell.

Dispose of container to local rules.

### 4. Authorised use(s)

### 4.1 Use description

### Use 1 - Against wood discolouring fungi

### **Product type**

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

For all outside wood, which is not I direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

Target organism(s) (including development stage)	Scientific name: Aureobasidium pullulans spp. Common name: Sapstain fungi Development stage:
Field(s) of use	Indoor
	Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description:
	Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m² Dilution (%): No dilution Number and timing of application: 200-250 g/m²
Category(ies) of users	Professional
	General public (non-professional)

### 4.1.1 Use-specific instructions for use

Pack sizes and packaging

material

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

11.5L; 12L; 20L)

Can /Tin, Metal: , 0.75L - 20L (0.75L; 1L; 2.5L; 3L; 5L; 5.5L; 6L; 9L; 9.5L; 10L; 11L;

### 4.1.2 Use-specific risk mitigation measures

Keep out of reach of children. Wear suitable protective clothing and gloves

## 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

### 4.2 Use description

Use 2 - Against wood discolouring fungi		
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor	
•	Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description:	
Application method(e)	Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	

Category(ies) of users	Professional		
	General public (non-professional)		
Pack sizes and packaging material	can, not available , 1		
	1-20L		
4.2.1 Use-specific instruction	ons for use		
see other section			
4.2.2 Use-specific risk mitig	ation measures		
see other section	see other section		
-	use, the particulars of likely direct or indirect effects, first aid y measures to protect the environment		
see other section			
4.2.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its		
see other section			
1.2.5 Where specific to the ι under normal conditions of	use, the conditions of storage and shelf-life of the product storage		
see other section			
4.3 Use description			
Use 3 - Against wood discoloเ	ıring fungi		
Product type	PT08 - Wood preservatives (Preservatives)		

Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor	
	Outdoor	
Application mathed(s)	Method: Open system: brush treatment	
Application method(s)	Detailed description: Not available	
Auglication vato(a) and	Application Rate: 200-250 ml/m2	
Application rate(s) and frequencies	Dilution (%): 0  Number and timing of application:	
	200-250 g/m2	
Category(ies) of users	Professional	
	General public (non-professional)	
Pack sizes and packaging	can, not available , 1	
material		
	1-20L	
4.3.1 Use-specific instruction	ns for use	
see other section		
4.3.2 Use-specific risk mitigation measures		
see other section		

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section	
4.3.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
see other section	
4.3.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
see other section	
4.4 Use description	
Use 4 - Against wood discoloui	ring fungi
Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional

General public (non-professional)

can, not available , 1

Pack sizes and packaging material

4.4.1 Use-specific instruction	ns for use	
see other section		
4.4.2 Use-specific risk mitiga	tion measures	
see other section		
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
see other section		
4.4.4 Where specific to the us packaging	se, the instructions for safe disposal of the product and its	
see other section		
4.4.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
see other section		
4.5 Use description Use 5 - Against wood discolour	ing fungi	
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	

1-20L

Field(s) of use	Outdoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional General public (non-professional)	
Pack sizes and packaging material	can, not available , 1 1-20L	
4.5.1 Use-specific instruction	ns for use	
see other section		
4.5.2 Use-specific risk mitigation measures		
see other section		
4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
see other section		
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
see other section		

# 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section		

4.6 Use description	
Use 6 - Against wood discolou	ring fungi
Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional  General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.6.1 Use-specific instructions for use		
see other section		
4.6.2 Use-specific risk mitiga	ation measures	
see other section		
	ise, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
see other section		
4.6.4 Where specific to the upackaging	ise, the instructions for safe disposal of the product and its	
see other section		
4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
see other section		
4.7 Use description		
Use 7 - Against wood discolou	ring fungi	
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description:	

	Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional  General public (non-professional)	
Pack sizes and packaging material	can, not available , 1 1-20L	
4.7.1 Use-specific instructions for use		
see other section		
4.7.2 Use-specific risk mitigation measures		
see other section		
4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
see other section		
4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
see other section		
4.7.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
see other section		

### 4.8 Use description

### Use 8 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional  General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

### 4.8.1 Use-specific instructions for use

see other section

### 4.8.2 Use-specific risk mitigation measures

see other section		
4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
see other section		
4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
see other section		
4.8.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
see other section		
4.9 Use description Use 9 - Against wood discolouring fungi		
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	

Category(ies) of users	Professional
	General public (non-professional)
Pack sizes and packaging material	can, not available , 1
	1-20L
4.9.1 Use-specific instruction	ons for use
see other section	
4.9.2 Use-specific risk mitiç	gation measures
see other section	
	use, the particulars of likely direct or indirect effects, first aid y measures to protect the environment
see other section	
4.9.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
see other section	
4.9.5 Where specific to the under normal conditions of	use, the conditions of storage and shelf-life of the product storage
see other section	
4.10 Use description	
Use 10 - Against wood discold	ouring fungi
Product type	PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
	Indoor	
Field(s) of use		
	Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description:	
	Not available .	
Application rate(s) and	Application Rate: 200-250 ml/m2	
frequencies	Dilution (%): 0 Number and timing of application:	
•	200-250 g/m2	
	Professional	
Category(ies) of users		
	General public (non-professional)	
Barda dia sa and an abanda a	can, not available , 1	
Pack sizes and packaging material	cail, not available , 1	
	1-20L	
	<u> </u>	
4.10.1 Use-specific instructions for use		
see other section		
4.10.2 Use-specific risk mitigation measures		
see other section		

4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section		
4.10.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its	
see other section		
4.10.5 Where specific to the under normal conditions of s	use, the conditions of storage and shelf-life of the product storage	
see other section		
4.11 Use description Use 11 - Against wood discoloւ	uring fungi	
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional  General public (non-professional)	

can, not available , 1

Pack sizes and packaging material

4.11.1 Use-specific instruction	ons for use
see other section	
4.11.2 Use-specific risk mitig	pation measures
see other section	
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
see other section	
4.11.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
see other section	
4.11.5 Where specific to the ι under normal conditions of s	use, the conditions of storage and shelf-life of the product storage
see other section	
4.12 Use description	
Use 12 - Against wood discolou	ıring fungi
Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available

1-20L

Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional  General public (non-professional)	
Pack sizes and packaging material	can, not available , 1 1-20L	
4.12.1 Use-specific instruction	ons for use	
see other section		
4.12.2 Use-specific risk mitig	gation measures	
see other section		
4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
see other section		
4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
see other section		

# 4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section	

4.13.1 Use-specific instructions for use		
see other section		
4.13.2 Use-specific risk mitig	gation measures	
see other section		
<u> </u>	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
see other section		
4.13.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its	
see other section		
4.13.5 Where specific to the under normal conditions of s	use, the conditions of storage and shelf-life of the product storage	
see other section		
4.14 Use description		
Use 14 - Against wood discolor	uring fungi	
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description:	

	Not available		
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2		
Category(ies) of users	Professional  General public (non-professional)		
Pack sizes and packaging material	can, not available , 1 1-20L		
4.14.1 Use-specific instructions for use  see other section			
4.14.2 Use-specific risk mitig	jation measures		
see other section			
4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment			
see other section			
4.14.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its		
see other section			
4.14.5 Where specific to the u under normal conditions of s	use, the conditions of storage and shelf-life of the product storage		
see other section			

### 4.15 Use description

### Use 15 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional  General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

### 4.15.1 Use-specific instructions for use

see other section

### 4.15.2 Use-specific risk mitigation measures

see other section	
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
see other section	
4.15.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
see other section	
4.15.5 Where specific to the under normal conditions of s	use, the conditions of storage and shelf-life of the product torage
see other section	
4.16 Use description Use 16 - Against wood discolou	PT08 - Wood preservatives (Preservatives)
Product type Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2

Category(ies) of users	Professional
	General public (non-professional)
Pack sizes and packaging material	can, not available , 1
	1-20L
4.16.1 Use-specific instruct	ions for use
see other section	
4.16.2 Use-specific risk miti	gation measures
see other section	
=	e use, the particulars of likely direct or indirect effects, first aid y measures to protect the environment
see other section	
4.16.4 Where specific to the packaging	e use, the instructions for safe disposal of the product and its
see other section	
1.16.5 Where specific to the under normal conditions of	use, the conditions of storage and shelf-life of the product storage
see other section	
4.17 Use description	
Use 17 - Against wood discold	puring fungi
Product type	PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional  General public (non-professional)	
Pack sizes and packaging material	can, not available , 1 1-20L	
4.17.1 Use-specific instructions for use		
see other section		
4.17.2 Use-specific risk mitigation measures		
see other section		

4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section		
4.17.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its	
see other section		
4.17.5 Where specific to the under normal conditions of s	use, the conditions of storage and shelf-life of the product storage	
see other section		
4.18 Use description		
Use 18 - Against wood discoloเ	uring fungi	
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Not available	
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available	
Field(s) of use	Indoor Outdoor	
Application method(s)	Method: Open system: brush treatment Detailed description: Not available	
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2	
Category(ies) of users	Professional  General public (non-professional)	

can, not available , 1

Pack sizes and packaging material

4.18.1 Use-specific instructio	ons for use
see other section	
4.18.2 Use-specific risk mitig	ation measures
see other section	
•	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
see other section	
4.18.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
see other section	
4.18.5 Where specific to the u under normal conditions of s	use, the conditions of storage and shelf-life of the product storage
see other section	
4.19 Use description	
Use 19 - Against wood discolouring fungi	
Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available

1-20L

Field(s) of use	Indoor		
( )	Outdoor		
Application method(s)	Method: Open system: brush treatment Detailed description:		
Application method(s)	Not available		
Application rate(s) and	Application Rate: 200-250 ml/m2		
frequencies	Dilution (%): 0 Number and timing of application: 200-250 g/m2		
Category(ies) of users	Professional		
3 , ,	General public (non-professional)		
Pack sizes and packaging	can, not available , 1		
material	1-20L		
4.19.1 Use-specific instructions for use			
see other section			
4.19.2 Use-specific risk mitig	ation measures		
see other section			
4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment			
see other section			
4.19.4 Where specific to the use, the instructions for safe disposal of the product and its packaging			
see other section			

# $4.19.5\,\mathrm{Where}$ specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section		

4.20 Use description	
Use 20 - Against wood discolor	ırina funai
Ose 20 - Agamst wood discolor	
Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of one	Indoor
Field(s) of use	Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional
	General public (non-professional)
Pack sizes and packaging material	can, not available , 1
	1-20L

4.20.1 Use-specific instructions for use			
see other section			
4.20.2 Use-specific risk mitig	gation measures		
see other section			
=	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment		
see other section			
4.20.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its		
see other section			
4.20.5 Where specific to the cunder normal conditions of see other section	use, the conditions of storage and shelf-life of the product storage		
4.21 Use description  Use 21 - Against wood discolor	uring fungi		
Product type	PT08 - Wood preservatives (Preservatives)		
Where relevant, an exact description of the authorised use	Not available		
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available		
Field(s) of use	Indoor Outdoor		
Application method(s)	Method: Open system: brush treatment Detailed description:		

	Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional  General public (non-professional)
Pack sizes and packaging material	can, not available , 1
4.21.1 Use-specific instructions for use	
see other section	
4.21.2 Use-specific risk mitigation measures	
see other section	
4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	
see other section	
4.21.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	
see other section	
4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	
see other section	

- 5. General directions for use
- 5.1. Instructions for use

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

#### Sikkens Cetol HLS plus (BP) (Hazel)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Boxwood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Blue)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Ebony)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Teak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Dark Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Oregon)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Colourless)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Olive Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Cedar)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Fir green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Mahogany)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Chestnut)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Light Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Old Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Larch)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Rosewood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Russian Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

# 5.2. Risk mitigation measures

Sikkens Cetol HLS plus(BP) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Hazel) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Boxwood) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Blue) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Ebony) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Teak) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Dark Oak) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Pine) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Oregon) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Colourless) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Olive Green) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Cedar) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Fir green) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Mahogany) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Chestnut) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Light Oak) Keep out of reach of children. Wear suitable protective clothing and gloves. Sikkens Cetol HLS plus (BP) (Old Pine) Keep out of reach of children. Wear suitable protective clothing and gloves.

# 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Sikkens Cetol HLS plus (BP) (Larch)

Sikkens Cetol HLS plus (BP) (Rosewood)

Sikkens Cetol HLS plus (BP) (Russian Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Keep out of reach of children. Wear suitable protective clothing and gloves.

Keep out of reach of children. Wear suitable protective clothing and gloves

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Hazel)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Boxwood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Blue)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Ebony)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Teak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Dark Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce

vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Oregon)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Colourless)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately. Sikkens Cetol HLS plus (BP) (Olive Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Cedar)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Fir green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Mahogany)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Chestnut)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Light Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Old Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Larch)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Rosewood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Russian Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

# 5.4. Instructions for safe disposal of the product and its packaging

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Hazel)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Boxwood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Blue)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

# Sikkens Cetol HLS plus (BP) (Ebony)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Teak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Dark Oak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Pine)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Oregon)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Colourless)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

### Sikkens Cetol HLS plus (BP) (Olive Green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Cedar)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Fir green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

# Sikkens Cetol HLS plus (BP) (Mahogany)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

# Sikkens Cetol HLS plus (BP) (Chestnut)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

# Sikkens Cetol HLS plus (BP) (Light Oak)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Old Pine)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Larch)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Rosewood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

#### Sikkens Cetol HLS plus (BP) (Russian Green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

# 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Hazel)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Boxwood)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Blue)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Ebony)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Teak)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP)

Store product in tightly closed original containers at temperatures about 5-30 °C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Pine)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Oregon)

Store product in tightly closed original containers at temperatures about 5-30 °C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Colourless)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Olive Green)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Cedar)

Store product in tightly closed original containers at temperatures about 5-30 °C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Fir green)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Mahogany)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Chestnut)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Light Oak)

Store product in tightly closed original containers at temperatures about  $5-30^{\circ}$ C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Old Pine)

Store product in tightly closed original containers at temperatures about 5-30 °C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Larch)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room

temperature.

Sikkens Cetol HLS plus (BP) (Rosewood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Russian Green)

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature

# 6. Other information

Sikkens Cetol HLS plus(BP), DK

Sikkens Cetol HLS plus(BPR), IT

Sikkens Cetol HLS plus(BPR), CH

Xyladecor Holzschutzlasur BPR. AT

Xyladecor Classic HP(BPR), CZ

Xyladecor Classic HP(BPR), SK

Vivexyl Plus, GR

SADOLIN Classic HP(BPR), HU

SADOLIN Classic HP(BPR), PL

SADOLIN IMPREGNAT CLASSIC HP(BPR), PL

SADOLIN Classic(BPR), PL

SADOLIN IMPREGNAT CLASSIC(BPR), PL

Vivexyl Plus, CY

Vivexyl Plus, BG

Sikkens Cetol HLS plus(BP)

Use biocides safely. Always read the label and product information before use.

P501: Dispose of container to local rules

Sikkens Cetol HLS plus (BP) (Hazel)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Boxwood)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Blue)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Ebony)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Teak)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Dark Oak)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Pine)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Oregon)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Colourless)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Olive Green)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Cedar)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Fir green)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Mahogany)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Chestnut)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Light Oak)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Old Pine)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Larch)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Rosewood)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Russian Green)

Use biocides safely. Always read the label and product information before use.

Suplementary statemet under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Bilag 1

Oplysninger til etiket og brugsanvisning for Sikkens Cetol HLS Plus (BP), BPR-reg. nr. 782-7

Rettelse: Tilføjet H412 til bilag 1.

- I. Etiketten skal udformes i overensstemmelse med artikel 69 i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP Forordningen1.
- II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.
- III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:
- 1) I hovedfeltet:
- "Træbeskyttelsesmiddel (PT8)

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1."

- 2) I advarselsfeltet:
- " FORSIGTIG

Skadelig for vandlevendeorganismer, medlangvarige virkninger (H412)

Undgå udledning til miljøet (P273)

Vær opmærksom på, at Arbejdstilsynet har regler for arbejde med bekæmpelsesmidler. Læs nærmere i det eventuelt lovpligtige sikkerhedsdatablad samt i Arbejdstilsynets informationsmateriale om bekæmpelsesmidler.

Vask huden efter arbeide.

1 Europa-Parlamentets og Rådets forordning (EF) Nr. 1272/2008 af 16. december 2008

om klassificering, mærkning og emballering af stoffer og blandinger og om ændring og ophævelse af direktiv 67/548/EØF og 1999/45/EF og om ændring af forordning (EF) nr. 1907/2006

Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1.

Må kun anvendes i doseringer på 200-250 ml/m2 ved pensling.

Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.

Må ikke anvendes indendørs.

Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.

Opbevares utilgængeligt for børn.

Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.

Evt. oplysninger om førstehjælp.

- 3) I deklarationsfeltet:
- a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 782-7. Aktivstof og biocidholdigt produkt er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".
- b) Oplysning om præparattype: "væske" for dette præparat.
- c) Indholdet af aktivstof i vægtprocent og g/L ved 20 °C
- d) Sætningen: "Indeholder IPBC og 2-butanonoxim. Kan udløse allergisk reaktion"
- e) Udløbsdatoen skal anføres. Denne dato må højst være 3 år efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.
- f) Batchnummer eller betegnelse skal anføres.
- g) Pakningsstørrelse i liter.
- h) Navn og firmaadresse, herunder telefonnummer, for en i en medlemsstat etableret fysisk eller juridisk person, som er ansvarlig for markedsføringen (godkendelsesindehaveren).
- 4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/beholderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter følgende retningslinjer:

Tom emballage og rester bortskaffes i henhold til kommunale retningslinjer.