

Summary of product characteristics for a biocidal product family

Family name: Brynsløkken AS - CuO & CuPY - Family

Product type(s): PT21 - Antifouling products (Other biocidal products)

Authorisation number: NO-2022-0228

R4BP 3 asset reference number: NO-0029094-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - Meta SPC 1 - Concentrates	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	6
6. Other information	8
7. Third information level: individual products in the meta SPC	8
1. Meta SPC administrative information - Meta SPC 2 - RTU	10
2. Meta SPC composition	10
3. Hazard and precautionary statements of the meta SPC	11
4. Authorised use(s) of the meta SPC	11
5. General directions for use of the meta SPC	13
6. Other information	15
7. Third information level: individual products in the meta SPC	15

Part I.- First information level

1. Administrative information

1.1. Family name

Brynsløkken AS - CuO & CuPY - Family

1.2. Product type(s)

PT21 - Antifouling products (Other biocidal products)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Brynsløkken AS
Address	Friedberger Strasse 191 61118 Drøbak Norway

Authorisation number

NO-2022-0228

R4BP 3 asset reference number

NO-0029094-0000

Date of the authorisation

22/07/2022

Expiry date of the authorisation

22/07/2032

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Brynsløkken AS

Address of the manufacturer

Delitoppen 3 1540 Vestby Norway

Location of manufacturing sites

Delitoppen 3 1540 Vestby Norway

1.5. Manufacturer(s) of the active substance(s)

Active substance	1289 - Dicopper oxide
Name of the manufacturer	NORDOX AS
Address of the manufacturer	Østensjøveien 13 N-0661 Oslo Norway
Location of manufacturing sites	Østensjøveien 13 N-0661 Oslo Norway
Active substance	1289 - Dicopper oxide
Name of the manufacturer	RCL Ireland (acting for American Chemet Corporation)
Address of the manufacturer	6th Floor, South Bank House, Barrow Street, Dublin, D04 TR29 D04 TR29 Dublin Ireland
Location of manufacturing sites	American Chemet Corporation Plant:145 Highway 282 MT 59635 East Helena United States
Active substance	1275 - Bis(1-hydroxy-1H-pyridine-2-thionato- O,S)copper (Copper pyrrithione)
Name of the manufacturer	Lonza Cologne GmbH
Address of the manufacturer	Nattermannallee 1 50829 Cologne Germany
Location of manufacturing sites	Nattermannallee 1 50829 Cologne Germany

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,95 - 23,21
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyrrithione)		Active Substance	14915-37-8	238-984-0	1,17 - 2,09
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,1 - 0,18
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	0,56 - 1,01

2.2. Type(s) of formulation

SD - Suspension concentrate for direct application

SC - Suspension concentrate (= flowable concentrate)

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 1 - Concentrates

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT21 - Antifouling products (Other biocidal products)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	23,21 - 23,21
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	2,09 - 2,09
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,18 - 0,18
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	1,01 - 1,01

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SC - Suspension concentrate (= flowable concentrate)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Harmful if swallowed.
Causes serious eye damage.
Harmful if inhaled.
May cause damage to organs Nervous system through prolonged or repeated exposure ..
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Do not breathe spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection.
IF SWALLOWED:Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.
IF INHALED:Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a doctor.
Avoid release to the environment.
Collect spillage.
Dispose of contents to approved disposal plant in accordance with local regulations.
Dispose of container to approved disposal plant in accordance with local regulations..

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Use PT 21 – Antifouling - Concentrates

Product type	PT21 - Antifouling products (Other biocidal products)
Where relevant, an exact description of the authorised use	The products are intended to be used for the protection of nets used in aquaculture against fouling.
Target organism(s) (including development stage)	Scientific name: Several species Common name: Algae Development stage: all stages Scientific name: Several species Common name: slimes Development stage: all stages Scientific name: Several species Common name: animals / other fouling organisms Development stage: all stages
Field(s) of use	Outdoor PT 21 – Antifouling products The products are used in the control of fouling organisms in marine environment.
Application method(s)	Method: Dipping treatment or vacuum treatment Detailed description: The products are intended to be applied by dipping or by vacuum treatment.
Application rate(s) and frequencies	Application Rate: approximately 0.9 liters / kg net Dilution (%): The products are concentrates and are to be diluted with water. Instructions for dilution: Notorius M3 (Yellow/Black; Conc.): Add 1000 liters of water to 1000 liters of concentrate for the preparation of 2000 liters of ready-to-use product. Number and timing of application: 1 treatment per net.
Category(ies) of users	Industrial
Pack sizes and packaging material	1000 L IBC HDPE containers

4.1.1 Use-specific instructions for use

Please see 5.1.

4.1.2 Use-specific risk mitigation measures

- Wear suitable gloves i.e. nitrile rubber, butyl-rubber, neoprene, polyethylene or PVC (EN 374).
- A double coverall, a chemically resistant (at least type 3, EN-14605) coverall which is impermeable for the biocidal product (coverall material to be specified by the authorisation holder within the product information) shall be worn with at least a long-sleeve, long-leg cotton coverall underneath.
- Chemical goggles or face shield. STANDARD EN 166.
- Respiratory protection: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please see 5.3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please see 5.4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please see 5.5

5. General directions for use of the meta SPC

5.1. Instructions for use

Description of dipping process (RTU Products):

Empty the product from the IBC container into the dipping chamber (If needed rinse the IBC by use of a approximately 20 L of water and empty the rinsing solution into the chamber as well). To assure homogenisation of the preparation, stirring by a mobile dispersion mixture for five minutes is required. Make sure that the nets are clean and dry before starting the treatment. The nets should stay immersed in the antifouling preparation for at least 15 minutes. Subsequent the nets are dried at a temperature below 60° C.

Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity.

Net dipping requires the use of lifting machinery (crane-assisted dipping is assumed to be the standard method for professional dipping of nets).

Description of dipping process (Concentrates):

Empty the product from the IBC container into the dipping chamber and dilute with water as instructed (reference is made to the information concerning dilution listed under "Instructions for dilution"). Use the prescribed volume of water for dilution to rinse the IBC and empty the rinsing solution into the chamber as well. To assure homogenisation of the preparation stirring by a mobile dispersion mixer for five minutes. The concentrated antifouling paint and the correct load of water is mixed together in a tank before adding the mixture to the dipping chamber. Make sure that the nets are clean and dry before starting the treatment. The nets should stay immersed in the antifouling preparation for at least 15 minutes. Subsequent the nets are dried at a temperature below 60° C. Net dipping requires the use of lifting machinery (crane-assisted dipping is assumed to be the standard method for professional dipping of nets).

Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity.

Description of vacuum treatment of nets:

The net is placed into a bag (the impregnator). Air is then removed from the bag through a valve to create vacuum inside the bag. The bag is then held in place and the impregnator lid is lowered on top of the impregnator and sealed so that no air enters the process. The IBC container is connected to the pump and the antifouling product is pumped into the bag to immerse the net in the product. The vacuum is then re-established within the bag and allowed to stand for a few minutes. This process can be repeated up to 5 times depending on which service station and company performs the process. Any remaining product is transferred from the bag back to the IBC for use at a later date. The nets are then removed from the bag and dried in a manner similar to the nets treated through the dipping process

5.2. Risk mitigation measures

Avoid release to the environment

Application, maintenance and repair activities shall be conducted within a contained area to prevent losses and minimise emissions to the environment. This means that activities must take place on impermeable hard standing with bunding or on soil covered with an impermeable material. Any losses or waste containing antifouling biocides shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing.

If symptoms: Call 112/ambulance for medical assistance.

If no symptoms: Call a POISON CENTRE or a doctor.

Information to Healthcare personnel/doctor:

Initiate life support measures if needed, thereafter call a POISON CENTRE.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Avoid release to the environment.

Emergency measures for the environment:

Application solutions must be collected and disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.

- Methods and material for containment and cleaning up: Use absorbent material and dispose of materials or solid residues at an authorized site.

5.4. Instructions for safe disposal of the product and its packaging

Product/Packaging: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazardous waste due to toxicity. Avoid release to the environment. Waste disposal number of unused product: UN number 3082/European waste code EWC 02 01 99.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

The product must be stored at temperatures above 5°C and below 30 °C.

The products are stable, when stored in the original packaging at ambient temperatures, for up to 12 months , provided that proper measures are taken to ensure that the product is homogeneous prior to application.

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

6. Other information

The label of the biocidal product must provide advise on how to perform the deployment of the treated nets. As a minimum, the label must specify that suitable chemical protective gloves and eye protection (goggles) should be used during net deployment. Other PPE should be specified according to the authorisation holder's recommendations, including those needed based on the performed risk assessment.

The label of the product shall indicate that it contains iron hydroxide oxide yellow (nano).

Correction of H- og P-setninger:

H373 should read: May cause damage to the nervous system through prolonged or repeated exposure.

Updated: 30.06.2022

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Notorius M3 (Yellow; Conc.)

Market area: NO

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

NO-0029094-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	23,21
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	2,09
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,18
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	1,01

Trade name(s)

Notorius M3 (Black; Conc.)

Market area: NO

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

NO-0029094-0002 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	23,21

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	2,09
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,18
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	1,01

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 2 - RTU

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT21 - Antifouling products (Other biocidal products)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,95 - 12,95
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	1,17 - 1,17

Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,1 - 0,1
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	0,56 - 0,56

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SD - Suspension concentrate for direct application

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye damage.
Harmful if inhaled.
May cause damage to organs nervous system through prolonged or repeated exposure ..
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Do not breathe spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection.
IF INHALED:Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a doctor.
Avoid release to the environment.
Collect spillage.
Dispose of contents to approved disposal plant in accordance with local regulations.
Dispose of container to approved disposal plant in accordance with local regulations..

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Use PT 21 – Antifouling - RTU

Product type	PT21 - Antifouling products (Other biocidal products)
Where relevant, an exact description of the authorised use	The products are intended to be used for the protection of nets used in aquaculture against fouling.
Target organism(s) (including development stage)	Scientific name: Several species Common name: Algae Development stage: all stages Scientific name: Several species Common name: slimes Development stage: all stages Scientific name: Several species Common name: animals / other fouling organisms Development stage: all stages
Field(s) of use	Outdoor PT 21 – Antifouling products The products are used in the control of fouling organisms in marine environment.
Application method(s)	Method: Dipping treatment or vacuum treatment Detailed description: The products are intended to be applied by dipping or by vacuum treatment.
Application rate(s) and frequencies	Application Rate: approximately 0.9 liters / kg net Dilution (%): The products are all RTU (ready to use - not to be diluted). Number and timing of application: 1 treatment per net
Category(ies) of users	Industrial
Pack sizes and packaging material	1000 L IBC HDPE containers

4.1.1 Use-specific instructions for use

Please see 5.1.

4.1.2 Use-specific risk mitigation measures

- Wear suitable gloves i.e. nitrile rubber, butyl-rubber, neoprene, polyethylene or PVC (EN 374).
- A double coverall, a chemically resistant (at least type 3, EN-14605) coverall which is impermeable for the biocidal product (coverall material to be specified by the authorisation holder within the product information) shall be worn with at least a long-sleeve, long-leg cotton coverall underneath.
- Chemical goggles or face shield. STANDARD EN 166.
- Respiratory protection: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please see 5.3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please see 5.4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please see 5.5

5. General directions for use of the meta SPC

5.1. Instructions for use

Description of dipping process (RTU Products):

Empty the product from the IBC container into the dipping chamber (If needed rinse the IBC by use of a approximately 20 L of water and empty the rinsing solution into the chamber as well). To assure homogenisation of the preparation, stirring by a mobile dispersion mixture for five minutes is required. Make sure that the nets are clean and dry before starting the treatment. The nets should stay immersed in the antifouling preparation for at least 15 minutes. Subsequent the nets are dried at a temperature below 60° C.

Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity.

Net dipping requires the use of lifting machinery (crane-assisted dipping is assumed to be the standard method for professional dipping of nets).

Description of dipping process (Concentrates):

Empty the product from the IBC container into the dipping chamber and dilute with water as instructed (reference is made to the information concerning dilution listed under "Instructions for dilution"). Use the prescribed volume of water for dilution to rinse the IBC and empty the rinsing solution into the chamber as well. To assure homogenisation of the preparation stirring by a mobile dispersion mixer for five minutes. The concentrated antifouling paint and the correct load of water is mixed together in a tank before adding the mixture to the dipping chamber. Make sure that the nets are clean and dry before starting the treatment. The nets should stay immersed in the antifouling preparation for at least 15 minutes. Subsequent the nets are dried at a temperature below 60° C.

Net dipping requires the use of lifting machinery (crane-assisted dipping is assumed to be the standard method for professional dipping of nets).

Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity.

Description of vacuum treatment of nets:

The net is placed into a bag (the impregnator). Air is then removed from the bag through a valve to create vacuum inside the bag. The bag is then held in place and the impregnator lid is lowered on top of the impregnator and sealed so that no air enters the process. The IBC container is connected to the pump and the antifouling product is pumped into the bag to immerse the net in the product. The vacuum is then re-established within the bag and allowed to stand for a few minutes. This process can be repeated up to 5 times depending on which service station and company performs the process. Any remaining product is transferred from the bag back to the IBC for use at a later date. The nets are then removed from the bag and dried in a manner similar to the nets treated through the dipping process

5.2. Risk mitigation measures

Avoid release to the environment

Application, maintenance and repair activities shall be conducted within a contained area to prevent losses and minimise emissions to the environment. This means that activities must take place on impermeable hard standing with bunding or on soil covered with an impermeable material. Any losses or waste containing antifouling biocides shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing.

If symptoms: Call 112/ambulance for medical assistance.

If no symptoms: Call a POISON CENTRE or a doctor.

Information to Healthcare personnel/doctor:

Initiate life support measures if needed, thereafter call a POISON CENTRE.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Avoid release to the environment.

Emergency measures for the environment:

Application solutions must be collected and disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.

- Methods and material for containment and cleaning up: Use absorbent material and dispose of materials or solid residues at an authorized site.

5.4. Instructions for safe disposal of the product and its packaging

Product/Packaging: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazardous waste due to toxicity. Avoid release to the environment. Waste disposal number of unused product: UN number 3082/European waste code EWC 02 01 99.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

The product must be stored at temperatures above 5°C and below 30 °C.

The products are stable, when stored in the original packaging at ambient temperatures, for up to 12 months , provided that proper measures are taken to ensure that the product is homogeneous prior to application.

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

6. Other information

The label of the biocidal product must provide advise on how to perform the deployment of the treated nets. As a minimum, the label must specify that suitable chemical protective gloves and eye protection (goggles) should be used during net deployment. Other PPE should be specified according to the authorisation holder's recommendations, including those needed based on the performed risk assessment.

The label of the product shall indicate that it contains iron hydroxide oxide yellow (nano).

Correction of H- og P-setninger:

H373 should read: May cause damage to the nervous system through prolonged or repeated exposure.

Updated: 30.06.2022

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Notorius M3 (Yellow; RTU)

Market area: NO

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

NO-0029094-0003 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,95
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	1,17
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,1
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	0,56

Trade name(s)

Notorius M3 (Black; RTU)

Market area: NO

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

NO-0029094-0004 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,95

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Bis(1-hydroxy-1H-pyridine-2-thionato-O,S)copper (Copper pyriithione)		Active Substance	14915-37-8	238-984-0	1,17
Silicon dioxide, chemically prepared	Silicon dioxide	Non-active substance	7631-86-9	231-545-4	0,1
Alcohols, C16-18, ethoxylated	Alcohols C16-18, ethoxylated	Non-active substance	68439-49-6	500-212-8	0,56