









Mandatory SUMI content			Optional SUMI content	
SUMI: Safe Use of Mixtures Secto Information for end-users		/ Company logo	Good practice advice	
Sector_SUMI_code: Title of SUMI			advice	
General description of process covered May include use descriptor codes or reference to SWED			Use of pictograms 😡 🔊 🍥	
Operational Conditions			Additional information on product composition	
Maximum duration:	xx m	in.	To include references to other relevant sections of SD	
Other:	XXX	(or product label	
Risk Managem	ent Measures			
Required RMMs,	use of pictogram	ns		
Reference to Section 8 of SDS for RMM specifications				
If applicable: any environmental measures				
Disclaimer				
Disclaimer on boun	daries of SUMI	use		
Sector SUMI code/version number		_	Sector SUMI code/version number	

	One SUMI per actitivity	One SUMI per use
OCs and RMMs	PROC specific	Worst case PROC
Display of OCs / RMMs	Individual	Tabulated
Risk management	Focus on PPE	Focus on technical controls
Information on ventilation	LEV occasionally	Air changes per hour
Relation to substance hazard	Different RMM levels for different hazards	Minimum tolerable DNELs
Assessment tool	TRA v.3 and higher tier tools (e.g. ART, Stoffenm.)	Relies mainly on TRA v.3
Industry reference	Similar to GISBAU and existing company tools	Comparable with German VSK logic

Implementation at Company Level

- SUMIs are designed as 80 / 20 solution
- Companies need to care for remaining 20 % special cases with deviating OCs and RMMs
- Companies may need to design SUMIs for special uses and life cycle stages
- Companies need to consider **exposure expectations** which are not (well) reflected in standard tools like ECETOC TRA
- Companies may need to pass on information about mixtures containing substances which have undergone a **DU chemical safety assessment**
- Environmental SUMIs to be developped (e.g. based on a concept of minimum tolerable PNECs); alignment by business association appreciated
- Companies need to assign all hazardous products to one or more SUMIs
- Companies need to enable IT systems to ensure that SUMIs are justified

8

