

# Summary of product characteristics for a biocidal product

**Product name:** Protim P-Vac 11

**Product type(s):** PT08 - Wood preservatives (Preservatives)

**Authorisation number:** UK-2015-0922

**R4BP 3 asset reference number:** UK-0009921-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	4
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

## Administrative information

### 1.1. Trade names of the product

Protim P-Vac 11
-----------------

### 1.2. Authorisation holder

**Name and address of the authorisation holder**

Name	Protim Limited
Address	c/o Grant Thornton 13-18 City Quay D02 ED70 Dublin 2 Ireland
Authorisation number	UK-2015-0922
R4BP 3 asset reference number	UK-0009921-0000
Date of the authorisation	31/10/2012
Expiry date of the authorisation	31/03/2020

### 1.3. Manufacturer(s) of the biocidal products

**Name of the manufacturer**

Protim Solignum Ltd T/A Koppers Performance Chemicals
-------------------------------------------------------

**Address of the manufacturer**

c/o Grant Thornton 13-18 City Quay D02 ED70 Dublin Ireland
------------------------------------------------------------

**Location of manufacturing sites**

Lingfield Way DL1 4QA Darlington, Durham United Kingdom
---------------------------------------------------------

Rutpen Ltd, Membury Airfield, RG17 7TJ Lambourn, Hungerford United Kingdom
----------------------------------------------------------------------------

Burgess Galvin & Co.Ltd, Jamestown Road, D11 PX 27 Finglas, Dublin 11 Ireland
-------------------------------------------------------------------------------

Brenntag Nordic AB, Lotsgatan 1, 392 31 Kalmar, Sverige Sweden
----------------------------------------------------------------

## 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH Material Protection Products
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Köln Germany
<b>Location of manufacturing sites</b>	Wenfeng Road Jiangsu 225009 Yangzhou China
	North Area of Dongsha Chem-Zone Jiangsu 215600 Zhanjiagang China
	LANXESS Deutschland GmbH Production, Technology, Safety & Environment 51369 Leverkusen Germany

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	1.6

### 2.2. Type of formulation

Solvent based ready for use

## 3. Hazard and precautionary statements

### Hazard statements

Repeated exposure may cause skin dryness or cracking.  
Harmful to aquatic life with long lasting effects.  
May cause an allergic skin reaction.  
May be fatal if swallowed and enters airways.  
Harmful if swallowed.

<b>Precautionary statements</b>	Flammable liquid and vapour.
	<p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.</p> <p>Use explosion-proof e equipment.</p> <p>Wear protective gloves.</p> <p>IF ON SKIN:Wash with plenty of water.</p> <p>IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with water.</p> <p>Specific treatment (see instructions on this label).</p>

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Industrial

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use.No biocidal wood-preservative should be present within the product used as the top-coat.
<b>Target organism(s) (including development stage)</b>	Basidiomycetes:-Wood rotting fungi
<b>Field(s) of use</b>	<p>Other</p> <p>Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use. No biocidal wood-preservative should be present within the product used as the top-coat.</p>
<b>Application method(s)</b>	Closed system: vacuum impregnation - Double vacuum impregnation
<b>Application rate(s) and frequencies</b>	26 kg/m3 wood - 100 - Ready to use
<b>Category(ies) of users</b>	Industrial
	IBC (intermediate bulk container), Plastic: HDPE , 1000 litres

## Pack sizes and packaging material

IBC (intermediate bulk container), Metal: , 1000 litres

### 4.1.1 Use-specific instructions for use

Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use. No biocidal wood-preserved should be present within the product used as the top coat. The treated wooden components should not be further processed after treatment, such as sawing, cutting and hole making. Treated timber must not be used in external situations where it is in contact with the ground and permanently exposed to wetting, or in permanent contact with fresh or salt water. Freshly treated timber must be stored after treatment under shelter or on an impermeable hard standing to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Guidance on the safe use of wood preservatives is provided in leaflet WIS 29 ("Occupational hygiene and health surveillance at industrial treatment plants") at [www.hse.gsi.gov.uk](http://www.hse.gsi.gov.uk). Wear suitable protective clothing (coveralls, gloves, footwear) when applying the product and when handling freshly treated timber. Avoid excessive contamination of coveralls. Wash hands and exposed skin before meals and after use. Keep in a safe place.

### 4.1.2 Use-specific risk mitigation measures

Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use. No biocidal wood-preserved should be present within the product used as the top coat. The treated wooden components should not be further processed after treatment, such as sawing, cutting and hole making. Treated timber must not be used in external situations where it is in contact with the ground and permanently exposed to wetting, or in permanent contact with fresh or salt water. Freshly treated timber must be stored after treatment under shelter or on an impermeable hard standing to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Guidance on the safe use of wood preservatives is provided in leaflet WIS 29 ("Occupational hygiene and health surveillance at industrial treatment plants") at [www.hse.gsi.gov.uk](http://www.hse.gsi.gov.uk). Wear suitable protective clothing (coveralls, gloves, footwear) when applying the product and when handling freshly treated timber. Avoid excessive contamination of coveralls. Wash hands and exposed skin before meals and after use. Keep in a safe place.

### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

General Recommendation: Show the SDS to the safety duty doctor. Keep patient warm and quiet. Inhalation: Remove to fresh air. If the casualty is unconscious but breathing easily, place in recovery position. If the victim is conscious, he should sit or lie down. If breathing becomes bubbly, lie the casualty down and provide oxygen if available accessible to the public. Get medical attention immediately. Skin Contact: Remove contaminated clothing, shoes and jewellery and wash before reuse. Wash skin that has been in contact with the product thoroughly with running water for several minutes. Call your doctor if symptoms persist, occur or remain. Eye Contact: Rinse with a gentle stream of warm water for at least five minutes. Hold eye lids open. Remove any contact lenses. Call your doctor. Continue to rinse eyes, even during transport to the doctor. Ingestion: Rinse mouth with water. Drink 0.5 litre of water. Do not induce vomiting! Risk of aspiration! Get medical attention immediately

### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

This material and its container must be disposed of in a safe way  
Do not empty into drains  
Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Keep from freezing and in a well ventilated area in tightly closed containers at >5°C.  
Keep in original container.  
Shelf life of up to 24 months

## 5. General directions for use

### 5.1. Instructions for use

Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use. No biocidal wood-preserved should be present within the product used as the top coat. The treated wooden components should not be further processed after treatment, such as sawing, cutting and hole making. Treated timber must not be used in external situations where it is in contact with the ground and permanently exposed to wetting, or in permanent contact with fresh or salt water. Freshly treated timber must be stored after treatment under shelter or on an impermeable hard standing to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Guidance on the safe use of wood preservatives is provided in leaflet WIS 29 ("Occupational hygiene and health surveillance at industrial treatment plants") at [www.hse.gsi.gov.uk](http://www.hse.gsi.gov.uk). Wear suitable protective clothing (coveralls, gloves, footwear) when applying the product and when handling freshly treated timber. Avoid excessive contamination of coveralls. Wash hands and exposed skin before meals and after use. Keep in a safe place.

### 5.2. Risk mitigation measures

Authorisation is granted for Use Class 2 and Use Class 3. The product is for use on timbers not in ground contact, either continually exposed to the weather or protected from the weather but subject to frequent wetting. The treated wooden components should be coated before use. No biocidal wood-preserved should be present within the product used as the top coat. The treated wooden components should not be further processed after treatment, such as sawing, cutting and hole making. Treated timber must not be used in external situations where it is in contact with the ground and permanently exposed to wetting, or in permanent contact with fresh or salt water. Freshly treated timber must be stored after treatment under shelter or on an impermeable hard standing to prevent direct losses to soil or water and that any losses must be collected for reuse or disposal. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work. Guidance on the safe use of wood preservatives is provided in leaflet WIS 29 ("Occupational hygiene and health surveillance at industrial treatment plants") at [www.hse.gsi.gov.uk](http://www.hse.gsi.gov.uk). Wear suitable protective clothing (coveralls, gloves, footwear) when applying the product and when handling freshly treated timber. Avoid excessive contamination of coveralls. Wash hands and exposed skin before meals and after use. Keep in a safe place.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

General Recommendation: Show the SDS to the safety duty doctor. Keep patient warm and quiet. Inhalation: Remove to fresh air. If the casualty is unconscious but breathing easily, place in recovery position. If the victim is conscious, he should sit or lie down. If breathing becomes bubbly, lie the casualty down and provide oxygen if available accessible to the public. Get medical attention immediately. Skin Contact: Remove contaminated clothing, shoes and jewellery and wash before reuse. Wash skin that has been in contact with the product thoroughly with running water for several minutes. Call your doctor if symptoms persist, occur or remain. Eye Contact: Rinse with a gentle stream of warm water for at least five minutes. Hold eye lids open. Remove any contact lenses. Call your doctor. Continue to rinse eyes, even during transport to the doctor. Ingestion: Rinse mouth with water. Drink 0.5 litre of water. Do not induce vomiting! Risk of aspiration! Get medical attention immediately

### 5.4. Instructions for safe disposal of the product and its packaging

This material and its container must be disposed of in a safe way  
Do not empty into drains  
Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep from freezing and in a well ventilated area in tightly closed containers at >5°C.  
Keep in original container.  
Shelf life of up to 24 months

### 6. Other information