

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Roban Control Pasta Bait

Product type(s)

PT14: Rodenticides

Authorisation number: SI-0026430-0000

R4BP asset number: SI-0026430-0000

1. ADMINISTRATIVE INFORMATION	3
1.1. Trade name(s) of the product	3
1.2. Authorisation holder	3
1.3. Manufacturer(s) of the product	3
1.4. Manufacturer(s) of the active substance(s)	3
2. PRODUCT COMPOSITION AND FORMULATION	4
2.1. Qualitative and quantitative information on the composition of the product	4
2.2. Type(s) of formulation	4
3. HAZARD AND PRECAUTIONARY STATEMENTS	5
4. AUTHORISED USE(S)	6
4.1. Use description	6
4.2. Use description	7
4.3. Use description	8
4.4. Use description	10
4.5. Use description	12
4.6. Use description	14
4.7. Use description	16
4.8. Use description	18
4.9. Use description	21
5. GENERAL DIRECTIONS FOR USE	24
5.1. Instructions for use	24
5.2. Risk mitigation measures	25
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	26
5.4. Instructions for safe disposal of the product and its packaging	27
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	27
6. OTHER INFORMATION	28

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	Roban Control Pasta Bait ROBAN PASTA BAIT STRIKE MEHKA VABA
---------------	-------------------------------------------------------------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	PelGar International Limited
	Address	18 rue des Remparts d'Ainay 69002 Lyon France
Authorisation number		SI-0026430-0000
<i>R4BP asset number</i>		SI-0026430-0000
Date of the authorisation		12/07/2018
Expiry date of the authorisation		28/03/2025

1.3. Manufacturer(s) of the product

Name of manufacturer	PelGar International Limited
Address of manufacturer	Unit 13 Newman Lane GU34 2QR Alton United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Unit 13 Newman Lane GU34 2QR Alton United Kingdom of Great Britain and Northern Ireland (the)

1.4. Manufacturer(s) of the active substance(s)

Active substance	Difenacoum
Name of manufacturer	PelGar International Limited
Address of manufacturer	Unit 13 Newman Lane GU34 2QR Alton United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Prazska 54 280 02 Kolin Czechia

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Difenacoum	3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin	active substance	56073-07-5	259-978-4	0,0025

2.2. Type(s) of formulation

RB Bait (ready for use)

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H373: May cause damage to organs blood through prolonged or repeated exposure { 1:state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard: }.
Precautionary statements	P102: Keep out of reach of children. P103: Read carefully and follow all instructions. P220: Keep away from clothing or other combustible materials. P262: Do not get in eyes, on skin, or on clothing. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER. P404: Store in a closed container. P405: Store locked up. P501: Dispose of contents to in accordance with national regulations. P314: Get medical advice if you feel unwell.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. House mice – general public – indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles
Field(s) of use	indoor use
Application method(s)	Method: bait application Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations .
Application rate(s) and frequency	Application Rate: Up to 40g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 2 to 5 metres. Number and timing of application: Up to 40g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 2 to 5 metres.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polythene-lined cardboard outer or carton Up to 50g 10g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan Up to 50g 10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack Up to 50g 25, 30g plastic bait tray with heat-sealed lid packed in cardboard outer (single or multiple trays in a cardboard outer) Up to 50g 25, 30g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper (single or multiple trays in a cardboard outer) Up to 50g Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g or 12 g or 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Up to 50 g Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 g or 15g sachets secured on a fixed metal bar. Bait stations packed in units of 1 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Up to 50 g

30 g polyethylene film 'sausage' in a collagen or polyethylene outer casing for use in mouse bait boxes, packed in fibreboard outer with or without polyethylene liner. Up to 50 g

4.1.1. Use-specific instructions for use

- The bait stations should be visited at least every 2 to 3 days at the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

4.1.2. Use-specific risk mitigation measures

see directions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see directions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.2. Use description

Table 2. Rats – general public – indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles
Field(s) of use	indoor use
Application method(s)	Method: bait application Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations .
Application rate(s) and frequency	Application Rate: Up to 200g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 5 to 10 metres. Number and timing of application: Up to 200g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 5 to 10 metres.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polythene-lined cardboard outer or carton Up to 150g 10g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan Up to 150g

	<p>10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack Up to 150g</p> <p>25, 30, 50, 75, 100 or 150g plastic bait tray with heat-sealed lid packed in cardboard outer (single or multiple trays in a cardboard outer) Up to 150g</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper (single or multiple trays in a cardboard outer) Up to 150g</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g or 15g sachets secured on a fixed metal bar. Bait stations packed in units of 1 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Up to 150 g</p> <p>30 g, 50 g, 75 g, 100 g or 150 g polyethylene film 'sausage' in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fibreboard outer with or without polyethylene liner. Up to 150 g</p> <p>150 g polypropylene or polystyrene container with a heat-sealed plastic laminate lid in fibreboard cartons Up to 150 g</p>
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.2.1. Use-specific instructions for use

- The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

4.2.2. Use-specific risk mitigation measures

see directions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see directions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.3. Use description

Table 3. Rats – general public – outdoor around buildings

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles
Field(s) of use	outdoor use

	Outdoor around buildings
Application method(s)	Method: bait application Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations .
Application rate(s) and frequency	Application Rate: Up to 200g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 5 to 10 metres. Number and timing of application: Up to 200g of bait per bait station. If more than one bait station is needed, the minimum distance between the bait stations should be 5 to 10 metres.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polythene-lined cardboard outer or carton Up to 150g 10g or 12 g or 15 g or 20 g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan Up to 150g 10 g or 12 g or 15 g or 20 g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack Up to 150g 25, 30, 50, 75, 100 or 150g plastic bait tray with heat-sealed lid packed in cardboard outer (single or multiple trays in a cardboard outer) Up to 150g 25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper (single or multiple trays in a cardboard outer) Up to 150g Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g or 15g sachets secured on a fixed metal bar. Bait stations packed in units of 1 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Up to 150 g 30 g, 50 g, 75 g, 100 g or 150 g polyethylene film 'sausage' in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fibreboard outer with or without polyethylene liner. Up to 150 g 150 g polypropylene or polystyrene container with a heat-sealed plastic laminate lid in fibreboard cartons Up to 150 g

4.3.1. Use-specific instructions for use

- Place the bait stations in areas non-liable to flooding.
- Replace any bait in a bait station in which bait has been damaged by water or contaminated by dirt.
- The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

4.3.2. Use-specific risk mitigation measures

see directions for use

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see directions for use

4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.4. Use description

Table 4. House mice and/or rats – Professional users with demonstrated competence (equivalent to trained professionals) – indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles
Field(s) of use	indoor use
Application method(s)	Method: bait application Detailed description: - Ready-to-use bait to be used in tamper-resistant bait stations - Covered and protected baiting points
Application rate(s) and frequency	Application Rate: Mice: High infestation – Up to 40g of bait per baiting point every 2 metres, Low infestation – Up to 40g of bait per baiting point every 5 metres. Rats: High infestation – Up to 200g of bait per baiting point every 5 metres, Low infestation – Up to 200g of per baiting point every 10 metres Number and timing of application: Mice High infestation – Up to 40g of bait per baiting point every 2 metres Low infestation – Up to 40g of bait per baiting point every 5 metres Rats High infestation – Up to 200g of bait per baiting point every 5 metres Low infestation – Up to 200g of per baiting point every 10 metres
Category(ies) of users	trained professional
Pack sizes and packaging material	10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg 10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg 10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene,

aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg

25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg

25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper.

Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper

Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg

0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg

30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg

30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg

150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg

Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg

4.4.1. Use-specific instructions for use

- Remove the remaining product at the end of treatment period.

4.4.2. Use-specific risk mitigation measures

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign.

- Consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.
- To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.
- Do not use this product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
- Do not use this product in pulsed baiting treatments.

4.4.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- When placing bait points close to water drainage systems, ensure that bait contact with water is avoided.

4.4.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.4.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.5. Use description

Table 5. Mice and/or rats – Professional users with demonstrated competence (equivalent to trained professionals) – outdoor around buildings

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles
Field(s) of use	outdoor use Outdoor around buildings
Application method(s)	Method: bait application Detailed description: - Ready-to-use bait to be used in tamper-resistant bait stations - Covered and protected baiting points - Direct application of ready-to-use bait into the burrow
Application rate(s) and frequency	Application Rate: Mice: High infestation – Up to 40g of bait per baiting point every 2 metres, Low infestation – Up to 40g of bait per baiting point every 5 metres. Rats: High infestation – Up to 200g of bait per baiting point every 5 metres, Low infestation – Up to 200g of per baiting point every 10 metres. Burrow baiting: 20-200 g of bait per burrow. Number and timing of application: Mice High infestation – Up to 40g of bait per baiting point every 2 metres

	<p>Low infestation – Up to 40g of bait per baiting point every 5 metres</p> <p>Rats</p> <p>High infestation – Up to 200g of bait per baiting point every 5 metres</p> <p>Low infestation – Up to 200g of per baiting point every 10 metres</p> <p>Burrow baiting: 20-200 g of bait per burrow.</p>
Category(ies) of users	trained professional
Pack sizes and packaging material	<p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg</p> <p>10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg</p> <p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard toppe. 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard toppe.</p> <p>Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard toppe. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard toppe. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard toppe</p> <p>Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg</p> <p>0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg</p>

30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg
 30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg
 150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg
 Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg

4.5.1. Use-specific instructions for use

- Protect bait from the atmospheric conditions. Place the baiting points in areas non-liable to flooding.
- Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.
- Remove the remaining product at the end of treatment period (except when directly applied into burrows).
- Baits must be placed to minimise the exposure to non-target species and children. Cover or block the entrances of baited burrows to reduce the risks of bait being rejected and spilled. Follow any additional instructions provided by the CRRU UK Code of Best Practice (or equivalent)
- For outdoor use, baiting points must be covered and placed in strategic sites to minimise the exposure to non-target species

4.5.2. Use-specific risk mitigation measures

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign.
- Consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.
- To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.
- Do not use this product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
- Do not use this product in pulsed baiting treatments.

4.5.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- When placing bait points close to water drainage systems, ensure that bait contact with water is avoided.

4.5.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.5.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.6. Use description

Table 6. Rats – Professional users with demonstrated competence (equivalent to trained professionals) – Outdoor open areas & waste dumps

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles

Field(s) of use	<p>outdoor use</p> <p>Outdoor open areas Outdoor waste dumps</p>
Application method(s)	<p>Method: bait application</p> <p>Detailed description: - Ready-to-use bait to be used in tamper-resistant bait stations - Covered and protected baiting points - Direct application of ready-to-use bait into the burrow</p>
Application rate(s) and frequency	<p>Application Rate: Rats: High infestation – Up to 200g of bait per baiting point every 5 metres, Low infestation – Up to 200g of per baiting point every 10 metres. Burrow baiting: 20-200 g of bait per burrow.</p> <p>Number and timing of application: Rats High infestation – Up to 200g of bait per baiting point every 5 metres Low infestation – Up to 200g of per baiting point every 10 metres Burrow baiting: 20-200 g of bait per burrow.</p>
Category(ies) of users	trained professional
Pack sizes and packaging material	<p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg</p> <p>10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg</p> <p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper.</p> <p>Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with</p>

cardboard topper. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg
Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper
Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg
0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg
30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg
30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg
150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg
Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg

4.6.1. Use-specific instructions for use

- Protect bait from the atmospheric conditions. Place the baiting points in areas non-labile to flooding.
- Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.
- Remove the remaining product at the end of treatment period (except when directly applied into burrows).
- Baits must be placed to minimise the exposure to non-target species and children. Cover or block the entrances of baited burrows to reduce the risks of bait being rejected and spilled. Follow any additional instructions provided by the CRRU UK Code of Best Practice (or equivalent)
- For outdoor use, baiting points must be covered and placed in strategic sites to minimise the exposure to non-target species

4.6.2. Use-specific risk mitigation measures

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign .
- To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.
- Do not use this product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.
- Do not use this product in pulsed baiting treatments.

4.6.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- When placing bait points close to water drainage systems, ensure that bait contact with water is avoided.

4.6.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.6.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.7. Use description

Table 7. Rats – Professional users with demonstrated competence (equivalent to trained professionals) – sewers

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles
Field(s) of use	Other Sewers
Application method(s)	Method: bait application Detailed description: - Ready-to-use bait to be anchored or applied in bait stations preventing the bait from getting into contact with waste water. - Covered and protected baiting points
Application rate(s) and frequency	Application Rate: Up to 200g bait per manhole Number and timing of application: Up to 200g bait per manhole
Category(ies) of users	trained professional
Pack sizes and packaging material	10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg 10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg 10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg 25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg 25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. 3 kg to 20 kg Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg

	<p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg</p> <p>0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg</p> <p>30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg</p> <p>30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg</p> <p>150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg</p> <p>Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg</p>
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.7.1. Use-specific instructions for use

- Baits must be applied in a way so that they do not come into contact with water and are not washed away.

4.7.2. Use-specific risk mitigation measures

- Do not use this product in pulsed baiting treatments.

4.7.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see directions for use

4.7.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.7.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.8. Use description

Table 8. House mouse /rat - professional - indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles

	<p>Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles</p>
Field(s) of use	indoor use
Application method(s)	<p>Method: bait application</p> <p>Detailed description: - Ready-to-use bait to be used in tamper-resistant bait stations</p>
Application rate(s) and frequency	<p>Application Rate: Mice: High infestation – Up to 40g of bait per baiting point every 2 metres, Low infestation – Up to 40g of bait per baiting point every 5 metres. Rats: High infestation – Up to 200g of bait per baiting point every 5 metres, Low infestation – Up to 200g of per baiting point every 10 metres</p> <p>Number and timing of application: Mice High infestation – Up to 40g of bait per baiting point every 2 metres Low infestation – Up to 40g of bait per baiting point every 5 metres Rats High infestation – Up to 200g of bait per baiting point every 5 metres Low infestation – Up to 200g of per baiting point every 10 metres</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg</p> <p>10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg</p> <p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper.</p> <p>Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg</p> <p>Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or</p>

cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg

0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg

30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg

30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg

150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg

Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg

4.8.1. Use-specific instructions for use

House Mouse - Check the stations at least once every two to three days from the start of treatment and at least once a week thereafter to check that the bait has been accepted and that the stations are intact and to remove dead rodents. Refill the bait as needed.

Rats - Check the stations at least once every 5 to 7 days from the start of treatment and at least weekly thereafter to check that the bait has been accepted and that the stations are intact and to remove dead rodents. Refill the bait as needed.

- [If available] Follow any additional guidance from the relevant Code of Best Practice.

4.8.2. Use-specific risk mitigation measures

- See directions for use

4.8.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-When placing bait near water drainage systems, be sure to avoid contact with water

4.8.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.8.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.9. Use description

Table 9. House mouse /rat - professional - outside, around buildings

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides
Target organism(s) (including development stage)	<p>Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Adults and juveniles</p> <p>Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles</p>
Field(s) of use	<p>outdoor use</p> <p>Outdoor around buildings</p>
Application method(s)	<p>Method: bait application</p> <p>Detailed description: - Ready-to-use bait to be used in tamper-resistant bait stations</p>
Application rate(s) and frequency	<p>Application Rate: Mice: High infestation – Up to 40g of bait per baiting point every 2 metres, Low infestation – Up to 40g of bait per baiting point every 5 metres. Rats: High infestation – Up to 200g of bait per baiting point every 5 metres, Low infestation – Up to 200g of per baiting point every 10 metres. Burrow baiting: 20-200 g of bait per burrow.</p> <p>Number and timing of application: Mice High infestation – Up to 40g of bait per baiting point every 2 metres Low infestation – Up to 40g of bait per baiting point every 5 metres Rats High infestation – Up to 200g of bait per baiting point every 5 metres Low infestation – Up to 200g of per baiting point every 10 metres Burrow baiting: 20-200 g of bait per burrow.</p>
Category(ies) of users	professional
Pack sizes and packaging material	<p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polythene-lined pack with cardboard outer or carton 3 kg to 20 kg</p> <p>10g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in polyethylene or polypropylene tub, pail or jerrycan 3 kg to 20 kg</p> <p>10 g or 12 g or 15 g or 20 g or 40g or 60g or 80g or 100g or 120g or 150g edible paper tea-bag sachets in paper/polyethylene, aluminium/polyethylene, paper/polyethylene/aluminium or polypropylene or laminated polypropylene or PET/polyethylene sachets or pouches, with or without cardboard outer pack 3 kg to 20 kg</p> <p>25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid, multiple trays in cardboard outer 3 kg to 20kg</p>

25, 30, 50, 75, 100, 150g plastic bait tray with heat-sealed lid packed in pre-filled or refillable tamper-resistant bait station, multiple trays from 16 to 144 packed in cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 10 g sachets. Bait stations packed in units of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper.

Packed in a cardboard outers containing from 32 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 12 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in cardboard outers containing from 32 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene mouse bait station containing 1 or 2 x 15 g sachets. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper. Packed in a cardboard outer containing from 24 to 144 units 3 kg to 20 kg

Pre-filled or refillable tamper proof HDPE or polypropylene rat bait station containing 10 or 12 x 10 g, 12g or 15 g sachets secured on a fixed metal bar. Bait stations packed in units of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or heat sealed poly outer with cardboard topper Packed in a cardboard outer containing from 4 to 72 units 3 kg to 20 kg

0.1, 0.15, 0.2 or 0.3 kg mastic tubes for application by caulking gun. Mastic tubes packed in units of 2, 4, 8 or 12 in cardboard outer pack 0.3 kg to 3.6 kg

30g, 50g, 75g, 100g, 150g or 200g polyethylene "sausage" film in an outer casing of collagen or polyethylene for use in bait bags, packed in 16 to 144 units in an outer fiberboard. 3 kg to 20 kg

30g, 50g, 75g, 100g or 150g polyethylene "sausage" film in a collagen or polyethylene outer casing for use in rat or mouse bait boxes, packed in fiberboard outer with or without a polyethylene liner. 3 kg to 20 kg

150 g polypropylene or polystyrene container with heat-sealed plastic laminate lids in in fiberboard boxes 3 kg to 20 kg

Loose paste in polypropylene or polyethylene packs for application by decorator's knife/spatula 3 kg to 5 kg

4.9.1. Use-specific instructions for use

- Protect bait from the atmospheric conditions. Place the baiting points in areas non-labile to flooding.
- House Mouse - Check the stations at least once every two to three days from the start of treatment and at least once a week thereafter to check that the bait has been accepted and that the stations are intact and to remove dead rodents. Refill the bait as needed.
- Rats - Check the stations at least once every 5 to 7 days from the start of treatment and at least weekly thereafter to check that the bait has been accepted and that the stations are intact and to remove dead rodents. Refill the bait as needed.
- [If available] Follow any additional guidance from the relevant Code of Best Practice.
- Replace any bait in a bait station in which bait has been damaged by water or contaminated by dirt.

4.9.2. Use-specific risk mitigation measures

- Do not apply this product directly in the burrows.

4.9.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- - When placing bait stations close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.9.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.9.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Professional users with demonstrated competence (equivalent to trained professionals)

- Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.
- Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.
- The product should be placed in the immediate vicinity of places where rodent activity has been previously explored (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- Where possible, bait stations must be fixed to the ground or other structures.
- Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened (see section 5.3 for the information to be shown on the label).
- Bait should be secured so that it cannot be dragged away from the bait station.
- Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.
- Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
- Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).
- When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
- The frequency of visits to the treated area should be at the discretion of the operator, in the light of the survey conducted at the outset of the treatment. That frequency should be consistent with the recommendations provided by the CRRU UK Code of Best Practice (or equivalent).
- Sites where burrow baiting is used should be visited more frequently than those where secure bait boxes are employed
- If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait points to further places and the possibility to change to another bait formulation.
- If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodent so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.
- For non-emptiable sachets - Do not open the sachets containing the bait.
- Place paste bait with a sufficiently elongated applicator (spatula) to reduce hand exposure - avoid reaching into the bucket.
- [Authorisation holder to specify how the equipment (e.g. spatula) shall be cleaned and how contact with residues of the bait can be avoided.]

Professionals:

- Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.
- Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.
- The product should be placed in the immediate vicinity of places where rodent activity has been previously explored (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- Where possible, bait stations must be fixed to the ground or other structures.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

-
- Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened (see section 5.3 for the information to be shown on the label).
 - Bait should be secured so that it cannot be dragged away from the bait station.
 - Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.
 - Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
 - Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).
 - When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
 - The frequency of visits to the treated area should be at the discretion of the operator, in the light of the survey conducted at the outset of the treatment. That frequency should be consistent with the recommendations provided by the CRRU UK Code of Best Practice (or equivalent).
 - Sites where burrow baiting is used should be visited more frequently than those where secure bait boxes are employed
 - If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait points to further places and the possibility to change to another bait formulation.
 - If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodent so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.
 - For non-emptiable sachets - Do not open the sachets containing the bait.
 - Place paste bait with a sufficiently elongated applicator (spatula) to reduce hand exposure - avoid reaching into the bucket.
 - [Authorisation holder to specify how the equipment (e.g. spatula) shall be cleaned and how contact with residues of the bait can be avoided.]

General public

- Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- Prior to the use of rodenticide products, non-chemical control methods (e.g. traps) should be considered.
- Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- Bait stations should be placed in the immediate vicinity where rodent activity has been observed (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- Where possible, bait stations must be fixed to the ground or other structures.
- Do not open the sachets containing the bait
- Place bait stations out of the reach of children, birds, pets, farm animals and other non-target animals.
- Place bait stations away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
- Do not place bait stations near water drainage systems where they can come into contact with water.
- When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
- Remove the remaining bait or the bait stations at the end of the treatment period.

5.2. Risk mitigation measures

Professional users with demonstrated competence (equivalent to trained professionals)

- Where possible, prior to the treatment inform any possible bystanders about the rodent control campaign
- Do not use in areas where resistance to the active substance can be suspected.
- Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment.
- Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.
- Do not wash the bait stations or utensils used in covered and protected bait points with water between applications.
- Dispose dead rodents in accordance with local requirements

UK only: In the UK poisoned rodents may be disposed of by the waste producer at an incinerator or landfill permitted to accept that type of waste, or collected by a registered waste carrier and taken for disposal at a suitably permitted site. For further information on disposal contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>).

UK only: To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

UK only: Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the CRRU UK Code of Best Practice (or equivalent) for guidance.

UK only: When this product is supplied to a user for the control of rodents, it shall only be supplied to a professional user holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

Professionals:

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign [in accordance with the applicable code of good practice, if any].

- To reduce risk of secondary poisoning, search for and remove dead rodents at frequent intervals during treatment (e.g. at least twice a week).[Where relevant, specify if more frequent or daily inspection is required].

- Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment.

- Do not use baits containing anticoagulant active substances as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.

- The product information (i.e. label and/or leaflet) shall clearly show that:

the product shall not be supplied to the general public (e.g. "for professionals only").

the product shall be used in adequate tamper resistant bait stations (e.g. "use in tamper resistant bait stations only").

users shall properly label bait stations with the information referred to in section 5.3 of the SPC (e.g. "label bait stations according to the product recommendations").

- Using this product should eliminate rodents within 35 days.

The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.

- Do not wash the bait stations with water between applications.

- Dispose dead rodents in accordance with local requirements [The method of disposal shall be described specifically in the national SPC and be reflected on the product label].

General public

- Consider preventive control measures (plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.

- Do not use anticoagulant rodenticides as permanent baits (e.g. for prevention of rodent infestation or to detect rodent activity).

- Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.

- Search for and remove dead rodents during treatment, at least as often as baiting stations are inspected.

- Dispose dead rodents in accordance with local requirements.

UK only: In the UK, poisoned rodents should be double-bagged using plastic bags and either disposed of in a household waste bin with a secure lid to prevent access of wildlife or pets or collected by a specialist waste contractor or the local authority.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.

- Antidote: Vitamin K1 administered by medical/veterinary personnel only.

- In case of:

- Dermal exposure, wash skin with water and then with water and soap.

- Eye exposure, rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.

- Oral exposure, rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label.

UK only: UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Contact a veterinary surgeon in case of ingestion by a pet.

UK only: Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of accident, call a poison centre".

- Hazardous to wildlife.

5.4. Instructions for safe disposal of the product and its packaging

Professional users with demonstrated competence (equivalent to trained professionals)

- At the end of the treatment, dispose of uneaten bait and the packaging in accordance with local requirements.
- Use of gloves is recommended.

Professionals:

- At the end of the treatment, dispose uneaten bait and the packaging in accordance with local requirements [The method of disposal shall be described specifically in the national SPC and be reflected on the product label].
- Use of gloves is recommended.

General public

- At the end of the treatment, dispose uneaten bait and the packaging in accordance with local requirements.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.
- Store in places prevented from the access of children, birds, pets and farm animals.
- Shelf life: 2 years.

6. OTHER INFORMATION

- Because of their delayed mode of action, anticoagulant rodenticides take from 4 to 10 days to be effective after consumption of the bait.
- Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.
- This product contains a bittering agent and a dye.