

# Summary of product characteristics for a biocidal product

**Product name:** Cuprinol Trade Wood Preserver Clear (BP)

**Product type(s):** PT08 - Wood preservatives (Preservatives)

**Authorisation number:** 2013-10-17-B01

**R4BP 3 asset reference number:** MT-0002602-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	4
5. General directions for use	4
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5

## Administrative information

### 1.1. Trade names of the product

Cuprinol Trade Wood Preserver Clear (BP)
--

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Imperial Chemical Industries Limited
	Address	26th Floor, Portland House Bressenden Place SW1E 5BG London United Kingdom
<b>Authorisation number</b>	2013-10-17-B01	
<b>R4BP 3 asset reference number</b>	MT-0002602-0000	
<b>Date of the authorisation</b>	17/10/2013	
<b>Expiry date of the authorisation</b>	31/03/2020	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	Akzo Nobel Decorative Paints Sp.z.o.o.
<b>Address of the manufacturer</b>	ul. Wybrzeze Gdyskie 6d 01-531 Warszawa Poland
<b>Location of manufacturing sites</b>	ul. Przemyslowa 3 08-440 Pilawa Poland

### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
<b>Name of the manufacturer</b>	Syngenta Crop Protection AG (supplier: Lanxess Deutschland GmbH)
<b>Address of the manufacturer</b>	confidential 4002 Basel Switzerland
<b>Location of manufacturing sites</b>	confidential 4002 Basel Switzerland
<b>Active substance</b>	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
<b>Name of the manufacturer</b>	TROY Chemical Corporation
<b>Address of the manufacturer</b>	One Avenue L NJ 07105 Newark United States
<b>Location of manufacturing sites</b>	12e Uiverlaan 3145 Maassluis Netherlands

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.24
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.75

### 2.2. Type of formulation

Liquid, solvent-based, ready-for-use

## 3. Hazard and precautionary statements

### Hazard statements

May be fatal if swallowed and enters airways.

**Precautionary statements**

Harmful to aquatic life with long lasting effects.  Repeated exposure may cause skin dryness or cracking.  Contains 3-Iodo-2-propynyl-n-butyl carbamate and Propiconazole. May produce an allergic reaction.
Read label before use.  Keep out of reach of children.  If medical advice is needed, have product container or label at hand.  Avoid release to the environment.  IF SWALLOWED: Immediately call a doctor.  Do NOT induce vomiting.  Store locked up.  Dispose of container to authorized local waste disposal collection point.

**4. Authorised use(s)**

**4.1 Use description**

**Use 1 - Preventive efficacy against blue stain and wood rotting fungi for use class 2 and 3**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	For use against wood discoloring fungi (such as blue stain fungi) or wood rotting fungi.
<b>Target organism(s) (including development stage)</b>	Aureobasidium pullulans spp.-Sapstain fungi-  Basidiomycetes:-Wood rotting basidiomycetes-Spores and spore producing structures
<b>Field(s) of use</b>	Outdoor
<b>Application method(s)</b>	Manual application - Non-professional use: Brush/Roller; Spray treatment Professional use: Brush/Roller; Spray treatment; Dip treatment; Flow coating/Deluging; Vacuum impregnation
<b>Application rate(s) and frequencies</b>	180 - 220 ml/m <sup>2</sup> (146- 178 g/m <sup>2</sup> ) - 0 - Apply 2 - 3 coats. Allow 24 hours drying before re-coating. A top-coat should be applied.

**Category(ies) of users**

Professional  
General public (non-professional)

**Pack sizes and packaging material**

Can /Tin - Metal: - 2.5L ; 5L ; 25L

**4.1.1 Use-specific instructions for use**

Wood surfaces must be clean and dry before treating. Handle product and dry freshly treated wood in areas with good ventilation. Keep freshly treated wood roofed or otherwise protected against rain until complete dryness. Do not breathe sanding dust. The stain is ready-to-use. Do not thin. Stir well before use. Reseal container after use. Processing temperature is 5 - 35°C. Drying time after brushing, dipping, spraying: Min. 12 hours at 20°C/65% air humidity.

**4.1.2 Use-specific risk mitigation measures**

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After skin contact: Take off immediately all contaminated clothing and wash immediately with plenty of water and soap. Obtain medical attention if symptoms occur.  
After contact with eyes: Rinse immediately with plenty of water and seek medical attention if symptoms occur.  
If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.  
After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

European Waste Code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 2 years at room temperature.

**5. General directions for use**

## 5.1. Instructions for use

Wood surfaces must be clean and dry before treating. Handle product and dry freshly treated wood in areas with good ventilation. Keep freshly treated wood roofed or otherwise protected against rain until complete dryness. Do not breathe sanding dust. The stain is ready-to-use. Do not thin. Stir well before use. Reseal container after use. Processing temperature is 5 - 35°C.

## 5.2. Risk mitigation measures

Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Take off immediately all contaminated clothing and wash immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical attention if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

## 5.4. Instructions for safe disposal of the product and its packaging

European Waste Code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 2 years at room temperature.

## 6. Other information

Use biocides safely. Always read the label and product information.