

Summary of product characteristics for a biocidal product

Product name: Product

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: EU-0021035-0000

R4BP 3 asset reference number: EU-0021035-0001

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	2
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	6
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6. Other information	7

Administrative information

1.1. Trade names of the product

FRONTLINE PET CARE SPRAY INSECTICIDE ET ACARICIDE POUR L'HABITAT
SPRAY ANTIPARASITAIRE POUR L'HABITAT 300 ML FRISKIES
INSECTICIDE HABITAT/ HOME VETOCANIS
FRONTLINE HOMEGARD SPRAY INSECTICIDE ET ACARICIDE POUR L'HABITAT
INSECTICIDE HABITAT/ HOME VITALVETO
SPRAY INSECTICIDE POUR L'HABITAT VITALVETO / INSECTICIDE HOUSEHOLD
SPRAY VITALVETO
SPRAY INSECTICIDE POUR L'HABITAT VETOCANIS / INSECTICIDE HOUSEHOLD
SPRAY VETOCANIS
BEAPHAR SPRAY POUR L'HABITAT INSECTICIDE
BEAPHAR OMGEVINGSSPRAY BINNEN INSECTICIDE
BEAPHAR UMGEBUNGSSPRAY INNEN INSECTICIDE
FRONTLINE HOMEGARD Husholdningspray med insekticid og acaricid
FRONTLINE HOMEGARD Insecticide and acaricide household spray
FRONTLINE HOMEGARD Hyönteisten ja punkkien torjuntasuihke kotitalouksille
FRONTLINE HOMEGARD insektizides und akarizides Haushaltsspray
FRONTLINE HOMEGARD Spray εντομοκτόνο και ακαρεοκτόνο στρέι οικιακής χρήσης
FRONTLINE HOMEGARD Spray insetticida e acaricida per l'ambiente domestico
FRONTLINE HOMEGARD Insecticide en acaricidespray voor huishoudelijk gebruik
FRONTLINE HOMEGARD Husholdningspray med insekticid og acaricid
FRONTLINE HOMEGARD INSETICIDA E ACARICIDA EM SPRAY PARA USO DOMÉSTICO
FRONTLINE HOMEGARD Hushållspray med insekticid och akaricid

1.2. Authorisation holder

**Name and address of the
authorisation holder**

Name	Agrobiothers Laboratoire
Address	ZI Route des Platières 71290 CUISERY France

Authorisation number

EU-0021035-0000 1-1

R4BP 3 asset reference number

EU-0021035-0001

Date of the authorisation

16/06/2020

Expiry date of the authorisation

31/05/2030

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

Agrobiothers Laboratoire

Address of the manufacturer

ZI Route des Platières 71290 CUISERY France

Location of manufacturing sites

AF3 16 rue de l'Oberwald 68360 Soultz France

1.4. Manufacturer(s) of the active substance(s)

Active substance

1342 - Permethrin

Name of the manufacturer

Tagros Chemicals India Ltd. (Art.95 List: LIMARU NV (Acting for Tagros Chemicals India Private Limited))

Address of the manufacturer

Jhaver Centre, Rajah Annamalai Bldg., IV floor 72 Marshal's road Egmore 600008 Chennai India

Location of manufacturing sites

A-4/1&2, Sipcot Industrial Complex, Pachayankuppam Cuddalore 607 005 Tamilnadu India

Active substance	1386 - S-Methoprene
Name of the manufacturer	Babolna bio Ltd.
Address of the manufacturer	Szallas u.6 H- 1107 Budapest Hungary
Location of manufacturing sites	Szallas u.6 H- 1107 Budapest Hungary

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Permethrin		Active Substance	52645-53-1	258-067-9	0,177
S-Methoprene	Isopropyl-(2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate	Active Substance	65733-16-6		0,00225
Propan-2-ol	Propan-2-ol	Non-active substance	67-63-0	200-661-7	3,33475
n-butane	n-butane	Non-active substance	106-97-8	203-448-7	63,458
propane	propane	Non-active substance	74-98-6	200-827-9	16,271
isobutane	isobutane	Non-active substance	75-28-5	200-857-2	4,068

2.2. Type of formulation

AE - Aerosol dispenser

3. Hazard and precautionary statements

Hazard statements	<p>Extremely flammable aerosol.</p> <p>Pressurised container: May burst if heated</p> <p>May be fatal if swallowed and enters airways.</p> <p>Causes serious eye irritation.</p>
--------------------------	--

Precautionary statements

Very toxic to aquatic life with long lasting effects.

Contains PERMETHRIN. May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

Protect from sunlight. Do not expose at temperatures exceeding 50 °C/122 °F.

Store at temperatures not exceeding 40 °C/104 °F.

Avoid release to the environment.

Collect spillage.

Dispose of contents in accordance with local regulation.

Dispose of container in accordance with local regulation.

4. Authorised use(s)

4.1 Use description

Use 1 - Insecticide household spray

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

-

Target organism(s) (including development stage)

Scientific name: Ctenocephalides felis
Common name: Fleas
Development stage: Larvae

Scientific name: Ctenocephalides felis
Common name: Fleas
Development stage: Adults

Scientific name: Ixodes ricinus

	<p>Common name: Ticks Development stage: -</p> <p>Scientific name: Rhipicephalus sanguineus Common name: Ticks Development stage: -</p>
Field(s) of use	<p>Indoor</p> <p>Targeted treatment of non-washable furniture and home textile such as carpets, mats, arm chairs.</p>
Application method(s)	<p>Method: Spraying Detailed description: After vacuuming the surface to be treated, the product is sprayed at a distance of 30 cm.</p>
Application rate(s) and frequencies	<p>Application Rate: 1.3 second spray treat for approximately 1 m² (2.1 g/m²) Dilution (%): Number and timing of application: The minimum time interval between two treatments is 6 months.</p>
Category(ies) of users	<p>General public (non-professional)</p>
Pack sizes and packaging material	<p>Tin plate aerosol can with internal coating made of epoxy phenolic protective lacquer (250mL or 500mL) Tin plate aerosol can without internal coating (300 mL)</p>

4.1.1 Use-specific instructions for use

See general directions for use

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

5. General directions for use

5.1. Instructions for use

- The product is to be used for targeted treatment of non-washable furniture and home textile as carpets, mats, arm chairs
- Always read the label or leaflet before use and respect all the instructions provided.
- Respect the recommended application doses.
- Residual efficacy until up to 6 months that can be lowered in case of normal cleaning (e.g. vacuum on carpets) or extensive use of the surfaces (e.g., walking, friction).
- In case of continuous infestation, use alternate products containing active substances with a different mode of action in order to avoid the occurrence of resistance. This is to remove the resistant individuals from the population.
- If the infestation persists despite following the instructions of the label/leaflet, contact a pest control professional.
- Do not use on cats and other animals or pet baskets for cats.
- Inform the authorization holder if the treatment is ineffective.

5.2. Risk mitigation measures

- Do not use on wet washable surfaces and textile.
- Do not wash furniture with wet wiping clothes and do not wet clean carpets or mats to avoid discharges into the sewer system.
- Remove all food, feed and drinks prior treatment.
- Do no use on surfaces and facilities in the vicinity or likely to be in contact with food, feed and drinks.
- Avoid contact with eyes.
- After spraying, leave the room and let act for one hour before airing.
- Remove or cover terrariums, aquariums and animal cages before application.
- Turn off aquarium air-filter while spraying.
- Keep cats away from treated surfaces. Due to their particular sensitivity to permethrin, the product can cause severe adverse reactions in cats.
- Keep children and pets away during treatment.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available.
- Permethrin may be dangerous for cats. If signs of poisoning occur, seek veterinary advice immediately and show the package to a veterinarian.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 24 months
- Do not store at a temperature higher than 40°C
- Do not expose to direct sunlight
- Protect from frost

6. Other information