

# Summary of product characteristics for a biocidal product family

**Family name:** Lignum Dual Purpose Product Family

**Product type(s):** PT08 - Wood preservatives (Preservatives)

**Authorisation number:** UK-2019-1194

**R4BP 3 asset reference number:** UK-0014669-0000

## Table Of Contents

Part I.- First information level	1
1. Administrative information	1
1.1. Family name	1
1.2. Product type(s)	1
1.3. Authorisation holder	1
1.4. Manufacturer(s) of the biocidal products	1
1.5. Manufacturer(s) of the active substance(s)	2
2. Product family composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the family	2
2.2. Type of formulation	3
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information	3
1.1. Meta SPC identifier - Meta SPC 1 - Lignum Pro D156 - concentrate	3
1.2. Suffix to the authorisation number	3
1.3 Product type(s)	3
2. Meta SPC composition	3
2.1. Qualitative and quantitative information on the composition of the meta SPC	3
2.2. Type(s) of formulation of the meta SPC	4
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	5
4.1.1 Use-specific instructions for use	6
4.1.2 Use-specific risk mitigation measures	6
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	6
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	7
4.2.1 Use-specific instructions for use	8
4.2.2 Use-specific risk mitigation measures	8

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	9
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	9
4.3.1 Use-specific instructions for use	10
4.3.2 Use-specific risk mitigation measures	10
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	10
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	11
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	11
4.4.1 Use-specific instructions for use	12
4.4.2 Use-specific risk mitigation measures	12
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	12
4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	12
4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	12
4.5.1 Use-specific instructions for use	13
4.5.1 Use-specific instructions for use	14
4.5.2 Use-specific risk mitigation measures	14
4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	14
4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	14
4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	14
4.6.1 Use-specific instructions for use	15
4.6.2 Use-specific risk mitigation measures	15
4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	16
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	16
4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	16
5. General directions for use of the meta SPC	16
5.1. Instructions for use	16
5.2. Risk mitigation measures	16
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	17
5.4. Instructions for safe disposal of the product and its packaging	17

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	17
6. Other information	18
7. Third information level: individual products in the meta SPC	18
7.1 Trade name(s), authorisation number and specific composition of each individual product	18
1. Meta SPC administrative information	18
1.1. Meta SPC identifier - Meta SPC 2 – RTU - Lignum Universal Wood Preserver	18
1.2. Suffix to the authorisation number	19
1.3 Product type(s)	19
2. Meta SPC composition	19
2.1. Qualitative and quantitative information on the composition of the meta SPC	19
2.2. Type(s) of formulation of the meta SPC	19
3. Hazard and precautionary statements of the meta SPC	19
4. Authorised use(s) of the meta SPC	20
4.1.1 Use-specific instructions for use	21
4.1.2 Use-specific risk mitigation measures	21
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	22
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	22
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	22
4.2.1 Use-specific instructions for use	23
4.2.2 Use-specific risk mitigation measures	24
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	24
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	24
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	24
4.3.1 Use-specific instructions for use	25
4.3.2 Use-specific risk mitigation measures	26
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	26
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	26
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	26
5. General directions for use of the meta SPC	26

5.1. Instructions for use	26
5.2. Risk mitigation measures	27
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	27
5.4. Instructions for safe disposal of the product and its packaging	27
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	28
6. Other information	28
7. Third information level: individual products in the meta SPC	28
7.1 Trade name(s), authorisation number and specific composition of each individual product	28
1. Meta SPC administrative information	29
1.1. Meta SPC identifier - Meta SPC 3 – RTU - Lignum Wood Preserver	29
1.2. Suffix to the authorisation number	29
1.3 Product type(s)	29
2. Meta SPC composition	29
2.1. Qualitative and quantitative information on the composition of the meta SPC	29
2.2. Type(s) of formulation of the meta SPC	30
3. Hazard and precautionary statements of the meta SPC	30
4. Authorised use(s) of the meta SPC	30
4.1.1 Use-specific instructions for use	31
4.1.2 Use-specific risk mitigation measures	32
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	32
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	32
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	32
4.2.1 Use-specific instructions for use	33
4.2.2 Use-specific risk mitigation measures	33
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	34
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	34
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	34
4.3.1 Use-specific instructions for use	35
4.3.2 Use-specific risk mitigation measures	35

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	35
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	36
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	36
5. General directions for use of the meta SPC	36
5.1. Instructions for use	36
5.2. Risk mitigation measures	36
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	36
5.4. Instructions for safe disposal of the product and its packaging	37
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	37
6. Other information	37
7. Third information level: individual products in the meta SPC	38
7.1 Trade name(s), authorisation number and specific composition of each individual product	38
1. Meta SPC administrative information	38
1.1. Meta SPC identifier - Meta SPC 4 - RTU - Low Propi Product - Professional	38
1.2. Suffix to the authorisation number	38
1.3 Product type(s)	39
2. Meta SPC composition	39
2.1. Qualitative and quantitative information on the composition of the meta SPC	39
2.2. Type(s) of formulation of the meta SPC	39
3. Hazard and precautionary statements of the meta SPC	39
4. Authorised use(s) of the meta SPC	40
4.1.1 Use-specific instructions for use	41
4.1.2 Use-specific risk mitigation measures	41
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	42
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	42
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	42
4.2.1 Use-specific instructions for use	43
4.2.2 Use-specific risk mitigation measures	43
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	44

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	44
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	44
4.3.1 Use-specific instructions for use	45
4.3.2 Use-specific risk mitigation measures	46
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	46
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	46
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	46
5. General directions for use of the meta SPC	46
5.1. Instructions for use	46
5.2. Risk mitigation measures	47
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	47
5.4. Instructions for safe disposal of the product and its packaging	47
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	47
6. Other information	48
7. Third information level: individual products in the meta SPC	48
7.1 Trade name(s), authorisation number and specific composition of each individual product	48
1. Meta SPC administrative information	50
1.1. Meta SPC identifier - Meta SPC 5 - RTU - Low Propi Product - Non-professional	50
1.2. Suffix to the authorisation number	50
1.3 Product type(s)	50
2. Meta SPC composition	50
2.1. Qualitative and quantitative information on the composition of the meta SPC	50
2.2. Type(s) of formulation of the meta SPC	50
3. Hazard and precautionary statements of the meta SPC	50
4. Authorised use(s) of the meta SPC	51
4.1.1 Use-specific instructions for use	52
4.1.2 Use-specific risk mitigation measures	53
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	53
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	53

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	53
4.2.1 Use-specific instructions for use	54
4.2.2 Use-specific risk mitigation measures	55
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	55
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	55
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	55
4.3.1 Use-specific instructions for use	56
4.3.2 Use-specific risk mitigation measures	57
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	57
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	57
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	57
5. General directions for use of the meta SPC	57
5.1. Instructions for use	57
5.2. Risk mitigation measures	58
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	58
5.4. Instructions for safe disposal of the product and its packaging	58
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	58
6. Other information	59
7. Third information level: individual products in the meta SPC	59
7.1 Trade name(s), authorisation number and specific composition of each individual product	59



## Part I.- First information level

### 1. Administrative information

#### 1.1. Family name

Lignum Dual Purpose Product Family

#### 1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

#### 1.3. Authorisation holder

##### Name and address of the authorisation holder

Name	Enviroquest Research Ltd
Address	Unit E8/E9, Ashlyn Road West Meadows Industrial Estate DE21 6XE Derby United Kingdom

##### Authorisation number

UK-2019-1194

##### R4BP 3 asset reference number

UK-0014669-0000

##### Date of the authorisation

25/03/2019

##### Expiry date of the authorisation

25/03/2024

#### 1.4. Manufacturer(s) of the biocidal products

##### Name of the manufacturer

Enviroquest GPT Limited

##### Address of the manufacturer

Unit E8/E9 DE21 6XE Derby United Kingdom

##### Location of manufacturing sites

Unit E8/E9 DE21 6XE Derby United Kingdom

## 1.5. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1342 - Permethrin
<b>Name of the manufacturer</b>	Caldic Denmark A/S (Acting for Tagros Chemicals India Ltd.)
<b>Address of the manufacturer</b>	Caldic Denmark A/S: Odinsvej 23, 8722 Hedensted Denmark
<b>Location of manufacturing sites</b>	Tagros Chemicals India Limited A4 / 1 & 2 SIPCOT INDUSTRIAL COMPLEX, PACHAYANKUPPAM 607 005 CUDDALORE Tamil Nadu India
<b>Active substance</b>	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
<b>Name of the manufacturer</b>	Troy Chemical Company
<b>Address of the manufacturer</b>	Uiverlaan 12e P.O. Box 132 AC Maassluis Netherlands
<b>Location of manufacturing sites</b>	8 Vreeland Road P.O. Box 955, Florham Park 07932 New Jersey New Jersey United States
<b>Active substance</b>	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
<b>Name of the manufacturer</b>	Janssen PMP
<b>Address of the manufacturer</b>	Turnhoutseweg 30 2340 Beerse Belgium
<b>Location of manufacturing sites</b>	Jiangsu Sevencontinent Green Chemical Co. Ltd. North Area of Dongsha Chem-Zone. 215600 Zhangjiagang China

## 2. Product family composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	Active Substance	60207-90-1	262-104-4	0.269 - 9.075
	3-iodo-2-propynylbutylcarbamate (IPBC)	Active Substance	55406-53-6	259-627-5	0.127 - 2.994
Permethrin		Active Substance	52645-53-1	258-067-9	0.133 - 3.155
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	1 - 25

## 2.2. Type(s) of formulation

ME - Micro-emulsion

## Part II.- Second information level - meta SPC(s)

### 1. Meta SPC administrative information

#### 1.1. Meta SPC identifier

Meta SPC 1 - Lignum Pro D156 - concentrate

#### 1.2. Suffix to the authorisation number

1-1

#### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	9.075 - 9.075
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	2.994 - 2.994
Permethrin		Active Substance	52645-53-1	258-067-9	3.155 - 3.155
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	25 - 25

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

ME - Micro-emulsion

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye damage.  
May cause an allergic skin reaction.  
May cause damage to organs larynx through prolonged or repeated exposure larynx.  
May damage the unborn child.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.  
Contains Contains 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC), Propiconazole, Permethrin and 1,2-benzisothiazol-3(2H)-one.. May produce an allergic reaction.  
Harmful if swallowed.

Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe vapours.  
Avoid breathing vapours.  
Contaminated work clothing should not be allowed out of the workplace.  
Avoid release to the environment.  
Wear protective gloves.  
Wear protective clothing.  
Wear eye protection.  
Wear face protection.  
IF ON SKIN:Wash with plenty of water.  
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned:Get medical attention.  
Specific treatment (see first aid instructions on this label).  
Take off contaminated clothing.And wash it before reuse.  
Collect spillage.

Store locked up.

Dispose of contents to a licensed hazardous-waste disposal contractor or collection site.

Dispose of container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste..

Wash hands thoroughly after handling.

Do no eat, drink or smoke when using this product.

IF SWALLOWED:Call a POISON CENTER if you feel unwell.

Rinse mouth.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Professional use - Use class 1 - 1 litre of product to 11.5 litres of water

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll
<b>Field(s) of use</b>	Indoor Use class 1
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	100-300 ml/m <sup>2</sup> - Dilute 1 litre of product with 11.5 litres of water (8%) - <b>For curative treatment against wood boring beetles (Hylotrupes bajulus, Anobium punctatum, Lyctus brunneus):</b>

Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 300 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles (*Hylotrupes bajulus*):**

Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 100-200 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles (*Anobium punctatum*):**

Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against termites (*Reticulitermes* spp.) :**

Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-5 litre HDPE container with squeeze lock cap

**4.1.1 Use-specific instructions for use**

See 5.1

**4.1.2 Use-specific risk mitigation measures**

See 5.2

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See 5.4

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See 5.5

**4.2 Use description**

**Use 2 - Professional use - Use class 2 - 1 litre of product to 11.5 litres of water**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll Basidiomycetes:-Wood rotting fungiBrown rot and white rot wood discolouring fungi-wood discolouring fungiAll
<b>Field(s) of use</b>	Outdoor Use class 2
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	107-300 ml/m <sup>2</sup> - Dilute 1 litre of product with 11.5 litres of water (8%) -  <b>For curative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i>, <i>Anobium punctatum</i>, <i>Lyctus brunneus</i> ) :</b> Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 300 ml/m <sup>2</sup>  <b>For a preventative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> ) :</b> Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L

of water. Apply diluted product at a rate of 100-200 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles (*Anobium punctatum*):**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against termites (*Reticulitermes* spp) :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against wood rotting fungi (Basidiomycetes) :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 107 – 200 ml/m<sup>2</sup>

**For a preventative treatment against wood discolouring fungi:**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-5 litre HDPE container with squeeze lock cap

**4.2.1 Use-specific instructions for use**

See 5.1

**4.2.2 Use-specific risk mitigation measures**

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are “dry” (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill).

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

Treatment of timber must not take place over/near surface water bodies.

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3



#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.3 Use description

#### Use 3 - Professional use - Use class 3 - 1 litre of product to 11.5 litres of water

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll Basidiomycetes:-Wood rotting fungiBrown rot and white rot Wood discolouring fungi-Wood discolouring fungiAll
<b>Field(s) of use</b>	Outdoor Use class 3
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush
<b>Application rate(s) and frequencies</b>	107-300 ml/m <sup>2</sup> - Dilute 1 litre of product with 11.5 litres of water (8%) -

**For curative treatment against wood boring beetles ( *Hylotrupes bajulus*, *Anobium punctatum*, *Lyctus brunneus* ) :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 300 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles ( *Hylotrupes bajulus* ) :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 100-200 ml/m<sup>2</sup>

**For a preventative treatment against termites ( *Reticulitermes* spp ) . :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against wood rotting fungi (Basidiomycetes):**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 107 – 200 ml/m<sup>2</sup>

**For a preventative treatment against wood discolouring fungi:**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-5 litre HDPE container with squeeze lock cap

**4.3.1 Use-specific instructions for use**

See 5.1

**4.3.2 Use-specific risk mitigation measures**

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed.  
Treatment of timber must not take place over/near surface water bodies  
During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.4 Use description

#### Use 4 - Professional use - Use class 1 - 1 litre of product to 24 litres of water

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae
<b>Field(s) of use</b>	Indoor Use class 1
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	200 ml/m <sup>2</sup> - Dilute 1 litre of product with 24 litres of water (4%) - <b>For pre treatment against wood boring beetles (<i>Hylotrupes bajulus</i>):</b> Lignum Pro D156 should be diluted prior to application, using 1L of product with 24L of water. Apply diluted product at a rate of 200 ml/m <sup>2</sup>

<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	1-5 litre HDPE container with squeeze lock cap

#### 4.4.1 Use-specific instructions for use

See 5.1

#### 4.4.2 Use-specific risk mitigation measures

See 5.2

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

#### 4.5 Use description

**Use 5 - Professional use - Use class 2 - 1 litre of product to 24 litres of water**

#### Product type

PT08 - Wood preservatives (Preservatives)

**Where relevant, an exact description of the authorised use**

Wood preservative  
for application to soft and hardwood

**Target organism(s) (including development stage)**

Hylotrupes bajulus L.-Wood boring beetles-Larvae  
Basidiomycetes:-Wood rotting fungiBrown rot and white rot

**Field(s) of use**

Outdoor  
Use class 2

**Application method(s)**

Open system: brush treatment -  
The product will be applied by a brush or low pressure spray application.

**Application rate(s) and frequencies**

200-214 ml/m<sup>2</sup> - Dilute 1 litre of product with 24 litres of water (4%) -

**For a preventative treatment against wood boring beetles (*hylotrupes bajulus*):**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 24L of water. Apply diluted product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against wood rotting fungi (Basidiomycetes):**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 24L of water. Apply diluted product at a rate of 214 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-5 litre HDPE container with squeeze lock cap

#### 4.5.1 Use-specific instructions for use

#### 4.5.1 Use-specific instructions for use

See 5.1

#### 4.5.2 Use-specific risk mitigation measures

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill).

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

#### 4.6 Use description

##### Use 6 - Professional use - Use class 3 - 1 litre of product to 24 litres of water

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Wood preservative for application to soft and hardwood

<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Basidiomycetes:-Wood rotting fungiBrown rot and white rot
<b>Field(s) of use</b>	Outdoor Use class 3
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush
<b>Application rate(s) and frequencies</b>	200-214 ml/m <sup>2</sup> - Dilute 1 litre of product with 24 litres of water (4%) -  <b>For a preventative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>):</b> Lignum Pro D156 should be diluted prior to application, using 1L of product with 24L of water. Apply diluted product at a rate of 200 ml/m <sup>2</sup>  <b>For a preventative treatment against wood rotting fungi (Basidiomycetes) :</b> Lignum Pro D156 should be diluted prior to application, using 1L of product with 24L of water. Apply diluted product at a rate of 214 ml/m <sup>2</sup>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	1-5 litre HDPE container with squeeze lock cap

#### 4.6.1 Use-specific instructions for use

See 5.1

#### 4.6.2 Use-specific risk mitigation measures

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed.  
Treatment of timber must not take place over/near surface water bodies  
During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

#### 4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

#### 5.2. Risk mitigation measures

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

Avoid contact with eyes

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.



Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia  
Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

#### Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED:, do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.  
Collect spillage if safe to do so.

#### Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE NATIONAL POISONS INFORMATION SERVICE.

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Avoid an accidental discharge into sewers, surface water or soil.

Soil contaminated by the undiluted product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the concentrated product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations

### 5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area

Keep container tightly closed

The floor of the storage room must be impermeable to prevent the escape of liquid

Must only be kept in original packaging

Shelf life 2 years

## 6. Other information

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Treated wood should not be intended for uses involving contact with food, feed or livestock.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

<b>Trade name(s)</b>	Lignum Pro D156 Sovaq Dual Purpose Timber Treatment
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)	UK-0014669-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	Active Substance	60207-90-1	262-104-4	9.075
	3-iodo-2-propynylbutylcarbamate (IPBC)	Active Substance	55406-53-6	259-627-5	2.994
Permethrin		Active Substance	52645-53-1	258-067-9	3.155
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	25

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

## Meta SPC 2 – RTU - Lignum Universal Wood Preserver

### 1.2. Suffix to the authorisation number

1-2

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.766 - 0.766
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.253 - 0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266 - 0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2 - 2

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

ME - Micro-emulsion

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.  
May damage the unborn child.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

Contains Contains 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC), Propiconazole, Permethrin and 1,2-benzisothiazol-3(2H)-one.. May produce an allergic reaction.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands and exposed skin thoroughly after handling. Wear protective gloves. IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned:Get medical attention. If eye irritation persists:Get medical attention. Collect spillage. Store locked up. Dispose of contents to a licensed hazardous-waste disposal contractor or collection site. Dispose of container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.. Avoid release to the environment. Wear protective clothing. Wear eye protection. Wear face protection.

**4. Authorised use(s) of the meta SPC**

**4.1 Use description**

**Use 1 - Professional use - use class 1**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles

	<p>Lyctus brunneus-Wood boring beetles</p> <p>Reticulitermes sp.-TermitesAll</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Use class 1</p>
<b>Application method(s)</b>	<p>Open system: brush treatment -</p> <p>The product will be applied by a brush or low pressure spray application.</p>
<b>Application rate(s) and frequencies</b>	<p>100-300 ml/m2 - 0 -</p> <p><b>For curative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>, <i>Anobium punctatum</i>, <i>Lyctus brunneus</i>):</b> Apply product at a rate of 300 ml/m2</p> <p><b>For a preventative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>):</b> Apply product at a rate of 100-200 ml/m2</p> <p><b>For a preventative treatment against wood boring beetles (<i>Anobium punctatum</i>):</b> Apply at a rate of 200 ml/m2</p> <p><b>For a preventative treatment against termites (<i>Reticulitermes</i> spp.):</b> Apply product at a rate of 200 ml/m2</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>1-25 litre HDPE container with squeeze lock cap</p> <p>1-25 litre steel container with berg plastic closure</p>

#### 4.1.1 Use-specific instructions for use

See 5.1

#### 4.1.2 Use-specific risk mitigation measures

See 5.2

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.2 Use description

#### Use 2 - Professional use - use class 2

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll Basidiomycetes:-Wood rotting fungiBrown rot and white rot wood discolouring funigi-wood discolouring funigiAll
<b>Field(s) of use</b>	Outdoor Use class 2

**Application method(s)**

Open system: brush treatment -  
The product will be applied by a brush or low pressure spray application.

**Application rate(s) and frequencies**

107-300 ml/m<sup>2</sup> - 0 -

**For curative treatment against wood boring beetles ( *Hylotrupes bajulus*, *Anobium punctatum*, *Lyctus brunneus* ) :**  
Lignum Pro D156 should be diluted prior to application, using 1L of product with 11.5L of water. Apply diluted product at a rate of 300 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles ( *Hylotrupes bajulus* ) :**  
Apply product at a rate of 100-200 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles ( *Anobium punctatum* ):**  
Apply at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against termites ( *Reticulitermes* spp.) :**  
Apply product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against wood rotting fungi (Basidiomycetes) :**  
Apply product at a rate of 107 – 200 ml/m<sup>2</sup>

**For a preventative treatment against wood discolouring fungi:**  
Apply product at a rate of 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-25 litre HDPE container with squeeze lock cap  
1-25 litre steel container with berg plastic closure

**4.2.1 Use-specific instructions for use**

See 5.1

#### 4.2.2 Use-specific risk mitigation measures

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill).

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

Treatment of timber must not take place over/near surface water bodies.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.3 Use description

#### Use 3 - Professional use - use class 3

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Wood preservative  
for application to soft and hardwood

##### Target organism(s) (including development stage)

Hylotrupes bajulus L.-Wood boring beetles-Larvae

Anobium punctatum De Geer-Wood boring beetles

Lyctus brunneus-Wood boring beetles



	<p>Reticulitermes sp.-TermitesAll</p> <p>Basidiomycetes:-Wood rotting fungiBrown rot and white rot</p> <p>Wood discolouring fungi-Wood discolouring fungiAll</p>
<b>Field(s) of use</b>	<p>Outdoor</p> <p>Use class 3</p>
<b>Application method(s)</b>	<p>Open system: brush treatment -</p> <p>The product will be applied by a brush</p>
<b>Application rate(s) and frequencies</b>	<p>107-300 ml/m<sup>2</sup> - 0 -</p> <p><b>For curative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i>, <i>Anobium punctatum</i>, <i>Lyctus brunneus</i> ) :</b> Apply product at a rate of 300 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> ) :</b> Apply product at a rate of 100-200 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against termites ( <i>Reticulitermes</i> spp. ) :</b> Apply product at a rate of 200 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against wood rotting fungi (Basidiomycetes) :</b> Apply product at a rate of 107 – 200 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against wood discolouring fungi:</b> Apply product at a rate of 200 ml/m<sup>2</sup></p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>1-25 litre HDPE container with squeeze lock cap</p> <p>1-25 litre steel container with berg plastic closure</p>

#### 4.3.1 Use-specific instructions for use

See 5.1

#### **4.3.2 Use-specific risk mitigation measures**

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed.  
Treatment of timber must not take place over/near surface water bodies  
During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

#### **4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

#### **4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See 5.4

#### **4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See 5.5

### **5. General directions for use of the meta SPC**

#### **5.1. Instructions for use**

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

## 5.2. Risk mitigation measures

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

Avoid contact with eyes

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

### Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED: do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

Collect spillage if safe to do so.

### Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE NATIONAL POISONS INFORMATION SERVICE.

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Avoid accidental discharge into sewers, surface water or soil.

Soil contaminated by the product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

## 5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area  
Keep container tightly closed  
The floor of the storage room must be impermeable to prevent the escape of liquid  
Must only be kept in original packaging  
Shelf life 2 years

## 6. Other information

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.  
Treated wood should not be intended for uses involving contact with food, feed or livestock.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Lignum Universal Wood Preserver

Authorisation number

UK-0014669-0002 1-2

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	Active Substance	60207-90-1	262-104-4	0.766
	3-iodo-2-propynylbutylcarbamate (IPBC)	Active Substance	55406-53-6	259-627-5	0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2

---

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

Meta SPC 3 – RTU - Lignum Wood Preserver

### 1.2. Suffix to the authorisation number

1-3

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.383 - 0.383
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.127 - 0.127
Permethrin		Active Substance	52645-53-1	258-067-9	0.133 - 0.133
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	1 - 1

## 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

ME - Micro-emulsion

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.  
May damage the unborn child.  
Contains Contains 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC), Propiconazole, Permethrin and 1,2-benzisothiazol-3(2H)-one.. May produce an allergic reaction.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wash hands and exposed skin thoroughly after handling.  
Wear protective gloves.  
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned:Get medical attention.  
If eye irritation persists:Get medical attention.  
Collect spillage.  
Store locked up.  
Dispose of contents to a licensed hazardous-waste disposal contractor or collection site.  
Dispose of container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste..  
Avoid release to the environment.  
Wear protective clothing.  
Wear eye protection.  
Wear face protection.

## 4. Authorised use(s) of the meta SPC

## 4.1 Use description

### Use 1 - Professional use - use class 1

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae
<b>Field(s) of use</b>	Indoor Use class 1
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	200 ml/m <sup>2</sup> - 0 - <b>For preventative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>):</b> Apply product at a rate of 200 ml/m <sup>2</sup>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	1-25 litre HDPE container with squeeze lock cap 1-25 litre steel container with berg plastic closure

#### 4.1.1 Use-specific instructions for use

See 5.1

#### 4.1.2 Use-specific risk mitigation measures

See 5.2

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.2 Use description

#### Use 2 - Professional use - use class 2

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Wood preservative  
for application to soft and hardwood

##### Target organism(s) (including development stage)

Hylotrupes bajulus L.-Wood boring beetles-Larvae  
Basidiomycetes:-Wood rotting fungiBrown rot and white rot

##### Field(s) of use

Outdoor  
Use class 2



<b>Application method(s)</b>	<p>Open system: brush treatment -</p> <p>The product will be applied by a brush or low pressure spray application.</p>
<b>Application rate(s) and frequencies</b>	<p>200-214 ml/m<sup>2</sup> - 0 -</p> <p><b>For a preventative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>):</b> Apply product at a rate of 200 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against wood rotting fungi (Basidiomycetes):</b> Apply product at a rate of 214 ml/m<sup>2</sup></p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>1-25 litre HDPE container with squeeze lock cap</p> <p>1-25 litre steel container with berg plastic closure</p>

#### 4.2.1 Use-specific instructions for use

See 5.1

#### 4.2.2 Use-specific risk mitigation measures

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill).

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be

contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.  
Treatment of timber must not take place over/near surface water bodies.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.3 Use description

#### Use 3 - Professional use - use class 3

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Basidiomycetes:-Wood rotting fungiBrown rot and white rot
<b>Field(s) of use</b>	Outdoor Use class 3
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush

**Application rate(s) and frequencies**

200-214 ml/m<sup>2</sup> - 0 -

**For a preventative treatment against wood boring beetles (*Hylotrupes bajulus*):**  
Apply product at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against wood rotting fungi (Basidiomycetes):**  
Apply product at a rate of 214 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-25 litre HDPE container with squeeze lock cap

1-25 litre steel container with berg plastic closure

**4.3.1 Use-specific instructions for use**

See 5.1

**4.3.2 Use-specific risk mitigation measures**

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed.

Treatment of timber must not take place over/near surface water bodies

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

**4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

#### 5.2. Risk mitigation measures

FOR USE ONLY BY PROFESSIONAL OPERATORS.

The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

Avoid contact with eyes

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

#### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED:; do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

Collect spillage if safe to do so.

Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE NATIONAL POISONS INFORMATION SERVICE.

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Avoid accidental discharge into sewers, surface water or soil.

Soil contaminated by the product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

## 5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area

Keep container tightly closed

The floor of the storage room must be impermeable to prevent the escape of liquid

Must only be kept in original packaging

Shelf life 2 years

## 6. Other information

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Treated wood should not be intended for uses involving contact with food, feed or livestock.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

Lignum Wood Preserver

Authorisation number

UK-0014669-0003 1-3

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.383
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.127
Permethrin		Active Substance	52645-53-1	258-067-9	0.133
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	1

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

Meta SPC 4 - RTU - Low Propi Product - Professional

### 1.2. Suffix to the authorisation number

1-4

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.269 - 0.269
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.253 - 0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266 - 0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2 - 2

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

ME - Micro-emulsion

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.  
Contains IPBC, permethrin, propiconazole and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read carefully and follow all instructions.  
Wash hands and exposed skin thoroughly after handling.

Wear protective gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Collect spillage.

Dispose of contents to a licensed hazardous-waste disposal contractor or collection site.

Dispose of container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste..

Avoid release to the environment.

Wear protective clothing.

Wear eye protection.

Wear face protection.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Professional use - use class 1

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll
<b>Field(s) of use</b>	Indoor Use class 1
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.



**Application rate(s) and frequencies**

100-300 ml/m<sup>2</sup> - 0 -

**For curative treatment against wood boring beetles (*Hylotrupes bajulus*, *Anobium punctatum*, *Lyctus brunneus*) :**  
Apply at a rate of 300 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles (*Hylotrupes bajulus*) :**  
Apply at a rate of 100-200 ml/m<sup>2</sup>

**For a preventative treatment against wood boring beetles (*Anobium punctatum*) :**  
Apply at a rate of 200 ml/m<sup>2</sup>

**For a preventative treatment against termites (*Reticulitermes* spp.) :**  
Apply at a rate of 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-25 litre HDPE container with squeeze lock cap

1-25 litre steel container with berg plastic closure

**4.1.1 Use-specific instructions for use**

FOR USE ONLY BY PROFESSIONAL OPERATORS.

UK Only: The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

**4.1.2 Use-specific risk mitigation measures**

See 5.2

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See 5.4

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See 5.5

**4.2 Use description**

**Use 2 - Professional use - use class 2**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll Basidiomycetes:-Wood rotting fungiBrown rot and white rot
<b>Field(s) of use</b>	Outdoor Use class 2
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.

**Application rate(s) and frequencies**

152.8-300 ml/m<sup>2</sup> - 0 -  
For curative treatment against wood boring beetles (*Hylotrupes bajulus*, *Anobium punctatum*, *Lyctus brunneus*):

Apply at a rate of 300 ml/m<sup>2</sup>

For a preventative treatment against wood boring beetles (*Hylotrupes bajulus*):

Apply at a rate of 100-200 ml/m<sup>2</sup>

For a preventative treatment against termites (*Reticulitermes spp.*):

Apply at a rate of 200 ml/m<sup>2</sup>

For a preventative treatment against wood rotting fungi (*Basidiomycetes*):

Apply at a rate of 152.8 – 200 ml/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1-25 litre HDPE container with squeeze lock cap

1-25 litre steel container with berg plastic closure

**4.2.1 Use-specific instructions for use**

FOR USE ONLY BY PROFESSIONAL OPERATORS.

UK Only: The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

**4.2.2 Use-specific risk mitigation measures**

When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at

landfill).  
 During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.  
 Treatment of timber must not take place over/near surface water bodies.

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 5.3

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See 5.4

**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See 5.5

**4.3 Use description**

**Use 3 - Professional use - use class 3**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Wood preservative for application to soft and hardwood
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-Wood boring beetles-Larvae Anobium punctatum De Geer-Wood boring beetles Lyctus brunneus-Wood boring beetles Reticulitermes sp.-TermitesAll Basidiomycetes:-Wood rotting fungiBrown rot and white rot

**Field(s) of use**

<b>Application method(s)</b>	Outdoor
	Use class 3
<b>Application rate(s) and frequencies</b>	Open system: brush treatment - The product will be applied by a brush
	152.8-300 ml/m <sup>2</sup> - 0 - For curative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> , <i>Anobium punctatum</i> , <i>Lyctus brunneus</i> ) :  Apply at a rate of 300 ml/m <sup>2</sup>  For a preventative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> ) :  Apply at a rate of 100-200 ml/m <sup>2</sup>  For a preventative treatment against termites ( <i>Reticulitermes spp.</i> ) :  Apply at a rate of 200 ml/m <sup>2</sup>  For a preventative treatment against wood rotting fungi ( <i>Basidiomycetes</i> ) :  Apply at a rate of 152.8 – 200 ml/m <sup>2</sup>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	1-25 litre HDPE container with squeeze lock cap  1-25 litre steel container with berg plastic closure

#### 4.3.1 Use-specific instructions for use

FOR USE ONLY BY PROFESSIONAL OPERATORS.

UK Only: The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective overall (at least type 6, EN 13034), suitable protective gloves and eye/face protection when handling the concentrate or applying the product (glove material to be specified by the authorisation holder within the product information)

### 4.3.2 Use-specific risk mitigation measures

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and non biocidal topcoat is employed.  
Treatment of timber must not take place over/near surface water bodies  
During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

## 5.2. Risk mitigation measures

Avoid contact with eyes  
Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.  
Do not contaminate foodstuffs, eating utensils or food contact surfaces.  
Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and pricking of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

### Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED: do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.  
Collect spillage if safe to do so.

### Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE NATIONAL POISONS INFORMATION SERVICE.

Contain and collect spillage with a suitable absorbent and put into a labelled lockable container for disposal as hazardous waste.

Avoid accidental discharge into sewers, surface water or soil.

Soil contaminated by the product should be treated as hazardous waste.

In case of an accidental discharge of a large amount of the product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations.

## 5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area  
Keep container tightly closed  
The floor of the storage room must be impermeable to prevent the escape of liquid  
Must only be kept in original packaging  
Shelf life 2 years

## 6. Other information

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.  
Treated wood should not be intended for uses involving contact with food, feed or livestock.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

#### Trade name(s)

Lignum Universal Wood Preserver  
Everbuild Triple Action Wood Treatment  
Ronseal Total Clear Wood Preserver  
Sika Wood Preserver  
Sika Universal 5 Star Wood Preserver  
Wickes Clear Wood Preserver  
Wickes Interior Wood Treatment  
Rustins Advanced Wood Preserver  
Spear & Jackson Triple Action Wood Treatment  
Bondex Preserve II  
Larsen Construction Timber Preserver  
Permagard Universal Wood Treatment  
Johnstone's Woodcare Wood Preserver  
Johnstone's Trade Woodworks All Purpose Preserver  
Soluguard Woodworm & Rot Treatment  
Lignum Wood Preserver  
Microtech Dual P RTU  
Microtech Dual C RTU



Langlow Universal Wood Preservative - Aqueous Ready to use  
 Wilko Universal Wood Preserver  
 Wilko Wood Preserver  
 Defenders Triple-Action Timber Protector  
 Premier Q Triple Action Wood Treatment  
 Bond it 3 in1 Wood Treatment  
 Everbuild Wood Preserver  
 Ronseal Multi-Purpose Wood Treatment LC  
 Ronseal Multi-Purpose Wood Treatment MP  
 Barretine Dual Purpose Preserver  
 Protim WB Endcoat  
 Larsen Low Odour Universal Wood Preservative  
 Rustins All Star Wood Treatment  
 Sovereign Dual Purpose RTU  
 Cuprinol 5 Star Complete Wood Treatment (BP)  
 Cuprinol 5 Star Total Wood Treatment

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

UK-0014669-0004 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.269
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

Meta SPC 5 - RTU - Low Propi Product - Non-professional

### 1.2. Suffix to the authorisation number

1-5

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.269 - 0.269
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.253 - 0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266 - 0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2 - 2

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

ME - Micro-emulsion

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

**Precautionary statements**

Causes serious eye irritation.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.  
Contains IPBC, permethrin, propiconazole and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read carefully and follow all instructions.  
Wash hands and exposed skin thoroughly after handling.  
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists:Get medical attention.  
Collect spillage.  
Dispose of contents to to a licensed hazardous-waste disposal contractor or collection site.  
Dispose of container to to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste..  
Avoid release to the environment.

**4. Authorised use(s) of the meta SPC**

**4.1 Use description**

**Use 1 - Non-professional use - use class 1**

**Product type**

PT08 - Wood preservatives (Preservatives)

**Where relevant, an exact description of the authorised use**

Wood preservative for application to soft and hardwood

**Target organism(s) (including development stage)**

Hylotrupes bajulus L.-Wood boring beetles-Larvae  
Anobium punctatum De Geer-Wood boring beetles  
Lyctus brunneus-Wood boring beetles  
Reticulitermes sp.-TermitesAll

<b>Field(s) of use</b>	Indoor Use class 1
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	100-300 ml/m <sup>2</sup> - 0 -  For curative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> , <i>Anobium punctatum</i> , <i>Lyctus brunneus</i> ) :  Apply at a rate of 300 ml/m <sup>2</sup> For a preventative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> ) :  Apply at a rate of 100-200 ml/m <sup>2</sup> <b>For a preventative treatment against wood boring beetles ( <i>Anobium punctatum</i> ):</b> Apply at a rate of 200 ml/m <sup>2</sup> For a preventative treatment against termites ( <i>Reticulitermes spp.</i> ) :  Apply at a rate of 200 ml/m <sup>2</sup>
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	1-5 litre HDPE container with squeeze lock cap 1-5 litre steel container with berg plastic closure

#### 4.1.1 Use-specific instructions for use

See 5.1

#### 4.1.2 Use-specific risk mitigation measures

See 5.2

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.2 Use description

#### Use 2 - Non-professional use - use class 2

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Wood preservative  
for application to soft and hardwood

##### Target organism(s) (including development stage)

Hylotrupes bajulus L.-Wood boring beetles-Larvae  
Anobium punctatum De Geer-Wood boring beetles  
Lyctus brunneus-Wood boring beetles  
Reticulitermes sp.-TermitesAll  
Basidiomycetes:-Wood rotting fungiBrown rot and white rot

<b>Field(s) of use</b>	Outdoor  Use class 2
<b>Application method(s)</b>	Open system: brush treatment -  The product will be applied by a brush or low pressure spray application.
<b>Application rate(s) and frequencies</b>	<p>152.8-300 ml/m<sup>2</sup> - 0 - For curative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>, <i>Anobium punctatum</i>, <i>Lyctus brunneus</i>) :</p> <p>Apply at a rate of 300 ml/m<sup>2</sup></p> <p>For a preventative treatment against wood boring beetles (<i>Hylotrupes bajulus</i>) :</p> <p>Apply at a rate of 100-200 ml/m<sup>2</sup></p> <p><b>For a preventative treatment against wood boring beetles (<i>Anobium punctatum</i>) :</b> Apply at a rate of 200 ml/m<sup>2</sup></p> <p>For a preventative treatment against termites (<i>Reticulitermes spp.</i>) :</p> <p>Apply at a rate of 200 ml/m<sup>2</sup></p> <p>For a preventative treatment against wood rotting fungi (<b>Basidiomycetes</b>) :</p> <p>Apply at a rate of 152.8 – 200 ml/m<sup>2</sup></p>
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	<p>1-5 litre HDPE container with squeeze lock cap</p> <p>1-5 litre steel container with berg plastic closure</p>

#### 4.2.1 Use-specific instructions for use

See 5.1

#### 4.2.2 Use-specific risk mitigation measures

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way. Treatment of timber must not take place over/near surface water bodies.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

### 4.3 Use description

#### Use 3 - Non-professional use - use class 3

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

Wood preservative  
for application to soft and hardwood

##### Target organism(s) (including development stage)

Hylotrupes bajulus L.-Wood boring beetles-Larvae  
Anobium punctatum De Geer-Wood boring beetles  
Lyctus brunneus-Wood boring beetles  
Reticulitermes sp.-TermitesAll

	Basidiomycetes:-Wood rotting fungiBrown rot and white rot
<b>Field(s) of use</b>	Outdoor Use class 3
<b>Application method(s)</b>	Open system: brush treatment - The product will be applied by a brush
<b>Application rate(s) and frequencies</b>	152.8-300 ml/m <sup>2</sup> - 0 - For curative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> , <i>Anobium punctatum</i> , <i>Lyctus brunneus</i> ) : Apply at a rate of 300 ml/m <sup>2</sup> For a preventative treatment against wood boring beetles ( <i>Hylotrupes bajulus</i> ) : Apply at a rate of 100-200 ml/m <sup>2</sup> For a preventative treatment against termites ( <i>Reticulitermes spp.</i> ) : Apply at a rate of 200 ml/m <sup>2</sup> For a preventative treatment against wood rotting fungi ( <b>Basidiomycetes</b> ) : Apply at a rate of 152.8 – 200 ml/m <sup>2</sup>
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	1-5 litre HDPE container with squeeze lock cap 1-5 litre steel container with berg plastic closure

#### 4.3.1 Use-specific instructions for use

See 5.1



### 4.3.2 Use-specific risk mitigation measures

For application by brush only, at a maximum active substance application rate of 2.25 g/m<sup>2</sup> propiconazole, 0.75 g/m<sup>2</sup> IPBC and 0.75 g/m<sup>2</sup> permethrin and only where a treatment system that includes an undercoat and non biocidal topcoat is employed.  
Treatment of timber must not take place over/near surface water bodies  
During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

## 5.2. Risk mitigation measures

Avoid contact with eyes

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.  
Do not contaminate foodstuffs, eating utensils or food contact surfaces.  
Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats, consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

### Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED:, do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended.

UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice.

Collect spillage if safe to do so.

### Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE NATIONAL POISONS INFORMATION SERVICE.

Contain and collect spillage with a suitable absorbent and put into a securely sealed, leak-proof container. Label container for disposal as hazardous waste.

Avoid accidental discharge into sewers, surface water or soil.

Soil contaminated by the product should be treated as hazardous waste.

In case of an accidental discharge of the product to surface water, groundwater or sewer, inform the appropriate authorities according to local regulations

## 5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area

Keep container tightly closed

The floor of the storage room must be impermeable to prevent the escape of liquid

Must only be kept in original packaging

Shelf life 2 years



## 6. Other information

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Treated wood should not be intended for uses involving contact with food, feed or livestock.

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

#### Trade name(s)

Lignum Universal Wood Preserver  
Everbuild Triple Action Wood Treatment  
Ronseal Total Clear Wood Preserver  
Sika Wood Preserver  
Sika Universal 5 Star Wood Preserver  
Wickes Clear Wood Preserver  
Wickes Interior Wood Treatment  
Rustins Advanced Wood Preserver  
Spear & Jackson Triple Action Wood Treatment  
Bondex Preserve II  
Larsen Construction Timber Preserver  
Permagard Universal Wood Treatment  
Johnstone's Woodcare Wood Preserver  
Johnstone's Trade Woodworks All Purpose Preserver  
Soluguard Woodworm & Rot Treatment  
Lignum Wood Preserver  
Microtech Dual P RTU  
Microtech Dual C RTU  
Langlow Universal Wood Preservative - Aqueous Ready to use  
Wilko Universal Wood Preserver

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

Wilko Wood Preserver  
Defenders Triple-Action Timber Protector  
Premier Q Triple Action Wood Treatment  
Bond it 3 in1 Wood Treatment  
Everbuild Wood Preserver  
Ronseal Multi-Purpose Wood Treatment LC  
Ronseal Multi-Purpose Wood Treatment MP  
Barretine Dual Purpose Preserver  
Larsen Low Odour Universal Wood Preservative  
Protim WB End Coat  
Rustins All Star Wood Treatment  
Sovereign Dual Purpose RTU  
Cuprinol 5 Star Complete Wood Treatment (BP)  
Cuprinol 5 Star Total Wood Treatment

UK-0014669-0005 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.269
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.253
Permethrin		Active Substance	52645-53-1	258-067-9	0.266
Neodol 91.5	Alcohols, C9-C11, ethoxylated		68439-46-3	614-482-0	2