

Summary of product characteristics for a biocidal product

Product name: Secuverd 27

Product type(s): PT14 - Rodenticides (Pest control)

PT14 - Rodenticides (Pest control)

Authorisation number: DE-0015601-14

R4BP 3 asset reference number: DE-0015601-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
4.1.1 Use-specific instructions for use	4
4.1.2 Use-specific risk mitigation measures	4
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	4
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	4
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	4
4.2.1 Use-specific instructions for use	5
4.2.2 Use-specific risk mitigation measures	6
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	6
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	6
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8

Administrative information

1.1. Trade names of the product

Secuverd 27

1.2. Authorisation holder

Name and address of the authorisation holder	Name	SBM DEVELOPPEMENT
	Address	60 chemin des Mouilles 69130 Ecully France
Authorisation number		DE-0015601-14
R4BP 3 asset reference number		DE-0015601-0000
Date of the authorisation		13/02/2018
Expiry date of the authorisation		13/02/2023

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	INDUSTRIALCHIMICA Srl
Address of the manufacturer	Via Sorgaglia 40 35020 Arre (PD) Italy
Location of manufacturing sites	Via Sorgaglia 40 35020 Arre (PD) Italy

Name of the manufacturer	Kollant S.r.l.
Address of the manufacturer	via C. Colombo 7/7 A 30030 Vigonovo (VE) Italy
Location of manufacturing sites	via C. Colombo 7/7 A 30030 Vigonovo (VE) Italy

Name of the manufacturer	IRIS
Address of the manufacturer	1126 A, avenue du Moulinas, route de St Privas 30340 Salindres France
Location of manufacturing sites	1126 A, avenue du Moulinas, route de St Privas 30340 Salindres France

1.4. Manufacturer(s) of the active substance(s)

Active substance	18 - Coumatetralyl
Name of the manufacturer	Bayer S.A.S.
Address of the manufacturer	16 rue Jean-Marie Leclair 69266 Lyon (Cedex 09) France
Location of manufacturing sites	AlzChem Trostberg GmbH - Chemiepark Trostberg, Dr. Albert Frank Str. 32 83308 Trostberg Germany

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Coumatetralyl	Coumatetralyl	Active Substance	5836-29-3	227-424-0	0.0027

2.2. Type of formulation

Ready-to-use paste bait

3. Hazard and precautionary statements

Hazard statements

Precautionary statements

4. Authorised use(s)

4.1 Use description

Use 1 - Rats

Product type

PT14 - Rodenticides (Pest control)

Where relevant, an exact description of the authorised use

Rodenticide

Target organism(s) (including development stage)

Rattus norvegicus-Norway ratsadults and juveniles
Rattus rattus-House ratsadults and juveniles

Field(s) of use

Andere
In and around buildings

Application method(s)

Ready-to-use bait In tamper-resistant bait stations -
Ready-to-use bait In tamper-resistant bait stations

Application rate(s) and frequencies

200 g/Bait station - -
If more than one bait station is needed, the minimum distance between bait stations should be of 5-20 meters

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

10 g tea bag (long fiber paper) in bottle (up to 750 g, PET) or in sachet (up to 750 g, COEX PET/PE) or in sachet (90g-750 g, LDPE) or in a sealed can (10-750 g, tinplate)
Tertiary packaging:

COEX PET/PE sachets in cardboard case;
LDPE sachets in PP bucket

4.1.1 Use-specific instructions for use

The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

4.1.2 Use-specific risk mitigation measures

None

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Keine

4.2 Use description

Use 2 - Voles

Product type

PT14 - Rodenticides (Pest control)

Where relevant, an exact description of the authorised use	Rodenticide
Target organism(s) (including development stage)	Myodes glareolus-Voles of the types bank voleadults and juveniles Microtus arvalis-Voles of the types common voleadults and juveniles
Field(s) of use	Andere Around buildings
Application method(s)	Ready-to-use bait In tamper-resistant bait stations - Ready-to-use bait In tamper-resistant bait stations
Application rate(s) and frequencies	20 g/ bait station - - One to three applications within 10 days. If more than one bait station is needed, the minimum distance between bait stations should be of 5 meters
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	10 g tea bag (long fiber paper) in bottle (up to 750 g, PET) or in sachet (up to 750 g, COEX PET/PE) or in sachet (90g-750 g, LDPE) or in a sealed can (10-750 g, tinplate) Tertiary packaging: COEX PET/PE sachets in cardboard case; LDPE sachets in PP bucket

4.2.1 Use-specific instructions for use

The bait stations should be visited only 2 to 3 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

4.2.2 Use-specific risk mitigation measures

None

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

5. General directions for use

5.1. Instructions for use

- 1) Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- 2) Prior to the use of rodenticide products, non-chemical control methods should be considered. Especially for the control of voles and occasionally appearing rats, traps should be considered. The use of biocidal products is the last method of choice and should always be reduced to a minimum.
- 3) The preferred places of rodent activity (travel paths, nesting sites, feedlots) in and around buildings have to be determined by e.g. displaying small amount of poison free baits such as oat flakes. Signs of gnawing and rodent faeces are also indications for rodent activity. Note that the poison free baits should be removed before the actual rodent control measure.
- 4) Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- 5) Bait stations should be placed where rodent activity has been observed (e.g. travel paths, nesting sites, feedlots, etc.).
- 6) Where possible, bait stations must be fixed to the ground or other structures.
- 7) Do not open the tea bags containing the bait.
- 8) Place bait stations out of the reach of children, birds, pets, farm animals and other non-target animals.
- 9) Place bait stations away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
- 10) Do not place bait stations near water drainage systems where they can come into contact with water.
- 11) When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
- 12) Prior to the rodent control measure all users of the premises and buildings and their surroundings, where baits are placed, have to be informed about the risks for humans, pets and wild animals. They also have to be informed about measures in the case of poisoning, bait spillage or the discovery of dead rodents (according to the product label).
- 13) The campaign has to be terminated if there is no further consumption of baits.
- 14) Remove the remaining bait or the bait stations at the end of the treatment period.
- 15) Undamaged bait stations can be reused.
- 16) To avoid a re-infestation after a successful control operation, the following measures should be taken:
 - Food and water sources (food, rubbish, etc.) should be removed or covered.
 - Elimination of debris and waste that might be used as hideouts. The vegetation cover in the immediate vicinity of buildings should be removed where necessary.
 - Make all eventually existing entries in buildings (e.g. cleaving, loopholes, cat flaps, drainages) inaccessible to rodents as far as possible.
- 17) Place the bait stations in areas not liable to flooding.
- 18) Replace any bait in a bait station in which bait has been damaged by water or contaminated by dirt.
- 19)

5.2. Risk mitigation measures

- 1) Keep out of the reach of children.
- 2) Do not use anticoagulant rodenticides as permanent baits (e.g. for prevention of rodent infestation or to detect rodent activity).
- 3) The product information (i.e. label and/or leaflet) shall clearly show that:
 - the product shall be used in adequate tamper resistant bait stations (e.g. "use in tamper resistant bait stations only").
 - users shall properly label bait stations with the information referred to in section 5.3 of the SPC (e.g. "label bait stations according to the product recommendations")
- 4) Bait stations have to be used. Baits must be secured in the bait stations to prevent carriage of the baits by rodents, unless this is not possible due to the formulation of the baits and the design of the bait stations. Placing of baits without bait stations presents a high risk of poisoning for humans, pets and wild animals.
- 5) Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.
- 6) Search for and remove dead rodents during treatment, at least as often as bait stations are inspected.
- 7) Dispose dead rodents in household waste or in a rendering plant. Avoid direct contact.
- 8) Do not apply this product directly in the burrows.
- 9) Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- 1) This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.
- 2) Antidote: Vitamin K1 administered by medical/veterinary personnel only.
- 3) In case of:
Dermal exposure, wash skin with water and then with water and soap.
Eye exposure, rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.
Oral exposure, rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting.
If swallowed, seek medical advice immediately and show the product's container or label. Contact a veterinary surgeon in case of ingestion by a pet.
- 4) Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name "; "active substance(s)" and "in case of incident, call a poison centre [insert national phone number]".
- 5) Hazardous to wildlife.

5.4. Instructions for safe disposal of the product and its packaging

- 1) At the end of the treatment, dispose uneaten bait and the packaging in accordance with local requirements.
- 2) Prevent skin contact when disposing remains of baits.
- 3) Use of gloves is recommended.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- 1) Store in places prevented from the access of children, birds, pets and farm animals.
- 2) Keep away from food, drink and animal feeding stuffs.
- 3) Shelf life: 24 months.

6. Other information

- 1) Because of their delayed mode of action, anticoagulant rodenticides take from 4 to 10 days to be effective after consumption of the bait.
- 2) Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.
- 3) This product contains a bittering agent and a dye.