

# Summary of product characteristics for a biocidal product

**Product name:** X5975CIRE

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** FR-2018-0030

**R4BP 3 asset reference number:** FR-0012534-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	2
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
4.1.1 Use-specific instructions for use	5
4.1.2 Use-specific risk mitigation measures	5
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	5
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	5
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	5
4.2.1 Use-specific instructions for use	6
4.2.2 Use-specific risk mitigation measures	6
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	6
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its	7
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under	7
4.3.1 Use-specific instructions for use	8
4.3.2 Use-specific risk mitigation measures	8
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	8
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its	8
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under	8
5. General directions for use	8
5.1. Instructions for use	8
5.2. Risk mitigation measures	9

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	9
5.4. Instructions for safe disposal of the product and its packaging	9
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	9
6. Other information	9

## Administrative information

### 1.1. Trade names of the product

X5975CIRE
Bricorama Traitement Spécial Meubles
Xylophene Curatif SC 2000
Xylophène Meubles & Objets Anciens
Axton Traitement Meubles et Parquets
Xylophène Meuble
Xylophène Industrie Xylobati SC 2000
Traitement Meubles Nuance
Boisilor Traitement Meubles
Tratamento Moveis Nuance, Axton Tratamento Madeira
Deteriorada Interior
Axton Trattamento Old Wood Interno
Axton Tratamiento Madera Deteriorada Interior
ΘΕΡΑΠΕΙΑ ΓΙΑ ΞΥΛΙΝΑ ΔΑΠΕΔΑ ΚΑΙ ΕΠΙΠΛΑ
Xylophène Meubles
Objets et Parquets

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	PPG AC - France SA
	Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France
<b>Authorisation number</b>	FR-2018-0030	
<b>R4BP 3 asset reference number</b>	FR-0012534-0000	
<b>Date of the authorisation</b>	31/05/2018	

Expiry date of the authorisation

30/05/2028

### 1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

PPG AC - France SA, Dyrup S.A.S.

Address of the manufacturer

Immeuble Union Square, 1 rue de l'Union 92565 Rueil-Malmaison France

Location of manufacturing sites

ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

### 1.4. Manufacturer(s) of the active substance(s)

Active substance

1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)

Name of the manufacturer

Arysta LifeScience Benelux SPRL

Address of the manufacturer

rue de Renory 26/1 4102 Ougrée Belgium

Location of manufacturing sites

Dr Reddys Laboratories Limited WF14 8QB West Yorkshire United Kingdom

Gharda Ltd D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.07
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics				919-857-5	95

## 2.2. Type of formulation

AL - Any other liquid

## 3. Hazard and precautionary statements

### Hazard statements

May be fatal if swallowed and enters airways.  
May cause drowsiness or dizziness.  
Flammable liquid and vapour.  
Very toxic to aquatic life with long lasting effects.  
Repeated exposure may cause skin dryness or cracking.

### Precautionary statements

Avoid breathing ....  
Use only outdoors or in a well-ventilated area.  
IF INHALED:Remove person to fresh air and keep comfortable for breathing.  
Call a if you feel unwell.  
Store in a well-ventilated place.Keep container tightly closed.  
Store locked up.  
IF SWALLOWED:Immediately call a POISON CENTER.  
Do NOT induce vomiting.  
Avoid release to the environment.  
Dispose of contents to in accordance with local regulation.  
Keep out of reach of children.  
Read label before use.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. – No smoking.  
container and receiving equipment.  
Use explosion-proof equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wear .  
Keep container tightly closed.  
IF ON SKIN (or hair):Take off immediately all contaminated clothing.Rinse skin with .  
In case of fire:Use to extinguish.

Collect spillage.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Preventive treatment

**Product type**

PT08 - Wood preservatives (Preservatives)

**Where relevant, an exact description of the authorised use**

Preventive treatment of use class 1 wood.

**Target organism(s) (including development stage)**

Hylotrupes bajulus L.-House longhorn beetle-Larvae  
Anobium punctatum De Geer-Common furniture beetle-Larvae  
Lyctus brunneus-Powder post beetles-Larvae  
Reticulitermes sp.-Subterranean termites-soldiers, nymphs and workers

**Field(s) of use**

Indoor  
Use class 1 on softwood and hardwood

**Application method(s)**

Bait application -  
Superficial application by spraying or brushing

**Application rate(s) and frequencies**

CU1 : 200 g/m<sup>2</sup> - - -  
Ready to use product: application by spraying or brushing  
UC1 : 200 g/m<sup>2</sup>

**Category(ies) of users**

Trained professional  
Professional  
General public (non-professional)

**Pack sizes and packaging material**

Metal\* bottles or cans: 0.5L, 1L , 2.5L and 5L  
\*tin-plate without internal varnish layer

#### 4.1.1 Use-specific instructions for use

-

#### 4.1.2 Use-specific risk mitigation measures

Professional use:  
Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a category III type 6 coverall during spray application.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 4.2 Use description

#### Use 2 - Curative treatment

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

curative treatment for solid wood, in conditions of use class 1.

##### Target organism(s) (including development stage)

Hylotrupes bajulus L.-House longhorn beetle-Larvae

Anobium punctatum De Geer-Common furniture beetle-Larvae

Lyctus brunneus-Powder post beetles-Larvae

Reticulitermes sp.-Subterranean termites-workers, soldiers and nymphs

##### Field(s) of use



<b>Application method(s)</b>	Indoor  Curative treatment. Wood in conditions of use class 1, on softwood and hardwood
	Spraying - Superficial application by spraying or brushing
<b>Application rate(s) and frequencies</b>	CU1 : 300 g/m <sup>2</sup> - - - Ready to use product: application by spraying or brushing 300 g/m <sup>2</sup>
<b>Category(ies) of users</b>	Trained professional  Professional  General public (non-professional)
<b>Pack sizes and packaging material</b>	Metal* bottles or cans: 0.5L, 1L , 2.5L and 5L  *tin-plate without internal varnish layer

#### 4.2.1 Use-specific instructions for use

-

#### 4.2.2 Use-specific risk mitigation measures

Professional use:  
Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a category III type 6 coverall during spray application.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

**4.3 Use description**

**Use 3 - Preventive treatment in industry**

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	Preventive treatment of use class 1 wood
<b>Target organism(s) (including development stage)</b>	<p>Hylotrupes bajulus L.-House longhorn beetle-Larvae</p> <p>Anobium punctatum De Geer-Common furniture beetle-Larvae</p> <p>Lyctus brunneus-Powder post beetles-Larvae</p> <p>Reticulitermes sp.-Subterranean termites-workers, soldiers and nymphs</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Use class 1 on softwood and hardwood.</p>
<b>Application method(s)</b>	<p>Open system: dip treatment -</p> <p>Short dip treatment</p>
<b>Application rate(s) and frequencies</b>	<p>Application rate in the analytical zone: 200 g/m<sup>2</sup> - - -</p> <p>Ready to use product: application by short dip treatment.</p> <p>UC1: 200 g/m<sup>2</sup></p>
<b>Category(ies) of users</b>	Industrial
<b>Pack sizes and packaging material</b>	<p>Metal* cans: 5L</p> <p>Metal* barrel: 200L*tin-plate without internal varnish layer</p>

#### 4.3.1 Use-specific instructions for use

-

#### 4.3.2 Use-specific risk mitigation measures

Industrial use:

- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) during dipping treatment.
- Prevent any release to the environment during the product application phase as well as during the storage and the transport of treated timber;
- During the application phase, prevent any release of cleaning water (after cleaning of floors, tanks, containers) to the environment (sewer, soil, water);
- Freshly treated timber shall be stored after treatment under shelter and on impermeable hard standing to prevent losses to soil, sewer, or water, and any losses from the application of the product shall be collected for reuse or disposal;
- Any contaminated water/soil shall be collected, contained and treated as hazardous waste.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 5. General directions for use

#### 5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the registration holder.

## 5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Impaired consciousness: do not give fluids or induce vomiting; place in recovery position and seek medical advice immediately.
- Keep the container or label available.
- Inhalation: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Mouth contact/Ingestion: Wash out mouth with water. Seek medical advice immediately if symptoms occur and/or in case of mouth contact with large quantities.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Get medical attention if symptoms occur.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.

## 5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 2 years

## 6. Other information

Treated wood should not be intended for uses involving contact with food, feed or livestock