

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

NYNA D+ PATE

Product type(s)

PT14: Rodenticides

Authorisation number: 1675-3, 1675-5; 1675-6

R4BP asset number: BG-0010307-0000

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	NYNA D+ PATE DIFE PASTA 50 STOP DIFE PASTA 50 Плъхостоп паста
---------------	--

1.2. Authorisation holder

Name and address of the authorisation holder	Name	TRIPLAN SA
	Address	BP 258 LA POSTE FRANCAISE AD500 ANDORRA LA VELLA France
Authorisation number	1675-3, 1675-5; 1675-6	
<i>R4BP asset number</i>	BG-0010307-0000	
Date of the authorisation	23/02/2012	
Expiry date of the authorisation	31/12/2026	

1.3. Manufacturer(s) of the product

Name of manufacturer	CAUSSADE
Address of manufacturer	4-8 Rue de Romorantin 41300 Salbris France
Location of manufacturing sites	4-8 Rue de Romorantin 41300 Salbris France

Name of manufacturer	AEDES PROTECTA
Address of manufacturer	75 rue d'Orgemont 95210 SAINT-GRATIEN France
Location of manufacturing sites	LIEU DIT DOUILLAC 81310 PARISOT France

Name of manufacturer	IRIS
Address of manufacturer	1126A, Avenue du Moulinas, Route de Saint-Privat 30 340 SALINDRES France
Location of manufacturing sites	1126A, Avenue du Moulinas, Route de Saint-Privat 30340 SALINDRES France

Name of manufacturer	FARMAVIT OOD
Address of manufacturer	Bul Tsar Boris III, n°63, Office n°1 1612 SOFIA Bulgaria
Location of manufacturing sites	Industrialna str.2 - Pleven District 5960 GULIANTSI Bulgaria

Name of manufacturer	INDUSTRIALCHIMICA SRL
Address of manufacturer	VIA SORGAGLIA 40 35020 ARRE (PD) Italy
Location of manufacturing sites	VIA SORGAGLIA 40 35020 ARRE (PD) Italy

1.4. Manufacturer(s) of the active substance(s)

Active substance	Difenacoum
Name of manufacturer	PM Tezza SRL
Address of manufacturer	22, Via III Ponti 37059 Zevio Italy
Location of manufacturing sites	22, Via III Ponti 37059 Zevio Italy

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Difenacoum	3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin	active substance	56073-07-5	259-978-4	0,005 % (w/w)

2.2. Type(s) of formulation

RB Bait (ready for use)

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H360D: May damage the unborn child. H373: May cause damage to organs (blood) through prolonged or repeated exposure {1:state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard: }.
Precautionary statements	P102: Keep out of reach of children. P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dust. P262: Do not get in eyes, on skin, or on clothing. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves. P308+P313: IF exposed or concerned: Get medical attention. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or a doctor. P314: Get medical attention if you feel unwell. P405: Store locked up. P501: Dispose of contents to local regulation (respecting the standards of application).

4. AUTHORISED USE(S)

4.1. Use description

Table 1. For professional users

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: adults Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: juveniles Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: adults Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: juveniles Scientific name: <i>Rattus rattus</i> Common name: roof rat Development stage: adults Scientific name: <i>Rattus rattus</i> Common name: roof rat Development stage: juveniles
Field(s) of use	indoor use The product is applicable inside buildings.
Application method(s)	Method: bait application Detailed description: The product must to be placed in bait boxes only.
Application rate(s) and frequency	Application rate: For mice - 3 sachets of 10 g (30 g) per bait box at a distance of 2 - 4 meters depending on the level of infestation. For rats - 18 sachets of 10 g (180 g) per bait box at a distance of 5 - 10 meters depending on the level of infestation. Dilution (%): - Number and timing of application: For mice - 3 sachets of 10 g (30 g) per bait box at a distance of 2 - 4 meters depending on the level of infestation. For rats - 18 sachets of 10 g (180 g) per bait box at a distance of 5 - 10 meters depending on the level of infestation.

Category(ies) of users	professional
Pack sizes and packaging material	The product is wrapped individually in heat-sealed paper sachet of 10 g. The sachets of 10g are packed in : - Buckets (PP) : 1,5kg, 5kg, 15kg, 18kg - Carton boxes : 20kg

4.1.1. Use-specific instructions

4.1.2. Use-specific risk mitigation measures

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Ready-to-use bait in 10 g individual bags, to be placed in bait boxes only.

Do not treat surfaces and furniture in contact with food for humans or animals.

The baiting boxes must be securely placed to avoid the risk of ill-treatment, indigestion by children or pets or their dispersion in the environment by rodents.

Bait boxes are to be placed in rodent-infested areas and places, near rodent holes, where they are to be moved and where they are most frequented.

The biocidal product is not designed for permanent use; treatment must continue for a maximum of 6 weeks. Do not use for permanent baits.

5.2. Risk mitigation measures

The bait boxes containing the bait must be checked and reloaded a few times after the initial loading, then every 7 days in case of consumption or bait damaged or stained.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Do not treat surfaces and furniture in contact with food for humans or animals.

The baiting boxes must be securely placed to avoid the risk of ill-treatment, indigestion by children or pets or their dispersion in the environment by rodents.

Antidote: Vitamin K1 (to be taken under medical supervision).

5.4. Instructions for safe disposal of the product and its packaging

Remains of baits not consumed or deteriorated must be collected and disposed of safely as hazardous waste in accordance with the requirements of national legislation.

Dead rodents must necessarily be collected in well-closed plastic double bags and transferred for preservation / destruction in the animal by-products disposal centers, registered by the Food Prevention Directorates (ОДБХ), within the meaning of the art. 259, al. 1 of the law on the veterinary medical activity (ЗВМД) or outside the centers registered by ОДБХ to the respect of the conditions and the procedures defined in the order in view of art. 259, al. 3 of the ЗВМД.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life : 2 years

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

6. OTHER INFORMATION