

Summary of product characteristics for a biocidal product

Product name: Bayer Garden Ant Bait Station

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: UK-1101-002

R4BP 3 asset reference number: UK-0008887-0000

Table Of Contents

| | |
|---|----|
| Administrative information | 1 |
| 1.1. Trade names of the product | 1 |
| 1.2. Authorisation holder | 1 |
| 1.3. Manufacturer(s) of the biocidal products | 1 |
| 1.4. Manufacturer(s) of the active substance(s) | 1 |
| 2. Product composition and formulation | 2 |
| 2.1. Qualitative and quantitative information on the composition of the biocidal product | 2 |
| 2.2. Type of formulation | 2 |
| 3. Hazard and precautionary statements | 2 |
| 4. Authorised use(s) | 2 |
| 4.1.1 Use-specific instructions for use | 4 |
| 4.1.2 Use-specific risk mitigation measures | 5 |
| 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid | 5 |
| 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its | 6 |
| 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under | 6 |
| 4.2.1 Use-specific instructions for use | 8 |
| 4.2.2 Use-specific risk mitigation measures | 8 |
| 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid | 9 |
| 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its | 9 |
| 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under | 9 |
| 5. General directions for use | 9 |
| 5.1. Instructions for use | 9 |
| 5.2. Risk mitigation measures | 10 |
| 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to | 10 |
| 5.4. Instructions for safe disposal of the product and its packaging | 10 |
| 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage | 10 |
| 6. Other information | 10 |

Administrative information

1.1. Trade names of the product

| |
|-------------------------------|
| Bayer Garden Ant Bait Station |
|-------------------------------|

1.2. Authorisation holder

| | | |
|---|-----------------|--|
| Name and address of the authorisation holder | Name | BAYER S.A.S |
| | Address | 16 rue Jean-Marie Leclair CS90106 69266 LYON CEDEX 09 France |
| Authorisation number | UK-1101-002 | |
| R4BP 3 asset reference number | UK-0008887-0000 | |
| Date of the authorisation | 09/10/2017 | |
| Expiry date of the authorisation | 08/10/2022 | |

1.3. Manufacturer(s) of the biocidal products

| | |
|--|--|
| Name of the manufacturer | Bayer S.A.S/ Environmental Science |
| Address of the manufacturer | 16 rue Jean-Marie Leclair – CS 90106, 69266 Lyon Cedex 09 France |
| Location of manufacturing sites | ZI Nord 02250 Marle sur Serre France |

1.4. Manufacturer(s) of the active substance(s)

| | |
|--|--|
| Active substance | 37 - imidacloprid |
| Name of the manufacturer | Bayer AG |
| Address of the manufacturer | Industrial Operations, Alfred Nobel-Strasse D-40789 Monheim am Rhein Germany |
| Location of manufacturing sites | Chempark D-41538 Dormagen Germany |

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

| Common name | IUPAC name | Function | CAS number | EC number | Content (%) |
|--------------|--|------------------|-------------|-----------|-------------|
| imidacloprid | (2E)-1-[(6-chloropyridin-3-yl) methyl]-N-nitroimidazolidin-2-imine | Active Substance | 138261-41-3 | 428-040-8 | 0.03 |

2.2. Type of formulation

RB - Bait (ready for use)

3. Hazard and precautionary statements

Hazard statements

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Collect spillage.

Avoid release to the environment.

Dispose of container to household recycling centre.

4. Authorised use(s)

4.1 Use description

Use 1 - Non-professional

| | |
|---|--|
| Product type | PT18 - Insecticides, acaricides and products to control other arthropods (Pest control) |
| Where relevant, an exact description of the authorised use | VII.2 Insecticide |
| Target organism(s) (including development stage) | Formicinae:-Garden ant-Adults |
| Field(s) of use | Indoor Outdoor IV.1. Indoors IV.1.3.2 households/private areas. Kitchens, living rooms and cellars IV.2 Outdoors: Terraces, pavements, patios, entrances to sheds and garages IV.2.4 Around buildings NOT for use on soil, lawns or flower beds For indoor use, the product should be placed in a horizontal position where ants can be seen foraging for food, typically, under doors, windows or cracks and crevices. When used outdoors, the product should be placed where ants are active i.e. near to or onto ant trails. |
| Application method(s) | Bait application - For indoor use, the product should be placed in a horizontal position where ants can be seen foraging for food, typically, under doors, windows or cracks and crevices. When used outdoors, the product should be placed where ants are active i.e. near to or onto ant trails. |
| Application rate(s) and frequencies | 1 bait station per target nest. Maximum 2 per location - - Each bait station contains 3.3 g bait (1.0 mg imidacloprid), and the product is applied at an application rate of 1 bait station per target ant nest i.e. 3.3 g bait per target nest. If an infestation is severe, then the product is applied at a rate of 2 bait stations per nest. Maximum 2 per location or ant trail. Bait stations shouldn't be replaced more than every 4 weeks |

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Plastic bait station; polystyrene body, 3.3 g of formulation sealed in Al-PE cavity

4.1.1 Use-specific instructions for use

Snap off the 4 hooks to open the ant entry holes into the bait station position where ants can be seen and ensure the bait station is protected from rain. Depending on the severity of the infestation use one or two bait stations.

Always read the label or leaflet before use and respect all the instructions provided.

Inform the authorisation holder if the treatment is ineffective.

Apply the product away from direct sunlight or heat sources (e.g. do not place it under a radiator).

Check the bait points once a week.

If the infestation persists despite following the instructions of the label, contact a pest control professional.

Avoid continuous use of the product

Protect from rain



4.1.2 Use-specific risk mitigation measures

Wash hands and exposed skin before meals and after use.
Keep in a safe place.
This material and its container must be disposed of in a safe way.
Do not use on soil, lawns or flower beds
Hazardous to bees
DO NOT USE where food, feed or water could become contaminated.
PREVENT ACCESS TO BAITS by children and animals.
REMOVE ALL REMAINS OF BAIT and bait containers.
Ensure the bait station is kept in a horizontal position during transport, storage and use.
If the infestation is not controlled reapplication may be necessary.
When used around buildings, do not apply near drains. If the treated zone is connected to rainwater collection or sewer, use only in areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

General
Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.

Ingestion:
Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. In case of impaired consciousness place in recovery position and seek medical advice immediately. Do not give fluids or induce vomiting.

Keep the container or label available.

Skin contact:

Remove contaminated clothing and shoes. Wash contaminated skin with soap and water. Contact poison treatment specialist if symptoms occur. Seek medical attention if irritation develops and persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Notes to physician:

Treat symptomatically.

Monitor: respiratory and cardiac functions.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable

There is no specific antidote

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Do not contaminate water with the product or its container.

This material and its container must be disposed of in a safe way

Dispose of surplus and non-recyclable products via a licenced waste disposal contractor

Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal

legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Do not reuse container.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container

Keep in a cool, dry, well ventilated area

Protect from frost

Store away from light.

Shelf life of up to 36 months.

4.2 Use description

Use 2 - Professional

| | |
|---|--|
| Product type | PT18 - Insecticides, acaricides and products to control other arthropods (Pest control) |
| Where relevant, an exact description of the authorised use | VII.2 Insecticide |
| Target organism(s) (including development stage) | Formicinae:-Garden ant-Adults |
| Field(s) of use | <p>Indoor</p> <p>Outdoor</p> <p>IV.1. Indoors IV.1.3 To be used in: IV.1.3.1 Industrial/commercial premises IV.1.3.2 households/private areas. Kitchens, living rooms & cellars IV.1.3.3 Public (e.g. Hospitals, Nursing Homes) IV.2 Outdoors: Terraces, pavements, patios, entrances to sheds & garages NOT for use on soil, lawns or flower beds V.1. Indoors IV.3.Public (e.g. Hospitals, Nursing Homes) For indoor use, the product should be placed in a horizontal position where ants can be seen foraging for food, typically, under doors, windows or cracks and crevices. When used outdoors, the product should be placed where ants are active i.e. near to or onto ant trails.</p> |
| Application method(s) | <p>Bait application -</p> <p>IV.1. Indoors IV.1.3 To be used in: IV.1.3.1 Industrial/commercial premises IV.1.3.2 households/private areas. Kitchens, living rooms & cellars IV.1.3.3 Public (e.g. Hospitals, Nursing Homes) IV.2 Outdoors: Terraces, pavements, patios, entrances to sheds & garages NOT for use on soil, lawns or flower beds V.1. Indoors IV.3.Public (e.g. Hospitals, Nursing Homes)</p> <p>For indoor use, the product should be placed in a horizontal position where ants can be seen foraging for food, typically, under doors, windows or cracks and crevices. When used outdoors, the product should be placed where ants are active i.e. near to or onto ant trails.</p> <p>Each bait station contains 3.3 g bait (1.0 mg imidacloprid), and the product is applied at an application rate of 1 bait station per target ant nest i.e. 3.3 g bait per target nest. If an infestation is severe, then the product is applied at a rate of 2 bait stations per nest. Maximum 2 per location or ant trail. Bait stations shouldn't be replaced more than every 4 weeks.</p> |

Application rate(s) and frequencies

1 bait station per target nest. Maximum 2 per location - -
Each bait station contains 3.3 g bait (1.0 mg imidacloprid), and the product is applied at an application rate of 1 bait station per target ant nest i.e. 3.3 g bait per target nest. If an infestation is severe, then the product is applied at a rate of 2 bait stations per nest. Maximum 2 per location or ant trail. Bait stations shouldn't be replaced more than every 4 weeks.

Category(ies) of users

Professional

Pack sizes and packaging material

Plastic bait station; polystyrene body, 3.3 g of formulation sealed in Al-PE cavity

4.2.1 Use-specific instructions for use

Snap off the 4 hooks to open the ant entry holes into the bait station position where ants can be seen and ensure the bait station is protected from rain. Depending on the severity of the infestation use one or two bait stations.

Always read the label or leaflet before use and respect all the instructions provided.

Inform the authorisation holder if the treatment is ineffective.

Apply the product away from direct sunlight or heat sources (e.g. do not place it under a radiator).

Check the bait points once a week.

Avoid continuous use of products.

Protect from rain

4.2.2 Use-specific risk mitigation measures

FOR USE ONLY AS AN INSECTICIDE

FOR USE ONLY BY PROFESSIONAL OPERATORS

Wash hands and exposed skin before meals and after use.

This material and its container must be disposed of in a safe way.

Do not use on soil, lawns or flower beds

Hazardous to bees

DO NOT USE where food, feed or water could become contaminated.

PREVENT ACCESS TO BAITS by children and animals.

REMOVE ALL REMAINS OF BAIT and bait containers.

Ensure the bait station is kept in a horizontal position during transport, storage and use.

If the infestation is not controlled reapplication may be necessary.

When used around buildings, do not apply near drains. If the treated zone is connected to rainwater collection or sewer, use only in areas that are not

liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

General

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.

Ingestion:

Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. In case of impaired consciousness place in recovery position and seek medical advice immediately. Do not give fluids or induce vomiting.
Keep the container or label available. If necessary take the person to hospital and show the labelling or packaging. Do not leave poisoned person alone.

Skin contact:

Remove contaminated clothing and shoes. Wash contaminated skin with soap and water. Contact poison treatment specialist if symptoms occur. Seek medical attention if irritation develops and persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not forget to remove any contact lenses.

Notes to physician:

Treat symptomatically.

Monitor: respiratory and cardiac functions.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable
There is no specific antidote

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Do not contaminate streams, rivers or waterways with the product or used containers

P501:

Dispose of contents/container in accordance with local/region/national/international regulation (to be specified)

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container

Keep in a cool, dry, well ventilated area

Protect from frost

Store away from light.

Shelf life of up to 36 months.

5. General directions for use

5.1. Instructions for use

See 4.1.1 and 4.2.1

5.2. Risk mitigation measures

See 4.1.2 and 4.2.2

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 4.1.3 and 4.2.3

5.4. Instructions for safe disposal of the product and its packaging

See 4.1.4 and 4.2.4

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

See 4.1.5 and 4.2.5

6. Other information