

# Summary of product characteristics for a biocidal product family

**Family name:** PPG\_Class1\_WB

**Product type(s):** PT08 - Wood preservatives (Preservatives)

**Authorisation number:**

**R4BP 3 asset reference number:** DK-0013104-0000

## Table Of Contents

Part I.- First information level	1
1. Administrative information	1
1.1. Family name	1
1.2. Product type(s)	1
1.3. Authorisation holder	1
1.4. Manufacturer(s) of the biocidal products	1
1.5. Manufacturer(s) of the active substance(s)	2
2. Product family composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the family	2
2.2. Type of formulation	2
Part II.- Second information level - meta SPC(s)	2
1. Meta SPC administrative information	3
1.1. Meta SPC identifier - META SPC 1	3
1.2. Suffix to the authorisation number	3
1.3 Product type(s)	3
2. Meta SPC composition	3
2.1. Qualitative and quantitative information on the composition of the meta SPC	3
2.2. Type(s) of formulation of the meta SPC	3
3. Hazard and precautionary statements of the meta SPC	3
4. Authorised use(s) of the meta SPC	4
4.1.1 Use-specific instructions for use	5
4.1.2 Use-specific risk mitigation measures	5
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	5
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	5
4.2.1 Use-specific instructions for use	7
4.2.2 Use-specific risk mitigation measures	7

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	7
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	7
5. General directions for use of the meta SPC	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8
7. Third information level: individual products in the meta SPC	9
7.1 Trade name(s), authorisation number and specific composition of each individual product	10
1. Meta SPC administrative information	10
1.1. Meta SPC identifier - META SPC 2	10
1.2. Suffix to the authorisation number	10
1.3 Product type(s)	11
2. Meta SPC composition	11
2.1. Qualitative and quantitative information on the composition of the meta SPC	11
2.2. Type(s) of formulation of the meta SPC	11
3. Hazard and precautionary statements of the meta SPC	11
4. Authorised use(s) of the meta SPC	12
4.1.1 Use-specific instructions for use	13
4.1.2 Use-specific risk mitigation measures	13
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	13
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	13
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	13
4.2.1 Use-specific instructions for use	15
4.2.2 Use-specific risk mitigation measures	15
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	15

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	15
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	15
5. General directions for use of the meta SPC	15
5.1. Instructions for use	15
5.2. Risk mitigation measures	15
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	16
5.4. Instructions for safe disposal of the product and its packaging	16
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	16
6. Other information	16
7. Third information level: individual products in the meta SPC	17
7.1 Trade name(s), authorisation number and specific composition of each individual product	17
1. Meta SPC administrative information	19
1.1. Meta SPC identifier - Meta SPC 3	19
1.2. Suffix to the authorisation number	19
1.3 Product type(s)	19
2. Meta SPC composition	19
2.1. Qualitative and quantitative information on the composition of the meta SPC	19
2.2. Type(s) of formulation of the meta SPC	19
3. Hazard and precautionary statements of the meta SPC	19
4. Authorised use(s) of the meta SPC	20
4.1.1 Use-specific instructions for use	20
4.1.2 Use-specific risk mitigation measures	20
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	21
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging	21
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	21
5. General directions for use of the meta SPC	21
5.1. Instructions for use	21
5.2. Risk mitigation measures	21
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	21

5.4. Instructions for safe disposal of the product and its packaging	22
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	22
6. Other information	22
7. Third information level: individual products in the meta SPC	22
7.1 Trade name(s), authorisation number and specific composition of each individual product	22

## Part I.- First information level

### 1. Administrative information

#### 1.1. Family name

PPG\_Class1\_WB

#### 1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

#### 1.3. Authorisation holder

##### Name and address of the authorisation holder

Name	PPG AC - France SA
Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France

##### Authorisation number

--

##### R4BP 3 asset reference number

DK-0013104-0000

##### Date of the authorisation

12/06/2018

##### Expiry date of the authorisation

11/06/2028

#### 1.4. Manufacturer(s) of the biocidal products

##### Name of the manufacturer

PPG AC - France SA

##### Address of the manufacturer

Immeuble Union Square, 1 rue de l'Union, CS 10055 92565 Rueil-Malmaison France

##### Location of manufacturing sites

ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France

## 1.5. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
<b>Name of the manufacturer</b>	Arysta LifeScience Benelux SPRL
<b>Address of the manufacturer</b>	26 rue de Renory 14102 Ougrée Belgium
<b>Location of manufacturing sites</b>	Dr Reddys Laboratories Limited Mitchell, Steanard Lane, Mirfield, WF14 8QB West Yorkshire United Kingdom Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

## 2. Product family composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0 - 0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0 - 0.72

### 2.2. Type(s) of formulation

AL - Any other liquid
-----------------------

## Part II.- Second information level - meta SPC(s)

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 1

### 1.2. Suffix to the authorisation number

1-1

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.054 - 0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0 - 0

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.



**Precautionary statements**

Very toxic to aquatic life with long lasting effects. Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Wash thoroughly after handling. Wear . IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:Get medical . Avoid release to the environment. Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.. Keep out of reach of children. Collect spillage.

**4. Authorised use(s) of the meta SPC**

**4.1 Use description**

**Use 1 - Preventive X6089CR**

**Product type**

PT08 - Wood preservatives (Preservatives)
---

**Where relevant, an exact description of the authorised use**

-
---

**Target organism(s) (including development stage)**

- other-Wood boring beetles-- Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae
---

**Field(s) of use**

Indoor Use class 1 on softwood and hardwood.
---

**Application method(s)**

superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
--

**Application rate(s) and frequencies**

200 g/m<sup>2</sup> - - -  
Application rate in the analytical zone:  
Preventive treatment – use class 1: 200 g/m<sup>2</sup>

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

- 4 L, 15 L tin-plate cans, 20 L tin-plate pails  
- 20 L LDPE sachet.  
The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.  
All packagings are hermetically closed with a cap.

**4.1.1 Use-specific instructions for use**

-

**4.1.2 Use-specific risk mitigation measures**

-

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

## 4.2 Use description

### Use 2 - Curative X6089CR

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	-other-Wood boring beetles--other Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae
<b>Field(s) of use</b>	Indoor  Curative treatment wood in situation of use class 1, on softwood and hardwood.
<b>Application method(s)</b>	superficial application -  Superficial application / brush / roller / pad treatment  Superficial application / spray treatment    Open system: injection - Injection (in combination with superficial application)
<b>Application rate(s) and frequencies</b>	300 g/m <sup>2</sup> - - - Application rate in the analytical zone: (wood in service) 300 g/m <sup>2</sup> for curative treatment by superficial application,  180 g/m <sup>2</sup> (20 mL per hole, 9 holes/m <sup>2</sup> ) - - - In combination with injection if need be: 180 g/m <sup>2</sup> for injection (20 mL per hole, 9 holes/m <sup>2</sup> ).
<b>Category(ies) of users</b>	Professional

## Pack sizes and packaging material

- 4 L, 15 L tin-plate cans, 20 L tin-plate pails  
- 20 L LDPE sachet.  
The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.  
All packagings are hermetically closed with a cap.

### 4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

### 4.2.2 Use-specific risk mitigation measures

-

### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.  
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.  
- Only for indoor use by professional for preventive and curative treatment of attack by woodboring insects (*Hylotrupes bajules*, *Anobium punctatum* and *Lyctus brunneus*), and only in churches or other conservation worthy buildings as well as in buildings.

where people don't work or stay for longer periods of time.

- Do not use the product in residential buildings.
- May only be used in use class 1 cf. DS/EN335:2013.
- Not for use against any other pest than indicated on the label and not for use in higher doses than indicated.
- Only for use in doses not exceeding 200 g/m<sup>2</sup> in preventive treatment by superficial application, 300 g/m<sup>2</sup> in curative treatment by superficial application and 180 g/m<sup>2</sup> by injection.

## 5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and an impermeable coverall (category III Type 3 or 4) during the application phase of the product by injection combined with spraying.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

## 5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store more than 24 months.
- Do not store above 40°C.
- Keep out of the reach of children
- Keep away from food, drink and animal feedingstuffs

## 6. Other information

- Treated wood should not be intended for uses involving contact with food, feed or livestock.

I. Etiketten skal udformes i overensstemmelse med det godkendte resumé af det biocidholdige produkts egenskaber, jf. artikel 69, stk. 1, i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP-Forordningen[1].  
II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Etiket og mærkning skal være på dansk.

Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel

Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013."

1. I advarselsfeltet:

"ADVARSEL

Forårsager alvorlig øjenirritation (H319).

Meget giftig med langvarige virkninger for vandlevende organismer (H410)

Vask huden grundigt efter brug.

Undgå udledning til miljøet.

Udslip opsamles.

Læs etiketten før brug.

Bær beskyttelseshandsker/beskyttelsestøj/øjenbeskyttelse/ansigtsbeskyttelse.

Bær kemisk resistente beskyttelseshandsker og beskyttelsestøj ved brug af produktet."

(Handskematerialet og tøj materialet skal angives af godkendelsesindehaveren i produktdatabladet.)

"Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

**Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013.**

**Må ikke anvendes i boliger.**

**Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.**

**Må kun anvendes i doseringer på 200 g/m<sup>2</sup> ved præventiv behandling, 300 g/m<sup>2</sup> ved kurativ behandling og 180 g/m<sup>2</sup> til injektion.**

**Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.**

**Må ikke tømmes i kloak afløb.**

**Opbevares utilgængeligt for børn.**

**Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer."**

Farepiktogrammerne GHS07 og GHS09.

Miljøstyrelsen henleder opmærksomheden på, at godkendelsesindehaver skal anføre oplysninger om førstehjælp, herunder:

VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let.

Fortsæt skylning.

Ved vedvarende øjenirritation: Søg lægehjælp.

3) I deklarationsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 795-2-1-1. Aktivstof og den biocidholdige produktfamilie er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent (% w/w) og g/L ved 20 °C.

d) Sætningen: "Indeholder 1,2-benzisothiazol-3(2H)-one. Kan udløse allergisk reaktion."

e) Udløbsdatoen skal anføres. Denne dato må højst være 24 måneder efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i L.

h) Godkendelsesindehavers navn og adresse.

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter retningslinjerne:

"Rester skal afleveres til den kommunale affaldsordning for farligt affald. Tomme beholdere kan bortskaffes med dagrenovationen."

## 7. Third information level: individual products in the meta SPC

## 7.1 Trade name(s), authorisation number and specific composition of each individual product

### Trade name(s)

X6089CR  
Koatec Hydrogel  
Xylophene Curatif WI100G  
Xylophene Industrie Xylobati WI100G  
Xylophene Professionnel CGX  
Xylophene Expert Xylo Profond  
Corpol Gel Plus

### Authorisation number

(R4BP 3 asset reference number - National Authorisation)

DK-0013104-0001 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.108
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

META SPC 2

### 1.2. Suffix to the authorisation number

1-2

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0 - 0
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.48 - 0.72

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye irritation.

Very toxic to aquatic life with long lasting effects.

Contains 1,2-benzisothiazol-3(2H)-one and a mixture of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statements

Wash thoroughly after handling.

Wear .

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



If eye irritation persists: Get medical .

Avoid release to the environment.

Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation..

Keep out of reach of children.

Collect spillage.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Preventive X6089HA1

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	- other-Wood boring beetles-- Hylotrupes bajulus L.-House longhorn beetle-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Lyctus brunneus-Powder post beetles-Larvae
<b>Field(s) of use</b>	Indoor Use class 1 on softwood and hardwood.
<b>Application method(s)</b>	Superficial application - Superficial application / brush / roller / pad treatment Superficial application / spray treatment
<b>Application rate(s) and frequencies</b>	200 g/m <sup>2</sup> - - - Application rate in the analytical zone: Preventive treatment – use class 1: 200 g/m <sup>2</sup>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	- 1 L, 5 L, 6 L 20 L, 24 L, 25 L and 30 L tin-plate cans

- 30 L HDPE pail  
- 55 L tin-plate drum  
- 200 L HDPE drum  
- 1000 L HDPE intermediate bulk container  
The tin-plate cans and drums are coated inside with an epoxyphenolic varnish.  
All packagings are hermetically closed with a cap.

#### 4.1.1 Use-specific instructions for use

-

#### 4.1.2 Use-specific risk mitigation measures

-

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

#### 4.2 Use description

Use 2 - Curative X6089HA1

Product type

PT08 - Wood preservatives (Preservatives)

**Where relevant, an exact description of the authorised use**

-

**Target organism(s) (including development stage)**

-other-Wood boring beetles--other  
Hylotrupes bajulus L.-House longhorn beetle-Larvae  
Anobium punctatum De Geer-Common furniture beetle-Larvae  
Lyctus brunneus-Powder post beetles-Larvae

**Field(s) of use**

Indoor  
Curative treatment  
wood in situation of use class 1, on softwood and hardwood.

**Application method(s)**

Superficial application -  
Superficial application / brush / roller / pad treatment  
Superficial application / spray treatment  
Open system: injection -  
Injection (in combination with superficial application)

**Application rate(s) and frequencies**

300 g/m<sup>2</sup> - - -  
Application rate in the analytical zone: (wood in service)  
300 g/m<sup>2</sup> for curative treatment by superficial application,  
180 g/m<sup>2</sup> (20 mL per hole, 9 holes/m<sup>2</sup>) - - -  
In combination with injection if need be:  
180 g/m<sup>2</sup> for injection (20 mL per hole, 9 holes/m<sup>2</sup>).

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

- 1 L, 5 L, 6 L 20 L, 24 L, 25 L and 30 L tin-plate cans  
- 30 L HDPE pail  
- 55 L tin-plate drum  
- 200 L HDPE drum  
- 1000 L HDPE intermediate bulk container.  
The tin-plate cans and drums are coated inside with an epoxyphenolic varnish.  
All packagings are hermetically closed with a cap.

#### 4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

#### 4.2.2 Use-specific risk mitigation measures

-

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 5. General directions for use of the meta SPC

#### 5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.
- Only for indoor use by professional for preventive and curative treatment of attack by woodboring insects (*Hylotrupes bajules*, *Anobium punctatum* and *Lyctus brunneus*), and only in churches or other conservation worthy buildings as well as in buildings, where people don't work or stay for longer periods of time.
- Do not use the product in residential buildings.
- May only be used in use class 1 cf. DS/EN335:2013.
- Not for use against any other pest than indicated on the label and not for use in higher doses than indicated.- Only for use in doses not exceeding 200 g/m<sup>2</sup> in preventive treatment by superficial application, 300 g/m<sup>2</sup> in curative treatment by superficial application and 180 g/m<sup>2</sup> by injection.

#### 5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and an impermeable coverall (category III Type 3 or 4) during the application phase of the product by injection combined with spraying.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

### 5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Do not store more than 18 months.
- Do not store above 40°C.
- Keep out of the reach of children
- Keep away from food, drink and animal feedingstuffs

## 6. Other information

-- Treated wood should not be intended for uses involving contact with food, feed or livestock.

I. Etiketten skal udformes i overensstemmelse med det godkendte resumé af det biocidholdige produkts egenskaber, jf. artikel 69, stk. 1, i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP-Forordningen[1].

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Etiket og mærkning skal være på dansk.

Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel

Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hyloterpes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013."

1. I advarselsfeltet:  
"ADVARSEL  
Forårsager alvorlig øjenirritation (H319).  
Meget giftig med langvarige virkninger for vandlevende organismer (H410)  
Vask huden grundigt efter brug.  
Undgå udledning til miljøet.  
Udslip opsamles.  
Læs etiketten før brug.  
Bær beskyttelsehandsker/beskyttelsestøj/øjenbeskyttelse/ansigtsbeskyttelse.  
Bær kemisk resistente beskyttelsehandsker og beskyttelsestøj ved brug af produktet."  
(Handskematerialet og tøj materialet skal angives af godkendelsesindehaveren i produktdatabladet.)  
"Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

**Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hydrophilus bajulus*, *Anobium punctatum* og *Lyctus brunneus*), og kun i kirker o.l. og andre bevaringsværdige bygninger samt i bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produkterne må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013.**

**Må ikke anvendes i boliger.**

**Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.**

**Må kun anvendes i doseringer på 200 g/m<sup>2</sup> ved præventiv behandling, 300 g/m<sup>2</sup> ved kurativ behandling og 180 g/m<sup>2</sup> til injektion.**

**Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.**

**Må ikke tømmes i kloak afløb.**

**Opbevares utilgængeligt for børn.**

**Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer."**

Farepiktogrammerne GHS07 og GHS09.

Miljøstyrelsen henleder opmærksomheden på, at godkendelsesindehaver skal anføre oplysninger om førstehjælp, herunder:  
VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let.  
Fortsæt skylning.

Ved vedvarende øjenirritation: Søg lægehjælp.

3) I deklaraionsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 795-2-2-1. Aktivstof og den biocidholdige produktfamilie er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent (% w/w) og g/L ved 20 °C.

d) Sætningen: "Indeholder 1,2-benzisothiazol-3(2H)-one og mikstur af 5-chloro-2methyl-2H-isothiazol-3-one og 2-methyl-2H-isothiazol-3-one. Kan udløse allergisk reaktion."

e) Udløbsdatoen skal anføres. Denne dato må højst være 18 måneder efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i L.

h) Godkendelsesindehavers navn og adresse.

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter retningslinjerne:

"Rester skal afleveres til den kommunale affaldsordning for farligt affald. Tomme beholdere kan bortskaffes med dagrenovationen."

## 7. Third information level: individual products in the meta SPC

### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

X6089HA1

Xylophene Poutres & Charpentes

Xylophene Boiseries & Parquets

Veraxyl Charpente Traitement du Bois  
 Xylophene Charpente  
 Xylophene Professionnel C2000  
 Xylophene Expert Xylo Structure  
 Colours Traitement Poutres et Charpentes  
 Inventiv'Protec Traitement Poutres et Charpentes  
 Boisilor Traitement Poutres & Charpentes  
 Bricorama Traitement Poutres Et Charpentes  
 Xylophene Curatif CE 2000  
 Xylophene Industrie Xylobati CE 2000  
 Traitement Poutres et Charpentes Nuance  
 Gori Stop Insekt  
 Protox Insekt  
 A-Tox+  
 Borup Møbel- & Træbeskyttelse  
 Juliana Woodrefresher

**Authorisation number**

(R4BP 3 asset reference number - National Authorisation)

DK-0013104-0002 1-2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.72

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

Meta SPC 3

### 1.2. Suffix to the authorisation number

1-3

### 1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1 - 0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0 - 0.0294
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0 - 0.72

### 2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

## 3. Hazard and precautionary statements of the meta SPC

Hazard statements



Precautionary statements

--

#### 4. Authorised use(s) of the meta SPC

##### 4.1 Use description

###### Use 1 - - Meta SPC not authorized in DK

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

- Meta SPC not authorized in DK

Target organism(s) (including development stage)

- Meta SPC not authorized in DK-- Meta SPC not authorized in DK-- Meta SPC not authorized in DK

Field(s) of use

Indoor

- Meta SPC not authorized in DK

Application method(s)

- Meta SPC not authorized in DK -  
- Meta SPC not authorized in DK

Application rate(s) and frequencies

- Meta SPC not authorized in DK - -  
- Meta SPC not authorized in DK

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

- Meta SPC not authorized in DK

##### 4.1.1 Use-specific instructions for use

- Meta SPC not authorized in DK

##### 4.1.2 Use-specific risk mitigation measures

- Meta SPC not authorized in DK

#### **4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- Meta SPC not authorized in DK

#### **4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

- Meta SPC not authorized in DK

#### **4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

- Meta SPC not authorized in DK

### **5. General directions for use of the meta SPC**

#### **5.1. Instructions for use**

- Meta SPC not authorized in DK

#### **5.2. Risk mitigation measures**

- Meta SPC not authorized in DK

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- Meta SPC not authorized in DK

#### 5.4. Instructions for safe disposal of the product and its packaging

- Meta SPC not authorized in DK

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Meta SPC not authorized in DK

#### 6. Other information

- Meta SPC not authorized in DK

#### 7. Third information level: individual products in the meta SPC

##### 7.1 Trade name(s), authorisation number and specific composition of each individual product

**Trade name(s)**

- Meta SPC not authorized in DK

**Authorisation number**

DK-0013104-0003 1-3

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0.1
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated		78330-23-1		0.0294
D-Glucopyranose, oligomeric, C8-10 glycosides	D-Glucopyranose, oligomeric, C8-10 glycosides		68515-73-1		0.72