

Summary of product characteristics for a biocidal product

Product name: X6122B1

Product type(s): PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

Authorisation number: 795-1

R4BP 3 asset reference number: DK-0012824-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	14
5.1. Instructions for use	14
5.2. Risk mitigation measures	15
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	15
5.4. Instructions for safe disposal of the product and its packaging	15
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	15
6. Other information	15

Administrative information

1.1. Trade names of the product

Gori Stop Svamp & Insekt X6122B1

1.2. Authorisation holder

Name and address of the authorisation holder	Name	PPG AC - France SA
	Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France
Authorisation number	795-1	
R4BP 3 asset reference number	DK-0012824-0000	
Date of the authorisation	03/05/2019	
Expiry date of the authorisation	07/04/2024	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	PPG AC - France SA, Dyrup S.A.S.
Address of the manufacturer	Immeuble Union Square, 1 rue de l'Union 92565 Rueil-Malmaison France
Location of manufacturing sites	ZI Montpaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France
	ZI de Ruitz, BP 83 62620 Ruitz France
	Dyrup A/S, Gladsaxevej 300 2860 SØBORG Denmark
	PPG Deco Polska Sp. z o.o., ul. Kwizyńska 8 51-416 Wrocław Poland
	Berkem Developpement SAS, Marais Ouest 24680 Gardonne France
	PPG Trilak Kft., 4 Grassalkovich ut 1238 Budapest Hungary
	PPG Romania, 33 Catanoaia street, sector 3 032903 Bucharest Romania

1.4. Manufacturer(s) of the active substance(s)

Active substance	1283 - (RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of the manufacturer	Arysta LifeScience Benelux SPRL
Address of the manufacturer	rue de Renory 26/1 4102 Ougrée Belgium
Location of manufacturing sites	Mitchell Cotts Chemicals, Steanard Lane, Mirfield, WF14 8QB, West Yorkshire, United Kingdom
	Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722, MAHARASHTRA India
Active substance	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of the manufacturer	Janssen Pharmaceutica NV
Address of the manufacturer	Turnhoutseweg 30 2340 Beerse Belgium
Location of manufacturing sites	Dongsha ChemZone, Zhangjiagang 215600 Jiangsu China

Active substance	51 - tebuconazole
Name of the manufacturer	Lanxess Deutschland GmbH
Address of the manufacturer	- 51369 Leverkusen Germany
Location of manufacturing sites	Bayer CropScience Corp. P.O. Box 4913 64120-001 Kansas City United States
Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	Troy Chemical Company BV
Address of the manufacturer	Uiverlaan 12e 3145 XN Maassluis Netherlands
Location of manufacturing sites	One Avenue L 07105 Newark United States

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- α -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,08
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0,16
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0,05
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,05
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		Non-active substance		918-481-9	97,15

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

May be fatal if swallowed and enters airways.
Very toxic to aquatic life with long lasting effects.
Repeated exposure may cause skin dryness or cracking.
Contains propiconazole. May produce an allergic reaction.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician..
Do NOT induce vomiting.
Store locked up.
Avoid release to the environment.
Collect spillage.
Dispose of contents to in accordance with local/ regional/national/international regulation (to be specified)..
Read carefully and follow all instructions.

4. Authorised use(s)

4.1 Use description

Use 1 - Preventive treatment for wood in use class 1, 2 and 3.1 Professional

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Preventive treatment for wood in use class 1, 2 and 3.1

Target organism(s) (including development stage)

Scientific name: *Hylotrupes bajulus* L.
Common name: House longhorn beetle
Development stage: -

Scientific name: *Anobium punctatum* De Geer
Common name: Common furniture beetle
Development stage: -

Scientific name: *Lyctus brunneus*
Common name: Powder post beetles
Development stage: -

Scientific name: Basidiomycetes:
Common name: Brown rot fungi
Development stage:

Scientific name: Basidiomycetes:
Common name: White rot fungi
Development stage:

Field(s) of use

Indoor
Outdoor
Preventive treatment for wood in use class 1, 2 and 3.1
(Softwood and hardwood)

Application method(s)

superficial application
Detailed description:
Superficial application / brush / roller /pad treatment
Superficial application / spray treatment

Application rate(s) and frequencies

Application Rate: CU1 to 3.1 : 200 g of product /m²
Dilution (%): -
Number and timing of application:
-

Category(ies) of users

Professional

Pack sizes and packaging material

Can /Tin, Metal: , 0.75, 1, 2.5, 5, 25, 30, 55, 200 L
IBC (intermediate bulk container), Plastic: HDPE , 1000 L
The 30 L can is internally coated with an epoxyphenolic lacquer.
Tin-plate can up to 200 L and HDPE 1000 L IBC for professional users. Hermetically closed with a cap.

4.1.1 Use-specific instructions for use

For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

May only be used indoor in churches and other preservation worthy buildings, where people do not work or reside for longer periods of time. The product is not be used in residential buildings.

4.1.2 Use-specific risk mitigation measures

Professional user only: For brushing, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application phase.

Professional user only: For spraying, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and impermeable coverall (category IV type 4) during spraying, gloves, and coated coverall (category IV type 6) during cleaning phase.

For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.

Do not apply where the product can reach surface water during outdoor application.

Treated wood should not be used near an aquatic environment.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2 Use description

Use 2 - Preventive treatment for wood in use class 2 and 3.1 Non Professional

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Preventive treatment for wood in use class 2 and 3.1

Target organism(s) (including development stage)

Scientific name: Hylotrupes bajulus L.
Common name: House longhorn beetle
Development stage: -

Scientific name: Anobium punctatum De Geer
Common name: Common furniture beetle
Development stage: -

Scientific name: Lyctus brunneus
Common name: Powder post beetles
Development stage: -

Scientific name: Basidiomycetes:
Common name: Brown rot fungi
Development stage:

Scientific name: Basidiomycetes:
Common name: White rot fungi
Development stage:

Field(s) of use

Outdoor

Preventive treatment for wood in use class 2 and 3.1
(Softwood and hardwood)

Application method(s)

superficial application
Detailed description:

Superficial application / brush / roller /pad treatment

Superficial application / spray treatment

Application rate(s) and frequencies

Application Rate: UC2 to 3.1 : 200 g of product /m²

Dilution (%): -

Number and timing of application:

The product is ready to use

The product is applied by superficial application, the application rate is UC 2 to 3.1: 200 g of product /m²

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Can /Tin, Metal: , 0.75, 1, 2.5, 5 L

Packagings for non-professional users are hermetically closed with a cap and fitted with a child-resistant fastening and a tactile warning of danger

4.2.1 Use-specific instructions for use

For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.2.2 Use-specific risk mitigation measures

For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.

Do not apply where the product can reach surface water during outdoor application.

Treated wood should not be used near an aquatic environment.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.3 Use description

Use 3 - Curative treatment for wood in service Professional

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Curative treatment for wood in service

Target organism(s) (including development stage)

Scientific name: Hylotrupes bajulus L.
Common name: House longhorn beetle
Development stage: -

Scientific name: Anobium punctatum De Geer
Common name: Common furniture beetle
Development stage: -

Scientific name: Lyctus brunneus
Common name: Powder post beetles
Development stage: -

Field(s) of use

Indoor

Outdoor

Curative treatment for wood in service (wood not exposed to weathering and leaching)
Softwood and hardwood

Application method(s)

superficial application
Detailed description:

Superficial application / brush / roller /pad treatment

Superficial application / spray treatment

Injection (always combined with a superficial application)

Application rate(s) and frequencies

Application Rate: 300 g of product / m² of wood
Dilution (%): -
Number and timing of application:
The product is ready to use.

For the treatment with a superficial application, the application rate is :
- 300 g of product / m² of wood

When the application is performed by injection (always combined with superficial application), the application rate is :
180 mL of product / m² of wood (equivalent to 145 g of product /m² of wood) (+ 300 g of product / m² of wood)

Category(ies) of users

Professional

Pack sizes and packaging material

Can /Tin, Metal: , 0.75 L, 1, 2.5, 5, 25, 30, 55 and 200 L

IBC (intermediate bulk container), Plastic: HDPE , 1 000 L

The 30 L tin-plate can is internally coated with an epoxyphenolic lacquer.

Tin-plate can up to 200 L and HDPE 1000 L IBC for professional users. Hermetically closed with a cap.



4.3.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application ..
- Use only for the treatment of wood not be exposed to weathering and leaching.

- May only be used indoor in churches and other preservation worthy buildings, where people do not work or reside for longer periods of time. The product is not be used in residential buildings.

4.3.2 Use-specific risk mitigation measures

- **Professional user only:** For brushing, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application phase.
- **Professional user only:** For spraying, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and impermeable coverall (category IV type 4) during spraying and gloves and coated coverall (category IV type 6) during cleaning phase.
- **Professional user only:** For injection combined to brushing, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and coated coverall (category IV type 6) during application by brushing and gloves during injection.
- **Professional user only** For injection combined to spraying, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and impermeable coverall (category IV type 4) during application by spraying, gloves during injection and gloves and coated coverall (category IV type 6) during cleaning of equipments.
- For outdoor treatment, cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment
- Do not apply where the product can reach surface water during outdoor application
- Treated wood should not be used near an aquatic environment.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.4 Use description

Use 4 - Curative treatment for wood in service Non Professional

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Curative treatment for wood in service
Target organism(s) (including development stage)	Scientific name: Hylotrupes bajulus L. Common name: House longhorn beetle Development stage: - Scientific name: Anobium punctatum De Geer Common name: Common furniture beetle Development stage: - Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: -
Field(s) of use	Outdoor Curative treatment for wood in service (wood not exposed to weathering and leaching) Softwood and hardwood
Application method(s)	superficial application Detailed description: Superficial application / brush / roller /pad treatment Superficial application / spray treatment Injection (always combined with brush application only)
Application rate(s) and frequencies	Application Rate: 300 g of product / m ² of wood Dilution (%): - Number and timing of application: The product is ready to use. For the treatment with a superficial application, the application rate is : - 300 g of product / m ² of wood When the application is performed by injection (always combined with brush only), the application rate is : 180 mL of product / m ² of wood (equivalent to 145 g of product /m ² of wood) (+ 300 g of product / m ² of wood)
Category(ies) of users	General public (non-professional)

Pack sizes and packaging material

Can /Tin, Metal: , 0.75 L, 1, 2.5, 5 L

Packagings for non-professional users are hermetically closed with a cap and fitted with a child-resistant fastening and a tactile warning of danger.

4.4.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application (only with brushing application).
- Use only for the treatment of wood not be exposed to weathering and leaching.

4.4.2 Use-specific risk mitigation measures

- For outdoor treatment, apply only by brushing and cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment
- Do not apply where the product can reach surface water during outdoor application
- Treated wood should not be used near an aquatic environment.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.5 Use description

Use 5 - industrial treatment

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised

Preventive treatment for wood in use class 1, 2 and 3.1 (Hardwood and Softwood).

use

Target organism(s) (including development stage)

Scientific name: Hylotrupes bajulus L.
Common name: House longhorn beetle
Development stage: -

Scientific name: Anobium punctatum De Geer
Common name: Common furniture beetle
Development stage: -

Scientific name: Lyctus brunneus
Common name: Powder post beetles
Development stage: -

Scientific name: Reticulitermes sp.
Common name: Termites
Development stage: -

Scientific name: Basidiomycetes:
Common name: Brown rot fungi
Development stage:

Scientific name: Basidiomycetes:
Common name: White rot fungi
Development stage:

Field(s) of use

Indoor

Outdoor

Preventive treatment for wood in use class 1
Softwood and hardwood

Application method(s)

Method: Open system: dip treatment
Detailed description:
Superficial application / short dipping treatment

Application rate(s) and frequencies

Application Rate: UC1 to 3.1 : 200 g of product /m²
Dilution (%): -
Number and timing of application:
The product is ready to use

When the application is performed by short dipping, the application rate is :

UC1 to 3.1 : 200 g of product /m²

Category(ies) of users

Industrial

Pack sizes and packaging material

IBC (intermediate bulk container), Plastic: HDPE, 1000 L or tinplate, 200L, Hermetically closed with a cap.

4.5.1 Use-specific instructions for use

For preventive superficial application on wood for use class 3.1, a top coat has to be applied.

4.5.2 Use-specific risk mitigation measures

- Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and clothes (category IV type 6) during mixing and loading and gloves during application.
- Prevent any release to the environment during the product application phase as well as during the storage and the transport of treated timber.
- Industrial application shall be conducted within a contained area on impermeable hard standing with bunding
- During the application phase, prevent any release of cleaning water (after cleaning of floors, tanks, containers) to the environment (sewer, soil, water).
- Freshly treated timber shall be stored after treatment under shelter and on impermeable hard standing to prevent losses to soil, sewer, or water, and any losses from the application of the product shall be collected for reuse or disposal. Before use, store the timber in an area sheltered from the weather.
- Any contaminated water/soil shall be collected, contained and treated as hazardous waste.
- Treated wood should not be used near an aquatic environment.

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

5. General directions for use

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the registration holder

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Ingestion: Wash out mouth with water. Do not drink or induce vomiting. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with soap and water. Contact poison treatment specialist if symptoms occur.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf life: 24 months
- Do not store at a temperature higher than 20°C
- Protect from light (only bulk containers).

6. Other information

- The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA)
- Treated wood should not be intended for uses involving contact with food, feed or livestock.

I. Etiketten skal udformes i overensstemmelse med det godkendte resumé af det biocidholdige produkts egenskaber, jf. artikel 69, stk. 1, i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP-Forordningen [1].

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Etiket og mærkning skal være på dansk.
Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:
"Træbeskyttelsesmiddel"

Må kun anvendes til forebyggelse eller behandling mod træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), termitter (*Reticulitermes* spp.) og træødelæggende svamp indendørs og udendørs. Må indendørs kun anvendes til erhvervsmæssig brug i kirker og andre bevaringsværdige bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produktet må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1, 2 og 3 jf. DS/EN335:2013."

2) I advarselsfeltet:

"FARE

Kan være livsfarligt, hvis det indtages og kommer i luftvejene. (H304)

Meget giftig med langvarige virkninger for vandlevende organismer. (H410)

Læs etiketten før brug.

Opbevares under lås.

Undgå udledning til miljøet.

Udslip opsamles.

Gentagen kontakt kan give tør eller revnet hud. (EUH66)

Bær beskyttelsestøj. Bær kemisk resistente beskyttelseshandsker ved brug af produktet." Handskematerialet skal angives af godkendelsesindehaveren i produktdatabladet.

"Vask huden grundigt efter brug.

Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

Må kun anvendes til forebyggelse eller behandling mod træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*), termitter (*Reticulitermes* spp.) og træødelæggende svamp indendørs og udendørs. Må indendørs kun anvendes til erhvervsmæssig brug, og kun i kirker og andre bevaringsværdige bygninger, hvor mennesker ikke arbejder eller opholder sig i længere tid ad gangen. Produktet må ikke anvendes i boliger. Må kun anvendes i brugsklasse 1, 2 og 3 jf. DS/EN335:2013.

Må kun anvendes mod termitter, når det behandlede træ skal eksporteres.

Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte. Må kun anvendes i doseringer på 200 g/m² ved præventiv overflade behandling, 300 g/m² ved overflade behandling af træværk inficeret med insekter, 145 g/m² ved behandling ved injektion af træværk inficeret med insekter.

Behandling ved injektion af træværk inficeret med insekter skal altid kombineres med overflade behandling.

Ved forebyggende behandling skal det behandlede træ overfladebehandles med for eksempel en maling.

Overfladebehandlingen skal løbende vedligeholdes.

Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer, foderstoffer og husdyr.

Ved påførsel skal jorden afdækkes, således at eventuelt spild opsamles.

For at beskytte organismer, der lever i vand, må midlet og behandlet træ ikke anvendes i umiddelbar nærhed af vandmiljøet (vandløb, søer m.v.).

Må ikke tømmes i kloakfløb.

Opbevares utilgængeligt for børn.

Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.

Nedenstående supplerende forskrifter er kun relevant ved erhvervsmæssig anvendelse:

Alle industrielle anvendelsesprocesser skal udføres inden for et lukket område på et hårdt uigennemtrængeligt underlag, der er inddækket for at forhindre afstrømning, og med et etableret opsamlingsystem (f.eks. en samlebrønd).

Nyligt behandlet træ skal efter behandlingen henstilles overdækket eller på et hårdt og uigennemtrængeligt underlag for at forebygge direkte spild til jord og vand.

Eventuelt spild skal opsamles til genbrug eller bortskaffelse.

Ovenstående indrammede angivelse skal være tydeligt anført på et faktaark eller lignende, der følger det behandlede træ."

Farepiktogrammet GHS 08 og GHS09.

Miljøstyrelsen henleder opmærksomheden på, at godkendelsesindehaver skal anføre oplysninger om førstehjælp, herunder:

"Hvis der er brug for lægehjælp, medbring da beholderen eller etiketten.

I TILFÆLDE AF INDTAGELSE: Ring omgående til en GIFTINFORMATION/læge.

Fremkald IKKE opkastning."

3) I deklarationsfeltet:

- a) Teksten " Træbeskyttelsesmiddel BPR-reg. nr. 795-1. Aktivstoffer og biocidholdigt produkt er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)."
- b) Oplysning om præparattype: "væske" for dette præparat.
- c) Indholdet af aktivstoffer i vægtprocent (% w/w) og g/L ved 20 °C
- d) Sætningerne: "Indeholder hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics 2% aromatics." og " Indeholder propiconazol. Kan udløse allergisk reaktion. "
- e) Udløbsdatoen skal anføres. Denne dato må højst være 24 måneder efter produktionsdatoen. Etikettens dato kan udformes som en hen-visning til en produktionsdato andetsteds på emballagen.
- f) Batchnummer eller – betegnelse skal anføres.
- g) Pakningsstørrelse i liter (L).
- h) Godkendelsesindehavers navn og adresse.

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse:

Der skal mærkes med sikkerhedssætning P501: "Indholdet/holderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter retningslinjerne:

"Rester skal afleveres på den kommunale affaldsordning for farligt affald. Tomme beholdere kan bortskaffes med dagrenovationen."