

# Summary of product characteristics for a biocidal product

**Product name:** Product 3-3 - Hydrachim

**Product type(s):** PT03 - Veterinary hygiene (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

**Authorisation number:** FR-2023-0054

**R4BP 3 asset reference number:** FR-0030922-0017

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8

## Administrative information

### 1.1. Trade names of the product

CAPLACTI
FILMA LACTI
FILM BARRIERE NEW
SALVODIP
LATIFILM
VITAFILM

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Hydrachim
	Address	ZA du piquet 35370 Etelles France
<b>Authorisation number</b>	FR-2023-0054 1-3	
<b>R4BP 3 asset reference number</b>	FR-0030922-0017	
<b>Date of the authorisation</b>	20/09/2023	
<b>Expiry date of the authorisation</b>	19/09/2033	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	HYDRACHIM
<b>Address of the manufacturer</b>	ZA DU PIQUET F-35370 ETRELLES France
<b>Location of manufacturing sites</b>	ZA DE LA POINTE F-35380 PLELAN LE GRAND France
	ROUTE DE SAINTE POIX F-35370 LE PERTRE France

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1322 - L-(+)-lactic acid
<b>Name of the manufacturer</b>	Jungbunzlauer S.A
<b>Address of the manufacturer</b>	ZI Portuaire - BP 32 F-67390 Marcklosheim France
<b>Location of manufacturing sites</b>	Jungbunzlauer S.A - ZI Portuaire - BP 32 F-67390 Marcklosheim France

<b>Active substance</b>	1322 - L-(+)-lactic acid
<b>Name of the manufacturer</b>	Purac Bioquimica sa
<b>Address of the manufacturer</b>	Gran Vial 19-25 08160 MONTMELÓ Spain
<b>Location of manufacturing sites</b>	Gran Vial 19-25 E-08160 MONTMELÓ Spain

<b>Active substance</b>	1322 - L-(+)-lactic acid
<b>Name of the manufacturer</b>	Purac Bioquimica sa
<b>Address of the manufacturer</b>	Gran Arkelsedijk 46 4206 AC Gorinchem Netherlands
<b>Location of manufacturing sites</b>	Arkelsedijk 46 NL-4200 GORINCHEM Netherlands

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	10,26

### 2.2. Type of formulation

AL - Any other liquid

## 3. Hazard and precautionary statements

### Hazard statements

Causes serious eye damage.  
Contains Carvone and d-limonene. May produce an allergic reaction.

### Precautionary statements

Wear eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor/....

## 4. Authorised use(s)

### 4.1 Use description

**Use 1 - Use # 11 Teat disinfection of milkable animals: Post-milking teat disinfection by manual dipping with a film-forming property thick liquid**

### Product type

PT03 - Veterinary hygiene (Disinfectants)

### Where relevant, an exact description of the authorised use

Non-medical teat disinfection.

**Target organism(s) (including development stage)**

Scientific name:  
Common name: Bacteria  
Development stage:

Scientific name:  
Common name: Yeasts  
Development stage:

Scientific name:  
Common name: Enveloped viruses  
Development stage:

**Field(s) of use**

Indoor

Disinfection of teats of milk producing animals

**Application method(s)**

Method: Open system: dip treatment  
Detailed description:

Manual film-forming property thick liquid dipping after milking

**Application rate(s) and frequencies**

Application Rate: Cows and buffaloes: 3 to 10ml - sheep:1.5 to 5 ml - goats: 2.5 to 6 ml  
Dilution (%): No dilution. Ready-to-use product  
Number and timing of application:

- cows and buffaloes: 2 to 3 times per day for post-milking disinfection
- sheep and goats: 1 to 2 times per day for post-milking disinfection

Contact time: 5 minutes  
Ambient temperature

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1L HDPE Bottle  
5L HDPE Jerrican  
10L HDPE Jerrican  
20L HDPE Jerrican  
22L HDPE Jerrican  
60L HDPE Drum  
220L HDPE Drum  
1000L HDPE Container

**4.1.1 Use-specific instructions for use**

- Fill manually the clean and dry 300 ml dipping cup with the 225ml of the ready to use product.
- Squeeze three to six times the dip cup reservoir to make the film-forming thick liquid product rise into the 2/3 of the dipping cup reservoir.
- Apply by dipping manually on animal's teats on the full length of the teat after milking.
- For post-milking application, leave the product until next milking. Keep the cows standing until the product has dried (at least 5 minutes). At the next milking, clean the teats with a single use paper or a towel.
- Clean the application equipment regularly with water.

#### 4.1.2 Use-specific risk mitigation measures

The professional user has to wear chemical goggles and gloves during loading, application by dipping and cleaning of the equipment.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

#### 4.2 Use description

##### Use 2 - Use # 12 - Teat disinfection of milkable animals: Post-milking teat disinfection by semi-automated dipping with a film-forming property thick liquid

##### Product type

PT03 - Veterinary hygiene (Disinfectants)

##### Where relevant, an exact description of the authorised use

Non-medical teat disinfection

##### Target organism(s) (including development stage)

Scientific name:  
Common name: Bacteria  
Development stage:

Scientific name:  
Common name: Yeasts  
Development stage:

Scientific name:  
Common name: Enveloped viruses  
Development stage:

##### Field(s) of use

Indoor

Disinfection of teats of milk producing animals

##### Application method(s)

Method: Open system: dip treatment  
Detailed description:  
Semi-automated film-forming property thick liquid dipping after milking

**Application rate(s) and frequencies**

Application Rate: Cows and buffaloes: 3 to 10ml - sheep:1.5 to 5 ml - goats: 2.5 to 6 ml  
Dilution (%): No dilution. Ready-to-use product  
Number and timing of application:  

- cows and buffaloes: 2 to 3 times per day for post-milking disinfection
- sheep and goats: 1 to 2 times per day for post-milking disinfection

Contact time: 5 minutes  
Ambient temperature

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

1L HDPE Bottle  
5L HDPE Jerrican  
10L HDPE Jerrican  
20L HDPE Jerrican  
22L HDPE Jerrican  
60L HDPE Drum  
220L HDPE Drum  
1000L HDPE Container

**4.2.1 Use-specific instructions for use**

- Connect the container to the semi-automated dipping equipment.
- Press the trigger to fill the dipping cup reservoir with the film-forming thick liquid product.
- Apply by dipping manually on animal's teats on the full length of the teat after milking.
- For post-milking application, leave the product until next milking. Keep the animals standing for five minutes. At the next milking, clean the teats with a single use paper or a towel.
- Clean the application equipment regularly with water.

**4.2.2 Use-specific risk mitigation measures**

The professional user has to wear chemical goggles and gloves during loading, application by dipping and cleaning of the equipment.

**4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**



-

#### **4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

### **5. General directions for use**

#### **5.1. Instructions for use**

- Comply with the instructions for use.
- Respect the conditions of use of the product (concentration, contact time, temperature, pH, etc.).
- Inform the registration holder if the treatment is ineffective.
- The product must be brought to a temperature above 20° before use

#### **5.2. Risk mitigation measures**

-

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor:
  - The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH>11), amines and acids like acetic acid, formic acid or propionic acid

#### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Do not store above 40°C.
- Protect from frost.
- Shelf-life : 2 years

### **6. Other information**