

# Summary of product characteristics for a biocidal product

**Product name:** XILIX 3000 P

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** BE2018-0011

**R4BP 3 asset reference number:** BE-0014663-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	4
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
4.1.1 Use-specific instructions for use	5
4.1.2 Use-specific risk mitigation measures	5
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	6
4.1.4 Where specific to the use, the instructions for safe disposal of the product and its	6
4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under	7
4.2.1 Use-specific instructions for use	8
4.2.2 Use-specific risk mitigation measures	8
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	9
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its	9
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under	10
4.3.1 Use-specific instructions for use	11
4.3.2 Use-specific risk mitigation measures	11
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	11
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its	12
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under	12
4.4.1 Use-specific instructions for use	13
4.4.2 Use-specific risk mitigation measures	14
4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid	14

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its	15
4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under	15
5. General directions for use	15
5.1. Instructions for use	15
5.2. Risk mitigation measures	15
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	15
5.4. Instructions for safe disposal of the product and its packaging	15
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	16
6. Other information	16

## Administrative information

### 1.1. Trade names of the product

XILIX 3000 P
CORIPHENE IF PRO
DEADLINE WOODWORM TREATMENT
WOODWORM TREATMENT FLUID
WOODWORM TREATMENT SOLUTION
XYLOFOR IFACO 3000

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	BERKEM DEVELOPPEMENT
	Address	Marais Ouest 24680 Gardonne France
<b>Authorisation number</b>	BE2018-0011	
<b>R4BP 3 asset reference number</b>	BE-0014663-0000	
<b>Date of the authorisation</b>	19/07/2018	
<b>Expiry date of the authorisation</b>	01/07/2023	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	ADKALIS
<b>Address of the manufacturer</b>	Marais Ouest F-24680 Gardonne France
<b>Location of manufacturing sites</b>	Marais Ouest F-24680 Gardonne France

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Köln Germany
<b>Location of manufacturing sites</b>	Shanghai Hui Long Chemicals Co Ltd. Dengta Jiazhu Rd. 201815 District Shanghai China

<b>Active substance</b>	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Köln Germany
<b>Location of manufacturing sites</b>	Syngenta Crop Protection AG. CH-1870 Monthey Switzerland

<b>Active substance</b>	48 - 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
<b>Name of the manufacturer</b>	JANSSEN PMP
<b>Address of the manufacturer</b>	Turnhoutseweg 30 2340 Beerse Belgium
<b>Location of manufacturing sites</b>	Zhangjiagang 215600 Jiangsu China

<b>Active substance</b>	51 - tebuconazole
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Köln Germany
<b>Location of manufacturing sites</b>	Bayer CropScience Corp. Hawthorn Road, P.O. Box 4913 MO 64120-001 Kansas City United States

<b>Active substance</b>	1342 - Permethrin
<b>Name of the manufacturer</b>	LANXESS Deutschland GmbH
<b>Address of the manufacturer</b>	Kennedyplatz 1 D-50569 Köln Germany
<b>Location of manufacturing sites</b>	Bayer Vapi Private Limited, Plot # 306/3 II Phase, GIDC Vapi – 396 195 Gujarat India
<b>Active substance</b>	1342 - Permethrin
<b>Name of the manufacturer</b>	TAGROS Chemicals India Ltd
<b>Address of the manufacturer</b>	Marshalls road, Egmore Chennai-600 008 Tamil Nadu India
<b>Location of manufacturing sites</b>	A4 / 1 & 2 SIPCOT INDUSTRIAL COMPLEX, PACHAYANKUPPAM 607 005 CUDDALORE Tamil Nadu India
<b>Active substance</b>	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
<b>Name of the manufacturer</b>	TROY Chemical Company BV
<b>Address of the manufacturer</b>	Uiverlaan 12e 3140 AC Maasluis Netherlands
<b>Location of manufacturing sites</b>	One Avenue L Newark 07105 New Jersey United States

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0.073
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole		Active Substance	60207-90-1	262-104-4	0.073
tebuconazole	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol	Active Substance	107534-96-3	403-640-2	0.073
Permethrin		Active Substance	52645-53-1	258-067-9	0.35

## 2.2. Type of formulation

ME - Micro-emulsion

## 3. Hazard and precautionary statements

### Hazard statements

Very toxic to aquatic life with long lasting effects.  
Very toxic to aquatic life.  
Contains permethrin. May produce an allergic reaction.

### Precautionary statements

Avoid release to the environment.  
Collect spillage.  
Dispose of container to in accordance with applicable regulations.  
Dispose of contents to in accordance with applicable regulations.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Preventive use - non professional users

### Product type

PT08 - Wood preservatives (Preservatives)

### Where relevant, an exact description of the authorised use

The XILIX 3000 P product is effective against wood-destroying insects (including termites) and wood destroying fungi (white rot and brown rot fungi) in preventive treatment.

### Target organism(s) (including development stage)

Hylotrupes bajulus L.-House longhorn beetle-larvea  
Lyctus brunneus-Powder post beetles-Larvae  
Anobium punctatum De Geer-Common furniture beetle-Larvae  
Reticulitermes sp.-Termites-Adults  
Coniophora puteana-Wood rotting fungi-Spores and spore producing structures  
Poria placenta-Wood rotting fungi-Spores and spore producing structures  
Gloeophyllum trabeum-Wood rotting fungi-Spores and spore producing structures

	Coriolus versicolor-Wood rotting fungi-Spores and spore producing structures
<b>Field(s) of use</b>	Indoor Use class 1 and 2
<b>Application method(s)</b>	In situ brushing - The product is a Ready-to-Use product. The application rate for use class 1 is 28 g/m <sup>2</sup> . The application rate for use classe 2 (softwood) is 100g/m <sup>2</sup> and for hardwood 200g/m <sup>2</sup> .  This is an indicative value, that shall be adapted according the type of wood, the product absorption ability and inherent parameters of application.
<b>Application rate(s) and frequencies</b>	28-200 g/m <sup>2</sup> - ready to use - 3 applications distant of 15 to 30 minutes.
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	Can /Tin, Plastic: HDPE , 1 L Can /Tin, Plastic: HDPE , 2.5 L Can /Tin, Plastic: HDPE , 5 L Can /Tin, Plastic: HDPE , 6 L

#### 4.1.1 Use-specific instructions for use

For the non-professional users, the product XILIX 3000 P can be applied by brushing for preventive treatment. The application rate depend on the targeted use class and organisms. The product is a Ready-to-Use product. The application rate for use class 1 in preventive treatment against xylophage insects is 28 g/m<sup>2</sup>. The application rate for use classe 2 (softwood) is 100g/m<sup>2</sup> and for hardwood 200g/m<sup>2</sup>.

The fixation step, following the application is at minimum 4 hours.

The treated wood has to be dried during 24 to 48 hours in ventilated place.

Wood intended to be used in outdoors has to be protected by a resistant paint or varnish.

#### 4.1.2 Use-specific risk mitigation measures

Appropriate and suitable personal protective equipment (PPE) is required: chemical resistant gloves.



Contact with the skin is to be avoided as the product may produce an allergic reaction.

Freshly treated timber must be stored after treatment under shelter and/or on impermeable hard standing to prevent direct losses to soil or water and any losses from the application of the product shall be collected for reuse or disposal.

#### **4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Likely direct or indirect effects:

- No known adverse effects are expected.

First aid measures:

- In case of accidental inhalation of fumes, move to fresh air. If shortness of breath/respiratory distress occurs and persist seek medical advice.
- In case of eye exposure check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes. If eye irritation/sensitization occurs and persist seek medical advice.
- In case of skin contact wash the affected area with plenty of water without scrubbing. If skin irritation/sensitization occurs and persist seek medical advice.
- In case of ingestion wash mouth with plenty of water. If you experience severe abdominal pain or feel unwell seek medical advice.
- If necessary take the affected individual to a healthcare center and bring packaging or label whenever possible.

NEVER LEAVE THE AFFECTED INDIVIDUAL UNATTENDED!

Advice for medical and healthcare personnel:

- Symptomatic and supportive treatment.

WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER [INSERT LOCAL NUMBER HERE].

Do not discharge the product into drains or into the environment. Prevent entry into waters or soil.

Contain spills by covering with absorbing material.

Store absorbing material used to absorb spills in drums for waste disposal.

Prevent all product entry into drains or waterways.

Place containers or drums for disposal of waste recovered in accordance with applicable regulations.

If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.

Do not discharge the product into drains or into the environment. Prevent entry into waters or soil.

Contain spills by covering with absorbing material.

Store absorbing material used to absorb spills in drums for waste disposal.

Prevent all product entry into drains or waterways.

Place containers or drums for disposal of waste recovered in accordance with applicable regulations.

If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.

#### **4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

Completely empty containers. The product residue, washing water, packaging and any other waste related to the treatment should be considered as hazardous waste.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste; do not dispose of waste into the environment.

Dispose of empty containers in an incinerator approved for chemicals by the competent authorities. Damaged containers should be placed in specially marked larger ones. Check possibilities of recycling large empty containers.

Codes of wastes (Decision 2001/573/EC; Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste): 030205 other wood preservatives containing dangerous substances.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Storage conditions: Keep container tightly closed in original package in a dry and well-ventilated place. Protect from direct exposition to light.  
At ambient temperature the product has a long term stability for 24 months and is stable under cold and accelerated storage conditions.

#### 4.2 Use description

##### Use 2 - Preventive use – professional users

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	The XILIX 3000 P product is effective against wood-destroying insects (including termites) and wood destroying fungi (white rot and brown rot fungi) in preventive treatment.
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-House longhorn beetle-larvea Lyctus brunneus-Powder post beetles-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae Reticulitermes sp.-Termites-Adults Coniophora puteana-Wood rotting fungi-Spores and spore producing structures Poria placenta-Wood rotting fungi-Spores and spore producing structures Gloeophyllum trabeum-Wood rotting fungi-Spores and spore producing structures Coriolus versicolor-Wood rotting fungi-Spores and spore producing structures
<b>Field(s) of use</b>	Indoor Use class 1 and 2
<b>Application method(s)</b>	In situ spraying - The product is a Ready-to-Use product. The application rate for use class 1 in preventive treatment against xylophage insects is 28 g/m <sup>2</sup> . The application rate for use classe 2 (softwood) is 100g/m <sup>2</sup> and for hardwood 200g/m <sup>2</sup> .  This is an indicative value, that shall be adapted according the type of wood, the product absorption ability and inherent parameters of application.  in situ injection - The product is a Ready-to-Use product. The application rate for use class 1 in preventive treatment against xylophage insects is 28 g/m <sup>2</sup> . The application rate for use classe 2 (softwood) is 100g/m <sup>2</sup> and for hardwood 200g/m <sup>2</sup> .  This is an indicative value, that shall be adapted according the type of wood, the

	product absorption ability and inherent parameters of application.
<b>Application rate(s) and frequencies</b>	<p>28-200 g/m<sup>2</sup> - ready to use - 1 to 3 applications distant of 15 to 30 minutes.</p> <p>28-200 g/m<sup>2</sup> - Ready to use - 1 application (3 injections, 20mL/hole).</p>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	<p>Bucket, Metallic : 22 L  Can /Tin, Plastic: HDPE , 25 L  Drum, Plastic: HDPE , 60 L  Drum, Plastic: HDPE , 220 L  IBC (intermediate bulk container), Plastic: HDPE , 1000 L</p>

#### 4.2.1 Use-specific instructions for use

<p>For the professional user category, the product can be applied by spraying and injection for preventive treatment.</p> <p>The application rate depend on the targeted use class and organisms. The product is a Ready-to-Use product. The application rate for use class 1 in preventive treatment against xylophage insects is 28 g/m<sup>2</sup>. The application rate for use class 2 (softwood) is 100g/m<sup>2</sup> and for hardwood 200g/m<sup>2</sup>.</p> <p>The fixation step, following the application is at minimum 4 hours.</p> <p>The treated wood has to be dried during 24 to 48 hours in ventilated place.</p> <p>Wood intended to be used in outdoors has to be protected by a resistant paint or varnish.</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### 4.2.2 Use-specific risk mitigation measures

<p>Appropriate and suitable personal protective equipment (PPE) is required: chemical resistant gloves, impermeable coverall and RPE (APF10 for spraying).</p> <p>Contact with the skin is to be avoided as the product may produce an allergic reaction.</p> <p>Do not combine different types of application.</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Freshly treated timber must be stored after treatment under shelter and/or on impermeable hard standing to prevent direct losses to soil or water and any losses from the application of the product shall be collected for reuse or disposal.

#### **4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Likely direct or indirect effects:

- No known adverse effects are expected.

First aid measures:

- In case of accidental inhalation of fumes, move to fresh air. If shortness of breath/respiratory distress occurs and persist seek medical advice.
- In case of eye exposure check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes. If eye irritation/sensitization occurs and persist seek medical advice.
- In case of skin contact wash the affected area with plenty of water without scrubbing. If skin irritation/sensitization occurs and persist seek medical advice.
- In case of ingestion wash mouth with plenty of water. If you experience severe abdominal pain or feel unwell seek medical advice.
- If necessary take the affected individual to a healthcare center and bring packaging or label whenever possible.

**NEVER LEAVE THE AFFECTED INDIVIDUAL UNATTENDED!**

Advice for medical and healthcare personnel:

- Symptomatic and supportive treatment.

**WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER [INSERT LOCAL NUMBER HERE].**

Do not discharge the product into drains or into the environment. Prevent entry into waters or soil.

Contain spills by covering with absorbing material.  
Store absorbing material used to absorb spills in drums for waste disposal.

Prevent all product entry into drains or waterways.

Place containers or drums for disposal of waste recovered in accordance with applicable regulations.

If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.

#### **4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

Completely empty containers. The product residue, washing water, packaging and any other waste related to the treatment should be considered as hazardous waste.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste: do not dispose of waste into the environment.

Dispose of empty containers in an incinerator approved for chemicals by the competent authorities. Damaged containers should be placed in specially marked larger ones. Check possibilities of recycling large empty containers.

Codes of wastes (Decision 2001/573/EC; Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste): 030205 other wood preservatives containing dangerous substances.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Storage conditions: Keep container tightly closed in original package in a dry and well-ventilated place. Protect from direct exposition to light.  
At ambient temperature the product has a long term stability for 24 months and is stable under cold and accelerated storage conditions.

### 4.3 Use description

#### Use 3 - Curative use – non professional users

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	The XILIX 3000 P product is effective against wood-destroying insects in curative treatment.
<b>Target organism(s) (including development stage)</b>	Hylotrupes bajulus L.-House longhorn beetle-larvea Lyctus brunneus-Powder post beetles-Larvae Anobium punctatum De Geer-Common furniture beetle-Larvae
<b>Field(s) of use</b>	Indoor -
<b>Application method(s)</b>	In situ brushing - The product is a Ready-to-Use product. For curative treatment, the product can be applied with the application rate of 300 ml/m <sup>2</sup> .  This is an indicative value, that shall be adapted according the type of wood, the product absorption ability and inherent parameters of application.
<b>Application rate(s) and frequencies</b>	300 ml/m <sup>2</sup> - ready to use - 3 applications distant of 15 to 30 minutes.
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	Can /Tin, Plastic: HDPE , 1 L Can /Tin, Plastic: HDPE , 2.5 L Can /Tin, Plastic: HDPE , 5 L

Can /Tin, Plastic: HDPE , 6 L

#### 4.3.1 Use-specific instructions for use

For the non-professional users, the product XILIX 3000 P can be applied by brushing for curative treatment with the application rate of 300 ml/m<sup>2</sup>.

The fixation step, following the application is at minimum 4 hours.

The treated wood has to be dried during 24 to 48 hours in ventilated place.

Wood intended to be used in outdoors has to be protected by a resistant paint or varnish.

#### 4.3.2 Use-specific risk mitigation measures

Appropriate and suitable personal protective equipment (PPE) is required: chemical resistant gloves.

Contact with the skin is to be avoided as the product may produce an allergic reaction.

Freshly treated timber must be stored after treatment under shelter and/or on impermeable hard standing to prevent direct losses to soil or water and any losses from the application of the product shall be collected for reuse or disposal.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect effects:

- No known adverse effects are expected.

First aid measures:

- In case of accidental inhalation of fumes, move to fresh air. If shortness of breath/respiratory distress occurs and persist seek medical advice.
- In case of eye exposure check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes. If eye irritation/sensitization occurs and persist seek medical advice.
- In case of skin contact wash the affected area with plenty of water without scrubbing. If skin irritation/sensitization occurs and persist seek medical advice.
- In case of ingestion wash mouth with plenty of water. If you experience severe abdominal pain or feel unwell seek medical advice.
- If necessary take the affected individual to a healthcare center and bring packaging or label whenever possible.

NEVER LEAVE THE AFFECTED INDIVIDUAL UNATTENDED!

Advice for medical and healthcare personnel:

- Symptomatic and supportive treatment.

WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER [INSERT LOCAL NUMBER HERE].

Do not discharge the product into drains or into the environment. Prevent entry into waters or soil.

Contain spills by covering with absorbing material.  
Store absorbing material used to absorb spills in drums for waste disposal.

Prevent all product entry into drains or waterways.

Place containers or drums for disposal of waste recovered in accordance with applicable regulations.

If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Completely empty containers. The product residue, washing water, packaging and any other waste related to the treatment should be considered as hazardous waste.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste; do not dispose of waste into the environment.

Dispose of empty containers in an incinerator approved for chemicals by the competent authorities. Damaged containers should be placed in specially marked larger ones. Check possibilities of recycling large empty containers.

Codes of wastes (Decision 2001/573/EC; Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste): 030205 other wood preservatives containing dangerous substances.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Storage conditions: Keep container tightly closed in original package in a dry and well-ventilated place. Protect from direct exposition to light.

At ambient temperature the product has a long term stability for 24 months and is stable under cold and accelerated storage conditions.

### 4.4 Use description

#### Use 4 - Curative use – professional users

**Product type**

PT08 - Wood preservatives (Preservatives)

**Where relevant, an exact description of the authorised use**

The XILIX 3000 P product is effective against wood-destroying insects in curative treatment.

**Target organism(s) (including development stage)**

Hylotrupes bajulus L.-House longhorn beetle-larvea

	<p>Lyctus brunneus-Powder post beetles-Larvae</p> <p>Anobium punctatum De Geer-Common furniture beetle-Larvae</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>-</p>
<b>Application method(s)</b>	<p>In situ injection - For curative treatment, the product can be applied with the application rate of 300 ml/m<sup>2</sup>.</p> <p>In situ spraying - For curative treatment, the product can be applied with the application rate of 300 ml/m<sup>2</sup>.</p>
<b>Application rate(s) and frequencies</b>	<p>300 ml/m<sup>2</sup> - ready to use - 1 application (3 injections, 20mL/hole).</p> <p>300 ml/m<sup>2</sup> - ready to use - 1 to 3 applications distant of 15 to 30 minutes.</p>
<b>Category(ies) of users</b>	<p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>Bucket, Metallic : 22 L Can /Tin, Plastic: HDPE , 25 L Drum, Plastic: HDPE , 60 L Drum, Plastic: HDPE , 220 L IBC (intermediate bulk container), Plastic: HDPE , 1000 L</p>

#### 4.4.1 Use-specific instructions for use

For the professional user category, the product can be applied by spraying and injection for curative treatment with the application rate of 300 ml/m<sup>2</sup>.

The fixation step, following the application is at minimum 4 hours.

The treated wood has to be dried during 24 to 48 hours in ventilated place.

Wood intended to be used in outdoors has to be protected by a resistant paint or varnish.



#### 4.4.2 Use-specific risk mitigation measures

Appropriate and suitable personal protective equipment (PPE) is required: chemical resistant gloves, impermeable coverall and RPE (APF10 for spraying).

Contact with the skin is to be avoided as the product may produce an allergic reaction.

Do not combine different types of application.

Freshly treated timber must be stored after treatment under shelter and/or on impermeable hard standing to prevent direct losses to soil or water and any losses from the application of the product shall be collected for reuse or disposal.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect effects:

- No known adverse effects are expected.

First aid measures:

- In case of accidental inhalation of fumes, move to fresh air. If shortness of breath/respiratory distress occurs and persist seek medical advice.
- In case of eye exposure check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes. If eye irritation/sensitization occurs and persist seek medical advice.
- In case of skin contact wash the affected area with plenty of water without scrubbing. If skin irritation/sensitization occurs and persist seek medical advice.
- In case of ingestion wash mouth with plenty of water. If you experience severe abdominal pain or feel unwell seek medical advice.
- If necessary take the affected individual to a healthcare center and bring packaging or label whenever possible.

**NEVER LEAVE THE AFFECTED INDIVIDUAL UNATTENDED!**

Advice for medical and healthcare personnel:

- Symptomatic and supportive treatment.

**WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER [INSERT LOCAL NUMBER HERE].**

Do not discharge the product into drains or into the environment. Prevent entry into waters or soil.

Contain spills by covering with absorbing material.  
Store absorbing material used to absorb spills in drums for waste disposal.

Prevent all product entry into drains or waterways.

Place containers or drums for disposal of waste recovered in accordance with applicable regulations.

If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.

#### **4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

Completely empty containers. The product residue, washing water, packaging and any other waste related to the treatment should be considered as hazardous waste.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste; do not dispose of waste into the environment.

Dispose of empty containers in an incinerator approved for chemicals by the competent authorities. Damaged containers should be placed in specially marked larger ones. Check possibilities of recycling large empty containers.

Codes of wastes (Decision 2001/573/EC; Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste): 030205 other wood preservatives containing dangerous substances.

#### **4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Storage conditions: Keep container tightly closed in original package in a dry and well-ventilated place. Protect from direct exposition to light.

At ambient temperature the product has a long term stability for 24 months and is stable under cold and accelerated storage conditions.

### **5. General directions for use**

#### **5.1. Instructions for use**

See 4.1.1 , 4.2.1, 4.3.1, 4.4.1

#### **5.2. Risk mitigation measures**

See 4.1.2, 4.2.2, 4.3.2, 4.4.2

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See 4.1.3, 4.2.3, 4.3.3, 4.4.3

#### **5.4. Instructions for safe disposal of the product and its packaging**

See 4.1.4, 4.2.4, 4.3.4, 4.4.4

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

See 4.1.5, 4.2.5, 4.3.5, 4.4.

## 6. Other information

The product is intended to be used on wood or wood-based products for use classes 1 and 2